

QUARTERLY RETURN
OF
MARRIAGES, BIRTHS, AND DEATHS
REGISTERED IN
ENGLAND AND WALES
AND IN THE REGISTRATION COUNTIES;
AND OF BIRTHS, DEATHS, AND NOTIFIED CASES OF INFECTIOUS DISEASE
IN CERTAIN LARGE TOWNS.

~~~~~  
**Published by Authority of the Registrar-General.**  
~~~~~

Printed under the Superintendence of His Majesty's Stationery Office,

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.2; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 277.]

[Price 1s.

Marriages—*October, November, December, 1917.*

Births and Deaths—*January, February, March, 1918.*

*General Register Office, Somerset House,
30th April, 1918.*

The figures in this publication are tabulated mainly from statistical Returns furnished by the local Registrars, and may not be found to correspond exactly with the authoritative figures for the whole year to be published later in the Annual Report. The table showing commercial statistics and pauperism has been discontinued. *With this issue of the Quarterly Return a table of the deaths (by sex, age, and cause) in England and Wales during the second quarter of the year 1917 is incorporated. Similar tables for subsequent quarters will be published from time to time as available in future issues of this Return.*

ENGLAND AND WALES.

The figures in this Quarterly Return are based upon the BIRTHS and DEATHS registered in the 1,944 registration sub-districts of England and Wales in the three months ended 31st March 1918; and the MARRIAGES in 16,081 churches or chapels, in 17,081 registered places of worship unconnected with the Established Church, and in 634 Superintendent Registrars' Offices, in the three months ended 31st December, 1917.

The births registered during the three months ended 31st March, 1918, numbered 162,308 and the deaths 138,005; the number of persons married during the three months ended 31st December, 1917, was 148,566.

Marriages.

The number of persons married during the *fourth* quarter of 1917 showed an increase of 9,288 over the number in the preceding quarter, and was 8,832 greater than that in the *fourth* quarter of 1916. The number of persons married during the fourth quarter of 1917 corresponds to an annual rate of 15·7 per 1,000 total population.

Births.

The births registered in the *first* quarter of 1918 were 8,637 more than in the preceding quarter, and 16,417 fewer than in the *first* quarter of 1917.

Of the 162,308 births, 9,545 (or 41 more than the number in the corresponding quarter of 1917) were illegitimate; the distribution of the illegitimate births among the several registration counties is shown in Table IVa.

The births of males numbered 82,886 and those of females 79,422. Male births were in proportion to female births as 1,044 to 1,000, the average proportion in the ten preceding first quarters being 1,039.

The 162,308 births registered during the quarter correspond to an annual rate of 17·5 per 1,000 total population in 1917.

Natural Increase of Population.

The natural increase of population in England and Wales last quarter by excess of births over deaths was 24,303, against 44,280, 51,982, and 14,806 in the first quarters of 1915, 1916, and 1917, respectively.

Deaths.

The deaths registered in England and Wales last quarter were 25,264 more than in the preceding quarter, and 25,914 fewer than in the first quarter of 1917.

The 138,005 registered deaths included 71,577 of males and 66,428 of females. The proportion of male to female deaths was 1,078 to 1000, the average of the ten preceding first quarters being 1,043.

The civilian death-rate for the quarter cannot be stated at present, the number of non-civilian deaths included in the total of 138,005 being as yet unknown. The civilian death-rate in the whole group of 244 towns dealt with in Table III. which comprises 62 per cent. of the population of England and Wales was, however, 16·6 per 1,000; and during recent quarters the rate in this group of towns has corresponded closely to that in the country as a whole.

Infant Mortality.

Infant mortality, measured by the proportion of deaths under one year of age to registered births, was equal to 113 per 1,000, being 6 per 1,000 below the average in the ten preceding first quarters.

Urban Mortality.

Table III. shows the birth-rates, the death-rates from all causes, from the principal epidemic diseases and from violence, and the infant mortality, together with the proportion of inquest cases, of uncertified deaths, and of deaths in public institutions among the civilian population during the last four quarters in the 96 great towns, in the 148 smaller towns, and, as far as possible, in the whole of England and Wales.

The highest death-rates per 1,000 from the several epidemic diseases among the 96 great towns last quarter, as shown by Table VI., were as follows:—from *enteric fever*, 0·10 in Wigan, 0·14 in Acton and in Southampton, 0·15 in Gloucester, and 0·25 in Wakefield; from *measles*, 2·02 in Swindon, 2·56 in Great Yarmouth, 2·75 in Merthyr Tydfil, 2·86 in Leeds, 4·71 in Norwich, and 7·78 in Barnsley; from *scarlet fever*, 0·21 in Liverpool, 0·40 in St. Helens, and 0·52 in Bootle; from *whooping-cough*, 1·31 in Liverpool, 1·34 in Stockton-on-Tees, 1·35 in Bolton, Oldham, and Middlesbrough, 1·64 in Wigan, and 1·66 in Carlisle; and from *diphtheria*, 0·34 in Bolton, 0·36 in Gloucester, 0·38 in West Ham, 0·39 in Stoke-on-Trent, and 1·51 in St. Helens. The highest death-rates per 1000 births from *diarrhoea and enteritis* among children under 2 years of age were 14·34 in Hornsey, 14·63 in Wimbledon, 15·15 in Great Yarmouth, 15·29 in Burnley, 15·82 in Darlington, 23·39 in Dudley, and 33·71 in Middlesbrough.

UNITED KINGDOM.

In the United Kingdom 195,975 *births* and 142,925 *deaths* were registered in the three months ended 31st December, 1917. The natural increase of population was, therefore, 53,050. The number of *persons married* in the United Kingdom during the quarter was 174,950.

For facts, in detail, concerning Scotland and Ireland reference should be made to the Quarterly Returns of the Registrars-General of those parts of the United Kingdom.

COLONIAL AND FOREIGN CITIES.

The Registrar-General has been favoured with returns of vital statistics by the authorities of certain Colonial and Foreign Cities. From these a summary has been constructed for the 13 weeks ended 30th March, 1918 (Table XIII).

RETURNS OF NOTIFIED CASES OF INFECTIOUS DISEASE.

At the request of the Local Government Board, and of the London County Council, and on their responsibility with respect to accuracy, tables have been inserted, in continuation of those published in previous returns, showing the numbers of cases of infectious sickness among the civilian population notified, under Act of Parliament, to the Sanitary Authorities of certain of the largest towns in England and Wales, during the 13 weeks ended 30th March, 1918 (*see* pages 20–25); and in the two following tables these numbers have been reduced to rates per 1,000 of the several estimated civilian populations (*see* pages 26–31).

METEOROLOGY.*

January.

Two opposite types of weather sharply divided the month into two seasons—winter and spring. The first period, which very generally lasted until the 17th, was characterised by unusually low temperatures and winds from the East, North, or North-West. Snow also fell frequently, and in many localities lay on the ground until about the 18th. The second or spring-like half of the month was characterised by southerly breezes and a rapid rise in temperature, the contrast at some of the northern stations being great. Thus at Bellingham, Northumberland, on the 14th the minimum temperature was 257a, while on the 31st the maximum was 285a, showing a range of 28a. At many other places the increase was almost as great.

Temperature.—In most districts the low temperatures of the first part of the month and the high temperatures during the second part balanced one another, so that the mean for the month differed little from the normal. The variation ranged from + 0·4a in the Midland Counties and England North-West to – 0·3a in England North-East. A notable feature was the low maxima on the 8th, the lowest being 267a at Little Massingham, Norfolk, 268a at several other stations, and 269a at many places in East England. Of the minima the lowest was 257a at Bellingham, Northumberland, the highest of the maxima being 287a at Westminster on the 24th, and at Woburn on the 20th.

Precipitation.—The precipitation very largely fell in the form of snow and rain, and varied considerably in amount, the departures from the normal being equally varied. Of the aggregate amounts, the largest was 114 mm. in the South-West and the smallest 54 mm. in the North-East. In the South-East there was an excess of 31 mm., and in England North-West a defect of 2 mm.

Sunshine.—The daily mean varied from 2·16 hours in England South-East to 1·49 hours in the Midland Counties, the former being 0·48 hour above the normal and the latter 0·07 hour.

February.

Owing to the influence of winds which very generally blew from points between South and West, the mean temperature of the month was above the normal. There was little snow, and the number of ground frosts was comparatively small, so that not only was February more favourable than January, but the weather, as a whole, was unusually advantageous for out-door operations, nothing of a really wintry nature being encountered.

* Furnished by the Director of the Meteorological Office. For further information the reader is referred to the Monthly Weather Report (Price 6d., post free 7d.) and other publications of the Meteorological Office. Maps illustrating the distribution of rainfall, pressure, temperature and sunshine are given in the Monthly Weather Report. The normal values for each month, mostly based on 35 years' observations, are shown by tables and maps in "Monthly Normals of Temperature, Rainfall and Sunshine." (M.O. 214a, IV., 1915, Price 2s. 6d.)

Temperature.—Temperature was above the normal in all districts, the excess varying from 2·5a in England North-West to 1·8a in England South-East. The highest values occurred very generally on the 23rd, the maximum being 289a at Halstead, Essex. Somewhat paradoxically the highest temperatures were recorded on a day that was sunless, the lowest readings, on the other hand, being associated with a period which was unusually sunny. Generally the minima occurred between the 17th and 19th, the lowest being 264a at Wokingham on the 18th and 265a at South Farnborough and 266a at Benson.

Precipitation.—Except in England North-West, where there was an excess of 24 mm., the precipitation in all districts was below the normal, the greatest deficiency being 23 mm. in England South-East. There were some heavy individual falls in twenty-four hours at some of the English and Welsh stations. Thus Meltham, Yorkshire, recorded 53 mm. on the 6th, 35 mm. on the 9th, and 27 mm. on the 21st; Beddgelert, 74 mm. on the 6th, 39 mm. on the 10th, 63 mm. on the 12th, and 56 mm. on the 21st.

Sunshine.—Except in England East, where there was a slight excess of 0·11 hour per day, the sunshine in all districts was below the normal, the greatest deficiency being, in England South-West, 1·01 hour. There was most sunshine in England East, 2·77 hours, and least in England North-West, 1·46 hours per day.

March.

As a rule the day temperatures during the month were higher than those experienced during February, but the night temperatures were lower, so that the temperature of the month as a whole was below that of its predecessor. Very little rain fell until towards the close of the period, the monthly totals being everywhere below the normal. There was, moreover, very little snow; and although ground frosts were numerous, especially at some of the inland stations, the average temperature was very generally ahead of normal, so that conditions were again very favourable for agricultural and other out-door work.

Temperature.—Temperature was above the normal in all districts, the excess ranging from 1·0a in England North-East to 0·4a in England South-East. Commonly, the highest readings occurred about the 23rd or 24th, the maximum being 295a at Bennington, Geldeston, and Shrewsbury on the 23rd, and at Worksop on the 24th, the latter being the highest March reading recorded since 1876. At Redruth the maximum, 290a on the 24th, was the highest recorded in March for eighteen years. The lowest reading was 267a at Peterborough and Woburn on the 9th and at Wokingham on the 26th.

Precipitation.—In all districts the rainfall was below the normal, the deficit varying from 36 mm. in England North-West to 19 mm. in the Midland Counties. At some of the Eastern and Southern stations absolute droughts were experienced, among others at Aylesbury, 4th to 26th; Claypole, Lincolnshire, 14th to 27th; Denton, Norfolk, 6th to 24th; Cambridge and Sevenoaks, 5th to 18th; and Canterbury, 3rd to 18th.

Sunshine.—The sunshine was very variable in amount, the departures from normal being equally varied. The sunniest

district was England South-East with a daily mean of 4·85 hours, the least sunny being England North-East with 3·23 hours. In England South-East there was a daily excess of 0·91 hour, and in England North-East a shortage of 0·64 hour.

THE QUARTER.

In all districts the temperature of the quarter was above the normal, the excess varying from 1·2a in the Midland Counties to 0·8a in the North-East. The rainfall, on the other hand, was everywhere below the normal, the greatest deficiency being 20 mm. in England South-East, and the least 15 mm. in the South-West. Over the country as a whole the mean daily sunshine differed little from the normal, the sunniest district being England South-East with 3·2 hours, the Midland Counties and the North-West being the least sunny with 2·3 hours.

TABLES.

TABLE I.—**Marriages, Births, and Deaths** registered in **England and Wales** in the Years **1908-1918**, and in each Quarter of those Years.

YEAR - - -	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.*	1918.*
Marriages - - -	264,940	260,544	267,721	274,943	283,834	286,583	294,401	360,885	279,846	258,360	-
Births - - -	940,383	914,472	896,962	881,138	872,737	881,890	879,096	814,614	785,520	668,340	-
Deaths - - -	520,456	518,003	483,247	527,810	486,939	504,975	516,742	562,253	508,217	498,955	-
MARRIAGES.											
Quarter ended the last day of											
March - - -	47,548	45,094	56,432	44,808	44,737	60,926	51,046	55,472	67,952	50,675	-
June - - -	73,502	71,829	61,036	75,656	74,619	65,904	81,312	97,220	74,550	63,763	-
September - - -	73,785	73,843	76,545	77,873	83,505	83,636	82,048	102,671	67,477	69,639	-
December - - -	70,105	69,778	73,708	76,606	80,973	76,117	79,995	105,522	69,867	74,283	-
BIRTHS.											
March - - -	240,112	228,787	221,684	223,585	222,600	216,629	217,414	221,523	194,965	178,725	162,308
June - - -	243,834	237,220	234,825	225,774	218,070	227,470	226,152	213,109	209,006	173,418	-
September - - -	237,229	228,840	227,146	222,506	219,232	225,501	227,238	196,501	198,307	162,526	-
December - - -	219,208	219,625	213,307	209,273	212,835	212,290	208,292	183,481	183,242	153,671	-
DEATHS.											
March - - -	156,328	160,506	136,400	143,128	144,642	146,541	146,193	177,243	142,983	163,919	138,005
June - - -	121,052	125,233	115,671	119,966	115,777	121,743	124,128	138,575	126,534	127,704	-
September - - -	113,929	104,786	104,149	140,949	101,680	113,446	115,535	109,406	102,435	94,591	-
December - - -	129,147	127,478	127,027	123,767	124,840	123,245	130,886	137,029	136,265	112,741	-

* Provisional.

TABLE II.—**Annual Rate** per 1,000, of **Persons Married**, of **Births**, and of **Deaths**, in the Years **1908-1917**, and in each Quarter of those years.

Estimated Population of England and Wales in thousands, in the middle of each Year* - - -	35,059	35,424	35,792	36,190	36,382	36,606	36,961	35,359*	34,500.*	33,711*
YEAR - - -	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.
Persons married - -	15·1	14·7	15·0	15·2	15·6	15·7	15·9	19·4†	14·9†	13·8†
Births - - -	26·7	25·8	25·1	24·3	23·9	24·1	23·8	21·9†	20·9†	17·8†
Deaths - - -	14·8	14·6	13·5	14·6	13·3	13·8	14·0	15·7*	14·4*	14·4*
PERSONS MARRIED.										
Quarter ended the last day of										
March - - -	10·9	10·3	12·8	10·0	9·9	13·5	11·2	12·1†	14·5†	10·9†
June - - -	16·8	16·3	13·7	16·8	16·5	14·4	17·6	20·9†	15·9†	13·6†
September - - -	16·7	16·5	17·0	17·1	18·2	18·1	17·6	21·9†	14·3†	14·7†
December - - -	15·9	15·6	16·3	16·8	17·7	16·5	17·2	22·5†	14·8†	15·7†
BIRTHS.										
March - - -	27·5	26·2	25·1	25·1	24·5	24·0	23·9	24·1†	20·8†	19·3†
June - - -	27·9	26·9	26·3	25·0	24·0	24·9	24·5	22·9†	22·3†	18·5†
September - - -	26·8	25·6	25·2	24·4	23·9	24·4	24·4	20·9†	21·0†	17·2†
December - - -	24·8	24·6	23·6	22·9	23·2	23·0	22·4	19·5†	19·4†	16·2†
DEATHS.										
March - - -	17·9	18·4	15·5	16·0	15·9	16·2	16·0	20·1*	16·4*	19·3*
June - - -	13·8	14·2	13·0	13·3	12·8	13·3	13·5	15·4*	14·4*	14·8*
September - - -	12·9	11·7	11·5	15·5	11·1	12·3	12·4	12·1*	11·4*	10·9*
December - - -	14·6	14·3	14·1	13·6	13·6	13·4	14·0	15·1*	15·3*	13·0*

* Civilians only.

† Based upon total populations specially estimated for this purpose.

TABLE III.—**Birth-rate, Civilian Death-rate and Analysis of Mortality** during the last Four Quarters.

(Provisional figures. Populations estimated to the middle of 1917 have been used for the purposes of this Table.)

	QUARTER ended	ANNUAL BIRTH-RATE PER 1,000 TOTAL POPULATION.	ANNUAL DEATH-RATE PER 1,000 CIVILIAN POPULATION.								DEATH-RATE PER 1000 BIRTHS.		PERCENTAGE OF TOTAL DEATHS.*			
			All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Dip.theria.	Violence.	Diarrhoea and Enteritis (under 2 Years).	Total deaths under one Year.	Deaths in Public Institutions.	Certified Causes.	Inquest Cases.	Uncertified Causes of Death.
ENGLAND AND WALES	{ 1917. June 30 - Sept. 30 - Dec. 31 - 1918. Mar. 31 -	18.5	14.8	0.03	0.00	0.51	0.02	0.15	0.10	0.52	6.44	90	26.3	92.1	6.5	1.4
		17.2	10.9	0.03	0.06	0.17	0.02	0.10	0.09	0.46	21.99	79	26.9	91.0	7.6	1.4
		16.2	13.0	0.03	-	0.23	0.03	0.16	0.17	0.51	14.31	93	26.5	91.2	7.3	1.5
		17.5	†	†	†	†	†	†	†	†	5.84	113	25.6	92.0	6.6	1.4
96 GREAT TOWNS (Census Populations exceeding 50,000).	{ 1917. June 30 - Sept. 30 - Dec. 31 - 1918. Mar. 31 -	19.0	15.2	0.02	-	0.76	0.02	0.17	0.10	0.52	7.74	95	31.5	92.3	6.9	0.8
		17.7	11.2	0.02	0.00	0.21	0.02	0.12	0.10	0.42	31.20	91	33.1	91.6	7.6	0.8
		16.4	13.2	0.02	-	0.26	0.03	0.19	0.17	0.49	18.87	104	32.3	91.3	7.8	0.9
		18.0	17.1	0.02	-	0.60	0.04	0.62	0.20	0.61	7.76	124	30.5	91.9	7.3	0.8
148 SMALLER TOWNS (Census Populations, 20,000-50,000).	{ 1917. June 30 - Sept. 30 - Dec. 31 - 1918. Mar. 31 -	18.6	13.4	0.02	-	0.42	0.01	0.21	0.11	0.46	5.47	88	17.8	93.1	5.3	1.6
		17.3	9.8	0.04	-	0.19	0.01	0.10	0.08	0.39	15.89	72	18.6	92.6	5.8	1.6
		16.4	11.6	0.04	-	0.29	0.02	0.15	0.19	0.42	12.03	87	17.8	92.4	5.7	1.9
		17.6	14.6	0.04	-	0.43	0.02	0.35	0.20	0.40	4.70	108	17.8	93.7	4.6	1.7

* Non-civilians are included in these figures for England and Wales but not for other areas.

† The numbers of deaths of non-civilians in England and Wales during the First Quarter of 1918, have not yet been ascertained. Until these are known the civilian death-rate cannot be calculated. (See page ii.)

TABLE IV.—**England and Wales and Registration Counties.**—MARRIAGES registered in the Quarter ended 31st December 1917 :
BIRTHS and DEATHS registered in the Quarter ended 31st March, 1918.

NOTE.—The Registration or Union Counties consist of groups of Registration Districts which are generally co-extensive with Poor Law Unions of the same names. The differences between Registration Counties and Administrative Counties are shown in Table 7 of Vol. II. of the Abstracts of the Census Returns, 1911 (Cd. 6259). The numbers of marriages, births, and deaths, are the numbers actually registered in each case.

REGISTRATION COUNTIES.		The DEATHS registered include															REGISTRATION COUNTIES.		
		MAR- RIAGES in Quarter ended 31st Dec., 1917.	BIRTHS in Quarter ended 31st Mar., 1918.	DEATHS in Quarter ended 31st Mar., 1918.	Deaths of		Deaths from							Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.			
					Infants under 1 Year of age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).						Violence.
England and Wales		74,283	162,308	138,005	18,367	45,706	230	5	3,919	249	3,785	1,473	948	5,681	9,085	35,384	1,878	England and Wales.	
LONDON*		11,186	18,653	18,034	2,384	5,684	13	-	668	23	778	200	198	905	1,762	8,373	22	LONDON.*	
SURREY -		1,954	3,336	3,663	296	1,389	7	-	57	2	73	31	21	136	256	1,465	14	SURREY.	
KENT -		2,251	4,202	3,894	381	1,520	3	-	89	3	34	58	12	185	209	1,219	86	KENT.	
SUSSEX -		1,484	2,297	2,461	190	1,174	3	-	18	1	19	19	7	107	167	573	12	SUSSEX.	
HAMPSHIRE -		1,989	3,990	3,581	362	1,325	10	-	148	2	50	36	18	163	260	1,010	38	HAMPSHIRE.	
BERKSHIRE -		716	1,150	1,122	90	511	3	-	20	-	22	11	6	32	72	312	19	BERKSHIRE.	
MIDDLESEX -		2,404	4,727	3,733	366	1,451	6	-	86	6	87	55	28	115	251	1,117	7	MIDDLESEX.	
HERTFORDSHIRE -		559	1,073	1,036	73	454	1	-	10	1	13	8	1	36	45	371	18	HERTFORDSHIRE.	
BUCKINGHAMSHIRE -		355	673	620	53	285	-	-	-	-	9	4	1	20	28	116	19	BUCKINGHAMSHIRE.	
OXFORDSHIRE -		348	630	702	38	331	-	-	22	-	2	7	2	22	41	185	10	OXFORDSHIRE.	
NORTHAMPTONSHIRE -		754	1,262	1,191	99	502	2	-	25	5	16	14	1	45	59	183	33	NORTHAMPTONSHIRE.	
HUNTINGDONSHIRE -		76	162	186	20	98	-	-	3	-	1	-	1	9	9	31	12	HUNTINGDONSHIRE.	
BEDFORDSHIRE -		456	762	720	73	319	-	-	13	1	2	11	1	22	29	181	12	BEDFORDSHIRE.	
CAMBRIDGESHIRE -		421	840	700	73	343	2	-	3	1	3	4	2	18	38	146	17	CAMBRIDGESHIRE.	
ESSEX -		2,769	5,580	4,583	518	1,607	4	-	113	2	98	54	20	164	247	1,423	90	ESSEX.	
SUFFOLK -		696	1,563	1,362	129	662	2	5	12	2	11	9	1	64	78	268	50	SUFFOLK.	
NORFOLK -		926	1,870	1,881	206	758	1	-	163	2	23	18	7	77	119	358	19	NORFOLK.	
WILTSHIRE -		551	1,067	1,193	92	430	-	-	55	4	8	10	1	77	76	379	25	WILTSHIRE.	
DORSETSHIRE -		425	819	753	66	362	4	-	3	-	18	8	1	30	25	145	16	DORSETSHIRE.	
DEVONSHIRE -		1,353	2,424	2,806	253	1,207	2	-	24	5	44	18	8	105	184	581	31	DEVONSHIRE.	
CORNWALL -		518	1,070	1,393	92	631	1	-	25	1	17	12	2	82	118	190	16	CORNWALL.	
SOMERSETSHIRE -		845	1,651	1,700	117	791	1	-	7	-	27	11	5	57	102	354	15	SOMERSETSHIRE.	
GLOUCESTERSHIRE -		1,466	2,560	2,404	182	972	9	-	109	1	25	24	12	93	164	630	11	GLOUCESTERSHIRE.	
HEREFORDSHIRE -		215	444	451	45	223	-	-	5	-	5	1	2	12	21	91	10	HEREFORDSHIRE.	
SHROPSHIRE -		415	1,021	935	82	433	5	-	9	1	16	6	2	39	53	172	30	SHROPSHIRE.	
STAFFORDSHIRE -		2,890	7,587	5,067	815	1,481	3	-	146	10	85	73	41	191	316	1,076	59	STAFFORDSHIRE.	
WORCESTERSHIRE -		649	1,441	1,197	122	506	-	-	20	-	3	9	3	45	61	318	7	WORCESTERSHIRE.	
WARWICKSHIRE -		3,134	6,627	4,492	757	1,338	2	-	20	8	164	73	56	192	241	1,243	120	WARWICKSHIRE.	

(See Note at head)

TABLE IV. (continued).—**England and Wales and Registration Counties.**—MARRIAGES registered in the Quarter ended 31st December, 1917: BIRTHS and DEATHS registered in the Quarter ended 31st March, 1918.

The DEATHS registered include																	
REGISTRATION COUNTIES.	MAR- RIAGES in Quarter ended 31st Dec., 1917.	BIRTHS in Quarter ended 31st Mar., 1918.	DEATHS in Quarter ended 31st Mar., 1918.	Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	REGISTRATION COUNTIES.
				Persons		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Violence.				
				Infants under 1 Year of Age.	aged 65 Years and upwards.												
LEICESTERSHIRE -	942	1,882	1,667	203	594	4	-	90	2	16	17	14	44	71	365	27	LEICESTERSHIRE.
RUTLANDSHIRE -	28	71	49	5	27	-	-	1	-	1	-	-	-	-	3	2	RUTLANDSHIRE.
LINCOLNSHIRE -	999	2,760	2,035	268	826	12	-	30	2	21	11	8	107	107	285	61	LINCOLNSHIRE.
NOTTINGHAMSHIRE -	1,564	3,721	2,682	460	810	4	-	63	2	105	28	18	107	144	490	47	NOTTINGHAMSHIRE.
DERBYSHIRE -	1,002	2,667	1,769	281	584	1	-	30	7	40	24	10	75	108	326	52	DERBYSHIRE.
CHESHIRE -	1,554	3,771	3,237	420	1,084	2	-	45	6	96	37	21	104	216	697	12	CHESHIRE.
LANCASHIRE -	8,655	21,109	19,808	2,964	5,176	30	-	360	94	821	225	147	706	1,072	4,920	367	LANCASHIRE.
WEST RIDING -	6,062	14,659	12,508	1,968	3,474	30	-	774	17	430	113	86	468	877	2,398	65	WEST RIDING.
EAST RIDING (WITH YORK).	1,041	2,288	1,926	278	638	6	-	43	1	33	16	9	93	174	492	10	EAST RIDING (WITH YORK).
NORTH RIDING -	835	2,109	1,751	314	533	6	-	4	2	73	24	30	68	120	225	18	NORTH RIDING.
DURHAM -	2,863	8,230	5,594	1,123	1,362	16	-	98	20	189	61	47	258	318	789	184	DURHAM.
NORTHUMBERLAND -	1,484	3,968	2,817	462	747	20	-	20	3	88	25	16	135	219	536	42	NORTHUMBERLAND.
CUMBERLAND -	575	1,384	1,048	186	359	-	-	34	-	33	12	10	38	52	126	40	CUMBERLAND.
WESTMORLAND -	97	212	211	15	102	-	-	1	-	8	2	-	4	5	27	7	WESTMORLAND.
MONMOUTHSHIRE -	898	2,869	1,462	275	352	7	-	112	-	20	6	10	84	99	281	11	MONMOUTHSHIRE.
GLAMORGANSHIRE -	2,373	7,207	4,178	782	903	6	-	321	10	109	59	43	210	311	597	10	GLAMORGANSHIRE.
CARMARTHENSHIRE -	267	938	588	99	169	-	-	-	-	8	11	8	28	35	72	15	CARMARTHENSHIRE.
PEMBROKESHIRE -	169	402	282	36	103	-	-	6	-	2	1	-	16	14	14	23	PEMBROKESHIRE.
CARDIGANSHIRE -	137	275	338	25	174	-	-	1	-	3	1	1	10	13	15	12	CARDIGANSHIRE.
BRECKNOCKSHIRE -	104	249	213	18	88	-	-	7	-	1	1	-	2	5	38	3	BRECKNOCKSHIRE.
RADNORSHIRE -	27	63	76	7	43	-	-	-	-	1	-	-	2	3	4	5	RADNORSHIRE.
MONTGOMERYSHIRE -	86	234	235	24	109	-	-	-	-	11	-	-	6	10	17	7	MONTGOMERYSHIRE.
FLINTSHIRE -	118	367	222	25	87	-	-	3	-	1	5	-	8	9	15	3	FLINTSHIRE.
DENBIGHSHIRE -	236	650	528	81	188	2	-	-	-	13	7	7	20	23	86	14	DENBIGHSHIRE.
MERIONETHSHIRE -	71	212	194	24	83	-	-	2	1	1	1	-	6	7	7	5	MERIONETHSHIRE.
CARNARVONSHIRE -	211	424	527	31	230	-	-	1	-	8	2	-	27	31	41	16	CARNARVONSHIRE.
ANGLESEY -	80	126	170	19	74	-	-	-	1	-	-	3	12	11	8	2	ANGLESEY.

TABLE IVa.—**England and Wales and Registration Counties.**—
 ILLEGITIMATE BIRTHS registered in the Quarter ended 31st March of the
 Years 1917 and 1918.

REGISTRATION COUNTIES.	Illegitimate Births registered during the Quarter ended		REGISTRATION COUNTIES.	Illegitimate Births registered during the Quarter ended	
	31st Mar., 1917.	31st Mar., 1918.		31st Mar., 1917.	31st Mar., 1918.
England and Wales.	9,504	9,545	Leicestershire - - -	104	99
London - - - -	1,414	1,390	Rutlandshire - - -	4	6
Surrey - - - -	222	221	Lincolnshire - - -	202	194
Kent - - - -	290	286	Nottinghamshire - - -	235	229
Sussex - - - -	216	251	Derbyshire - - -	126	124
Hampshire - - -	269	274	Cheshire - - - -	195	188
Berkshire - - -	80	95	Lancashire - - - -	1,133	1,156
Middlesex - - -	207	216	Yorkshire (West Riding) -	826	863
Hertfordshire - - -	69	63	Yorkshire (East Riding	180	183
Buckinghamshire - - -	34	44	with York).		
Oxfordshire - - -	40	49	Yorkshire (North Riding)	130	106
Northamptonshire - - -	91	72	Durham - - - -	379	382
Huntingdonshire - - -	21	11	Northumberland - - -	194	214
Bedfordshire - - -	68	50	Cumberland - - - -	91	107
Cambridgeshire - - -	50	72	Westmorland - - - -	13	17
Essex - - - -	283	255	Monmouthshire - - -	88	97
Suffolk - - - -	155	133	Glamorganshire - - -	256	281
Norfolk - - - -	181	166	Carmarthenshire - - -	32	29
Wiltshire - - - -	58	75	Pembrokeshire - - -	19	19
Dorsetshire - - -	47	58	Cardiganshire - - -	10	13
Devonshire - - -	173	172	Brecknockshire - - -	14	15
Cornwall - - - -	67	59	Radnorshire - - - -	3	5
Somersetshire - - -	91	76	Montgomeryshire - - -	23	13
Gloucestershire - - -	129	157	Flintshire - - - -	23	16
Herefordshire - - -	31	45	Denbighshire - - -	44	47
Shropshire - - - -	78	76	Merionethshire - - -	26	19
Staffordshire - - -	331	337	Carnarvonshire - - -	45	41
Worcestershire - - -	67	74	Anglesey - - - -	16	15
Warwickshire - - -	331	290			

NOTE.—The 96 Great Towns were those with populations exceeding 50,000 persons at the Census of 1911. The births here shown are those actually registered in the several towns. The deaths relate to the civil population only; those in London have been corrected as far as possible (1) by excluding deaths of all non-residents, and (2) by including the deaths of London residents occurring in the Metropolitan Outer Ring or in Metropolitan Public Institutions situated outside the County. (See also Table XII.) The deaths in the other towns have been corrected, as far as possible, (1) by the exclusion of all deaths of non-residents and (2) by the inclusion of deaths of residents in certain outlying public institutions. With regard to the Outer Ring and its constituent areas, however, correction is more complete, a distribution of all transferable deaths occurring in any part of Greater London having been made.

The DEATHS registered include.																		
TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1917.	BIRTHS.	DEATHS.	Deaths of		Deaths from							Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	MEAN TEMPERATURE (De- grees Fahr.). *	RAIN- FALL (Milli- metres). *	TOWNS.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Violence.						
96 Towns	16,542,853	82,828	70,671	10,281	21,024	83	2,466	155	2,562	806	643	2,533	5,131	21,539	567	42.0	158	96 Towns.
LONDON	4,026,901	19,085	18,676	2,378	6,004	21	702	25	795	214	199	737	1,706	8,826	23	42.3†	118†	LONDON.
(CROYDON	167,681	623	626	60	251	1	10	-	23	9	3	19	62	170	-	41.0	140	(CROYDON.
WIMBLEDON	53,536	205	192	20	89	-	1	-	5	2	3	7	20	52	-	-	116	WIMBLEDON.
EALING	64,128	236	209	19	89	-	3	-	-	1	-	5	10	51	-	-	-	EALING.
ACTON	58,507	230	206	22	71	2	6	-	5	2	1	11	20	71	-	-	-	ACTON.
WILLESDEN	157,005	684	465	60	158	-	6	-	17	5	4	11	29	157	-	-	-	WILLESDEN.
HORNSEY	82,442	279	273	17	140	-	1	-	8	4	4	12	19	63	-	-	-	HORNSEY.
TOTTENHAM	135,173	602	462	61	137	-	7	-	9	11	4	11	47	165	-	42.9	117	TOTTENHAM.
EDMONTON	61,940	312	203	24	77	1	2	-	4	-	4	7	22	72	-	-	-	EDMONTON.
ENFIELD	57,192	257	184	21	73	-	-	-	2	-	1	3	7	42	-	41.5	127	ENFIELD.
WEST HAM	271,934	1,601	1,243	197	318	2	79	1	49	26	4	50	106	415	3	-	-	WEST HAM.
EAST HAM	131,008	594	405	52	141	-	4	1	2	9	4	21	30	130	3	-	-	EAST HAM.
LEYTON	112,452	452	378	53	129	1	4	-	7	-	2	20	26	102	3	-	-	LEYTON.
WALTHAMSTOW	119,307	532	413	56	132	-	3	-	20	4	1	16	33	132	3	-	-	WALTHAMSTOW.
ILFORD	75,130	270	213	22	85	1	-	-	1	4	2	5	8	45	1	-	-	ILFORD.
GILLINGHAM	44,074	243	151	18	62	-	2	-	1	-	2	5	6	40	3	-	-	GILLINGHAM.
HASTINGS	48,439	238	228	21	121	-	5	-	1	-	-	6	13	33	-	41.7	126	HASTINGS.
EASTBOURNE	44,842	152	143	17	57	-	2	-	4	1	-	3	5	32	-	41.8	153	EASTBOURNE.
BRIGHTON	113,635	495	514	43	235	1	9	1	1	7	-	15	38	157	-	41.8	140	BRIGHTON.
PORTSMOUTH	198,527	1,180	843	103	286	1	7	-	15	16	7	26	65	231	4	43.2	141	PORTSMOUTH.
BOURNEMOUTH	70,327	270	291	21	145	-	12	1	6	1	-	8	25	38	-	42.6	163	BOURNEMOUTH.
SOUTHAMPTON	115,345	643	529	74	163	4	40	-	11	6	7	14	31	170	-	43.2	177	SOUTHAMPTON.
READING	82,475	398	316	36	132	-	8	-	8	5	2	8	24	66	-	41.5	112	READING.
OXFORD	53,101	178	182	15	65	-	12	-	1	2	1	1	9	34	-	42.2	117	OXFORD.
NORTHAMPTON	82,471	309	323	40	119	-	2	1	-	2	1	9	15	57	2	-	-	NORTHAMPTON.
CAMBRIDGE	52,282	198	177	10	78	1	-	-	-	4	-	4	12	34	2	41.3	92	CAMBRIDGE.

* The values for Mean Temperature and Rainfall relate to the calendar quarter.

† These towns are included within the Metropolitan Outer Ring.

‡ These values refer to The Royal Observatory, Greenwich.

TABLE V. (continued).—96 Great Towns, &c.—Population ; Births, Deaths, and Meteorology in the 13 Weeks ended 30th March, 1918.

TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1917.	BIRTHS.	DEATHS.	The DEATHS registered include										MEAN TEMPERATURE (De- grees Fahr.). *	RAIN- FALL (Milli- metres). *	TOWNS.			
				Deaths of		Deaths from											Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Violence.						
SOUTHEND ON SEA - IPSWICH - GREAT YARMOUTH - NORWICH -	71,919 72,800 45,516 109,877	213 333 198 494	203 284 233 595	14 37 31 78	88 111 77 179	- - - -	- - - -	1 - 29 129	- 1 - -	2 8 - 10	2 4 3 6	1 - 3 2	3 11 8 14	5 21 19 32	39 66 43 117	11 - - -	SOUTHEND ON SEA. IPSWICH. GREAT YARMOUTH. NORWICH.		
SWINDON - EXETER - PLYMOUTH - BATH -	51,516 51,631 179,375 58,799	212 199 957 194	222 229 835 284	32 20 416 25	59 93 287 148	- - 2 -	- - - -	26 1 12 -	- - 4 -	2 - 40 13	3 - 4 7	- 2 4 2	9 9 28 11	11 17 72 18	25 38 153 83	- - - -	SWINDON. EXETER. PLYMOUTH. BATH.		
BRISTOL - GLOUCESTER - STOKE ON TRENT - WOLVERHAMPTON - WALSALL - WEST BROMWICH - DUDLEY -	334,814 55,026 215,116 93,037 87,957 67,221 52,049	1,550 197 1,335 512 498 415 342	1,295 171 971 346 318 273 226	115 14 150 67 50 51 56	476 56 210 106 99 81 52	2 2 1 - - - -	- - - - - - -	103 - 96 - 3 - 2 8	1 - 1 3 - - 5 -	13 2 1 3 5 5 142	13 5 21 1 6 2 58	8 - 5 3 4 1 46	43 5 29 14 13 2 7	108 5 59 30 25 12 12	315 45 208 83 72 59 40	- 1 16 - - 5 2	BRISTOL. GLOUCESTER. STOKE ON TRENT. WOLVERHAMPTON. WALSALL. WEST BROMWICH. DUDLEY.		
BIRMINGHAM - SMETHWICK - COVENTRY -	870,211 69,788 128,098	4,608 360 735	3,119 198 373	533 44 68	884 50 97	- - 1	- - -	- - -	5 - 1	5 4 1	3 3 6	4 4 3	9 14	12 12 27	954 36 87	108 1 2	129 - 122	BIRMINGHAM. SMETHWICK. COVENTRY.	
LEICESTER - LINCOLN - GRIMSBY - NOTTINGHAM - DERBY -	212,433 58,617 67,014 236,853 119,191	868 309 398 1,036 559	831 171 294 1,006 422	104 19 58 143 62	271 63 95 324 143	1 - 1 3 -	- - - - -	64 - - 20 3	2 - - 2 1	3 1 3 41 9	6 - 1 9 8	8 - 3 6 3	20 1 7 29 12	43 3 16 59 38	213 32 54 248 139	12 1 4 8 -	LEICESTER. LINCOLN. GRIMSBY. NOTTINGHAM. DERBY.		

* The values for Mean Temperature and Rainfall relate to the calendar quarter.

† Observations made at Clifton.

TABLE V. (continued).—96 Great Towns, &c.—Population ; Births, Deaths, and Meteorology in the 13 Weeks ended 30th March, 1918.

TOWNS.	ESTIMATED CIVILIAN POPULATION, Mid. 1917	BIRTHS.	DEATHS.	The DEATHS registered include										MEAN TEMPERATURE (Degrees Fahr.). *	RAIN- FALL. (Milli- metres). *	TOWNS.		
				Deaths of		Deaths from							Inquest Cases.				Deaths in Public Institutions.	Uncertified Causes of Death
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).						
STOCKPORT	-	417	445	76	129	1	-	9	-	17	3	5	6	26	72	2	STOCKPORT.	
BIRKENHEAD	-	779	535	92	162	-	-	2	2	23	10	6	17	32	134	2	BIRKENHEAD.	
WALLASEY	-	355	271	34	99	-	-	7	1	18	2	3	11	17	52	-	WALLASEY.	
LIVERPOOL	-	4,403	3,735	709	759	3	-	73	38	234	48	37	126	216	1,371	91	LIVERPOOL.	
BOOTLE	-	462	295	51	58	-	-	7	9	10	5	2	9	11	80	16	BOOTLE.	
ST. HELENS	-	614	479	98	102	-	-	25	9	9	34	2	23	25	143	12	ST. HELENS.	
SOUTHPORT	-	168	247	12	127	-	-	1	-	3	1	1	3	4	32	6	SOUTHPORT.	
WIGAN	-	476	361	74	69	2	-	1	-	34	3	3	7	21	49	-	WIGAN.	
WARRINGTON	-	382	261	37	55	-	-	-	-	1	2	4	13	14	57	3	WARRINGTON.	
BOLTON	-	700	731	93	203	-	-	-	1	55	14	4	25	50	120	2	BOLTON	
BURY	-	179	226	26	76	-	-	11	1	1	3	1	7	15	38	2	BURY.	
MANCHESTER	-	3,289	2,982	454	754	1	-	34	10	177	22	21	101	167	921	28	MANCHESTER.	
SALFORD	-	1,043	844	146	218	3	-	2	5	40	4	8	28	62	220	1	SALFORD.	
OLDHAM	-	553	681	90	161	1	-	3	4	45	5	1	13	44	142	-	OLDHAM.	
ROCHDALE	-	308	374	46	115	-	-	6	-	9	1	4	15	25	92	9	ROCHDALE.	
BURNLEY	-	327	462	68	126	-	-	32	1	6	3	5	11	29	87	-	BURNLEY.	
BLACKBURN	-	360	527	63	146	1	-	37	-	7	5	2	13	28	98	5	BLACKBURN.	
PRESTON	-	496	428	69	134	1	-	2	-	6	6	3	11	15	74	21	PRESTON.	
BLACKPOOL	-	157	255	25	85	-	-	1	-	5	1	1	7	9	30	9	BLACKPOOL.	
BARROW IN FURNESS	-	571	261	48	59	-	-	-	-	8	-	2	10	10	50	7	BARROW IN FURNESS.	
HUDDERSFIELD	-	428	398	35	130	1	-	14	1	2	3	1	21	34	76	5	HUDDERSFIELD.	
HALIFAX	-	358	463	53	155	1	-	43	-	11	5	3	8	19	84	2	HALIFAX.	
BRADFORD	-	996	1,067	108	353	-	-	15	-	26	13	2	39	109	275	2	BRADFORD.	
LEEDS	-	1,923	2,108	305	529	1	-	297	8	76	11	19	60	156	443	-	LEEDS.	
DEWSBURY	-	234	194	33	58	-	-	5	-	6	2	2	5	11	25	-	DEWSBURY.	
WAKEFIELD	-	207	172	18	56	3	-	3	-	-	-	1	6	12	29	-	WAKEFIELD.	
BARNSLEY	-	339	357	57	70	-	-	93	-	5	4	2	11	20	29	-	BARNSLEY.	

* The values for Mean Temperature and Rainfall relate to the calendar quarter.
† These values refer to Bidston Observatory.
‡ These values refer to Hutton.

TABLE V. (continued).—96 Great Towns, &c.—Population; Births, Deaths, and Meteorology in the 13 Weeks ended 30th March, 1918.

TOWNS.	ESTIMATED CIVILIAN POPULATION, Mid. 1917.	BIRTHS.	DEATHS.	The DEATHS registered include										MEAN TEMPERATURE (De- grees Fahr.) *	RAIN- FALL (Milli- metres). *	TOWNS.			
				Deaths of		Deaths from											Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Violence.						
SHEFFIELD	-	2,809	1,978	424	435	1	-	7	3	120	19	20	83	150	526	4	41·6	SHEFFIELD.	
ROTHERHAM	-	494	247	56	53	1	-	1	-	14	-	5	16	19	44	4	-	ROTHERHAM.	
YORK	-	322	296	43	98	1	-	3	1	12	-	4	16	25	85	-	41·4	YORK.	
HULL	-	1,429	1,049	167	301	4	-	36	-	12	10	5	51	91	262	10	41·6	HULL.	
MIDDLESBROUGH	-	801	634	160	114	1	-	1	1	40	9	27	21	39	102	10	-	MIDDLESBROUGH.	
DARLINGTON	-	316	222	40	67	-	-	-	-	1	4	5	9	11	36	10	-	DARLINGTON.	
STOCKTON ON TEES	-	328	260	37	60	-	-	15	-	19	4	3	14	17	34	3	-	STOCKTON ON TEES.	
WEST HARTLEPOOL	-	346	307	57	70	-	-	4	-	13	3	3	20	26	42	4	-	WEST HARTLEPOOL.	
SUNDERLAND	-	864	660	94	193	-	-	1	2	9	1	9	36	55	155	9	-	SUNDERLAND.	
SOUTH SHIELDS	-	720	475	84	126	-	-	-	-	19	2	1	23	23	90	17	-	SOUTH SHIELDS.	
GATESHEAD	-	730	529	104	124	2	-	-	1	34	6	7	16	16	102	35	-	GATESHEAD.	
NEWCASTLE ON TYNE	-	1,631	1,074	189	294	-	-	-	2	47	13	9	40	109	220	-	-	NEWCASTLE ON TYNE.	
TYNEMOUTH	-	361	261	54	64	-	-	2	-	8	-	4	5	9	50	6	40·5	TYNEMOUTH.	
CARLISLE	-	256	234	62	71	-	-	5	-	22	2	3	5	9	27	9	-	CARLISLE.	
NEWPORT (MON.)	-	486	308	41	73	1	-	23	-	-	-	2	15	21	87	-	43·5	NEWPORT (MON.).	
CARDIFF	-	985	689	100	177	2	-	72	1	7	10	8	22	64	128	-	42·6	CARDIFF.	
RHONDDA	-	1,174	490	115	73	1	-	28	-	15	2	5	32	35	32	2	-	RHONDDA.	
MERTHYR TYDFIL	-	525	383	64	79	-	-	51	1	17	4	4	13	15	69	1	-	MERTHYR TYDFIL.	
ABERDARE	-	349	200	42	42	-	-	22	1	2	4	-	16	17	16	-	-	ABERDARE.	
SWANSEA	-	590	472	81	116	1	-	48	1	14	6	2	14	26	75	-	43·5	SWANSEA.	
GREATER LONDON	-	30,725	27,807	3,462	9,366	32	-	898	31	1,022	326	260	1,048	2,360	11,445	46	-	GREATER LONDON.	
OUTER RING	-	11,640	9,131	1,084	3,362	11	-	196	6	227	112	61	311	654	2,619	23	-	OUTER RING.	
14 GREAT TOWNS IN OUTER RING.	-	6,877	5,472	684	1,890	8	-	126	2	152	77	37	198	439	1,667	13	-	14 GREAT TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING.	-	4,763	3,659	400	1,472	3	-	70	4	75	35	24	113	215	952	10	-	REMAINDER OF OUTER RING.	
EDINBURGH†	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40·3	EDINBURGH.†	
GLASGOW†	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40·5	GLASGOW.†	
DUBLIN (Registra- tion Area).‡	-	2,325	2,055	321	521	7	-	38	2	60	9	51	38	33	772	68	{ 43·4 ^a 45·0 ^b	{ 126 ^a 115 ^b }	DUBLIN (Registra- tion Area).‡
BELFAST†	-	2,223	[2,072	386	410	5	-	72	4	150	11	25	47	74	467	21	43·0	BELFAST.†	

* The values for Mean Temperature and Rainfall relate to the calendar quarter.

† The populations are total populations and refer to the middle of 1917.

‡ Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively. The populations are total populations and refer to the middle of 1917.

^a Phoenix Park.

^b Fitzwilliam Square.

TABLE VI.—96 Great Towns; Greater London; 4 Scottish or Irish Towns.—Birth-rate, Civilian Death-rate and Analysis of Mortality in the 13 Weeks ended 30th March, 1918.

NOTE.—The rates in this table are based upon the figures shown in Table V.

TOWNS.	ANNUAL BIRTH-RATE PER 1000 TOTAL POPULATION, 1917.*	ANNUAL DEATH-RATE PER 1000 CIVILIAN POPULATION, 1917.										DEATH-RATE PER 1000 BIRTHS.		PERCENTAGE of Total Deaths.			TOWNS.			
		Deaths from						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Violence.	Diarrhoea and Enteritis (under 2 years).	Total Deaths under one year.		Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
		All Causes.																		
		13 Weeks ended :— 31st Mar., 1917.†	1918.																	
96 Towns	18.0	19.4	17.1	0.02	-	0.60	0.04	0.62	0.20	0.61	7.76	124	7.3	30.5	0.8	96 Towns.				
LONDON	-	20.6	18.6	0.02	-	0.70	0.02	0.79	0.21	0.73	10.43	125	9.1	47.3	0.1	LONDON.				
CROYDON	-	16.5	15.0	0.02	-	0.24	-	0.55	0.22	0.45	4.82	96	9.9	27.2	-	CROYDON.				
WIMBLEDON	-	18.7	14.4	-	-	0.07	-	0.37	0.15	0.52	14.63	98	10.4	27.1	-	WIMBLEDON.				
EALING	-	14.6	13.1	-	-	0.19	-	-	0.06	0.31	-	81	4.8	24.4	-	EALING.				
ACTON	-	14.5	14.1	0.14	-	0.41	-	0.34	0.14	0.75	4.35	96	9.7	34.5	-	ACTON.				
WILLESDEN	-	15.7	11.9	-	-	0.15	-	0.43	0.13	0.28	5.85	88	6.2	33.8	-	WILLESDEN.				
HORNSEY	-	14.2	13.3	-	-	0.05	-	0.39	0.19	0.58	14.34	61	7.0	23.1	-	HORNSEY.				
TOTTENHAM	-	17.2	13.7	-	-	0.21	-	0.27	0.33	0.32	6.64	101	10.2	35.7	-	TOTTENHAM.				
EDMONTON	-	15.2	13.1	0.06	-	0.13	-	0.26	-	0.45	12.82	77	10.8	35.5	-	EDMONTON.				
ENFIELD	-	15.1	12.9	-	-	-	-	0.14	-	0.21	3.89	82	3.8	22.8	-	ENFIELD.				
WEST HAM	-	21.0	18.3	0.03	-	1.17	0.01	0.72	0.38	0.74	2.50	123	8.5	33.4	0.2	WEST HAM.				
EAST HAM	-	17.5	12.4	-	-	0.12	0.03	0.06	0.28	0.64	6.73	88	7.4	32.1	0.7	EAST HAM.				
LEYTON	-	16.4	13.5	0.04	-	0.14	-	0.25	-	0.71	4.42	117	6.9	27.0	0.8	LEYTON.				
WALTHAMSTOW	-	14.7	13.9	-	-	0.10	-	0.67	0.13	0.54	1.88	105	8.0	32.0	0.7	WALTHAMSTOW.				
ILFORD	-	14.9	11.4	0.05	-	-	-	0.05	0.21	0.27	7.41	81	3.8	21.1	0.5	ILFORD.				
GILLINGHAM	-	17.0	13.7	-	-	0.18	-	0.09	-	0.46	8.23	74	4.0	26.5	2.0	GILLINGHAM.				
HASTINGS	-	24.7	18.9	-	-	0.41	-	0.08	-	0.50	-	88	5.7	14.5	-	HASTINGS.				
EASTBOURNE	-	16.3	12.8	-	-	0.18	-	0.36	0.09	0.27	-	112	3.5	22.4	-	EASTBOURNE.				
BRIGHTON	-	22.9	18.1	0.04	-	0.32	0.04	0.04	0.25	0.53	-	87	7.4	30.5	-	BRIGHTON.				
PORTSMOUTH	-	19.9	17.0	0.02	-	0.14	-	0.30	0.32	0.53	5.93	87	7.7	27.4	0.5	PORTSMOUTH.				
BOURNEMOUTH	-	22.6	16.6	-	-	0.68	0.06	0.34	0.06	0.46	-	78	8.6	13.1	-	BOURNEMOUTH.				
SOUTHAMPTON	-	18.3	18.4	0.14	-	1.39	-	0.38	0.21	0.49	10.89	115	5.9	32.1	-	SOUTHAMPTON.				
READING	-	20.1	15.4	-	-	0.39	-	0.39	0.24	0.39	5.03	90	7.6	20.9	-	READING.				
OXFORD	-	19.8	13.7	-	-	0.91	-	0.08	0.15	0.08	5.62	84	4.9	18.7	-	OXFORD.				
NORTHAMPTON	-	20.6	15.7	-	-	0.10	0.05	-	0.10	0.44	3.24	129	4.6	17.6	0.6	NORTHAMPTON.				
CAMBRIDGE	-	15.3	13.6	0.08	-	-	-	-	0.31	0.31	-	51	6.8	19.2	1.1	CAMBRIDGE.				

* The birth-rates are based upon total populations estimated for this purpose.

† These towns are included within the Metropolitan Outer Ring.

‡ Revised rates.

TABLE VI. (continued).—96 Great Towns, &c.—Birth-rate, Civilian Death-rate and Analysis of Mortality in the 13 Weeks ended 30th March, 1918.

TOWNS.		ANNUAL BIRTH-RATE PER 1000 TOTAL POPULATION, 1917.*	ANNUAL DEATH-RATE PER 1000 CIVILIAN POPULATION, 1917.										DEATH-RATE PER 1000 BIRTHS.		PERCENTAGE of Total Deaths.			TOWNS.
			Deaths from															
			All Causes.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Violence.							
			13 Weeks ended :—															
			31st Mar., 1917.†	30th Mar., 1918.														
SOUTHEND ON SEA.	-	10·7	17·0	11·3	-	-	0·06	-	0·11	0·11	0·17	4·69	66	2·5	19·2	5·4	SOUTHEND ON SEA.	
IPSWICH.	-	16·5	19·1	15·6	-	-	-	0·06	0·44	0·22	0·61	-	111	7·4	23·2	-	IPSWICH.	
GREAT YARMOUTH.	-	15·7	18·7	20·5	-	-	2·56	-	-	0·26	0·70	15·15	157	8·2	18·5	-	GREAT YARMOUTH.	
NORWICH.	-	16·2	19·3	21·7	-	-	4·71	-	0·37	0·22	0·51	4·05	158	5·4	19·7	-	NORWICH.	
SWINDON.	-	14·8	17·2	17·3	-	-	2·02	-	0·16	0·23	0·70	-	151	5·0	11·3	-	SWINDON.	
EXETER.	-	13·9	24·2	17·8	-	-	0·08	-	-	-	0·70	10·05	101	7·4	16·6	-	EXETER.	
PLYMOUTH.	-	19·2	22·9	18·7	0·04	-	0·27	0·09	0·89	0·09	0·63	4·18	121	8·6	18·3	-	PLYMOUTH.	
BATH.	-	11·9	26·9	19·4	-	-	-	-	0·89	-	0·75	10·31	129	6·3	29·2	-	BATH.	
BRISTOL.	-	16·7	20·7	15·5	0·02	-	1·23	0·01	0·16	0·16	0·52	5·16	74	8·3	24·3	-	BRISTOL.	
GLOUCESTER.	-	12·9	16·6	12·5	0·15	-	-	-	0·15	0·36	0·36	-	71	2·9	26·3	0·6	GLOUCESTER.	
STOKE ON TRENT.	-	22·3	20·1	18·1	0·02	-	1·79	0·02	0·02	0·39	0·54	3·75	112	6·1	21·4	1·6	STOKE ON TRENT.	
WOLVERHAMPTON.	-	19·8	18·3	14·9	-	-	-	0·13	0·13	0·04	0·60	5·86	131	8·7	24·0	-	WOLVERHAMPTON.	
WALSALL.	-	20·4	20·3	14·5	-	-	0·14	-	0·23	0·27	0·59	8·03	100	7·9	22·6	-	WALSALL.	
WEST BROMWICH.	-	22·2	19·4	16·3	-	-	-	-	0·30	0·12	0·48	2·41	123	4·4	21·6	1·8	WEST BROMWICH.	
DUDLEY.	-	23·6	17·6	17·4	-	-	0·15	-	-	0·08	0·54	23·39	164	5·3	17·7	0·9	DUDLEY.	
BIRMINGHAM.	-	19·1	16·7	14·4	-	-	0·04	0·02	0·65	0·27	0·56	9·98	116	4·5	30·6	3·5	BIRMINGHAM.	
SMETHWICK.	-	18·6	16·5	11·4	-	-	-	-	0·23	0·17	0·52	11·11	122	6·1	18·2	0·5	SMETHWICK.	
COVENTRY.	-	20·6	13·5	11·7	0·03	-	-	0·03	0·03	0·19	0·44	4·08	93	7·2	23·3	0·5	COVENTRY.	
LEICESTER.	-	14·7	16·8	15·7	0·02	-	1·21	0·04	0·06	0·11	0·38	9·22	120	5·2	25·6	1·4	LEICESTER.	
LINCOLN.	-	19·0	17·3	11·7	-	-	-	-	0·07	-	0·07	-	61	1·8	18·7	0·6	LINCOLN.	
GRIMSBY.	-	21·4	17·4	17·6	0·06	-	-	-	0·18	0·06	0·42	7·54	146	5·4	18·4	1·4	GRIMSBY.	
NOTTINGHAM.	-	15·7	18·6	17·0	0·05	-	0·34	0·03	0·69	0·15	0·49	5·79	138	5·9	24·7	0·8	NOTTINGHAM.	
DERBY.	-	16·9	16·8	14·2	-	-	0·10	0·03	0·30	0·27	0·40	5·37	111	9·0	32·9	-	DERBY.	

* See note * on first page of table.

† Revised rates.

TOWNS.		ANNUAL BIRTH-RATE PER 1000 TOTAL POPULATION, 1917.*	ANNUAL DEATH-RATE PER 1000 CIVILIAN POPULATION, 1917.										DEATH-RATE PER 1000 BIRTHS.		PERCENTAGE of Total Deaths.		
			Deaths from										Diarrhoea and Enteritis (under 2 years).	Total Deaths under one year.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
			13 Weeks ended:—		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Violence.	1917. †		1918.			
			31st Mar., 1917.	30th Mar., 1918.								31st Mar., 1917.	30th Mar., 1918.				
STOCKPORT	-	13.4	15.9	15.9	0.04	-	0.32	-	0.61	0.11	0.22	11.99	182	5.8	16.2	0.4	STOCKPORT.
BIRKENHEAD	-	20.9	19.5	16.0	-	-	0.06	0.06	0.69	0.30	0.51	7.70	118	6.0	25.0	0.4	BIRKENHEAD.
WALLASEY	-	15.2	18.1	12.9	-	-	0.33	0.05	0.86	0.10	0.52	8.45	96	6.3	19.2	-	WALLASEY.
LIVERPOOL	-	22.1	23.0	20.9	0.02	-	0.41	0.21	1.31	0.27	0.71	8.40	161	5.8	36.7	2.4	LIVERPOOL.
BOOTLE	-	24.1	22.3	17.2	-	-	0.41	0.52	0.58	0.29	0.52	4.32	110	3.7	27.1	5.4	BOOTLE.
ST. HELENS	-	24.4	22.4	21.2	-	-	1.11	0.40	0.40	1.51	1.02	3.26	160	5.2	29.9	2.5	ST. HELENS.
SOUTHPORT	-	10.0	20.7	16.3	-	-	0.07	-	0.20	0.07	0.20	5.95	71	1.6	13.0	2.4	SOUTHPORT.
WIGAN	-	20.6	22.8	17.4	0.10	-	0.05	-	1.64	0.14	0.34	6.30	155	5.8	13.6	-	WIGAN.
WARRINGTON	-	20.1	22.4	15.3	-	-	-	-	0.06	0.12	0.76	10.47	97	5.4	21.8	1.1	WARRINGTON.
BOLTON	-	15.4	19.6	17.9	-	-	-	0.02	1.35	0.34	0.61	5.71	133	6.8	16.4	0.3	BOLTON.
BURY	-	12.4	21.4	17.5	-	-	0.85	0.08	0.08	0.23	0.54	5.59	145	6.6	16.8	0.9	BURY.
MANCHESTER	-	17.9	20.0	18.1	0.01	-	0.21	0.06	1.08	0.13	0.61	6.38	138	5.6	30.9	0.9	MANCHESTER.
SALFORD	-	17.8	19.5	16.0	0.06	-	0.04	0.09	0.76	0.08	0.53	7.67	140	7.3	26.1	0.1	SALFORD.
OLDHAM	-	14.9	21.5	20.4	0.03	-	0.09	0.12	1.35	0.15	0.39	1.81	163	6.5	20.9	-	OLDHAM.
ROCHDALE	-	13.1	19.1	17.7	-	-	0.28	-	0.43	0.05	0.71	12.99	149	6.7	24.6	2.4	ROCHDALE.
BURNLEY	-	12.5	22.3	19.8	-	-	1.37	0.04	0.26	0.13	0.47	15.29	208	6.3	18.8	-	BURNLEY.
BLACKBURN	-	11.4	21.4	18.7	0.04	-	1.31	-	0.25	0.18	0.46	5.56	175	5.3	18.6	0.9	BLACKBURN.
PRESTON	-	16.7	21.3	16.1	0.04	-	0.08	-	0.23	0.23	0.41	6.05	139	3.5	17.3	4.9	PRESTON.
BLACKPOOL	-	9.1	18.0	16.4	-	-	0.06	-	0.32	0.06	0.45	6.37	159	3.5	11.8	3.5	BLACKPOOL.
BARROW IN FURNESS	-	26.1	16.4	13.3	-	-	-	-	0.41	-	0.51	3.50	84	3.8	19.2	2.7	BARROW IN FURNESS.
HUDDERSFIELD	-	14.6	16.6	15.1	0.04	-	0.53	0.04	0.08	0.11	0.80	2.34	82	8.5	19.1	1.3	HUDDERSFIELD.
HALIFAX	-	13.9	19.8	20.0	0.04	-	1.86	-	0.48	0.22	0.35	8.38	148	4.1	18.1	0.4	HALIFAX.
BRADFORD	-	13.5	18.8	16.1	-	-	0.23	-	0.39	0.20	0.59	2.01	108	10.2	25.8	0.2	BRADFORD.
LEEDS	-	16.6	19.6	20.3	0.01	-	2.86	0.08	0.73	0.11	0.58	9.88	159	7.4	21.0	-	LEEDS.
DEWSBURY	-	16.1	12.6	14.9	-	-	0.38	-	0.46	0.15	0.38	8.55	141	5.7	12.9	-	DEWSBURY.
WAKEFIELD	-	15.6	16.6	14.4	0.25	-	0.25	-	-	-	0.50	4.83	87	7.0	16.9	-	WAKEFIELD.
BARNLEY	-	25.4	17.7	29.9	-	-	7.78	-	0.42	0.33	0.92	5.90	168	5.6	8.1	-	BARNLEY.

* See note * on first page of table.

† Revised rates.

TABLE VI. (continued).—**96 Great Towns, &c.—Birth-rate, Civilian Death-rate and Analysis of Mortality in the 13 Weeks ended 30th March, 1918.**

TOWNS.		ANNUAL DEATH-RATE PER 1000 CIVILIAN POPULATION, 1917.										DEATH-RATE PER 1000 BIRTHS.		PERCENTAGE of Total Deaths.			TOWNS.
		Deaths from										Diar- rhoea and Enter- itis (under 2 years).	Total Deaths under one year.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
		All Causes.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Violence.							
13 Weeks ended :—																	
31st Mar., 1917.†																	
30th Mar., 1918.																	
ANNUAL BIRTH- RATE PER 1000 TOTAL POPULA- TION, 1917.*																	
SHEFFIELD	-	18.1	16.9	0.01	-	0.06	0.03	1.03	0.16	0.71	7.12	151	7.6	26.6	0.2	0.2	SHEFFIELD.
ROTHERHAM	-	15.7	15.3	0.06	-	0.06	-	0.87	-	0.99	10.12	113	7.7	17.8	1.6	1.6	ROTHERHAM.
YORK	-	17.4	15.1	0.05	-	0.15	0.05	0.61	-	0.82	12.42	134	8.4	28.7	-	-	YORK.
HULL	-	20.4	17.1	0.07	-	0.59	-	0.20	0.16	0.83	3.50	117	8.7	25.0	1.0	1.0	HULL.
MIDDLESBROUGH	-	22.5	21.3	0.03	-	0.03	0.03	1.35	0.30	0.71	33.71	200	6.2	16.1	1.6	1.6	MIDDLESBROUGH.
DARLINGTON	-	17.6	14.7	-	-	-	-	0.07	0.27	0.60	15.82	127	5.0	16.2	4.5	4.5	DARLINGTON.
STOCKTON ON TEES	-	20.0	18.3	-	-	1.05	-	1.34	0.28	0.98	9.15	113	6.5	13.1	1.2	1.2	STOCKTON ON TEES.
WEST HARTLEPOOL	-	17.4	19.8	-	-	0.26	-	0.84	0.19	1.29	8.67	165	8.5	13.7	1.3	1.3	WEST HARTLEPOOL.
SUNDERLAND	-	21.1	18.7	-	-	0.03	0.06	0.25	0.03	1.02	10.42	109	8.3	23.5	1.4	1.4	SUNDERLAND.
SOUTH SHIELDS	-	19.4	17.9	-	-	-	-	0.72	0.08	0.87	1.39	117	4.8	18.9	3.6	3.6	SOUTH SHIELDS.
GATESHEAD	-	20.8	17.8	0.07	-	-	0.03	1.14	0.20	0.54	9.59	142	3.0	19.3	6.6	6.6	GATESHEAD.
NEWCASTLE ON TYNE	-	18.3	16.2	-	-	-	0.03	0.71	0.20	0.60	5.52	116	10.1	20.5	-	-	NEWCASTLE ON TYNE.
TYNEMOUTH	-	19.2	18.2	-	-	0.14	-	0.56	-	0.35	11.08	150	3.4	19.2	2.3	2.3	TYNEMOUTH.
CARLISLE	-	17.7	17.7	-	-	0.38	-	1.66	0.15	0.38	11.72	242	3.8	11.5	3.8	3.8	CARLISLE.
NEWPORT (MON.)	-	16.5	14.9	0.05	-	1.12	-	-	-	0.73	4.12	84	6.8	28.2	-	-	NEWPORT (MON.).
CARDIFF	-	17.5	16.3	0.05	-	1.70	0.02	0.17	0.24	0.52	8.12	102	9.3	18.6	-	-	CARDIFF.
RHONDDA	-	17.3	12.7	0.03	-	0.73	-	0.39	0.05	0.83	2.26	98	7.1	6.5	0.4	0.4	RHONDDA.
MERTHYR TYDFIL	-	17.9	20.6	-	-	2.75	0.05	0.92	0.22	0.70	7.62	122	3.9	18.0	0.3	0.3	MERTHYR TYDFIL.
ABERDARE	-	16.8	15.6	-	-	1.72	0.08	0.16	0.31	1.25	-	120	8.5	8.0	-	-	ABERDARE.
SWANSEA	-	17.2	16.9	0.04	-	1.72	0.04	0.50	0.22	0.50	3.39	137	5.5	15.9	-	-	SWANSEA.
GREATER LONDON	-	18.9	16.6	0.02	-	0.54	0.02	0.61	0.19	0.62	8.46	113	8.5	41.2	0.2	0.2	GREATER LONDON.
OUTER RING	-	16.3	13.6	0.02	-	0.29	0.01	0.34	0.17	0.46	5.24	93	7.2	28.7	0.3	0.3	OUTER RING.
14 GREAT TOWNS IN OUTER RING.	16.0	16.8	14.2	0.02	-	0.33	0.01	0.39	0.20	0.51	5.38	99	8.0	30.5	0.2	0.2	14 GREAT TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	14.9	15.6	12.7	0.01	-	0.24	0.01	0.26	0.12	0.39	5.04	84	5.9	26.0	0.3	0.3	REMAINDER OF OUTER RING.
EDINBURGH†	-	19.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	EDINBURGH.†
GLASGOW†	-	18.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	GLASGOW.†
DUBLIN (Registration Area)	23.3	25.0	20.6	0.07	-	0.38	0.02	0.60	0.09	0.38	21.94	138	1.6	37.6	3.3	3.3	DUBLIN (Registra- tion Area).
BELFAST	22.6	23.6	21.1	0.05	-	0.73	0.04	1.53	0.11	0.48	11.25	174	3.6	22.5	1.0	1.0	BELFAST.

† Revised rates

† Figures for 1918 were not available at time of going to press.

NOTE.—The 148 Smaller Towns are those with populations of 20,000 but not exceeding 50,000 at the Census of 1911. The births here shown are those actually registered in the several towns. The deaths relate to the civil population only, and have been corrected as far as possible, (1) by the exclusion of all deaths of non-residents, and (2) by the inclusion of deaths of residents in certain outlying institutions. With regard to towns in the Outer Ring, however, correction is more complete, a distribution of all transferable deaths occurring in any part of Greater London having been made.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1917.	BIRTHS.	DEATHS.	Deaths of		Deaths from							Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Deaths under 1 Year to 1000 Births.	TOWNS.	
				Deaths of		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).						Violence.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.													
148 Towns	4,390,429	21,258	15,759	2,296	5,238	40	-	467	25	377	218	100	431	721	2,810	270	108	148 Towns.
SURREY.																		SURREY.
Barnes.*	32,495	110	95	13	37	-	-	7	-	1	1	1	2	7	25	-	118	Barnes.*
Guildford	22,606	96	77	11	33	-	-	6	-	2	3	3	1	2	14	1	115	Guildford.
Kingston on Thames*	35,608	125	112	16	42	-	-	-	-	1	5	3	1	10	40	-	127	Kingston on Thames.*
Mitcham*	30,189	144	95	12	45	-	-	1	-	3	-	-	-	5	37	-	83	Mitcham.*
Reigate	23,680	95	106	7	47	-	-	2	1	1	2	1	5	11	24	-	74	Reigate.
Richmond*	33,359	103	110	10	48	-	-	1	-	-	-	3	2	6	34	-	97	Richmond.*
Sutton*	19,502	77	52	8	26	-	-	-	-	-	-	-	2	5	11	-	104	Sutton.*
Woking	22,771	112	58	12	20	-	-	1	-	3	-	-	1	5	10	-	107	Woking.
KENT.																		KENT.
Beckenham.*	30,612	86	99	21	38	-	-	-	-	7	3	-	-	1	15	-	244	Beckenham.*
Bromley.*	31,882	114	117	17	46	-	-	2	1	-	3	-	4	5	30	-	149	Bromley.*
Canterbury	21,627	86	128	10	59	-	-	5	-	1	3	-	-	2	32	-	116	Canterbury.
Chatnam	36,422	220	167	16	69	-	-	10	-	2	1	-	4	7	57	-	73	Chatnam.
Dartford	21,007	105	47	6	14	-	-	-	-	-	6	-	2	3	14	-	57	Dartford.
Dover	35,685	200	118	8	51	-	-	-	-	-	3	1	3	3	35	-	40	Dover.
Erith*	33,129	168	99	14	26	-	-	1	-	8	-	-	1	3	21	-	83	Erith.*
Folkestone	31,856	122	109	15	44	-	-	-	1	1	1	-	4	6	17	-	123	Folkestone.
Gravesend	26,832	116	109	14	33	-	-	14	-	-	6	1	4	7	26	-	121	Gravesend.
Maidstone	30,796	141	126	6	61	-	-	-	-	-	1	2	-	2	34	-	43	Maidstone.
Margate	19,412	48	56	6	25	-	-	-	-	-	4	-	2	3	22	-	125	Margate.
Penge (Surrey Reg. Co.)*	21,474	91	91	13	40	-	-	-	-	-	-	-	-	3	26	-	143	Penge (Surrey Reg. Co.)*
Ramsgate	21,362	71	99	16	35	-	-	15	-	-	-	-	-	-	25	-	225	Ramsgate.
Rochester	28,896	153	100	12	35	-	-	4	-	1	-	1	4	5	16	-	78	Rochester.
Tunbridge Wells	30,751	94	134	15	73	-	-	6	-	1	1	-	-	-	23	-	160	Tunbridge Wells.
SUSSEX EAST.																		SUSSEX EAST.
Hove	39,622	135	161	11	97	-	-	1	-	-	1	-	4	8	27	-	81	Hove.
SUSSEX WEST.																		SUSSEX WEST.
Worthing	27,662	112	112	7	58	1	-	-	-	3	1	-	2	6	18	-	63	Worthing.
SOUTHAMPTON.																		SOUTHAMPTON.
Aldershot (Surrey Reg. Co.).	20,391	122	68	14	19	-	-	-	-	6	1	1	2	2	23	-	115	Aldershot (Surrey Reg. Co.).
Gosport and Alverstoke	27,762	172	86	9	40	-	-	1	-	-	3	-	2	4	21	-	52	Gosport and Alverstoke.
Winchester	20,152	104	100	13	48	-	-	11	-	-	-	-	5	8	27	-	125	Winchester.
MIDDLESEX.																		MIDDLESEX.
Chiswick*	38,712	171	146	9	61	-	-	9	-	1	1	-	2	7	37	-	53	Chiswick.*
Finchley*	42,969	156	113	10	50	-	-	1	-	6	1	-	4	12	25	-	64	Finchley.*
Hendon*	51,689	175	122	12	39	-	-	-	-	4	-	-	2	5	35	-	69	Hendon.*
Heston and Isleworth*	38,683	179	150	12	68	1	-	3	-	1	1	-	3	3	50	-	67	Heston and Isleworth.*
Southall Norwood*	26,556	131	89	14	23	-	-	6	-	3	1	2	1	2	24	-	107	Southall Norwood.*

* These towns are included within the Metropolitan Outer Ring.

TABLE VII. (continued).—One hundred and forty-eight Smaller Towns.—Population; Births and Deaths in the Quarter ended 31st March, 1918.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1917.	BIRTHS.	DEATHS.	The DEATHS registered in the Quarter include														Deaths under 1 Year to 1000 Births.	TOWNS.
				Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.			
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Violence.						
MIDDLESEX—continued. Southgate* Twickenham* Wood Green* HERTFORDSHIRE. St. Albans Watford BUCKINGHAMSHIRE. Chepping Wycombe NORTHAMPTONSHIRE. Kettering SOKE OF PETERBOROUGH. Peterborough BEDFORDSHIRE. Bedford Luton ESSEX. Barking Town* Colchester SUFFOLK EAST. Lowestoft NORFOLK. King's Lynn WILTSHIRE. Salisbury DORSETSHIRE. Poole Weymouth and Melcombe Regis. DEVONSHIRE. Torquay SOMERSETSHIRE. Taunton. Weston super Mare	37,107 35,764 46,645 24,208 40,650 19,627 27,370 34,920 37,663 54,208 32,394 36,991 30,223 17,520 20,394 37,978 21,388 30,685 19,247 21,222	104 110 168 85 166 73 96 143 147 238 166 171 184 77 116 157 109 85 65 73	82 107 119 77 125 62 79 113 113 157 83 138 117 67 69 138 87 129 96 65	3 13 13 5 10 5 4 9 13 25 8 8 17 8 12 14 11 5 9 2	42 36 52 40 49 30 32 51 37 62 21 47 39 29 33 60 39 65 43 28	- - - - 1 - - - - - - - - 1 - - - - - - - 1 - - - 1 - -													

The DEATHS registered in the Quarter include																			
TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1917.	BIRTHS.	DEATHS.	Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Deaths under 1 Year to 1000 Births.	TOWNS.	
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Violence.						
GLoucestershire. Cheltenham.	41,181	132	169	7	83	-	-	-	-	-	-	2	-	3	5	54	2	53	GLoucestershire. Cheltenham.
HEREfordshire. Hereford.	23,246	91	98	8	38	-	-	3	-	1	-	-	1	4	7	21	-	88	HEREfordshire. Hereford.
SHROpshire. Shrewsbury.	27,386	110	81	5	42	-	-	-	-	-	-	-	-	5	5	6	1	45	SHROpshire. Shrewsbury.
STAFFORDshire. Bilston.	24,728	147	101	22	21	-	-	-	-	10	-	-	1	2	4	12	-	150	STAFFORDshire. Bilston.
Burton upon Trent.	42,311	183	139	20	42	-	-	-	1	4	1	1	1	2	5	25	5	109	Burton upon Trent.
Cannock.	28,785	213	105	18	37	-	-	-	-	1	-	3	-	8	12	15	-	85	Cannock.
Coseley.	21,897	148	63	18	28	-	-	-	-	1	-	-	2	3	6	3	-	122	Coseley.
Newcastle under Lyme.	18,532	109	67	10	19	-	-	3	-	1	1	2	-	-	2	11	1	92	Newcastle under Lyme.
Rowley Regis.	36,505	230	118	22	36	-	-	-	-	5	-	1	4	2	3	10	-	96	Rowley Regis.
Stafford.	24,376	116	82	11	28	1	-	5	-	-	7	1	1	5	8	14	-	95	Stafford.
Tipton.	31,630	228	111	17	35	-	-	4	-	3	2	2	-	1	8	12	-	75	Tipton.
Wednesbury.	29,759	200	92	18	25	-	-	-	-	-	1	1	1	4	5	14	-	90	Wednesbury.
Wolstanton United.	27,704	138	81	17	21	-	-	3	-	-	-	3	-	2	4	11	3	123	Wolstanton United.
WORCEstershire. Kidderminster.	23,508	83	91	5	44	-	-	-	-	-	-	1	-	3	4	38	-	60	WORCEstershire. Kidderminster.
Oldbury (Staffs. Reg. Co.)	34,884	215	115	24	29	-	-	1	-	-	-	2	4	4	5	17	5	112	Oldbury (Staffs. Reg. Co.).
Worcester.	44,744	199	178	14	76	-	-	-	-	2	-	1	-	4	13	47	1	70	Worcester.
WARWICKshire. Nuneaton.	37,681	224	147	31	30	-	-	13	5	2	2	2	2	3	7	18	2	138	WARWICKshire. Nuneaton.
Royal Leamington Spa.	25,654	87	102	7	48	1	-	-	-	1	1	1	-	2	8	22	-	80	Royal Leamington Spa.
Rugby.	22,675	95	61	9	31	-	-	-	-	4	1	1	-	3	3	16	1	95	Rugby.
Sutton Coldfield (Staffs. Reg. Co.).	19,265	81	62	8	22	-	-	-	-	2	-	-	1	-	1	6	-	99	Sutton Coldfield (Staffs. Reg. Co.).
LEICEstershire. Loughborough.	22,967	99	72	10	22	-	-	-	-	1	-	-	1	3	3	9	-	101	LEICEstershire. Loughborough.
LINCOLNshire (Kesteven). Grantham.	20,388	123	60	9	24	-	-	-	-	2	-	-	-	2	2	11	2	73	LINCOLNshire (Kesteven). Grantham.
LINCOLNshire (Lindsey). Cleethorpe with Thruscoe.	22,285	122	61	10	19	-	-	1	-	-	-	-	-	1	3	4	2	82	LINCOLNshire (Lindsey). Cleethorpe with Thruscoe.
Gainsborough.	19,092	106	64	8	23	-	-	-	1	-	1	1	3	2	2	8	-	75	Gainsborough.
NOTTINGHAMshire. Mansfield.	40,936	281	152	43	23	-	-	2	-	13	2	2	3	5	6	30	11	153	NOTTINGHAMshire. Mansfield.
Sutton in Ashfield.	22,329	142	80	25	16	-	-	4	-	2	2	2	1	2	1	9	3	176	Sutton in Ashfield.
Worksop.	20,209	119	82	11	29	-	-	2	-	9	-	-	1	5	5	11	1	92	Worksop.

TABLE VII. (continued).—One hundred and forty-eight Smaller Towns.—Population ; Births and Deaths in the QUARTER ended 31st March, 1918.

TOWNS.		ESTIMATED CIVILIAN POPULATION, MID. 1917.		BIRTHS. DEATHS.		The DEATHS registered in the Quarter include										Deaths under 1 Year to 1000 Births.		TOWNS.		
						Deaths of		Deaths from												
						Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
DERBYSHIRE.		36,706		220	126	19	35	-	-	5	-	1	2	-	2	4	25	4	86	DERBYSHIRE.
Chesterfield		19,329		73	69	3	38	-	-	-	-	-	1	-	1	1	9	1	41	Chesterfield.
Glossop		29,597		191	108	24	21	-	-	4	-	1	1	2	4	5	11	4	126	Glossop.
Ilkeston (Notts. Reg. Co.)																				Ilkeston (Notts. Reg. Co.).
CHESHIRE.		37,262		164	143	19	32	-	-	1	-	8	2	1	4	11	52	3	116	CHESHIRE.
Chester		43,256		197	169	18	47	-	-	5	-	3	9	-	3	10	26	-	91	Chester.
Crewe		30,828		117	132	15	42	-	-	5	-	3	1	-	1	8	11	-	128	Crewe.
Hyde		29,634		110	143	21	59	-	-	-	-	4	1	2	4	7	34	-	191	Hyde.
Macclesfield		23,464		83	85	15	27	1	-	-	-	1	4	1	2	4	16	-	181	Macclesfield.
Stalybridge (Lancs. Reg. Co.).																				Stalybridge (Lancs. Reg. Co.).
LANCASHIRE.		40,694		132	150	20	57	-	-	19	-	4	-	2	6	9	24	1	152	LANCASHIRE.
Accrington		21,101		113	101	25	19	-	-	7	-	15	1	-	3	6	10	2	221	Accrington.
Ashton in Makerfield		39,173		167	182	24	49	-	-	1	-	4	3	1	2	4	46	6	144	Ashton in Makerfield.
Ashton under Lyne		19,235		66	104	4	35	-	-	-	-	-	-	-	-	4	15	2	61	Ashton under Lyne.
Bacup		26,298		121	110	16	24	-	-	1	-	6	-	1	2	4	13	1	132	Bacup.
Chadderton		27,328		96	102	13	30	-	-	-	-	1	1	1	1	2	17	-	135	Chadderton.
Chorley		22,312		67	69	5	24	-	-	4	-	-	2	1	-	1	6	-	75	Chorley.
Colne		34,278		75	129	7	43	-	-	8	-	-	-	-	4	5	17	-	93	Colne.
Darwen		40,247		139	124	8	43	-	-	-	-	8	3	-	3	4	29	2	58	Darwen.
Eccles		24,759		113	80	11	20	-	-	-	-	5	1	-	1	4	7	2	97	Eccles.
Farnworth		23,579		91	110	10	35	-	-	-	-	2	1	-	2	3	7	2	110	Farnworth.
Heywood		22,251		146	100	22	27	-	-	-	-	5	2	-	2	8	17	1	151	Heywood.
Hindley		20,871		134	88	17	13	-	-	1	-	10	1	1	-	2	10	7	127	Hindley.
Ince in Makerfield		36,707		162	138	26	43	-	-	2	-	4	-	-	1	2	7	1	160	Ince in Makerfield.
Lancaster		42,189		231	169	43	45	-	-	-	-	6	-	-	9	3	26	7	186	Lancaster.
Leigh		25,539		101	97	6	27	-	-	1	-	3	-	1	2	10	27	8	59	Leigh.
Middleton		36,538		91	119	17	37	-	-	-	-	3	-	-	3	3	22	-	187	Middleton.
Nelson		23,054		92	80	10	19	-	-	-	-	-	2	-	3	4	12	1	109	Nelson.
Radcliffe		26,032		90	112	15	32	-	-	-	-	4	-	-	1	-	15	1	167	Radcliffe.
Rawtenstall		40,682		142	128	12	47	-	-	-	-	4	-	-	4	4	12	7	85	Rawtenstall.
Stretford		28,188		140	107	21	33	-	-	1	-	4	-	1	1	1	13	4	150	Stretford.
Swinton and Pendlebury		27,746		123	120	17	42	-	-	6	-	3	-	2	-	1	12	4	138	Swinton and Pendlebury.
Waterloo with Seaforth		31,368		189	118	23	23	-	-	2	-	2	-	-	6	7	15	4	122	Waterloo with Seaforth.
Widnes												1	-	1	6	7				Widnes.
YORKSHIRE (WEST RIDING).		33,801		158	135	18	47	-	-	11	-	1	4	1	4	10	20	-	114	YORKSHIRE (WEST RIDING).
Batley		19,332		78	83	13	25	-	-	-	-	-	-	-	-	3	11	1	167	Batley.
Brighouse		24,256		139	58	11	13	-	-	1	-	-	-	2	2	3	8	-	79	Brighouse.
Castleford		48,187		259	183	28	60	-	-	1	-	-	9	1	4	7	31	-	108	Castleford.
Doncaster		16,397		92	80	12	21	-	-	1	-	8	6	-	3	4	13	1	130	Doncaster.
Goole		30,722		99	96	10	49	-	-	1	-	1	-	-	-	4	18	-	101	Goole.
Harrogate																				Harrogate.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1917.	BIRTHS	DEATHS.	The DEATHS registered in the Quarter include										Deaths under 1 Year to 1000 Births.	TOWNS.	
				Deaths of		Deaths from							Deaths in Public Institutions.			Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).				
YORKSHIRE (WEST RIDING)— <i>cont.</i>																YORKSHIRE (WEST RIDING)— <i>cont.</i>
Keighley	40,575	157	138	19	47	—	—	—	—	7	1	—	4	8	121	Keighley.
Morley	22,567	76	98	11	24	2	—	—	—	5	3	—	—	—	145	Morley.
Shipley	26,377	106	101	15	36	—	—	—	—	1	1	—	1	1	142	Shipley.
Spennorth	29,816	117	98	14	34	—	—	—	—	—	3	—	2	—	120	Spennorth.
Todmorden	23,862	64	95	9	28	1	—	—	—	—	—	—	4	2	141	Todmorden.
YORKSHIRE (NORTH RIDING).																YORKSHIRE (NORTH RIDING).
Eston	28,909	226	145	40	18	1	—	—	—	3	4	1	9	—	177	Eston.
Scarborough	28,410	89	145	8	73	—	—	—	—	1	3	—	5	—	90	Scarborough.
DURHAM.																DURHAM.
Blaydon	30,870	188	104	27	21	—	—	1	—	—	3	—	2	3	144	Blaydon.
Felling	24,532	127	117	26	33	—	—	—	—	11	1	—	2	15	205	Felling.
Hartlepool	18,195	122	126	32	18	—	—	20	3	2	—	—	3	1	262	Hartlepool.
Hebburn	23,660	186	97	23	21	—	—	—	—	—	2	1	7	3	124	Hebburn.
Jarrow	35,460	233	138	14	44	1	—	—	—	—	3	—	3	7	60	Jarrow.
Stanley	22,538	126	75	23	11	—	—	—	—	5	2	—	4	3	183	Stanley.
NORTHUMBERLAND.																NORTHUMBERLAND.
Ashington	26,281	173	86	21	11	2	—	—	—	1	2	—	3	2	121	Ashington.
Bedlingtonshire	23,667	141	105	18	23	16	—	1	—	4	1	—	4	2	128	Bedlingtonshire.
Blyth	28,505	160	108	31	27	—	—	6	—	9	—	—	2	4	194	Blyth.
Wallsend	43,358	334	143	35	34	—	—	—	—	1	1	1	2	6	105	Wallsend.
CUMBERLAND.																CUMBERLAND.
Workington	25,282	174	109	21	28	—	—	8	—	—	7	1	5	1	121	Workington.
MONMOUTHSHIRE.																MONMOUTHSHIRE.
Abersychan	25,274	172	72	21	21	—	—	1	—	—	1	1	5	1	122	Abersychan.
Aberthillery	37,032	283	100	28	14	—	—	14	—	—	—	2	3	2	99	Aberthillery.
Bedwellty	28,016	230	90	28	10	—	—	1	—	—	—	—	4	1	122	Bedwellty.
Ebbw Vale	34,073	226	116	24	14	—	—	21	—	11	—	—	10	2	106	Ebbw Vale.
Tredeggar	22,879	189	86	16	20	1	—	10	—	1	1	—	6	—	85	Tredeggar.
GLAMORGANSHIRE.																GLAMORGANSHIRE.
Barry	33,403	218	111	22	30	1	—	2	—	—	1	3	4	1	101	Barry.
Caerphilly	33,859	212	98	26	17	—	—	11	—	—	1	—	9	—	123	Caerphilly.
Gelligaer	39,211	302	127	33	17	—	—	8	1	5	2	2	4	1	109	Gelligaer.
Maesteg	27,454	181	116	23	15	—	—	20	—	8	—	3	5	—	127	Maesteg.
Mountain Ash	41,341	301	162	33	20	—	—	17	—	6	4	1	11	1	110	Mountain Ash.
Ogmore and Garw	28,515	194	67	17	15	—	—	5	—	1	—	1	4	—	88	Ogmore and Garw.
Pontypridd	41,651	268	125	28	27	—	—	—	—	—	—	—	8	—	104	Pontypridd.
CARMARTHENSHIRE.																CARMARTHENSHIRE.
Llanelli	34,905	193	101	22	28	—	—	—	—	3	—	3	1	2	114	Llanelli.

TABLE VIII.—NUMBER of CASES of INFECTIOUS DISEASE among the CIVIL POPULATION notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 30th March, 1918.*

CITIES, BOROUGHES, and URBAN DISTRICTS.	Estimated Civilian Population, Mid. 1917.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Croup).	Cholera.	Erysipelas.	Puerperal Fever.
Great Towns.											
LONDON -	4,026,901	4,928	83	-	-	28†	1,634	2,512	-	608	63
CROYDON -	167,681	180	3	-	-	-	102	58	-	16	1
WIMBLEDON -	53,536	60	1	-	-	-	22	29	-	7	1
EALING -	64,128	42	-	-	-	-	18	13	-	11	-
ACTON -	58,507	24	2	-	-	-	7	12	-	3	-
WILLESDEN -	157,005	126	3	-	-	-	33	69	-	19	2
HORNSEY -	82,442	62	-	-	-	-	24	30	-	7	1
TOTTENHAM -	135,173	156	1	-	-	-	51	86	-	18	-
EDMONTON -	61,940	48	1	-	-	-	31	6	-	8	2
ENFIELD -	57,192	16	1	-	-	-	4	6	-	5	-
WEST HAM -	271,934	378	13	-	-	-	101	189	-	74	1
EAST HAM -	131,008	209	2	-	-	-	93	86	-	24	1
LEYTON -	112,452	77	2	-	-	-	25	35	-	14	1
WALTHAMSTOW -	119,307	129	-	-	-	-	42	69	-	17	1
ILFORD -	75,130	78	6	-	-	-	21	44	-	7	-
GILLINGHAM -	44,074	60	-	-	-	-	47	10	-	3	-
HASTINGS -	48,439	20	-	-	-	-	6	5	-	9	-
EASTBOURNE -	44,842	19	-	-	-	-	6	7	-	6	-
BRIGHTON -	113,635	133	1	-	-	-	51	62	-	18	1
PORTSMOUTH† -	198,527	301	7	-	-	-	133	142	-	15	4
BOURNEMOUTH -	70,327	55	-	-	-	-	16	26	-	12	1
SOUTHAMPTON -	115,345	92	6	-	-	-	21	51	-	12	2
READING -	82,475	65	1	-	-	-	12	24	-	26	2
OXFORD -	53,101	43	-	-	-	-	13	22	-	8	-
NORTHAMPTON -	82,471	56	1	-	-	-	16	23	-	15	1
CAMBRIDGE -	52,282	30	-	-	-	-	5	19	-	6	-
SOUTHELD ON SEA -	71,919	35	-	-	-	-	31	3	-	1	-
IPSWICH -	72,800	75	2	-	-	-	20	47	-	5	1
GREAT YARMOUTH -	45,516	24	-	-	-	-	1	20	-	3	-
NORWICH -	109,877	171	2	-	-	-	55	104	-	10	-
SWINDON -	51,516	68	-	-	-	-	32	28	-	8	-
EXETER -	51,631	7	-	-	-	-	2	4	-	1	-
PLYMOUTH -	179,375	179	5	-	-	-	98	55	-	19	2
BATH -	58,799	52	2	-	-	-	14	23	-	13	-
BRISTOL -	334,814	290	48	-	-	-	54	144	-	41	3
GLOUCESTER -	55,026	45	1	-	-	-	9	32	-	3	-
STOKE ON TRENT -	215,116	285	3	-	-	-	57	185	-	38	2
WOLVERHAMPTON -	93,037	111	-	-	-	-	98	7	-	5	1
WALSALL -	87,957	87	1	1	-	-	38	32	-	15	-
WEST BROMWICH -	67,221	21	2	-	-	-	7	7	-	5	-
DUDLEY -	52,049	16	-	-	-	-	11	1	-	4	-
BIRMINGHAM -	870,211	804	7	-	-	-	306	351	-	111	29
SMETHWICK -	69,788	50	-	-	-	-	16	30	-	3	1
COVENTRY -	128,098	122	-	-	-	-	73	33	-	15	1
LEICESTER -	212,433	179	9	-	-	-	82	46	-	40	2
LINCOLN -	58,617	64	6	-	-	-	41	9	-	8	-
GRIMSBY -	67,014	65	-	-	-	-	45	17	-	3	-
NOTTINGHAM -	236,853	218	6	-	-	1	66	98	-	40	7
DERBY -	119,191	199	2	-	-	-	47	125	-	24	1
STOCKPORT -	111,922	85	6	-	-	-	23	31	-	23	2
BIRKENHEAD -	133,819	190	2	-	-	-	115	56	-	15	2
WALLASEY -	84,209	86	3	-	-	-	58	21	-	4	-
LIVERPOOL -	716,140	1,338	14	-	-	-	879	315	-	123	7
BOOTLE -	68,871	140	3	-	-	-	104	28	-	5	-
ST. HELENS -	90,582	492	-	-	-	-	192	264	-	34	2
SOUTHPORT -	60,747	56	2	-	-	-	28	14	-	10	2
WIGAN -	83,110	57	5	-	-	-	35	7	-	9	1
WARRINGTON -	68,554	53	-	-	-	-	13	26	-	9	5
BOLTON -	163,411	176	2	-	-	-	117	45	-	12	-
BURY -	51,851	53	-	-	-	-	16	32	-	5	-
MANCHESTER -	660,143	609	22	-	-	-	274	232	-	66	15
SALFORD -	211,373	193	8	-	-	-	102	41	-	37	5

* The figures in this table, excepting those for London, which are derived from Table IX., are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

† The figures for Southsea District of Portsmouth are—total population (1911), 25,380; enteric fever, nil; typhus, nil; continued fever, nil; small-pox, nil; scarlet fever, 5; diphtheria (including membranous croup), 3; erysipelas, nil; and puerperal fever, nil.

‡ Two cases were subsequently found not to be small-pox.

TABLE VIII. (*continued*).—NUMBER of CASES of INFECTIOUS DISEASE among the CIVIL POPULATION notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 30th March, 1918.*

CITIES, BOROUGHES, and URBAN DISTRICTS.	Estimated Civilian Population, Mid. 1917.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
OLDHAM	133,721	94	3	-	-	-	47	18	-	24	2
ROCHDALE	84,561	62	-	-	1	-	15	29	-	16	1
BURNLEY	93,779	50	1	-	-	-	10	17	-	21	1
BLACKBURN	113,315	42	6	-	-	-	9	16	-	11	-
PRESTON	106,747	77	2	-	-	-	29	34	-	11	1
BLACKPOOL	62,227	41	2	-	-	-	12	21	-	5	1
BARROW IN FURNESS	78,675	25	-	-	-	-	8	10	-	6	1
HUDDERSFIELD	105,818	76	-	-	-	-	44	24	-	8	-
HALIFAX	92,775	56	3	-	-	-	10	34	-	6	3
BRADFORD	266,338	215	6	-	-	-	66	99	-	41	3
LEEDS	417,051	385	13	-	-	-	153	154	-	57	8
DEWSBURY	52,244	23	3	-	-	-	9	7	-	4	-
WAKEFIELD	47,830	66	11	-	-	-	27	24	-	3	1
BARNLEY	47,943	41	1	-	-	-	9	21	-	10	-
SHEFFIELD	469,293	750	6	-	-	-	463	200	-	64	17
ROTHERHAM	64,685	33	2	-	-	-	18	4	-	9	-
YORK	78,492	57	2	-	-	-	28	19	-	8	-
HULL	246,357	272	7	-	-	2	124	95	-	41	3
MIDDLESBROUGH	119,251	107	9	-	-	-	47	39	-	10	2
DARLINGTON	60,482	42	2	-	-	-	5	25	-	10	-
STOCKTON ON TEES	57,048	77	2	-	-	-	15	54	-	5	1
WEST HARTLEPOOL	62,034	67	1	-	-	-	41	10	-	14	1
SUNDERLAND	141,765	146	1	-	-	-	107	13	-	24	1
SOUTH SHIELDS	106,500	52	-	-	-	-	33	6	-	13	-
GATESHEAD	119,134	108	6	-	-	-	54	32	-	16	-
NEWCASTLE ON TYNE	266,551	234	6	-	-	-	120	68	-	37	3
TYNEMOUTH	57,591	32	1	-	-	-	13	6	-	11	1
CARLISLE	53,064	33	-	-	-	-	4	15	-	14	-
NEWPORT (MON.)	82,709	36	-	-	-	-	16	12	-	8	-
CARDIFF	169,440	215	4	-	-	-	72	100	-	38	1
RHONDDA	154,388	65	4	-	1	-	16	25	-	14	5
MERTHYR TYDFIL	74,508	66	-	-	-	-	42	20	-	4	-
ABERDARE	51,317	54	2	-	-	-	21	21	-	6	4
SWANSEA	111,776	79	3	-	-	-	16	48	-	9	3
Smaller Towns.											
SURREY—											
BARNES	32,495	15	1	-	-	-	9	4	-	-	1
GUILDFORD	22,606	9	-	-	-	-	2	6	-	1	-
KINGSTON ON THAMES	35,608	62	-	-	-	-	9	46	-	6	1
MITCHAM	30,189	37	2	-	-	-	21	14	-	-	-
REIGATE	23,680	24	-	-	-	-	13	11	-	-	-
RICHMOND	33,359	10	1	-	-	-	3	5	-	1	-
SUTTON	19,502	14	-	-	-	-	6	7	-	1	-
WOKING	22,771	13	-	-	-	-	2	9	-	2	-
KENT—											
BECKENHAM	30,612	20	-	-	-	-	5	9	-	5	1
BROMLEY	31,882	22	-	-	-	-	9	10	-	3	-
CANTERBURY	21,627	42	-	-	-	-	4	25	-	13	-
CHATHAM	36,422	27	-	-	-	-	11	14	-	2	-
DARTFORD	21,007	74	-	-	-	-	10	60	-	4	-
DOVER	35,685	23	-	-	-	-	6	16	-	1	-
ERITH	33,129	26	3	-	-	-	15	5	-	2	1
FOLKESTONE	31,856	14	-	-	-	-	2	11	-	1	-
GRAVESEND	26,832	36	-	-	-	-	12	24	-	-	-
MAIDSTONE	30,796	21	3	-	-	-	1	13	-	4	-
MARGATE	19,412	49	-	-	-	-	19	27	-	3	-
PENGE (Surrey Reg. Co.)	21,474	17	-	-	-	-	11	6	-	-	-
RAMSGATE	21,362	21	-	-	-	-	5	10	-	6	-
ROCHESTER	28,896	17	-	-	-	-	9	8	-	-	-
TUNBRIDGE WELLS	30,751	21	2	-	-	-	5	13	-	1	-

* The figures in this table, excepting those for London, which are derived from Table IX., are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

TABLE VIII. (*continued*).—NUMBER of CASES of INFECTIOUS DISEASE among the CIVIL POPULATION notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 30th March, 1918.*

CITIES, BOROUGHES, and URBAN DISTRICTS.	Estimated Civilian Population, Mid. 1917	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
SUSSEX EAST—											
HOVE - - - - -	39,622	13	-	-	-	-	4	7	-	2	-
SUSSEX WEST—											
WORTHING - - - - -	27,662	20	2	-	-	-	4	11	-	3	-
SOUTHAMPTON—											
ALDERSHOT (Surrey Reg. Co.).	20,291	12	-	-	-	-	9	1	-	2	-
GOSPORT AND ALVERSTOKE	27,762	91	1	-	-	-	31	57	-	2	-
WINCHESTER - - - - -	20,152	10	-	-	-	-	1	6	-	2	1
MIDDLESEX—											
CHISWICK - - - - -	38,712	26	1	-	-	-	16	7	-	2	-
FINCHLEY - - - - -	42,969	54	-	-	-	-	26	24	-	4	-
HENDON - - - - -	51,689	32	3	-	-	-	18	7	-	4	-
HESTON AND ISLEWORTH -	38,683	35	-	-	-	-	20	11	-	3	1
SOUTHALL NORWOOD -	26,556	27	-	-	-	-	12	9	-	6	-
SOUTHGATE - - - - -	37,107	30	-	-	-	-	7	23	-	-	-
TWICKENHAM - - - - -	35,764	20	-	-	-	-	5	15	-	-	-
WOOD GREEN - - - - -	46,645	50	2	-	-	-	11	30	-	6	1
HERTFORDSHIRE—											
ST. ALBANS - - - - -	24,208	9	-	-	-	-	3	6	-	-	-
WATFORD - - - - -	40,650	28	1	-	-	-	9	13	-	5	-
BUCKINGHAMSHIRE—											
CHEPPING WYCOMBE -	19,627	14	-	-	-	-	7	6	-	-	1
NORTHAMPTONSHIRE—											
KETTERING - - - - -	27,370	54	-	-	-	-	5	46	-	3	-
SOKE OF PETER- BOROUGH—											
PETERBOROUGH - - - -	34,920	66	-	-	-	-	62	4	-	-	-
BEDFORDSHIRE—											
BEDFORD - - - - -	37,663	55	-	-	-	-	16	35	-	4	-
LUTON - - - - -	54,208	42	-	-	-	-	9	29	-	4	-
ESSEX—											
BARKING TOWN - - - -	32,394	45	-	-	-	-	10	25	-	9	1
COLCHESTER - - - - -	36,991	27	3	-	-	-	9	8	-	6	1
SUFFOLK EAST—											
LOWESTOFT - - - - -	30,223	13	1	-	-	-	2	8	-	2	-
NORFOLK—											
KING'S LYNN - - - - -	17,520	7	1	-	-	-	-	3	-	3	-
WILTSHIRE—											
SALISBURY - - - - -	20,394	8	-	-	-	-	1	7	-	-	-
DORSETSHIRE—											
POOLE - - - - -	37,978	33	6	-	-	-	9	9	-	9	-
WEYMOUTH AND MELCOMBE REGIS.	21,388	4	-	-	-	-	2	1	-	1	-
DEVONSHIRE—											
TORQUAY - - - - -	30,685	18	-	-	-	-	1	16	-	1	-
SOMERSETSHIRE—											
TAUNTON - - - - -	19,247	7	-	-	-	-	1	6	-	-	-
WESTON SUPER MARE -	21,222	4	-	-	-	-	3	-	-	1	-
GLOUCESTERSHIRE—											
CHELTENHAM - - - - -	41,181	54	2	-	-	-	11	33	-	5	3
HEREFORDSHIRE—											
HEREFORD - - - - -	23,246	6	-	-	-	-	-	-	-	6	-

* The figures in this table, excepting those for London, which are derived from Table IX., are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

TABLE VIII. (*continued*).—NUMBER of CASES of INFECTIOUS DISEASE among the CIVIL POPULATION notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 30th March, 1918.*

CITIES, BOROUGHES, and URBAN DISTRICTS.	Estimated Civilian Population, Mid. 1917.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
SHROPSHIRE—											
SHREWSBURY - - -	27,386	22	-	-	-	-	6	11	-	5	-
STAFFORDSHIRE—											
BILSTON - - - -	24,728	17	-	-	-	-	17	-	-	-	-
BURTON UPON TRENT - -	42,311	81	-	-	-	-	54	18	-	8	1
CANNOCK - - - -	28,785	40	-	-	-	-	21	17	-	2	-
COSELBY - - - -	21,897	12	-	-	-	-	7	-	-	5	-
NEWCASTLE UNDER LYME	18,532	11	-	-	-	-	3	7	-	1	-
ROWLEY REGIS - - -	36,505	12	-	-	-	-	4	6	-	2	-
STAFFORD - - - -	24,376	184	2	-	-	-	4	176	-	2	-
TIPTON - - - -	31,630	24	-	-	-	-	11	3	-	10	-
WEDNESBURY - - -	29,759	18	-	-	-	-	8	2	-	8	-
WOLSTANTON UNITED -	27,704	14	1	-	-	-	3	9	-	1	-
WORCESTERSHIRE—											
KIDDERMINSTER - -	23,508	22	-	-	-	-	2	19	-	1	-
OLDBURY (Staffordshire Reg. Co.).	34,884	17	-	-	-	-	8	7	-	2	-
WORCESTER - - -	44,744	24	-	-	-	-	6	15	-	2	1
WARWICKSHIRE—											
NUNEATON - - - -	37,681	27	-	-	-	-	3	20	-	4	-
ROYAL LEAMINGTON SPA -	25,654	25	1	-	-	-	9	12	-	2	1
RUGBY - - - -	22,675	36	5	-	-	-	6	23	-	2	-
SUTTON COLDFIELD (Staffs. Reg. Co.).	19,265	18	-	-	-	-	11	4	-	3	-
LEICESTERSHIRE—											
LOUGHBOROUGH - -	22,967	5	-	-	-	-	1	2	-	2	-
LINCOLNSHIRE (KESTEVEN)—											
GRANTHAM - - -	20,388	12	-	-	-	-	6	6	-	-	-
LINCOLNSHIRE (LINDSEY)—											
CLEETHORPE WITH THRUNSCOE.	22,285	17	-	-	-	-	14	1	-	2	-
GAINSBOROUGH - - -	19,092	19	-	-	-	-	16	1	-	2	-
NOTTINGHAMSHIRE—											
MANSFIELD - - -	40,936	53	1	-	-	-	23	23	-	6	-
SUTTON IN ASHFIELD -	22,329	23	2	-	-	-	7	13	-	1	-
WORKSOP - - - -	20,209	17	1	-	-	-	9	6	-	1	-
DERBYSHIRE—											
CHESTERFIELD - - -	36,706	38	-	-	-	-	12	23	-	3	-
GLOSSOP - - - -	19,329	3	-	-	-	-	-	1	-	1	1
ILKESTON (Nottingham- shire Reg. Co.).	29,597	11	-	-	-	-	7	3	-	1	-
CHESHIRE—											
CHESTER - - - -	37,262	44	-	-	-	-	5	36	-	3	-
CREWE - - - -	43,256	96	-	-	-	-	31	62	-	3	-
HYDE - - - -	30,828	36	-	-	-	-	15	14	-	7	-
MACCLESFIELD - - -	29,634	14	1	-	-	-	6	3	-	4	-
STALYBRIDGE (Lancashire Reg. Co.).	23,464	10	3	-	-	-	2	4	-	1	-
LANCASHIRE—											
ACCINGTON - - -	40,694	11	3	-	-	-	2	1	-	5	-
ASHTON IN MAKERFIELD -	21,101	36	5	-	-	-	22	7	-	2	-
ASHTON UNDER LYNE -	39,173	10	-	-	-	-	2	7	-	1	-
BACUP - - - -	19,235	13	-	-	-	-	3	-	-	10	-
CHADDERTON - - -	26,298	24	-	-	-	-	8	7	-	9	-
CHORLEY - - - -	27,328	11	-	-	-	-	2	5	-	4	-
COLNE - - - -	22,312	40	-	-	-	-	-	35	-	5	-
DARWEN - - - -	34,278	16	1	-	-	-	9	2	-	4	-
ECCLES - - - -	40,247	13	2	-	-	-	4	3	-	3	1
FARNWORTH - - -	24,759	19	1	-	-	-	11	4	-	2	1

* The figures in this table, excepting those for London, which are derived from Table IX., are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

TABLE VIII. (*continued*).—NUMBER of CASES of INFECTIOUS DISEASE among the CIVIL POPULATION notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 30th March, 1918.*

CITIES, BOROUGHs, and URBAN DISTRICTS.	Estimated Civilian Population, Mid. 1917.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Croup).	Cholera.	Erysipelas.	Puerperal Fever.
LANCASHIRE—<i>cont.</i>											
HEYWOOD	23,579	31	-	-	-	-	6	20	-	5	-
HINDLEY	22,251	30	3	-	-	-	13	5	-	9	-
INCE IN MAKERFIELD	20,871	20	1	-	-	-	16	2	-	1	-
LANCASTER	36,707	12	4	-	-	-	2	1	-	4	1
LEIGH	42,189	21	-	-	-	-	8	5	-	3	-
MIDDLETON	25,539	14	3	-	-	-	5	5	-	1	-
NELSON	36,538	23	-	-	-	-	4	14	-	5	-
RADCLIFFE	23,054	12	-	-	-	-	2	8	-	2	-
RAWTENSTALL	26,032	3	-	-	-	-	2	-	-	1	-
STRETFORD	40,682	44	-	-	-	-	16	19	-	8	1
SWINTON AND PENDLEBURY.	28,188	42	-	-	-	-	16	20	-	6	-
WATERLOO WITH SEAFORTH.	27,746	69	-	-	-	-	42	25	-	2	-
WIDNES	31,368	24	1	-	-	-	8	15	-	-	-
YORKSHIRE (WEST RIDING)—											
BATLEY	33,801	19	-	-	-	-	11	6	-	2	-
BRIGHOUSE	19,332	6	-	-	-	-	4	-	-	2	-
CASTLEFORD	24,256	7	2	-	-	-	2	2	-	1	-
DONCASTER	48,187	68	1	-	-	-	31	29	-	7	-
GOOLE	16,397	30	1	-	-	-	5	19	-	5	-
HARROGATE	30,722	12	2	-	-	-	4	4	-	2	-
KEIGHLEY	40,575	11	-	-	-	-	2	7	-	2	-
MORLEY	22,567	45	4	-	-	-	20	16	-	5	-
SHIPLEY	26,377	13	1	-	-	-	6	4	-	1	1
SPENBOROUGH	29,816	24	2	-	-	-	4	14	-	4	-
TODMORDEN	23,862	11	1	-	-	-	5	5	-	-	-
YORKSHIRE (NORTH RIDING)—											
ESTON	28,909	45	1	-	-	-	24	13	-	7	-
SCARBOROUGH	28,410	59	-	-	-	-	9	49	-	1	-
DURHAM—											
BLAYDON	30,870	38	1	-	-	-	15	18	-	4	-
PELLING	24,532	17	-	-	-	-	6	3	-	8	-
HARTLEPOOL	18,195	16	-	-	-	-	11	-	-	5	-
HEBBURN	23,660	22	-	-	-	-	13	4	-	5	-
JARROW	35,460	31	-	-	-	-	14	10	-	7	-
STANLEY	22,538	107	1	-	-	-	80	23	-	2	1
NORTHUMBERLAND—											
ASHINGTON	26,281	65	10	-	-	-	31	18	-	6	-
BEDLINGTONSHIRE	23,667	144	128	-	-	-	6	6	-	4	-
BLYTH	28,505	27	2	-	-	-	12	7	-	6	-
WALLSEND	43,358	46	-	-	-	-	27	11	-	6	2
CUMBERLAND—											
WORKINGTON	25,282	58	1	-	-	-	-	55	-	2	-
MONMOUTHSHIRE—											
ABERSYCHAN	25,274	17	-	-	-	-	10	4	-	3	-
ABERTILLERY	37,032	24	-	-	-	-	17	4	-	3	-
BEDWELLY	28,016	33	-	-	-	-	17	15	-	1	-
EBBW VALE	34,073	57	-	-	-	-	49	2	-	6	-
TREDEGAR	22,879	51	2	-	-	-	41	5	-	3	-
GLAMORGANSHIRE—											
BARRY	33,403	37	2	-	-	-	13	17	-	4	1
CAERPHILLY	33,859	61	2	-	-	-	33	22	-	4	-
GELLIGAER	39,211	23	-	-	-	-	13	6	-	4	-
MAESTEG	27,454	12	2	-	-	-	4	4	-	2	-
MOUNTAIN ASH	41,341	40	-	-	-	-	12	22	-	4	2
OGMORE AND GARW	28,515	26	1	-	-	-	21	2	-	2	-
PONTYPRIDD	41,651	26	-	-	-	-	14	11	-	1	-
CARMARTHENSHIRE—											
LLANELLY	34,905	13	-	-	-	-	6	5	-	2	-

* The figures in this table, excepting those for London, which are derived from Table IX., are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

TABLE IX.—NUMBER of CASES of INFECTIOUS DISEASE among the CIVIL POPULATION notified in the several BOROUGHs of the ADMINISTRATIVE COUNTY of LONDON during the 13 Weeks ended 30th March, 1918.*

BOROUGHs.	Estimated Civilian Population, Mid. 1917.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Cholera.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Anthrax.	Glanders.	Ophthalmia Neonatorum.	Poliomyelitis.	Varicella.	
WEST.																		
Addington - -	122,507	148	3	-	-	-	25	80	-	14	-	-	-	-	6	-	20	
Bensington - -	151,535	137	1	-	-	-	53	51	-	12	7	1	-	-	7	-	5	
Hammersmith - -	114,952	96	1	-	-	-	38	26	-	15	3	5	-	-	5	-	3	
Waltham - -	145,186	155	3	-	-	-	58	55	-	8	2	6	-	-	7	1	15	
Walthamstow - -	57,368	60	-	-	-	-	27	19	-	5	1	3	-	-	4	-	1	
City of Westminster	122,046	121	5	-	-	-	45	54	-	7	-	1	-	-	8	-	1	
NORTH.																		
St. Marylebone - -	92,796	117	4	-	-	-	24	59	-	15	2	3	-	-	8	-	2	
St. Pancras - -	75,649	74	2	-	-	-	21	38	-	5	1	-	-	-	3	-	4	
St. Pancras - -	186,600	266	6	-	-	-	105	91	-	23	5	4	-	-	9	-	23	
St. Pancras - -	297,102	385	4	-	-	-	107	166	-	42	6	2	-	-	10	-	48	
St. Pancras - -	47,426	59	1	-	-	-	12	30	-	4	2	-	-	-	1	-	9	
Hackney - -	196,598	219	8	-	-	3†	76	94	-	28	2	-	-	-	3	-	5	
CENTRAL.																		
St. James - -	35,303	55	-	-	-	-	7	39	-	4	1	-	-	-	2	-	2	
St. James - -	68,011	96	-	-	-	-	42	46	-	6	1	1	-	-	-	-	-	
City of London	16,138	22	-	-	-	-	13	5	-	3	1	-	-	-	-	-	-	
EAST.																		
Shoreditch - -	89,675	157	-	-	-	1†	26	73	-	34	2	-	-	-	2	-	19	
St. Paul's - -	107,362	189	3	-	-	2	27	110	-	28	6	1	-	-	5	-	7	
St. Paul's - -	232,010	420	8	-	-	20	102	218	-	37	7	4	-	-	6	1	17	
St. Paul's - -	143,443	226	6	-	-	1	51	97	-	38	2	7	-	-	10	-	14	
SOUTH.																		
St. George's - -	167,936	302	2	-	-	-	85	155	-	39	6	3	-	-	12	-	-	
St. George's - -	107,635	162	1	-	-	-	45	101	-	8	3	1	-	-	3	-	-	
St. George's - -	272,038	310	6	-	-	-	104	143	-	29	7	5	-	-	5	1	10	
St. George's - -	150,023	240	5	-	-	-	78	82	-	34	6	1	-	-	5	-	29	
St. George's - -	300,787	482	5	-	-	-	173	187	-	32	5	4	1	-	3	-	22	
St. George's - -	239,461	347	2	-	-	-	95	159	-	54	8	2	-	-	7	-	20	
St. George's - -	103,527	149	4	-	-	1	47	63	-	20	2	1	-	-	6	-	5	
St. George's - -	90,440	151	2	-	-	-	41	80	-	16	1	1	-	-	3	-	7	
St. George's - -	161,405	251	1	-	-	-	67	119	-	23	2	2	-	-	5	-	32	
St. George's - -	131,942	158	-	-	-	-	40	72	-	25	4	5	-	-	5	-	7	
Port of London	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ADMINISTRATIVE COUNTY OF LONDON-		4,026,901	5,504	83	-	-	28†	1,634	2,512	-	608	95	63	1	-	150	3	327
Ages 0-1 - - -																		
Ages 0-1 - - -		288	-	-	-	1	11	72	-	20	22	-	-	-	150	-	12	
" 1-5 - - -		1,452	2	-	-	3	425	866	-	18	22	-	-	-	-	2	114	
" 5- - - -		1,801	4	-	-	6	709	890	-	22	13	-	-	-	-	1	156	
" 10- - - -		739	14	-	-	4	279	364	-	33	11	-	-	-	-	-	34	
" 15- - - -		268	11	-	-	3	79	119	-	38	9	2	-	-	-	-	7	
" 20- - - -		194	9	-	-	-	62	79	-	26	1	16	-	-	-	-	1	
" 25- - - -		245	23	-	-	6	45	80	-	56	10	22	-	-	-	-	3	
" 35- - - -		163	9	-	-	3	19	24	-	83	2	23	-	-	-	-	-	
" 45- - - -		152	7	-	-	1	3	13	-	124	3	-	1	-	-	-	-	
" 55- - - -		100	3	-	-	1	1	2	-	92	1	-	-	-	-	-	-	
" 65- - - -		73	1	-	-	-	1	2	-	68	1	-	-	-	-	-	-	
" 75 and upwards - -		29	-	-	-	-	-	1	-	28	-	-	-	-	-	-	-	
Age not stated - -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

+ Two cases, one in Hackney and one in Shoreditch, were subsequently found not to be small-pox.

TABLE X.—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 30th March, 1918.

(Civilian Population only.)

TOWNS.	Annual Rate per 1000 Civilian Population, Mid. 1917.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Puerperal Fever.
LONDON - - - -	4·91	0·08	-	-	0·03	1·63	2·50	-	0·61	0·06
243 Provincial Towns - - -	4·11	0·13	0·00	0·00	0·00	1·76	1·65	-	0·52	0·05
95 Great Towns - - -	4·15	0·10	0·00	0·00	0·00	1·85	1·59	-	0·55	0·06
148 Smaller Towns - - -	4·03	0·22	-	-	-	1·50	1·84	-	0·44	0·03
Great Towns.										
CROYDON - - - -	4·30	0·07	-	-	-	2·44	1·39	-	0·38	0·02
WIMBLEDON - - - -	4·48	0·07	-	-	-	1·65	2·17	-	0·52	0·07
EALING - - - -	2·63	-	-	-	-	1·13	0·81	-	0·69	-
ACTON - - - -	1·65	0·14	-	-	-	0·48	0·82	-	0·21	-
WILLESDEN - - - -	3·22	0·08	-	-	-	0·84	1·76	-	0·49	0·05
HORNSEY - - - -	3·02	-	-	-	-	1·17	1·46	-	0·34	0·05
TOTTENHAM - - - -	4·62	0·03	-	-	-	1·51	2·55	-	0·53	-
EDMONTON - - - -	3·11	0·06	-	-	-	2·01	0·39	-	0·52	0·13
ENFIELD - - - -	1·12	0·07	-	-	-	0·28	0·42	-	0·35	-
WEST HAM - - - -	5·57	0·19	-	-	-	1·49	2·79	-	1·09	0·01
EAST HAM - - - -	6·39	0·06	-	-	0·09	2·85	2·63	-	0·73	0·03
LEYTON - - - -	2·75	0·07	-	-	-	0·89	1·25	-	0·50	0·04
WALTHAMSTOW - - - -	4·33	-	-	-	-	1·41	2·32	-	0·57	0·03
ILFORD - - - -	4·16	0·32	-	-	-	1·12	2·35	-	0·37	-
GILLINGHAM - - - -	5·46	-	-	-	-	4·28	0·91	-	0·27	-
HASTINGS - - - -	1·66	-	-	-	-	0·50	0·41	-	0·75	-
EASTBOURNE - - - -	1·71	-	-	-	-	0·54	0·63	-	0·54	-
BRIGHTON - - - -	4·71	0·04	-	-	-	1·80	2·19	-	0·64	0·04
PORTSMOUTH - - - -	6·08	0·14	-	-	-	2·69	2·87	-	0·30	0·08
BOURNEMOUTH - - - -	3·13	-	-	-	-	0·91	1·48	-	0·68	0·06
SOUTHAMPTON - - - -	3·20	0·21	-	-	-	0·73	1·77	-	0·42	0·07
READING - - - -	3·16	0·05	-	-	-	0·58	1·17	-	1·26	0·10
OXFORD - - - -	3·24	-	-	-	-	0·98	1·66	-	0·60	-
NORTHAMPTON - - - -	2·73	0·05	-	-	-	0·78	1·12	-	0·73	0·05
CAMBRIDGE - - - -	2·30	-	-	-	-	0·38	1·46	-	0·46	-
SOUTHEND ON SEA - - - -	1·96	-	-	-	-	1·73	0·17	-	0·06	-
IPSWICH - - - -	4·14	0·11	-	-	-	1·10	2·59	-	0·28	0·06
GREAT YARMOUTH - - - -	2·11	-	-	-	-	0·09	1·76	-	0·26	-
NORWICH - - - -	6·25	0·07	-	-	-	2·01	3·80	-	0·37	-
SWINDON - - - -	5·29	-	-	-	-	2·49	2·18	-	0·62	-
EXETER - - - -	0·55	-	-	-	-	0·16	0·31	-	0·08	-
PLYMOUTH - - - -	3·99	0·11	-	-	-	2·19	1·23	-	0·42	0·04
BATH - - - -	3·56	0·14	-	-	-	0·96	1·57	-	0·89	-
BRISTOL - - - -	3·49	0·58	-	-	-	0·65	1·73	-	0·49	0·04
GLOUCESTER - - - -	3·28	0·07	-	-	-	0·66	2·33	-	0·22	-
STOKE ON TRENT - - - -	5·32	0·06	-	-	-	1·06	3·45	-	0·71	0·04
WOLVERHAMPTON - - - -	4·78	-	-	-	-	4·22	0·30	-	0·22	0·04
WALSALL - - - -	3·97	0·05	0·05	-	-	1·73	1·46	-	0·68	-
WEST BROMWICH - - - -	1·26	0·12	-	-	-	0·42	0·42	-	0·30	-
DUDLEY - - - -	1·24	-	-	-	-	0·85	0·08	-	0·31	-
BIRMINGHAM - - - -	3·70	0·03	-	-	-	1·41	1·62	-	0·51	0·13
SMETHWICK - - - -	2·87	-	-	-	-	0·92	1·72	-	0·17	0·06
COVENTRY - - - -	3·82	-	-	-	-	2·29	1·03	-	0·47	0·03
LEICESTER - - - -	3·39	0·17	-	-	-	1·55	0·87	-	0·76	0·04
LINCOLN - - - -	4·39	0·41	-	-	-	2·81	0·62	-	0·55	-
GRIMSBY - - - -	3·89	-	-	-	-	2·69	1·02	-	0·18	-
NOTTINGHAM - - - -	3·70	0·10	-	-	0·02	1·12	1·66	-	0·68	0·12
DERBY - - - -	6·70	0·07	-	-	-	1·58	4·21	-	0·81	0·03
STOCKPORT - - - -	3·05	0·22	-	-	-	0·82	1·12	-	0·82	0·07
BIRKENHEAD - - - -	5·70	0·06	-	-	-	3·45	1·68	-	0·45	0·06
WALLASEY - - - -	4·09	0·14	-	-	-	2·76	1·00	-	0·19	-
LIVERPOOL - - - -	7·49	0·08	-	-	-	4·92	1·76	-	0·69	0·04
BOOTLE - - - -	8·15	0·17	-	-	-	6·06	1·63	-	0·29	-
ST. HELENS - - - -	21·79	-	-	-	-	8·50	11·69	-	1·51	0·09
SOUTHPORT - - - -	3·69	0·13	-	-	-	1·85	0·92	-	0·66	0·13
WIGAN - - - -	2·75	0·24	-	-	-	1·69	0·34	-	0·43	0·05
WARRINGTON - - - -	3·10	-	-	-	-	0·76	1·52	-	0·53	0·29
BOLTON - - - -	4·31	0·05	-	-	-	2·87	1·10	-	0·29	-
BURY - - - -	4·11	-	-	-	-	1·24	2·48	-	0·39	-
MANCHESTER - - - -	3·69	0·13	-	-	-	1·66	1·41	-	0·40	0·09
SALFORD - - - -	3·66	0·15	-	-	-	1·94	0·78	-	0·70	0·09

TABLE X. (continued).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 30th March, 1918.

(Civilian Population only.)

Annual Rate per 1000 Civilian Population, Mid. 1917.										
TOWNS.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
OLDHAM	2·82	0·09	-	-	-	1·41	0·54	-	0·72	0·06
ROCHDALE	2·95	-	-	0·05	-	0·71	1·38	-	0·76	0·05
BURNLEY	2·14	0·04	-	-	-	0·43	0·73	-	0·90	0·04
BLACKBURN	1·49	0·21	-	-	-	0·32	0·57	-	0·39	-
PRESTON	2·90	0·08	-	-	-	1·09	1·28	-	0·41	0·04
BLACKPOOL	2·63	0·13	-	-	-	0·77	1·35	-	0·32	0·06
BARROW IN FURNESS	1·28	-	-	-	-	0·41	0·51	-	0·31	0·05
HUDDERSFIELD	2·88	-	-	-	-	1·67	0·91	-	0·30	-
HALIFAX	2·42	0·13	-	-	-	0·43	1·47	-	0·26	0·13
BRADFORD	3·24	0·09	-	-	-	0·99	1·49	-	0·62	0·05
LEEDS	3·71	0·13	-	-	-	1·47	1·48	-	0·55	0·08
DEWSBURY	1·77	0·23	-	-	-	0·69	0·54	-	0·31	-
WAKEFIELD	5·52	0·92	-	-	-	2·26	2·01	-	0·25	0·08
BARNLEY	3·43	0·08	-	-	-	0·75	1·76	-	0·84	-
SHEFFIELD	6·42	0·05	-	-	-	3·96	1·71	-	0·55	0·15
ROTHERHAM	2·05	0·12	-	-	-	1·12	0·25	-	0·56	-
YORK	2·91	0·10	-	-	-	1·43	0·97	-	0·41	-
HULL	4·43	0·11	-	-	0·03	2·02	1·55	-	0·67	0·05
MIDDLESBROUGH	3·60	0·30	-	-	-	1·58	1·31	-	0·34	0·07
DARLINGTON	2·78	0·13	-	-	-	0·33	1·66	-	0·66	-
STOCKTON ON TEES	5·41	0·14	-	-	-	1·05	3·80	-	0·35	0·07
WEST HARTLEPOOL	4·33	0·06	-	-	-	2·65	0·65	-	0·91	0·06
SUNDERLAND	4·14	0·03	-	-	-	3·03	0·37	-	0·68	0·03
SOUTH SHIELDS	1·96	-	-	-	-	1·24	0·23	-	0·49	-
GATESHEAD	3·64	0·20	-	-	-	1·82	1·08	-	0·54	-
NEWCASTLE ON TYNE	3·53	0·09	-	-	-	1·81	1·02	-	0·56	0·05
TYNEMOUTH	2·24	0·07	-	-	-	0·91	0·42	-	0·77	0·07
CARLISLE	2·49	-	-	-	-	0·30	1·13	-	1·06	-
NEWPORT (MON.)	1·75	-	-	-	-	0·78	0·58	-	0·39	-
CARDIFF	5·08	0·09	-	-	-	1·70	2·37	-	0·90	0·02
RHONDDA	1·69	0·10	-	0·03	-	0·42	0·65	-	0·36	0·13
MERTHYR TYDFIL	3·56	-	-	-	-	2·26	1·08	-	0·22	-
ABERDARE	4·22	0·16	-	-	-	1·64	1·64	-	0·47	0·31
SWANSEA	2·83	0·11	-	-	-	0·57	1·72	-	0·32	0·11
Smaller Towns.										
SURREY—										
BARNES	1·84	0·12	-	-	-	1·11	0·49	-	-	0·12
GUILDFORD	1·59	-	-	-	-	0·35	1·06	-	0·18	-
KINGSTON ON THAMES	6·98	-	-	-	-	1·01	5·18	-	0·68	0·11
MITCHAM	4·92	0·27	-	-	-	2·79	1·86	-	-	-
REIGATE	4·06	-	-	-	-	2·20	1·86	-	-	-
RICHMOND	1·20	0·12	-	-	-	0·36	0·60	-	0·12	-
SUTTON	2·88	-	-	-	-	1·23	1·44	-	0·21	-
WOKING	2·29	-	-	-	-	0·35	1·59	-	0·35	-
KENT—										
BECKENHAM	2·63	-	-	-	-	0·66	1·18	-	0·66	0·13
BROMLEY	2·77	-	-	-	-	1·13	1·26	-	0·38	-
CANTERBURY	7·79	-	-	-	-	0·74	4·64	-	2·41	-
CHATHAM	2·97	-	-	-	-	1·21	1·54	-	0·22	-
DARTFORD	14·13	-	-	-	-	1·91	11·46	-	0·76	-
DOVER	2·58	-	-	-	-	0·67	1·80	-	0·11	-
ERITH	3·15	0·36	-	-	-	1·82	0·61	-	0·24	0·12
FOLKESTONE	1·77	-	-	-	-	0·25	1·39	-	0·13	-
GRAVESEND	5·38	-	-	-	-	1·79	3·59	-	-	-
MAIDSTONE	2·73	0·39	-	-	-	0·13	1·69	-	0·52	-
MARGATE	10·13	-	-	-	-	3·93	5·58	-	0·62	-
PENGE (Surrey Reg. Co.)	3·17	-	-	-	-	2·05	1·12	-	-	-
RAMSGATE	3·95	-	-	-	-	0·94	1·88	-	1·13	-
ROCHESTER	2·36	-	-	-	-	1·25	1·11	-	-	-
TUNBRIDGE WELLS	2·74	0·26	-	-	-	0·65	1·70	-	0·13	-

TABLE X. (*continued*).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 30th March, 1918.

(Civilian Population only.)

TOWNS.	Annual Rate per 1000 Civilian Population, Mid. 1917.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
SHROPSHIRE—										
SHREWSBURY - - -	3·22	-	-	-	-	0·88	1·61	-	0·73	-
STAFFORDSHIRE—										
BILSTON - - -	2·76	-	-	-	-	2·76	-	-	-	-
BURTON UPON TRENT - -	7·68	-	-	-	-	5·12	1·71	-	0·76	0·09
CANNOCK - - -	5·58	-	-	-	-	2·93	2·37	-	0·28	-
COSELEY - - -	2·20	-	-	-	-	1·28	-	-	0·92	-
NEWCASTLE UNDER LYME	2·39	-	-	-	-	0·65	1·52	-	0·22	-
ROWLEY REGIS - - -	1·32	-	-	-	-	0·44	0·66	-	0·22	-
STAFFORD - - -	30·28	0·33	-	-	-	0·66	28·96	-	0·33	-
TIPTON - - -	3·04	-	-	-	-	1·39	0·38	-	1·27	-
WEDNESBURY - - -	2·43	-	-	-	-	1·08	0·27	-	1·08	-
WOLSTANTON UNITED -	2·01	0·14	-	-	-	0·43	1·30	-	0·14	-
WORCESTERSHIRE—										
KIDDERMINSTER - - -	3·75	-	-	-	-	0·34	3·24	-	0·17	-
OLDBURY (Staffs. Reg. Co.)	1·95	-	-	-	-	0·92	0·80	-	0·23	-
WORCESTER - - -	2·15	-	-	-	-	0·54	1·34	-	0·18	0·09
WARWICKSHIRE—										
NUNEATON - - -	2·88	-	-	-	-	0·32	2·13	-	0·43	-
ROYAL LEAMINGTON SPA	3·92	0·16	-	-	-	1·41	1·88	-	0·31	0·16
RUGBY - - -	6·36	0·88	-	-	-	1·06	4·07	-	0·35	-
SUTTON COLDFIELD (Staffs. Reg. Co.).	3·74	-	-	-	-	2·29	0·83	-	0·62	-
LEICESTERSHIRE—										
LOUGHBOROUGH - - -	0·87	-	-	-	-	0·17	0·35	-	0·35	-
LINCOLNSHIRE (KESTEVEN)—										
GRANTHAM - - -	2·36	-	-	-	-	1·18	1·18	-	-	-
LINCOLNSHIRE (LINDSEY)—										
CLEETHORPE WITH THRUNSCOE.	3·06	-	-	-	-	2·52	0·18	-	0·36	-
GAINSBOROUGH - - -	3·99	-	-	-	-	3·36	0·21	-	0·42	-
NOTTINGHAMSHIRE—										
MANSFIELD - - -	5·19	0·10	-	-	-	2·25	2·25	-	0·59	-
SUTTON IN ASHFIELD -	4·14	0·36	-	-	-	1·26	2·34	-	0·18	-
WORKSOP - - -	3·38	0·20	-	-	-	1·79	1·19	-	0·20	-
DERBYSHIRE—										
CHESTERFIELD - - -	4·15	-	-	-	-	1·31	2·51	-	0·33	-
GLOSSOP - - -	0·63	-	-	-	-	-	0·21	-	0·21	0·21
ILKESTON (Notts. Reg. Co.)	1·50	-	-	-	-	0·95	0·41	-	0·14	-
CESHIRE—										
CHESTER - - -	4·74	-	-	-	-	0·54	3·88	-	0·32	-
CREWE - - -	8·90	-	-	-	-	2·87	5·75	-	0·28	-
HYDE - - -	4·68	-	-	-	-	1·95	1·82	-	0·91	-
MACCLESFIELD - - -	1·90	0·14	-	-	-	0·81	0·41	-	0·54	-
STALYBRIDGE (Lancs. Reg. Co.).	1·70	0·51	-	-	-	0·34	0·68	-	0·17	-
LANCASHIRE—										
ACCINGTON - - -	1·09	0·30	-	-	-	0·20	0·10	-	0·49	-
ASHTON IN MAKERFIELD	6·84	0·95	-	-	-	4·18	1·33	-	0·38	-
ASHTON UNDER LYNE -	1·02	-	-	-	-	0·20	0·72	-	0·10	-
BACUP - - -	2·72	-	-	-	-	0·63	-	-	2·09	-
CHADDERTON - - -	3·66	-	-	-	-	1·22	1·07	-	1·37	-
CHORLEY - - -	1·61	-	-	-	-	0·29	0·73	-	0·59	-
COLNE - - -	7·19	-	-	-	-	-	6·29	-	0·90	-
DARWEN - - -	1·87	0·12	-	-	-	1·05	0·23	-	0·47	-
ECCLES - - -	1·30	0·20	-	-	-	0·40	0·30	-	0·30	0·10
FARNWORTH - - -	3·07	0·16	-	-	-	1·78	0·65	-	0·32	0·16

TABLE X. (*continued*).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 30th March, 1918.

(Civilian Population only.)

TOWNS.	Annual Rate per 1000 Civilian Population, Mid. 1917.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
LANCASHIRE—<i>cont.</i>										
HEYWOOD	5·27	—	—	—	—	1·02	3·40	—	0·85	—
HINDLEY	5·40	0·54	—	—	—	2·34	0·90	—	1·62	—
INCE IN MAKERFIELD	3·84	0·19	—	—	—	3·08	0·38	—	0·19	—
LANCASTER	1·32	0·44	—	—	—	0·22	0·11	—	0·44	0·11
LEIGH	2·00	—	—	—	—	0·76	0·48	—	0·76	—
MIDDLETON	2·21	0·47	—	—	—	0·79	0·79	—	0·16	—
NELSON	2·53	—	—	—	—	0·44	1·54	—	0·55	—
RADCLIFFE	2·09	—	—	—	—	0·35	1·39	—	0·35	—
RAWTENSTALL	0·46	—	—	—	—	0·31	—	—	0·15	—
STRETFORD	4·34	—	—	—	—	1·58	1·87	—	0·79	0·10
SWINTON AND	5·98	—	—	—	—	2·28	2·85	—	0·85	—
PENDLEBURY.										
WATERLOO WITH	9·97	—	—	—	—	6·07	3·61	—	0·29	—
SEAFORTH.										
WIDNES	3·07	0·13	—	—	—	1·02	1·92	—	—	—
YORKSHIRE										
(WEST RIDING)—										
BATLEY	2·26	—	—	—	—	1·31	0·71	—	0·24	—
BRIGHOUSE	1·24	—	—	—	—	0·83	—	—	0·41	—
CASTLEFORD	1·16	0·33	—	—	—	0·33	0·33	—	0·17	—
DONCASTER	5·65	0·08	—	—	—	2·58	2·41	—	0·58	—
GOOLE	7·33	0·24	—	—	—	1·22	4·65	—	1·22	—
HARROGATE	1·56	0·26	—	—	—	0·52	0·52	—	0·26	—
KEIGHLEY	1·09	—	—	—	—	0·20	0·69	—	0·20	—
MORLEY	7·99	0·71	—	—	—	3·55	2·84	—	0·89	—
SHIPLEY	1·97	0·15	—	—	—	0·91	0·61	—	0·15	0·15
SPENBOROUGH	3·22	0·26	—	—	—	0·54	1·88	—	0·54	—
TODMORDEN	1·85	0·17	—	—	—	0·84	0·84	—	—	—
YORKSHIRE										
(NORTH RIDING)—										
ESTON	6·24	0·14	—	—	—	3·33	1·80	—	0·97	—
SCARBOROUGH	8·33	—	—	—	—	1·27	6·92	—	0·14	—
DURHAM—										
BLAYDON	4·93	0·13	—	—	—	1·94	2·34	—	0·52	—
FELLING	2·78	—	—	—	—	0·98	0·49	—	1·31	—
HARTLEPOOL	3·54	—	—	—	—	2·43	—	—	1·11	—
HEBBURN	3·73	—	—	—	—	2·20	0·68	—	0·85	—
JARROW	3·50	—	—	—	—	1·58	1·13	—	0·79	—
STANLEY	19·05	0·18	—	—	—	14·24	4·09	—	0·36	0·18
NORTHUMBERLAND—										
ASHINGTON	9·93	1·53	—	—	—	4·73	2·75	—	0·92	—
BEDLINGTONSHIRE	24·41	21·69	—	—	—	1·02	1·02	—	0·68	—
BLYTH	3·79	0·28	—	—	—	1·69	0·98	—	0·84	—
WALLSEND	4·27	—	—	—	—	2·50	1·02	—	0·56	0·19
CUMBERLAND—										
WORKINGTON	9·21	0·16	—	—	—	—	8·73	—	0·32	—
MONMOUTHSHIRE—										
ABERSYCHAN	2·70	—	—	—	—	1·59	0·63	—	0·48	—
ABERTILLERY	2·59	—	—	—	—	1·84	0·43	—	0·32	—
BEDWELTY	4·72	—	—	—	—	2·43	2·15	—	0·14	—
EBBW VALE	6·72	—	—	—	—	5·77	0·24	—	0·71	—
TREDEGAR	8·95	0·35	—	—	—	7·19	0·88	—	0·53	—
GLAMORGANSHIRE—										
BARRY	4·44	0·24	—	—	—	1·56	2·04	—	0·48	0·12
CAERPHILLY	7·23	0·24	—	—	—	3·91	2·61	—	0·47	—
GELLIGAER	2·35	—	—	—	—	1·33	0·61	—	0·41	—
MAESTEG	1·74	0·29	—	—	—	0·58	0·58	—	0·29	—
MOUNTAIN ASH	3·87	—	—	—	—	1·16	2·13	—	0·39	0·19
OGMORE AND GARW	3·65	0·14	—	—	—	2·95	0·28	—	0·28	—
PONTYPRIDD	2·51	—	—	—	—	1·35	1·06	—	0·10	—
CARMARTHENSHIRE—										
LLANELLY	1·49	—	—	—	—	0·69	0·57	—	0·23	—

TABLE XI.—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in the several BOROUGHs of the ADMINISTRATIVE COUNTY of LONDON during the 13 Weeks ended 30th March, 1918.

(Civilian Population only.)

BOROUGHs.	Annual Rate per 1000 Civilian Population, Mid. 1917.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
ADMINISTRATIVE COUNTY OF LONDON }	4·91	0·08	-	-	0·03	1·63	2·50	-	0·61	0·06
WEST.										
Paddington - - -	4·00	0·10	-	-	-	0·82	2·62	-	0·46	-
Kensington - - -	3·13	0·03	-	-	-	1·40	1·35	-	0·32	0·03
Hammersmith - -	2·96	0·03	-	-	-	1·33	0·91	-	0·52	0·17
Fulham - - - -	3·59	0·08	-	-	-	1·60	1·52	-	0·22	0·17
Chelsea - - - -	3·78	-	-	-	-	1·89	1·33	-	0·35	0·21
City of Westminster -	3·67	0·16	-	-	-	1·48	1·77	-	0·23	0·03
NORTH.										
St. Marylebone - -	4·54	0·17	-	-	-	1·04	2·55	-	0·65	0·13
Hampstead - - -	3·50	0·11	-	-	-	1·11	2·01	-	0·27	-
St. Pancras - - -	4·93	0·13	-	-	-	2·26	1·96	-	0·49	0·09
Islington - - -	4·33	0·05	-	-	-	1·44	2·24	-	0·57	0·03
Stoke Newington - -	3·97	0·08	-	-	-	1·01	2·54	-	0·34	-
Hackney - - - -	4·26	0·16	-	-	0·06*	1·55	1·92	-	0·57	-
CENTRAL.										
Holborn - - - -	5·68	-	-	-	-	0·80	4·43	-	0·45	-
Finsbury - - - -	5·60	-	-	-	-	2·48	2·71	-	0·35	0·06
City of London - -	5·22	-	-	-	-	3·23	1·24	-	0·75	-
EAST.										
Shoreditch - - -	5·99	-	-	-	0·04*	1·16	3·27	-	1·52	-
Bethnal Green - -	6·39	0·11	-	-	0·07	1·01	4·11	-	1·05	0·04
Stepney - - - -	6·73	0·14	-	-	0·35	1·76	3·77	-	0·64	0·07
Poplar - - - -	5·60	0·17	-	-	0·03	1·43	2·71	-	1·06	0·20
SOUTH.										
Southwark - - -	6·78	0·05	-	-	-	2·03	3·70	-	0·93	0·07
Bermondsey - - -	5·82	0·04	-	-	-	1·68	3·76	-	0·30	0·04
Lambeth - - - -	4·23	0·09	-	-	-	1·53	2·11	-	0·43	0·07
Battersea - - - -	5·35	0·13	-	-	-	2·09	2·19	-	0·91	0·03
Wandsworth - - -	5·35	0·07	-	-	-	2·31	2·49	-	0·43	0·05
Camberwell - - -	5·21	0·03	-	-	-	1·59	2·66	-	0·90	0·03
Deptford - - - -	5·27	0·15	-	-	0·04	1·82	2·45	-	0·77	0·04
Greenwich - - - -	6·21	0·09	-	-	-	1·82	3·55	-	0·71	0·04
Lewisham - - - -	5·26	0·02	-	-	-	1·66	2·96	-	0·57	0·05
Woolwich - - - -	4·32	-	-	-	-	1·22	2·19	-	0·76	0·15
Port of London - -	-	-	-	-	-	-	-	-	-	-

* See note, Table IX.

TABLE XII.—COUNTY OF LONDON.—**Births, Deaths, and Death-Rates** in **London**, and in the **Metropolitan Boroughs** during the 13 WEEKS ended **30th March, 1918**. (The births in this table are those actually registered in the several Metropolitan Boroughs. The deaths relate to the civil population only and are, so far as concerns London as a whole, corrected to the extent indicated at the head of Table V. As between individual boroughs, however, correction is complete.)

BOROUGH.	Estimated Civilian Population, Mid. 1917.	Births.	Deaths from										ANNUAL DEATH-RATES PER 1000 CIVILIAN POPULATION, MID. 1917.							RATE PER 1000 BIRTHS.		
			Deaths of Infants under 1 Year of Age.										ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Pulmonary Tuberculosis.	Diarrhoea and En- teritis (under 2 Years).	Total deaths under 1 Year.
County of London -	4,026,901	19,085	18,676	21	-	702	25	795	214	199	1,751	2,378	18.6	0.02	-	0.70	0.02	0.79	0.21	1.74	10.43	125
WEST.																						
PADDINGTON -	122,507	464	582	-	-	15	-	21	8	7	30	69	19.1	-	-	0.49	-	0.69	0.26	0.98	15.09	149
KENSINGTON -	151,535	519	639	-	-	2	1	11	2	8	52	56	16.9	-	-	0.05	0.03	0.29	0.05	1.38	15.41	108
HAMMERSMITH -	114,952	485	478	-	-	16	2	13	3	6	41	60	16.7	-	-	0.56	0.07	0.45	0.10	1.43	12.87	124
FULHAM -	145,186	665	516	-	-	7	-	19	5	10	45	74	14.3	-	-	0.19	-	0.52	0.14	1.24	15.04	111
CHELSEA -	57,368	232	273	-	-	2	-	1	2	3	22	24	19.1	-	-	0.14	-	0.07	0.14	1.54	12.93	103
CITY OF WESTMINSTER -	122,046	302	495	1	-	1	-	20	3	3	41	46	16.3	0.03	-	0.03	-	0.66	0.10	1.35	9.93	152
NORTH.																						
ST. MARYLEBONE -	92,796	813	441	-	-	3	-	9	2	12	45	53	19.1	-	-	0.13	-	0.39	0.09	1.95	14.76	65
HAMPSTEAD -	75,649	220	235	-	-	-	-	7	1	4	19	18	12.5	-	-	-	-	0.37	0.05	1.01	18.18	82
ST. PANCRAS -	186,600	840	925	2	-	9	3	40	8	9	91	98	19.9	0.04	-	0.19	0.06	0.86	0.17	1.96	10.71	117
ISLINGTON -	297,102	1,226	1,515	2	-	81	4	64	18	12	132	176	20.5	0.03	-	1.09	0.05	0.86	0.24	1.78	9.79	144
STOKE NEWINGTON -	47,426	156	201	1	-	1	-	1	2	-	20	15	17.0	0.08	-	0.08	-	0.08	0.17	1.69	-	96
HACKNEY -	196,598	1,001	857	5	-	23	2	21	5	5	77	110	17.5	0.10	-	0.47	0.04	0.43	0.10	1.57	5.00	110
CENTRAL.																						
HOLBORN -	35,203	95	195	-	-	3	-	4	2	3	23	21	22.2	-	-	0.34	-	0.45	0.23	2.61	31.58	221
FINSBURY -	68,011	664	427	-	-	37	1	21	3	3	36	68	25.2	-	-	2.18	0.06	1.24	0.18	2.12	4.52	102
CITY OF LONDON -	16,138	61	83	-	-	3	-	-	-	-	9	6	20.6	-	-	0.75	-	-	-	2.24	-	98
EAST.																						
SHOREDITCH -	89,675	372	724	-	-	70	-	60	6	16	62	131	32.4	-	-	3.13	-	2.68	0.27	2.77	43.01	352
BETHNAL GREEN -	107,312	464	746	-	-	103	1	106	12	3	68	112	27.9	-	-	3.85	0.04	3.96	0.45	2.54	6.47	241
STEPNEY -	232,010	1,436	1,265	1	-	80	2	46	22	15	168	174	21.9	0.02	-	1.38	0.03	0.80	0.38	2.50	10.45	121
POPLAR -	143,443	782	817	1	-	79	1	36	8	3	86	101	22.8	0.03	-	2.21	0.03	1.01	0.22	2.41	3.84	129
SOUTH.																						
SOUTHWARK -	167,936	816	926	-	-	50	2	51	9	7	127	128	22.1	-	-	1.19	0.05	1.22	0.21	3.03	8.58	157
BERMONDSEY -	107,635	647	636	-	-	10	-	63	7	6	41	137	23.7	-	-	0.37	-	2.35	0.26	1.53	9.27	212
LAMBETH -	272,038	1,621	1,272	2	-	43	-	39	19	12	110	142	18.8	0.03	-	0.63	-	0.58	0.28	1.62	7.40	88
BATTERSEA -	150,023	589	608	-	-	4	-	21	10	9	60	86	16.3	-	-	0.11	-	0.56	0.27	1.60	15.28	146
WANDSWORTH -	300,787	1,151	998	1	-	11	1	15	17	11	84	104	13.3	0.01	-	0.15	0.01	0.20	0.23	1.12	9.56	90
CAMBERWELL -	239,461	1,104	951	1	-	18	1	38	8	24	92	133	15.9	0.02	-	0.30	0.02	0.64	0.13	1.54	21.74	120
DEPTFORD -	103,527	573	476	-	-	4	1	33	2	3	51	67	18.4	0.09	-	0.15	0.04	1.28	0.08	1.98	-	117
GREENWICH -	90,440	382	382	-	-	20	-	13	4	3	33	53	16.9	0.09	-	0.89	-	0.58	0.18	1.46	6.65	118
LEWISHAM -	161,405	615	539	2	-	1	2	13	16	4	35	44	13.4	0.05	-	0.02	0.05	0.32	0.40	0.87	6.50	72
WOOLWICH -	131,942	721	474	-	-	6	1	9	10	1	51	72	14.4	-	-	0.18	0.03	0.27	0.30	1.55	1.39	100

TABLE XIII.—**Births and Deaths** in the **First Quarter** (13 Weeks) of **1918** in certain **Colonial and Foreign Cities.**

CITIES.	POPULATION (enumerated or estimated).	BIRTHS. (Excluding Stillborn.)	DEATHS.	ANNUAL RATE per 1000 Persons living.									RATE per 1000 Births.	
				Births.	Deaths from							Diarrhoea and Enteri- tis (under 2 Years).*	Total Deaths under 1 Yr.	
					All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping- Cough.	Diphtheria and Croup.			
LONDON† - -	4,026,901	19,085	18,676	17·1	18·6	0·02	-	0·70	0·02	0·79	0·22	10·43	125	
CALCUTTA - -	896,067	—	—	—	—	-	-	-	-	-	-	-	-	
BOMBAY - -	979,445	—	—	—	—	-	-	-	-	-	-	-	-	
MADRAS - -	518,660	—	—	—	—	-	-	-	-	-	-	-	-	
PARIS - - -	2,847,229	8,876	12,867	12·5	18·1	0·06	0·00	0·14	0·02	0·17	0·07	21·41	116	
BRUSSELS - -	—	—	—	—	—	-	-	-	-	-	-	-	-	
ANTWERP - -	—	—	—	—	—	-	-	-	-	-	-	-	-	
AMSTERDAM - -	642,867	3,649	2,227	22·8	13·9	0·07	-	0·40	0·05	0·50	0·14	3·29	65	
COPENHAGEN -	524,000	2,966	1,587	22·7	12·1	0·02	-	0·10	0·02	0·02	0·08	7·42	79	
STOCKHOLM - -	408,792	1,726	1,271	16·9	12·5	0·03	-	-	0·09	0·06	0·15	1·74	65	
GOTHENBURG -	196,131	—	—	—	—	-	-	-	-	-	-	-	-	
CHRISTIANIA -	257,399	1,276	750	19·9	11·7	0·08	-	0·02	0·05	0·14	0·05	8·62	84	
PETROGRAD - -	—	—	—	—	—	-	-	-	-	-	-	-	-	
MOSCOW - - -	—	—	—	—	—	-	-	-	-	-	-	-	-	
BERLIN - - -	1,706,453	—	—	—	—	-	-	-	-	-	-	-	-	
HAMBURG - - -	1,047,500	—	—	—	—	-	-	-	-	-	-	-	-	
LEIPZIG - - -	676,289	—	—	—	—	-	-	-	-	-	-	-	-	
MUNICH - - -	600,000	—	—	—	—	-	-	-	-	-	-	-	-	
DRESDEN - - -	576,177	—	—	—	—	-	-	-	-	-	-	-	-	
COLOGNE - - -	644,577	—	—	—	—	-	-	-	-	-	-	-	-	
BRESLAU - - -	493,393	—	—	—	—	-	-	-	-	-	-	-	-	
FRANKFORT ON MAIN.	470,124	—	—	—	—	-	-	-	-	-	-	-	-	
VIENNA - - -	2,275,058	—	—	—	—	-	-	-	-	-	-	-	-	
PRAGUE - - -	456,721	—	—	—	—	-	-	-	-	-	-	-	-	
BUDAPEST - -	1,031,256	—	—	—	—	-	-	-	-	-	-	-	-	
TRIESTE - - -	152,740	—	—	—	—	-	-	-	-	-	-	-	-	
BUCAREST - -	—	—	—	—	—	-	-	-	-	-	-	-	-	
NEW YORK - -	5,872,143	—	—	—	—	-	-	-	-	-	-	-	-	
CHICAGO - - -	2,596,681	—	9,555	—	14·8	0·02	0·01	0·02	0·03	0·11	0·36	-	-	
NEW ORLEANS -	384,000	—	2,128	—	22·2	0·06	-	0·05	-	0·05	0·06	-	-	
RIO DE JANEIRO -	955,702	—	—	—	—	-	-	-	-	-	-	-	-	
CAIRO :—														
Egyptians - -	673,000	—	—	—	—	-	-	-	-	-	-	-	-	
Foreigners - -	76,000	—	—	—	—	-	-	-	-	-	-	-	-	
ALEXANDRIA :—														
Egyptians - -	330,000	—	—	—	—	-	-	-	-	-	-	-	-	
Foreigners - -	81,000	—	—	—	—	-	-	-	-	-	-	-	-	

* The death-rates in this column relate to all ages for Christiania and to *children under 1 year of age* for Copenhagen, and Stockholm.

† The figures for London refer to the civilian population only.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
18	Erysipelas - - { M F	75 81	2 2	6 3	— 4	3 3	11 12	— 3	— 1	— —	— —	11 16	— —
19	Other epidemic diseases. { M F	45 36	— —	— —	2 2	13 5	15 7	12 11	6 4	2 3	2 1	37 26	1 7
	A. Mumps - - { M F	2 7	— —	— —	— —	— 1	— 1	— 1	1 1	— —	— —	1 3	1 2
	B. German measles. { M F	31 18	— —	— —	1 —	5 1	6 1	11 7	5 2	2 3	2 1	26 14	— 3
	C. Varicella - { M F	10 11	— —	— —	1 2	8 3	9 5	1 3	— 1	— —	— —	10 9	— 2
	D. Other diseases included under 19. { M F	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
20	Pyæmia, Septicæmia. { M F	66 47	3 —	3 2	2 —	1 2	9 4	1 1	1 2	1 2	— 1	12 10	— 2
	A. Pyæmia - { M F	14 5	— —	1 —	1 —	— 1	2 1	1 —	— —	— —	— —	3 1	— 1
	B. Septicæmia - { M F	51 42	3 —	2 2	1 —	— 1	6 3	— 1	1 2	1 2	— 1	8 9	— 1
	C. Vaccinia - { M F	1 —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	1 —	— —
21	Glanders - - { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
22	Anthrax (Splenio- Fever). { M F	4 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
23	Rabies - - - { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
24	Tetanus - - - { M F	43 10	4 3	— —	— —	— —	4 3	— —	— —	— —	1 —	5 3	3 —
25	Mycoses - - - { M F	8 5	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Actinomycosis { M F	8 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Other mycoses { M F	— 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
26	Pellagra - - { M F	— 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
27	Beri-beri - - { M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
28	Pulmonary tuberculosis (not acute). { M F	5,980 4,699	— —	3 1	7 4	9 12	19 17	43 29	26 23	22 16	19 15	129 100	84 123
	A. Pulmonary tuberculosis. { M F	4,418 3,320	— —	2 1	7 4	6 12	15 17	38 25	19 22	19 15	18 13	109 92	71 89
	B. Phthisis (not defined as tuberculous). { M F	1,562 1,379	— —	1 —	— —	3 —	4 —	5 4	7 1	3 1	1 2	20 8	13 34

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1917—*continued.*

AGES AT DEATH.																International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.	
— 1	5 3	2 2	2 1	1 3	3 3	4 3	5 6	6 5	5 3	8 6	8 6	6 9	7 5	2 7	— 2	{ 18
1 1	— —	2 —	3 1	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	{ 19
— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	{ A
1 1	— —	2 —	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{ B
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{ C
— —	— —	— —	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{ D
3 3	6 2	3 1	2 —	3 1	7 2	3 2	6 4	5 2	5 4	4 1	4 5	2 2	1 4	— 2	— —	{ 20
1 —	2 —	— —	— —	— —	2 —	— —	2 —	— 1	2 1	1 —	— —	1 —	— 1	— —	— —	{ A
2 3	4 2	3 1	2 —	3 1	5 2	3 2	4 4	5 1	3 3	3 1	4 5	1 2	1 3	— 2	— —	{ B
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{ C
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{ 21
— —	— —	1 —	— —	1 —	1 1	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	{ 22
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{ 23
4 —	2 2	2 —	2 —	— —	4 2	6 —	1 —	3 1	4 —	3 —	2 —	1 1	— —	1 —	— 1	{ 24
— —	— —	— —	— —	— 1	— —	1 1	— —	3 1	3 1	— —	1 1	— —	— —	— —	— —	{ 25
— —	— —	— —	— —	— 1	— —	1 —	— —	3 1	3 —	— —	1 1	— —	— —	— —	— —	{ A
— —	— —	— —	— —	— —	— —	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	{ B
— —	— —	— —	— —	— —	— —	— 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	{ 26
— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{ 27
116 281	403 574	534 571	577 579	654 558	704 482	707 439	640 327	499 250	382 168	279 110	181 72	61 45	21 17	6 3	3 —	{ 28
86 203	306 400	411 401	430 388	468 392	520 346	505 310	466 238	375 167	275 125	201 72	135 57	39 28	15 10	3 2	3 —	{ A
30 78	97 174	123 170	147 191	186 166	184 136	202 129	174 89	124 83	107 43	78 38	46 15	22 17	6 7	3 1	— —	{ B

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
29	Acute phthisis, { Acute miliary tuberculosis -	M 665	—	—	5	14	19	24	17	5	8	73	49
		F 625	—	2	4	9	15	19	9	9	8	60	54
	A. Acute phthisis {	M 532	—	—	—	8	8	8	9	1	3	29	22
		F 497	—	1	1	5	7	6	6	5	4	28	26
	B. Acute miliary { tuberculosis.	M 133	—	—	5	6	11	16	8	4	5	44	27
		F 128	—	1	3	4	8	13	3	4	4	32	28
28 & 29	Pulmonary tuber- culosis (acute and chronic).	M 6,645	—	3	12	23	38	67	43	27	27	202	133
		F 5,324	—	3	8	21	32	48	32	25	23	160	177
30	Tuberculous meningitis.	M 818	1	9	27	88	125	133	100	56	50	464	155
		F 810	—	3	15	67	85	138	86	69	47	425	165
31	Tuberculosis of peritoneum and intestines.	M 544	4	20	24	43	91	78	68	32	24	293	63
		F 527	2	8	13	39	62	50	37	31	23	203	60
	A. Tabes mesenterica.	M 61	1	3	6	4	14	13	13	8	3	51	5
		F 44	—	—	3	8	11	4	7	2	3	27	9
	B. Other peri- toneal and intestinal tubercle.	M 483	3	17	18	39	77	65	55	24	21	242	58
		F 483	2	8	10	31	51	46	30	29	20	176	51
32	Tuberculosis of spinal column	M 111	—	—	—	1	1	2	1	1	1	6	8
		F 76	—	—	—	1	1	—	1	1	3	6	4
33	Tuberculosis of joints.	M 67	—	—	1	—	1	3	1	2	—	7	6
		F 34	—	1	—	2	3	1	1	—	—	5	3
34	Tuberculosis of other organs.	M 110	1	2	1	3	7	3	8	2	2	22	4
		F 94	—	—	2	—	2	4	1	1	2	10	4
	A. Lupus - -	M 8	—	—	—	—	—	—	—	—	—	—	—
		F 21	—	—	—	—	—	—	—	—	—	—	—
	B. Scrofula -	M 2	1	—	—	—	1	—	—	—	—	1	—
		F —	—	—	—	—	—	—	—	—	—	—	—
	C. Other tuber- culosis in- cluded under 34.	M 100	—	2	1	3	6	3	8	2	2	21	4
		F 73	—	—	2	—	2	4	1	1	2	10	4
35	Disseminated tuberculosis.	M 367	1	—	9	13	23	17	17	16	23	96	50
		F 324	—	2	4	14	20	26	18	10	7	81	34
28- 35	Tuberculosis (all forms).	M 8,662	7	34	74	171	286	303	238	136	127	1,090	419
		F 7,189	2	17	42	144	205	267	176	137	105	890	447
36	Rickets, Softening of bones.	M 151	1	4	7	39	51	51	21	11	5	139	6
		F 126	—	3	3	23	29	45	23	7	7	111	4
	A. Rickets - -	M 150	1	4	7	39	51	51	21	11	5	139	6
		F 118	—	3	3	23	29	45	23	7	7	111	4
	B. Other forms of bone soften- ing.	M 1	—	—	—	—	—	—	—	—	—	—	—
		F 8	—	—	—	—	—	—	—	—	—	—	—
37	Syphilis - - -	M 319	70	66	21	29	186	9	3	2	—	200	—
		F 199	32	52	23	22	129	12	1	2	1	145	1

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1917—continued.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	—	1	1	—	—	—	—	—	—	1	1	—	—	—	—	{	38
—	1	1	—	1	—	—	—	1	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	1	1	—	—	—	—	—	—	1	1	—	—	—	—	{	B
—	1	1	—	1	—	—	—	1	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
1	—	1	1	2	9	26	34	88	94	114	95	71	38	14	4	{	39
1	—	2	2	3	4	7	7	12	12	9	11	15	13	4	2		
—	2	3	7	14	23	79	133	211	298	319	277	260	161	37	11	{	40
—	1	2	9	12	24	68	108	162	208	268	264	251	150	51	29		
—	2	4	6	11	24	44	53	99	131	159	175	146	84	33	12	{	41
—	1	9	9	11	32	42	71	129	123	154	171	181	111	53	22		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	42
1	—	4	10	34	55	132	172	216	150	166	118	94	59	22	6		
—	—	—	—	—	—	—	—	—	1	2	1	2	1	1	—	{	43
—	—	1	6	10	40	84	124	131	121	125	107	99	53	33	21		
—	1	—	3	2	2	7	5	16	14	20	20	19	30	9	15	{	44
—	—	—	1	—	1	3	4	8	7	6	7	24	18	9	8		
6	16	15	8	19	25	36	82	105	136	174	153	127	78	22	9	{	45
2	5	8	5	12	20	43	33	62	65	70	85	60	46	12	8		
7	21	23	25	48	83	192	307	519	674	788	721	625	392	116	51	{	39-45
4	7	26	42	82	176	379	519	720	686	798	763	724	450	184	96		
1	—	—	1	1	1	—	2	1	5	7	5	1	2	—	—	{	46
—	—	1	—	—	1	1	4	2	4	4	3	2	4	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
1	—	—	1	1	1	—	2	1	5	7	5	1	2	—	—	{	C
—	—	1	—	—	1	1	4	2	4	4	3	2	4	—	—		
18	18	13	11	9	9	11	18	7	8	10	4	4	—	—	—	{	47
29	28	26	15	8	10	8	11	16	8	9	6	1	3	1	—		
—	—	—	—	1	5	3	4	18	25	27	39	46	29	15	5	{	48
—	—	1	1	5	3	5	10	19	25	46	55	62	50	33	8		
—	—	—	—	—	—	—	—	4	4	8	10	7	9	3	2	{	A
—	—	1	—	1	—	1	1	1	4	6	18	12	16	6	3		
—	—	—	—	1	4	2	1	9	11	9	19	19	13	10	1	{	B
—	—	—	1	3	3	4	9	17	21	36	34	49	32	26	4		
—	—	—	—	—	1	1	3	5	10	10	10	20	7	2	2	{	C
—	—	—	—	1	—	—	—	1	—	4	3	1	2	1	1		

ENGLAND AND WALES—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
49	Scurvy - - - { M	3	1	—	—	—	1	1	—	—	—	2	—
	F	3	—	—	—	—	—	2	—	—	—	2	1
50	Diabetes - - - { M	488	—	—	—	—	—	—	—	1	—	1	—
	F	462	—	—	—	—	—	—	2	1	2	5	1
51	Exophthalmic goitre. { M	12	—	—	—	—	—	—	—	—	—	—	—
	F	93	—	—	—	—	—	—	—	—	—	—	—
52	Addison's disease - { M	28	—	—	—	—	—	—	—	—	—	—	—
	F	36	—	—	—	—	—	—	—	—	—	—	1
53	Leucocythæmia, { M	87	—	—	—	1	1	—	—	1	1	3	8
	Lymphadenoma. F	58	—	—	1	1	2	1	1	1	—	5	3
	A. Leucocythæmia (Leuchæmia). { M	52	—	—	—	1	1	—	—	—	1	2	5
	F	42	—	—	1	1	2	1	1	1	—	5	1
	B. Lymphadenoma. { M	35	—	—	—	—	—	—	—	1	—	1	3
	F	16	—	—	—	—	—	—	—	—	—	—	2
54	Anæmia, Chlorosis { M	305	—	3	—	—	3	1	1	3	1	9	2
	F	387	—	—	—	4	4	3	—	1	—	8	1
55	Other general diseases. { M	75	7	2	1	6	16	2	—	3	2	23	8
	F	52	6	1	3	—	10	2	1	—	—	13	3
	A. Diabetes insipidus. { M	5	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	—	—	—	—	—	—
	B. Purpura - { M	49	2	1	—	4	7	1	—	3	2	13	6
	F	35	2	1	3	—	6	2	1	—	—	9	2
	C. Hæmophilia - { M	15	5	1	—	1	7	1	—	—	—	8	2
	F	9	4	—	—	—	4	—	—	—	—	4	—
	D. Other diseases included under 55. { M	6	—	—	1	1	2	—	—	—	—	2	—
	F	5	—	—	—	—	—	—	—	—	—	—	1
56	Alcoholism (acute or chronic). { M	29	—	—	—	—	—	—	—	—	—	—	—
	F	10	—	—	—	—	—	—	—	—	—	—	—
57	Chronic lead poisoning. { M	18	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—
	A. Occupational lead poisoning. { M	17	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—
	B. Non-occupational lead poisoning. { M	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—
58	Other chronic occupational poisonings. { M	4	—	—	—	—	—	—	—	—	—	—	—
	F	17	—	—	—	—	—	—	—	—	—	—	—
59	Other chronic poisonings. { M	1	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	—	—
60-76	II. Diseases of the Nervous System and of the Organs of Special Sense. { M	7,501	313	191	158	314	976	275	93	56	52	1,452	173
	F	6,816	222	137	115	250	724	242	90	71	50	1,177	124
60	Encephalitis - - { M	39	1	—	2	—	3	1	—	—	—	4	3
	F	31	—	—	—	—	—	3	1	—	—	4	3

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1917—*continued.*

AGES AT DEATH.																International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	49
5	12	5	24	16	30	29	29	32	47	77	80	57	28	11	5	
6	6	14	19	20	16	20	8	44	45	60	83	55	33	23	4	50
—	1	—	2	2	2	1	—	1	1	1	1	—	—	—	—	
2	8	7	2	9	13	7	8	20	8	2	4	2	—	1	—	51
1	—	2	3	1	3	5	5	1	1	1	4	1	—	—	—	
1	3	1	2	—	3	4	3	7	4	3	2	1	—	1	—	52
5	8	4	7	11	2	3	6	6	4	11	4	3	2	—	—	
3	6	4	2	6	2	2	3	3	5	6	2	3	2	1	—	53
2	5	3	3	8	1	1	3	5	2	7	1	3	1	—	—	
2	5	2	1	5	1	1	3	2	4	3	2	3	2	—	—	A
3	3	1	4	3	1	2	3	1	2	4	3	—	1	—	—	
1	1	2	1	1	1	1	—	1	1	3	—	—	—	1	—	B
7	3	5	5	6	16	24	34	36	49	35	36	20	16	1	1	
2	4	11	15	17	29	28	41	48	46	44	41	29	16	6	1	54
3	2	6	2	1	5	3	—	4	3	4	4	5	1	—	1	
1	4	2	3	5	—	3	3	2	1	1	3	4	3	1	—	55
—	—	—	—	—	—	—	—	2	—	—	2	—	1	—	—	
—	—	—	—	—	—	—	—	—	1	—	—	1	1	—	—	A
3	2	4	2	1	3	1	—	2	2	4	2	3	—	—	1	
1	2	2	3	4	—	1	2	2	—	—	2	2	2	1	—	B
—	—	2	—	—	2	1	—	—	—	—	—	—	—	—	—	
—	2	—	—	1	—	1	—	—	—	—	—	1	—	—	—	C
—	—	—	—	—	—	1	—	—	1	—	—	2	—	—	—	
—	—	—	—	—	—	1	1	—	—	1	1	—	—	—	—	D
—	—	—	1	2	2	4	6	6	3	—	2	1	2	—	—	
—	—	—	—	1	1	1	3	—	2	—	1	1	—	—	—	56
—	—	—	—	1	3	2	1	8	2	—	1	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	57
—	—	—	—	1	3	2	1	7	2	—	1	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	2	1	—	—	1	—	—	—	—	—	—	58
—	2	8	2	2	1	2	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	59
—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
132	250	169	144	222	271	345	377	438	524	601	725	714	576	257	131	60-76
115	106	107	105	132	166	240	292	388	506	574	702	760	703	394	225	
3	4	4	4	2	2	5	3	2	—	1	1	1	—	—	—	60
4	3	—	3	3	—	3	—	—	2	1	1	—	2	2	—	

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1917—continued.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
64	142	58	30	51	29	18	15	10	9	5	9	6	6	1	—	}	61
59	40	33	15	21	20	13	3	11	3	5	5	6	6	4	—		
24	125	37	21	40	20	11	9	1	2	1	1	—	—	—	—	}	A
27	11	20	4	2	7	3	1	4	—	2	2	1	1	—	—		
1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	}	B
1	—	—	—	1	—	1	—	—	1	—	—	—	—	—	—		
39	17	20	9	11	9	7	6	9	7	4	8	6	6	1	—	}	C
31	29	13	11	18	13	9	2	7	2	3	3	5	5	4	—		
—	—	—	—	4	9	9	23	24	25	23	29	8	4	1	1	}	62
—	—	—	1	1	1	3	5	1	7	4	3	4	—	—	—		
3	11	4	7	14	19	25	29	40	34	48	49	46	23	10	4	}	63
5	4	4	9	16	14	20	29	32	31	48	32	32	26	10	2		
1	2	—	1	—	3	3	5	8	11	18	27	35	17	7	4	}	A
1	—	—	2	2	1	1	4	6	12	19	13	22	18	9	2		
2	9	4	6	14	16	22	24	32	23	30	22	11	6	3	—	}	B
4	4	4	7	14	13	19	25	26	19	29	19	10	8	1	—		
2	6	5	3	14	31	69	114	199	290	363	449	514	435	188	102	}	64
3	4	7	13	12	42	77	139	230	325	381	492	573	546	302	176		
—	—	1	1	2	5	15	20	40	52	75	99	104	75	42	25	}	A
—	—	2	2	1	8	12	20	43	57	74	101	111	122	64	40		
—	—	—	—	—	—	2	—	—	1	—	1	1	5	2	—	}	B
—	—	—	1	—	1	—	—	1	1	4	1	2	1	3	2		
—	—	—	—	—	—	—	—	1	1	—	—	1	2	—	—	}	C
1	—	—	—	1	1	—	—	—	—	—	2	—	—	2	—		
—	—	—	—	—	—	—	2	3	6	3	8	7	11	4	2	}	D
—	—	—	—	—	—	—	1	1	3	2	6	11	4	4	2		
2	6	4	2	12	26	52	92	155	230	285	341	401	342	140	75	}	E
2	4	5	10	10	32	65	118	185	264	301	382	449	419	229	132		
—	—	1	1	2	5	6	3	15	21	13	39	29	18	12	5	}	65
—	—	—	—	3	—	1	3	4	16	17	22	34	33	15	14		
1	1	—	1	2	5	6	8	13	25	43	50	65	62	30	12	}	66
1	1	1	—	1	2	9	8	23	22	39	58	68	63	38	24		
—	—	—	1	—	3	5	8	11	21	31	37	59	47	23	11	}	A
—	1	1	—	1	2	7	6	21	21	34	50	55	52	33	21		
—	—	—	—	—	1	—	—	1	—	3	3	2	5	3	1	}	B
—	—	—	—	—	—	—	—	—	1	2	4	4	3	3	2		
1	1	—	—	2	1	1	—	1	4	9	10	4	10	4	—	}	C
1	—	—	—	—	—	2	2	2	—	3	4	9	8	2	1		
2	1	4	12	59	87	119	87	56	35	17	11	4	3	—	—	}	67
—	2	2	1	7	23	18	18	15	9	4	2	3	1	2	1		
1	—	8	7	16	9	13	13	17	17	32	24	10	6	1	1	}	68
—	2	2	8	13	7	19	22	22	28	17	28	13	4	1	1		

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.												
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	
69	Epilepsy - - - { M F	547 398	— 1	2 —	1 2	6 1	9 4	4 1	3 3	2 3	— 1	18 12	19 9	
70	Convulsions (non- puerperal; 5 years and over). { M F	13 19	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	10 9	
	A. Epileptiform convulsions. { M F	2 7	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	
	B. Others in- cluded under 70. { M F	11 12	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	10 8	
71	Infantile convul- sions (under 5 years). { M F	1,000 792	301 216	173 126	105 78	204 171	783 591	157 136	36 33	13 24	11 8	1,000 792	— —	
	A. Convulsions with teeth- ing. { M F	190 158	— —	— —	19 10	86 78	105 88	79 64	6 6	— —	— —	190 158	— —	
	B. Other infan- tile convul- sions. { M F	810 634	301 216	173 126	86 68	118 93	678 503	78 72	30 27	13 24	11 8	810 634	— —	
72	Chorea - - - { M F	5 12	— —	— —	— —	— —	— —	— —	— —	— —	— 2	— 2	— 1	
73	Hysteria, Neuralgia, Neuritis. { M F	32 50	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	
	A. Hysteria, Neu- ralgia, Scia- tica. { M F	5 5	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	B. Neuritis { M F	27 45	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	
74	Other diseases of the nervous sys- tem. { M F	313 299	3 2	1 —	2 3	4 —	10 5	4 7	3 5	2 5	4 3	23 25	19 11	
	A. Idiocy, Imbe- cility. { M F	58 32	1 —	— —	— —	— —	1 —	1 4	— —	1 1	2 1	5 6	6 4	
	B. Cretinism - { M F	8 11	— —	— —	— —	— —	— —	— —	1 1	— 1	— 1	1 3	2 3	
	C. Cerebral tu- mour. { M F	118 134	— —	— —	— —	— —	— —	1 1	— 3	— —	1 1	2 5	6 4	
	D. Other diseases included un- der 74. { M F	129 122	2 2	1 —	2 3	4 —	9 5	2 2	2 1	1 3	1 —	15 11	5 —	
75	Diseases of the eyes and annexa. { M F	9 7	— —	— —	1 —	— —	1 —	1 —	1 1	1 1	— —	4 2	— —	
76	Diseases of the ears { M F	148 102	2 1	— 2	7 3	9 9	18 15	12 13	3 3	4 1	4 5	41 37	17 13	
	A. Mastoid disease. { M F	39 19	— —	— —	2 —	4 1	6 1	4 3	— —	— —	2 2	12 6	6 4	
	B. Other diseases of the ears. { M F	109 83	2 1	— 2	5 3	5 8	12 14	8 10	3 3	4 1	2 3	29 31	11 9	
77-85	III. Diseases of the Circulatory System. { M F	8,956 8,772	4 3	1 8	2 6	6 8	13 25	8 6	9 5	2 7	8 8	40 51	54 59	
77	Pericarditis - - { M F	59 42	— —	— 2	— —	— —	— 2	2 —	2 1	— 1	2 2	6 6	5 4	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1917—continued.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.		
13 16	12 15	14 18	19 18	12 15	12 16	11 23	19 15	23 22	31 24	3 6	6 9	4 2	1 —	1 —	1 —	}	78
1 —	1 —	— —	2 1	— 2	— 1	3 6	10 4	8 7	12 13	— 1	— 1	1 —	— —	— —	1 —		
6 8	7 6	7 11	12 8	9 7	6 6	6 6	6 2	4 4	4 5	2 1	6 5	2 1	— —	— —	— —	}	B
6 8	4 9	7 7	5 9	3 6	6 9	2 11	3 9	11 11	15 6	1 4	— 3	1 1	1 —	1 —	— —		
57 85	86 111	79 93	87 106	117 161	167 198	271 267	322 337	465 433	657 604	909 780	1,054 950	1,016 1,058	744 921	345 488	177 292	}	79
45 55	58 88	52 75	56 74	69 113	126 125	174 162	192 191	255 236	353 307	445 356	443 429	407 459	277 347	115 191	59 112		
— —	— —	1 —	1 —	1 4	2 6	11 9	11 24	24 21	39 40	45 50	51 59	43 62	32 53	16 18	5 9	}	B
12 30	28 23	26 18	30 32	47 44	39 67	86 96	119 122	186 176	265 257	419 374	560 462	566 537	435 521	214 279	113 171		
— —	— —	— —	— 1	1 —	1 1	6 1	8 3	17 1	22 10	34 15	30 11	19 24	15 6	5 6	2 2	}	80
— —	— —	1 1	3 —	7 4	20 4	37 6	59 19	69 21	108 54	181 84	238 126	304 152	271 180	165 151	75 133		
— —	— —	1 1	1 —	2 —	15 —	25 2	32 6	26 4	25 7	20 13	17 8	8 1	6 4	2 —	— —	}	A
— —	— —	— —	2 —	4 4	4 4	12 4	27 12	42 16	82 47	161 71	220 117	292 149	264 175	161 151	74 133		
— —	— —	— —	— —	1 —	1 —	— —	— 1	1 1	— —	— —	1 1	4 2	1 1	2 —	1 —	}	C
6 2	5 1	— 3	4 3	6 10	6 9	11 13	15 16	15 21	24 30	44 37	39 61	45 53	46 74	26 50	19 37		
4 2	4 1	— 2	3 —	4 9	4 5	8 10	12 14	14 17	22 24	40 37	36 56	43 51	46 72	22 49	19 36	}	A
2 —	1 —	— 1	1 3	2 1	2 4	3 3	3 2	1 4	2 6	4 —	3 5	2 2	— 2	4 1	— 1		
— —	— 1	— 1	1 1	1 3	— 3	2 —	2 3	4 6	6 6	2 12	2 9	5 5	2 4	1 5	— —	}	83
— —	— —	— 1	— 1	1 2	— 2	— —	1 3	1 4	2 5	1 8	1 6	2 4	2 1	— 2	— —		
— —	— 1	— —	1 —	— 1	— 1	2 —	1 —	3 2	4 1	1 4	1 3	3 1	— 3	1 3	— —	}	B
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	C
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	D

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.													
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—		
84	Dis. of the lymphatic system (Lymphangitis, &c.)	M	32	3	—	2	2	7	4	1	1	1	14	4	
		F	40	2	3	5	4	14	1	—	3	1	19	5	
	A. Status lymphaticus.	M	12	—	—	2	2	4	1	—	1	1	7	3	
		F	21	2	2	4	2	10	1	—	2	1	14	3	
	B. Other diseases of the lymphatic system.	M	20	3	—	—	—	3	3	1	—	—	7	1	
		F	19	—	1	1	2	4	—	—	1	—	5	2	
85	Hæmorrhage, other dis. of the circulatory system.	M	29	—	—	—	1	1	—	—	—	—	1	—	
		F	37	—	1	—	—	1	—	—	—	—	1	—	
	A. Functional disease of the heart.	M	19	—	—	—	—	—	—	—	—	—	—	—	
		F	25	—	—	—	—	—	—	—	—	—	—	—	
	B. Epistaxis	M	2	—	—	—	—	—	—	—	—	—	—	—	
		F	6	—	—	—	—	—	—	—	—	—	—	—	
	C. Other diseases included under 85.	M	8	—	—	—	1	1	—	—	—	—	1	—	
		F	6	—	1	—	—	1	—	—	—	—	1	—	
	86—98	IV.—Diseases of the Respiratory System.	M	12,362	93	248	389	1,035	1,765	1,033	373	174	102	3,447	230
			F	9,182	62	157	256	749	1,224	889	312	184	93	2,702	233
	86	Diseases of the nasal fossæ.	M	7	—	2	—	—	2	—	—	1	—	3	2
			F	7	—	1	—	—	1	—	—	—	2	3	1
87	Diseases of the larynx.	M	115	2	3	5	12	22	18	13	12	13	78	17	
		F	94	4	1	3	20	28	11	11	12	4	66	15	
	A. Laryngismus stridulus.	M	20	1	2	3	2	8	5	1	2	2	18	2	
		F	22	3	—	2	6	11	4	1	2	1	19	3	
	B. Laryngitis	M	89	1	1	2	10	14	12	12	9	11	58	13	
		F	65	1	1	1	13	16	7	10	10	3	46	11	
88	Diseases of the thyroid body	M	6	—	—	—	—	—	1	—	1	—	2	2	
		F	7	—	—	—	1	1	—	—	—	—	1	1	
89 & 90	Bronchitis	M	8	—	—	1	—	1	—	—	—	—	1	—	
		F	44	—	—	—	—	—	—	—	—	—	—	1	
89 & 90	Bronchitis	M	4,940	57	129	144	324	654	230	53	30	13	980	14	
		F	4,305	34	83	101	254	472	210	43	30	18	773	36	
	A. Bronchiectasis, Bronchial catarrh, &c.	M	89	4	3	—	4	11	1	—	—	—	12	—	
		F	67	1	3	3	5	12	3	2	—	—	17	—	
	B. Other bronchitis.	M	4,851	53	126	144	320	643	229	53	30	13	968	14	
		F	4,238	33	80	98	249	460	207	41	30	18	756	36	
91	Broncho-pneumonia.	M	2,534	25	88	180	554	847	598	203	76	46	1,770	80	
		F	2,107	18	57	112	374	561	521	188	89	42	1,401	94	
92	Pneumonia, lobar and undefined	M	3,902	7	17	54	136	214	175	94	50	27	560	106	
		F	2,118	1	14	34	94	143	136	62	48	22	411	75	
	A. Lobar pneumonia	M	1,758	1	4	11	34	50	53	30	10	12	155	50	
		F	890	1	2	6	30	39	40	16	12	6	113	32	
	B. Pneumonia (type not stated).	M	2,144	6	13	43	102	164	122	64	40	15	405	56	
		F	1,228	—	12	28	64	104	96	46	36	16	298	43	

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1917—continued.

AGES AT DEATH.																	International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.		
2 1	2 4	— 1	1 —	— 1	2 2	— —	— 1	2 1	— 1	2 —	— 1	3 —	— 2	— 1	— —	{ 84	
2 1	— 2	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{ A	
— —	2 2	— 1	1 —	— —	2 2	— —	— 1	2 1	— 1	2 —	— 1	3 —	— 2	— 1	— —	{ B	
1 —	1 1	— —	— 2	1 1	— —	1 —	4 3	2 1	3 1	1 2	5 7	2 5	3 6	2 3	2 4	{ 85	
1 —	1 —	— —	— 1	— 1	— —	1 —	1 2	1 —	3 1	1 2	3 6	1 2	3 6	2 2	1 2	{ A	
— —	— —	— —	— —	— —	— —	— —	— 1	— 1	— —	— —	— 1	1 1	— —	— 1	1 1	{ B	
— —	— 1	— —	— 1	1 —	— —	— —	3 —	1 —	— —	— —	2 —	— 2	— —	— —	— 1	{ C	
107 111	182 100	158 100	201 117	274 126	414 209	483 228	604 277	711 300	825 411	1,022 617	1,139 758	1,004 930	853 940	460 638	248 385	{ 86-98	
— —	— —	1 —	1 1	— —	— —	— —	— 1	— —	— —	— —	— —	— 1	— —	— —	— —	{ 86	
1 1	— —	2 1	— —	1 1	2 —	2 1	— 4	2 1	2 —	2 2	2 1	2 —	2 1	— —	— —	{ 87	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{ A	
1 —	— —	2 1	— —	1 1	2 —	2 —	— 3	2 1	2 —	2 —	1 1	1 —	2 1	— —	— —	{ B	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	{ C	
1 1	1 1	1 —	— —	— 1	1 1	1 —	7 —	6 —	2 —	1 5	8 —	1 5	1 —	5 —	— —	{ 88	
14 13	12 11	11 11	23 12	36 22	55 33	83 51	164 88	220 114	345 204	503 335	645 466	665 637	617 714	356 481	197 304	{ 89 & 90	
2 2	2 1	2 2	5 1	4 —	5 1	3 1	5 2	5 4	7 2	8 3	5 4	6 8	9 2	2 7	7 10	{ A	
12 11	10 10	9 9	18 11	32 22	50 32	80 50	159 86	215 110	338 202	495 332	640 462	659 629	608 712	354 474	190 294	{ B	
21 25	22 14	17 13	21 12	27 15	40 19	45 18	43 29	54 39	68 54	76 59	93 77	73 83	45 78	24 51	15 26	{ 91	
67 62	133 59	109 71	140 74	183 78	283 135	301 126	337 122	350 107	331 125	335 177	296 155	187 140	126 110	39 63	19 28	{ 92	
35 33	62 30	66 34	82 30	92 41	141 63	159 65	161 58	179 48	166 59	151 87	126 70	65 56	45 44	14 18	9 9	{ A	
32 29	71 29	43 37	58 44	91 37	142 72	142 61	176 64	171 59	165 66	184 90	170 85	122 84	81 66	25 45	10 19	{ B	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
93	Pleurisy - - - {	M 274	1	1	1	3	6	8	6	2	1	23	6
		F 178	—	—	1	1	2	7	4	3	4	20	6
	A. Empyema - - {	M 80	—	—	—	2	2	7	6	—	—	15	6
		F 40	—	—	1	1	2	6	4	3	3	18	2
	B. Other pleurisy {	M 194	1	1	1	1	4	1	—	2	1	8	—
		F 138	—	—	—	—	—	1	—	—	1	2	4
94	Pulmonary conges- tion, Pulmonary apoplexy. {	M 140	1	8	4	6	19	3	3	1	2	28	3
		F 150	5	1	3	6	15	3	4	1	1	24	2
	A. Pulmonary apoplexy and infarction. {	M 1	1	—	—	—	1	—	—	—	—	1	—
		F 5	—	—	—	—	—	—	—	—	1	1	—
	B. Pulmonary oedema and congestion. {	M 121	—	7	4	6	17	3	3	1	2	26	2
		F 125	5	1	3	6	15	3	4	1	—	23	2
	C. Hypostatic pneumonia. {	M 16	—	1	—	—	1	—	—	—	—	1	—
		F 20	—	—	—	—	—	—	—	—	—	—	—
	D. Collapse of lung (three months and over). {	M 2	—	—	—	—	—	—	—	—	—	—	1
		F —	—	—	—	—	—	—	—	—	—	—	—
	95 Gangrene of the lung. {	M 15	—	—	—	—	—	—	—	—	—	—	—
		F 7	—	—	—	—	—	—	—	—	—	—	1
96	Asthma - - - {	M 292	—	—	—	—	—	1	1	1	—	3	1
		F 132	—	—	—	—	—	—	—	—	—	—	1
97	Pulmonary emphysema. {	M 43	—	—	—	—	—	—	—	—	—	—	1
		F 14	—	—	—	—	—	1	—	—	—	1	—
98	Other diseases of the respiratory system. {	M 92	—	—	—	—	—	—	—	1	—	1	—
		F 26	—	—	2	—	2	—	—	1	—	3	1
	A. Fibroid disease of lung. {	M 56	—	—	—	—	—	—	—	—	—	—	—
		F 6	—	—	—	—	—	—	—	—	—	—	—
	B. Other diseases included under 98. {	M 36	—	—	—	—	—	—	—	1	—	1	—
		F 20	—	—	2	—	2	—	—	1	—	3	1
	99- 118 V. Diseases of the Digestive System. {	M 3,686	114	254	230	237	835	183	84	43	37	1,182	107
		F 3,355	74	161	181	190	606	141	64	56	29	896	120
99	Diseases of the mouth and annexa. {	M 57	9	8	—	1	18	5	2	—	1	26	1
		F 41	6	3	1	1	11	3	3	2	2	21	2
	A. Diseases of the teeth and gums. {	M 35	4	—	—	—	4	4	1	—	1	10	1
		F 28	1	1	—	—	2	3	1	2	2	10	1
	B. Thrush, Aphthous stomatitis. {	M 15	5	8	—	—	13	1	—	—	—	14	—
		F 10	5	2	1	1	9	—	1	—	—	10	—
	C. Parotitis - {	M 5	—	—	—	1	1	—	—	—	—	1	—
		F 2	—	—	—	—	—	—	—	—	—	—	1
	D. Other diseases of mouth and annexa. {	M 2	—	—	—	—	—	—	1	—	—	1	—
		F 1	—	—	—	—	—	—	1	—	—	1	—

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1917—continued.

AGES AT DEATH.																International List Nos.
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.	
2 6	9 11	11 2	11 7	13 2	12 10	14 10	20 14	32 7	26 8	29 14	20 19	25 19	14 10	7 8	— 5	{ 93
1 3	2 6	7 1	5 3	7 —	1 1	6 2	8 2	6 —	4 —	6 1	4 1	1 —	— —	1 —	— —	{ A
1 3	7 5	4 1	6 4	6 2	11 9	8 8	12 12	26 7	22 8	23 13	16 18	24 19	14 10	6 8	— 5	{ B
1 2	3 1	3 —	1 2	— 1	1 2	6 8	3 1	2 5	7 4	11 5	14 8	11 23	15 17	15 23	16 22	{ 94
— —	— —	— —	— 2	— —	— —	— —	— —	— —	— 1	— 1	— —	— —	— —	— —	— —	{ A
1 2	3 1	3 —	1 —	— —	1 2	4 7	3 1	2 5	6 3	11 3	13 6	10 19	15 13	11 20	9 18	{ B
— —	— —	— —	— —	— 1	— —	2 1	— —	— —	— —	— 1	1 2	1 4	— 4	4 3	7 4	{ C
— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	{ D
— —	1 —	— 1	— 1	— —	1 —	2 1	2 —	3 —	1 —	3 2	2 1	— —	— —	— —	— —	{ 95
— 1	1 1	3 —	4 7	9 5	13 8	19 11	21 10	34 17	27 10	45 14	46 16	29 16	23 9	13 6	1 —	{ 96
— —	— —	— —	— —	1 —	2 —	2 1	3 —	2 1	5 2	7 4	7 2	6 3	5 —	2 —	— —	{ 97
1 —	— 2	— 1	— 1	4 1	4 1	8 1	11 1	12 3	13 2	10 —	14 5	5 3	5 —	4 1	— —	{ 98
— —	— —	— —	— —	4 —	2 —	5 1	6 —	7 2	10 —	6 —	9 1	4 2	2 —	1 —	— —	{ A
1 —	— 2	— 1	— 1	— 1	2 1	3 —	5 1	5 1	3 2	4 —	5 4	1 1	3 —	3 1	— —	{ B
87 76	92 77	61 81	67 73	96 84	132 108	155 156	165 173	252 185	260 210	264 245	255 256	224 211	151 216	99 128	37 60	{ 99— 118
1 —	1 —	2 4	2 2	1 2	1 2	2 —	2 1	1 1	5 1	4 1	1 3	2 —	4 1	1 —	— —	{ 99
— —	1 —	1 3	2 2	1 2	1 2	2 —	2 1	1 1	5 1	4 1	1 3	2 —	1 1	— —	— —	{ A
— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{ B
1 —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	3 —	— —	— —	{ C
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	{ D

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
100	Diseases of the pharynx, Tonsillitis.	M 56	1	—	2	2	5	3	6	2	3	19	6
		F 62	1	1	—	1	3	6	3	8	2	22	14
	A. Tonsillitis	M 42	—	—	2	2	4	2	6	2	3	17	4
		F 47	—	—	—	1	1	4	2	7	1	15	12
	B. Ludwig's angina.	M 6	1	—	—	—	1	—	—	—	—	1	1
		F 4	—	1	—	—	1	1	—	—	—	2	—
	C. Other diseases of the pharynx.	M 8	—	—	—	—	—	1	—	—	—	1	1
		F 11	1	—	—	—	1	1	1	1	1	5	2
	Diseases of the oesophagus.	M 6	—	—	—	—	—	—	—	—	—	—	—
		F 5	—	—	—	—	—	—	—	—	—	—	—
102	Perforating ulcer of stomach.	M 240	—	—	—	—	—	—	—	—	—	—	—
		F 222	1	—	—	—	1	—	—	—	—	1	11
103	Other diseases of the stomach.	M 414	28	66	34	27	155	33	14	8	5	215	8
		F 395	13	43	23	24	103	20	8	7	6	144	16
	A. Inflammation of stomach	M 353	26	63	32	26	147	32	13	7	5	204	8
		F 344	13	41	22	22	98	18	8	7	6	137	15
	B. Other diseases included under 103.	M 61	2	3	2	1	8	1	1	1	—	11	—
		F 51	—	2	1	2	5	2	—	—	—	7	1
	Diarrhoea and enteritis	M 1,279	65	168	162	158	553	117	48	18	8	744	25
		F 1,087	48	107	138	141	434	97	42	32	10	615	31
	A. Infective enteritis.	M 199	9	39	44	29	121	23	10	4	2	160	7
		F 158	2	23	28	32	85	22	8	7	—	122	6
104 & 105	B. Diarrhoea—not returned as infective.	M 247	17	37	28	30	112	15	11	1	1	140	4
		F 230	7	21	26	27	81	19	12	9	1	122	8
	C. Enteritis—not returned as infective.	M 338	18	36	29	52	135	28	14	4	3	184	2
		F 290	14	18	35	24	91	18	8	10	3	130	4
	D. Gastro-enteritis—not returned as infective.	M 311	19	48	45	43	155	48	12	9	2	226	10
		F 312	20	36	42	54	152	35	14	6	6	213	12
	E. Dyspepsia—under 2 years.	M 31	2	7	15	4	28	3	—	—	—	31	—
		F 23	4	8	5	3	20	3	—	—	—	23	—
	F. Colic	M 8	—	1	—	—	1	—	1	—	—	2	—
		F 10	1	—	2	—	3	—	—	—	—	3	—
106	Ankylostomiasis	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
107	Other intestinal parasites.	M 5	—	—	—	—	—	—	1	—	2	3	—
		F —	—	—	—	—	—	—	—	—	—	—	—
108	Appendicitis	M 366	—	—	—	1	1	3	2	4	7	17	46
		F 281	—	1	—	—	1	1	4	2	5	13	36

GE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1917—continued.

AGES AT DEATH.																International List Nos.	
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.		
4 4	3 4	2 2	1 2	4 —	1 3	2 1	— —	1 2	5 6	2 1	4 —	1 —	1 1	— —	— —	}	100
4 3	2 3	1 2	1 1	3 —	1 2	1 1	— —	1 1	2 5	— 1	3 —	1 —	1 1	— —	— —		A
— —	— —	1 —	— —	— —	— 1	1 —	— —	— —	1 1	1 —	— —	— —	— —	— —	— —	}	B
— 1	1 1	— —	— 1	1 —	— —	— —	— —	— 1	2 —	1 —	1 —	— —	— —	— —	— —		C
— —	— —	— —	— —	— —	— —	— 1	1 —	— 1	3 1	— —	— —	1 1	1 —	— —	— 1	}	101
1 6	5 13	6 15	12 17	16 23	25 21	28 21	25 24	41 19	28 16	19 18	14 13	8 7	6 5	4 2	2 —		102
4 4	5 7	3 3	3 4	5 3	4 4	8 12	11 8	15 16	22 13	25 23	26 31	22 26	19 31	16 36	3 14	}	103
3 4	4 7	2 3	3 4	2 2	2 3	7 10	6 5	10 13	17 12	21 16	25 28	13 21	15 21	10 30	1 13		A
1 —	1 —	1 —	— —	3 1	2 1	1 2	5 3	5 3	5 1	4 7	1 3	9 5	4 10	6 6	2 1	}	B
11 9	9 9	11 15	10 21	20 13	33 26	39 30	32 26	52 28	57 37	57 35	49 33	58 55	33 56	28 31	11 17		104 & 105
1 1	— 1	1 —	1 3	2 1	1 2	2 4	3 4	2 —	5 2	3 6	5 —	1 5	3 —	2 1	— —	}	A
4 1	3 —	— —	— 3	— —	1 3	3 3	2 5	5 4	8 4	10 2	10 8	21 15	11 23	18 18	7 11		B
4 2	1 2	5 4	5 7	2 5	10 9	8 12	10 10	15 11	18 15	25 19	12 13	20 18	10 19	4 7	3 3	}	C
2 4	3 3	1 3	1 1	2 5	3 5	8 7	4 2	10 6	7 6	8 7	11 7	8 12	5 12	2 4	— 3		D
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	E
— —	— —	— —	— —	— —	— —	1 —	1 —	1 1	— —	1 —	— 2	1 2	1 2	— —	— —		F
— 1	1 1	1 4	1 5	— 1	3 5	3 1	1 2	2 2	1 3	1 —	1 1	2 3	1 —	1 1	— —	}	G
— —	1 2	3 4	2 2	14 1	15 2	14 3	11 3	17 4	18 7	9 1	10 2	5 —	2 —	1 —	1 —		H
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	106
— —	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		107
54 41	49 32	26 26	24 13	26 18	21 15	20 20	14 12	22 16	18 8	16 9	6 12	4 4	1 5	2 1	— —	}	108

ENGLAND AND WALES.--CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
109	Hernia, Intestinal obstruction. { M F	589 653	10 5	8 5	30 17	42 18	90 45	15 7	7 2	6 2	6 1	124 57	12 8
	A. Hernia - - { M F	263 332	4 1	3 2	7 —	6 —	20 3	6 —	1 1	— —	— —	27 4	— —
	B. Intestinal obstruction. { M F	326 321	6 4	5 3	23 17	36 18	70 42	9 7	6 1	6 2	6 1	97 53	12 8
110	Other diseases of the intestines. { M F	59 55	1 —	1 1	1 1	3 3	6 5	3 1	— —	1 —	— —	10 6	2 —
111	Acute yellow atrophy of the liver. { M F	7 11	— —	— —	— —	— —	— —	— —	— —	1 —	— —	1 —	— —
112	Hydatid of liver - { M F	1 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
113	Cirrhosis of the liver { M F	385 207	— —	— —	— —	— —	— —	1 1	— —	— —	— —	1 1	1 1
	A. Cirrhosis of the liver not ret'd alcoholic. { M F	343 183	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— 1	1 1
	B. Cirrhosis of the liver ret'd as alcoholic. { M F	26 17	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	C. Dis. formerly classed to "Other dis. of liver and gall bladder." { M F	16 7	— —	— —	— —	— —	— —	1 —	— —	— —	— —	1 —	— —
114	Biliary calculi - { M F	63 120	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
115	Other diseases of the liver. { M F	80 102	— —	— —	1 1	2 —	3 1	2 2	2 —	2 2	1 —	10 5	— —
116	Diseases of the spleen. { M F	7 12	— —	— —	— —	— —	— —	— 1	— —	1 —	— —	1 1	1 —
	A. Infarction of spleen. { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Other diseases of the spleen. { M F	7 12	— —	— —	— —	— —	— —	— 1	— —	1 —	— —	1 1	1 —
117	Peritonitis (cause unstated). { M F	42 76	— —	3 —	— —	1 2	4 2	1 2	1 2	— 1	4 3	10 10	5 11
118	Other diseases of the digestive system. { M F	30 23	— —	— —	— —	— —	— —	— —	1 —	— —	— —	1 —	— —
	A. Abdominal abscess, Sub-phrenic absces. { M F	6 4	— —	— —	— —	— —	— —	— —	1 —	— —	— —	1 —	— —
	B. Other diseases included under 118. { M F	24 19	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
119-133	VI. Non - Venereal Diseases of the Genito-Urinary System and Annexa. { M F	3,106 2,055	2 4	2 2	5 2	8 6	17 14	15 13	15 7	10 5	7 5	64 44	32 35
119	Acute Nephritis - { M F	288 201	— 1	2 1	4 —	7 5	13 7	12 11	11 5	9 5	4 5	49 33	23 20

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1917—continued.

AGES AT DEATH.																International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.	
5	7	4	9	10	18	20	24	34	36	51	59	79	53	29	15	} 109
6	5	8	4	12	16	31	39	51	53	77	89	69	72	39	17	
1	1	1	2	1	5	7	9	17	16	27	36	49	36	16	12	} A
—	—	1	—	3	5	16	20	34	34	53	53	42	43	17	7	
4	6	3	7	9	13	13	15	17	20	24	23	30	17	13	3	} B
6	5	7	4	9	11	15	19	17	19	24	36	27	29	22	10	
—	2	2	1	3	6	3	1	3	4	5	6	4	4	2	1	} 110
2	2	1	—	1	5	1	2	2	2	7	3	3	10	5	3	
1	—	1	1	1	—	—	—	—	—	1	—	1	—	—	—	} 111
1	—	—	—	—	1	3	1	1	3	—	1	—	—	—	—	
—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 112
—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	
3	—	—	1	4	11	25	42	61	64	61	61	28	17	4	1	} 113
—	—	—	2	3	3	17	29	22	37	34	30	17	7	4	—	
3	—	—	1	4	8	21	38	50	59	54	59	26	14	4	1	} A
—	—	—	1	1	2	14	26	15	35	30	29	17	7	4	—	
—	—	—	—	—	3	1	3	9	5	3	1	—	1	—	—	} B
—	—	—	—	2	1	3	2	4	2	2	1	—	—	—	—	
—	—	—	—	—	—	3	1	2	—	4	1	2	2	—	—	} C
—	—	—	1	—	—	—	1	3	—	2	—	—	—	—	—	
—	—	2	1	1	1	2	2	10	7	9	12	4	8	3	1	} 114
—	—	—	—	2	2	6	11	11	13	14	23	15	13	8	2	
—	2	—	2	4	6	3	6	5	6	6	8	8	4	8	2	} 115
—	1	1	2	2	2	8	7	9	8	18	13	8	12	2	4	
—	1	1	—	—	—	—	1	1	—	1	—	—	—	—	—	} 116
1	1	1	1	—	—	1	2	—	—	—	2	1	1	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	1	1	—	—	—	—	1	1	—	1	—	—	—	—	—	} B
1	1	1	1	—	—	1	2	—	—	—	2	1	1	—	—	
3	5	—	—	—	4	2	2	1	1	4	2	1	—	1	1	} 117
2	1	4	4	5	3	4	10	3	6	4	2	4	2	—	1	
—	1	1	—	—	1	1	2	5	4	3	7	3	—	1	—	} 118
—	1	1	1	—	3	—	1	3	6	4	1	1	—	—	1	
—	1	—	—	—	—	—	1	—	1	—	2	—	—	—	—	} A
—	—	1	—	—	1	—	—	—	1	—	—	1	—	—	—	
—	—	1	—	—	1	1	1	5	3	3	5	3	—	1	—	} B
—	1	—	1	—	2	—	1	3	5	4	1	—	—	—	1	
45	38	53	59	80	98	129	182	248	291	357	452	437	309	167	65	} 119–133
35	33	49	67	71	112	148	179	184	202	234	229	184	152	64	33	
15	15	19	18	18	19	16	19	17	15	21	11	10	2	1	—	} 119
13	5	8	10	9	12	14	12	10	15	14	8	10	6	1	1	

ENGLAND AND WALES—CAUSES OF DEATH AT DIFFERENT

[illegible]

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1917—*continued.*

AGES AT DEATH.																International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.	
25 19	21 23	25 20	35 36	49 42	66 63	89 92	130 120	182 138	229 156	248 187	289 188	220 145	140 121	70 46	17 23	} 120
16 12	18 21	19 18	27 24	40 33	51 55	68 73	103 100	155 112	193 126	212 166	247 168	187 131	129 106	64 42	11 22	
9 7	3 2	6 2	8 12	9 9	15 8	21 19	27 20	27 26	36 30	36 21	42 20	33 14	11 15	6 4	6 1	} B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 121
2 1	— 1	4 2	3 4	6 2	3 2	3 5	5 3	9 6	4 7	4 4	8 6	8 2	1 6	— 1	1 2	
—	—	—	2	1	—	—	—	1	2	—	1	—	—	—	—	} A
—	—	—	—	—	1	—	1	2	—	—	—	—	—	—	—	
—	1	—	—	1	—	—	2	—	—	—	—	—	—	—	—	} B
—	—	—	1	—	—	1	—	—	1	—	1	—	1	—	—	
—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	1	} C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2 1	—	4 2	1 3	4 2	3 1	3 4	3 2	7 4	2 6	4 4	6 5	8 2	1 5	— 1	— 2	} D
1 1	1 1	4 —	2 —	2 —	2 1	3 2	4 —	3 1	3 3	7 3	7 4	4 —	6 —	1 —	— 1	
1 —	1 1	1 1	— 4	2 3	6 2	4 1	4 5	12 3	14 7	26 7	47 4	55 12	45 9	39 8	13 2	} 124
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1 —	—	—	1 —	3 —	2 1	12 —	20 —	23 —	10 —	17 —	13 —	12 —	9 —	3 —	3 —	} 125
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	1	1	—	1	1	—	—	—	—	—	} A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1 —	—	—	1 —	3 —	2 1	11 —	19 —	23 —	9 —	16 —	13 —	12 —	9 —	3 —	3 —	} B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	2	—	2	15	34	74	126	105	53	31	} 126
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	1	—	3	2	1	—	—	} 127
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1 —	—	—	—	2 —	1 —	1 —	4 —	3 —	1 —	—	—	—	—	—	—	} 128
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	1 —	—	1 —	3 —	1 —	1 —	—	—	—	—	—	—	} A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1 —	—	—	—	1 —	1 —	—	1 —	2 —	—	—	—	—	—	—	—	} B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	2	1	2	13	15	16	10	2	3	7	7	2	2	—	} 129
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1917—*continued*.

AGES AT DEATH.																International List Nos.	
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	130
—	—	5	2	3	7	5	6	—	3	5	2	1	2	1	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	A
—	—	—	—	—	—	1	4	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	B
—	—	5	2	3	7	4	2	—	3	5	2	1	2	1	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	131
—	2	1	5	3	3	6	8	8	7	10	9	6	5	3	4		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	132
—	—	10	5	5	7	7	5	3	1	1	—	1	—	1	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	A
—	—	—	2	1	1	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	B
—	—	10	3	4	6	7	5	3	1	1	—	1	—	1	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	133
—	—	—	—	—	—	—	—	2	—	—	1	—	1	1	—		
—	16	100	191	155	156	85	9	—	—	—	—	—	—	—	—	{	134— 141
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	6	15	18	25	16	1	—	—	—	—	—	—	—	—	{	134
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	2	5	8	14	7	—	—	—	—	—	—	—	—	—	{	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	1	3	8	5	1	—	—	—	—	—	—	—	—	{	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	1	3	1	—	1	—	—	—	—	—	—	—	—	—	{	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	4	4	2	1	—	—	—	—	—	—	—	—	—	{	D
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	3	2	2	1	2	—	—	—	—	—	—	—	—	—	{	E
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	1	8	16	18	37	18	2	—	—	—	—	—	—	—	—	{	135
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	4	9	16	14	18	9	3	—	—	—	—	—	—	—	—	{	136
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	3	34	69	56	42	20	2	—	—	—	—	—	—	—	—	{	137
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.												
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	
138	Puerperal albumin- uria and convul- sions.	M	—	—	—	—	—	—	—	—	—	—	—	
		F	153	—	—	—	—	—	—	—	—	—	—	
	A. Puerperal ne- phritis and uræmia.	M	—	—	—	—	—	—	—	—	—	—	—	
		F	32	—	—	—	—	—	—	—	—	—	—	
	B. Puerperal albuminuria and Bright's disease.	M	—	—	—	—	—	—	—	—	—	—		
		F	12	—	—	—	—	—	—	—	—	—		
	C. Puerperal convulsions.	M	—	—	—	—	—	—	—	—	—	—		
		F	109	—	—	—	—	—	—	—	—	—		
139	Puerperal phlegma- sia alba dolens, embolism and sudden death.	M	—	—	—	—	—	—	—	—	—	—		
		F	67	—	—	—	—	—	—	—	—	—		
	A. Puerperal phlegmasia alba dolens, and phlebitis.	M	—	—	—	—	—	—	—	—	—	—		
		F	11	—	—	—	—	—	—	—	—	—		
	B. Puerperal em- bolism and sudden death.	M	—	—	—	—	—	—	—	—	—	—		
		F	56	—	—	—	—	—	—	—	—	—		
140	Puerperal insanity	M	—	—	—	—	—	—	—	—	—	—		
		F	9	—	—	—	—	—	—	—	—	—		
141	Puerperal diseases of the breast.	M	—	—	—	—	—	—	—	—	—	—		
		F	3	—	—	—	—	—	—	—	—	—		
142- 145	VIII. Diseases of the Skin and of the Cellular Tissue.	M	547	21	20	7	18	69	10	3	6	1	89	3
		F	474	18	13	8	12	51	7	2	3	3	66	6
142	Gangrene - -	M	233	1	1	—	1	3	—	—	1	—	4	—
		F	205	—	—	—	—	—	1	—	3	2	6	1
	A. Senile gangrene.	M	209	—	—	—	—	—	—	—	—	—	—	—
		F	176	—	—	—	—	—	—	—	—	—	—	—
	B. Noma, Gan- grene of mouth.	M	5	—	—	—	—	—	—	1	—	—	1	—
		F	13	—	—	—	—	—	1	—	3	2	6	—
	C. Noma pudendi	M	7	1	1	—	—	2	—	—	—	—	2	—
		F	1	—	—	—	—	—	—	—	—	—	—	—
	D. Other gan- grene.	M	12	—	—	—	1	1	—	—	—	—	1	—
		F	15	—	—	—	—	—	—	—	—	—	—	1
143	Carbuncle, Boil -	M	58	—	—	1	—	1	—	—	—	—	1	—
		F	22	—	—	—	1	1	—	—	—	—	1	—
144	Phlegmon, Acute abscess.	M	130	4	7	3	5	19	4	2	2	—	27	3
		F	81	2	7	2	5	16	1	1	—	—	18	4
	A. Phlegmon -	M	92	1	5	2	2	10	3	1	2	—	16	1
		F	54	2	4	—	—	6	—	—	—	—	6	3
	B. Acute Abscess	M	38	3	2	1	3	9	1	1	—	—	11	2
		F	27	—	3	2	5	10	1	1	—	—	12	1

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1917—*continued.*

AGES AT DEATH.																International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	7	30	44	36	21	14	1	—	—	—	—	—	—	—	—	138
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	1	3	11	9	6	2	—	—	—	—	—	—	—	—	—	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	2	2	4	2	2	—	—	—	—	—	—	—	—	—	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	6	25	31	23	13	10	1	—	—	—	—	—	—	—	—	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	1	9	27	10	13	7	—	—	—	—	—	—	—	—	—	139
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	1	6	—	3	1	—	—	—	—	—	—	—	—	—	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	1	8	21	10	10	6	—	—	—	—	—	—	—	—	—	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	3	3	2	—	1	—	—	—	—	—	—	—	—	—	140
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	141
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	5	6	6	5	19	10	23	20	33	32	55	77	86	39	34	142- 145
3	3	1	3	5	5	7	19	4	21	36	41	57	89	55	53	
2	—	—	—	—	2	1	4	3	6	13	26	53	62	30	27	142
1	1	1	—	—	1	1	5	—	6	12	17	29	50	35	39	
—	—	—	—	—	—	—	—	—	2	12	23	53	62	30	27	A
—	—	—	—	—	—	—	—	—	4	8	17	27	49	33	38	
1	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	B
—	1	1	—	—	—	—	1	—	—	2	—	—	—	1	1	
—	—	—	—	—	—	—	1	1	1	1	1	—	—	—	—	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	2	—	2	2	2	—	2	—	—	—	—	D
—	—	—	—	—	1	1	4	—	2	2	—	2	1	1	—	
—	4	3	2	3	7	3	4	5	4	4	4	4	8	1	1	143
—	—	—	1	2	—	1	4	1	3	3	—	2	4	—	—	
1	1	2	3	2	10	5	9	9	13	7	15	9	7	3	4	144
—	2	—	1	3	1	3	5	1	6	5	9	10	5	4	4	
1	1	—	2	2	9	5	7	5	9	7	14	5	4	3	1	A
—	2	—	1	3	1	3	4	—	5	4	8	5	3	3	3	
—	—	2	1	—	1	—	2	4	4	—	1	4	3	—	3	B
—	—	—	—	—	—	—	1	1	1	1	1	5	2	1	1	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
145	Diseases of the integumentary system.	M 126 F 166	19 16	12 6	3 6	12 6	46 34	6 5	1 1	3 —	1 1	57 41	— 1
	A. Ulcer, Bedsore	M 45 F 92	— —	— 1	— —	— —	— 1	— —	— —	— —	— —	— 1	— 1
	B. Eczema -	M 22 F 20	2 3	4 1	— 5	9 5	15 14	1 3	— —	2 —	1 1	19 18	— —
	C. Pemphigus -	M 17 F 14	10 6	2 2	— —	— —	12 8	— —	— —	— —	— —	12 8	— —
	D. Other Dis. of the integumentary system.	M 42 F 40	7 7	6 2	3 1	3 1	19 11	5 2	1 1	1 —	— —	26 14	— —
146-149	IX. Diseases of the Bones and of the Organs of Locomotion.	M 125 F 77	1 1	1 —	— 4	— 1	2 6	4 1	1 2	— 1	2 1	9 11	14 3
146	Diseases of the bones	M 93 F 55	1 1	— —	— 3	— 1	1 5	4 1	— 1	— —	2 1	7 8	12 3
147	Diseases of the joints.	M 26 F 17	— —	1 —	— 1	— —	1 1	— —	1 1	— 1	— —	2 3	2 —
148	Amputations -	M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
149	Other diseases of locomotor system.	M 6 F 5	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	X. Malformations.												
150	Congenital malformations.	M 477 F 388	259 221	75 51	43 30	27 25	404 327	26 15	9 7	— 3	1 2	440 354	10 13
	A. Congenital hydrocephalus.	M 59 F 47	7 11	4 3	12 6	14 9	37 29	13 7	4 3	— 1	1 1	55 41	2 3
	B. Phimosi	M 10 F —	— —	3 —	2 —	— —	5 —	1 —	1 —	— —	— —	7 —	— —
	C. Congenital malformation of heart.	M 185 F 114	128 73	22 13	8 6	2 2	160 94	— 3	1 —	— —	— 1	161 98	7 6
	D. Other congenital malformations.	M 223 F 227	124 137	46 35	21 18	11 14	202 204	12 5	3 4	— 2	— —	217 215	1 4
151-153	XI. Diseases of Early Infancy.	M 3,303 F 2,476	2,698 2,020	375 233	152 133	78 90	3,303 2,476	— —	— —	— —	— —	3,303 2,476	— —
151	Premature birth.												
	Infantile debility.	M 2,959	2,369	360	152	78	2,959	—	—	—	—	2,959	—
	Icterus and Sclerema.	F 2,212	1,762	227	133	90	2,212	—	—	—	—	2,212	—
	A. Premature birth.	M 1,863 F 1,394	1,739 1,293	110 80	12 15	2 6	1,863 1,394	— —	— —	— —	— —	1,863 1,394	— —
	B. Infantile atrophy, debility and marasmus.	M 976 F 752	537 416	231 138	133 115	75 83	976 752	— —	— —	— —	— —	976 752	— —
	C. Icterus neonatorum.	M 96 F 54	85 49	9 4	2 1	— —	96 54	— —	— —	— —	— —	96 54	— —
	D. Sclerema and oedema neonatorum.	M 4 F 1	4 1	— —	— —	— —	4 1	— —	— —	— —	— —	4 1	— —
	E. Want of breast milk.	M 20 F 11	4 3	10 5	5 2	1 1	20 11	— —	— —	— —	— —	20 11	— —

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1917—continued.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.		
2 2	— —	1 —	1 1	— —	— 3	1 2	6 5	3 2	10 6	8 16	10 15	11 16	9 30	5 16	2 10	}	145
— —	— —	— —	— 1	— —	— 2	1 1	1 3	3 1	8 3	4 10	8 12	11 14	4 20	3 14	2 9		
— —	— —	— —	— —	— —	— —	— —	2 —	— —	— 1	— —	— —	— —	1 1	— —	— —	}	B
— —	— —	1 —	— —	— —	— —	— —	— —	— —	1 1	1 1	— —	— —	2 1	— —	— —		
1 —	— —	— —	— —	— —	— —	1 —	1 —	— —	1 —	1 —	— —	— —	1 —	— —	— —	}	D
2 1	— —	— —	1 —	— —	— 1	— —	3 1	— 1	1 1	3 5	2 3	— 2	2 8	2 2	— 1		
27 12	14 5	4 3	4 1	3 3	2 2	5 3	6 2	4 3	7 3	7 6	8 6	5 8	3 3	2 2	1 1	}	146
24 12	12 5	3 2	3 —	2 3	2 2	2 —	6 2	1 1	6 1	4 5	3 2	4 5	1 3	1 —	— 1		
3 —	2 —	1 1	1 1	1 —	— —	1 3	— —	1 1	— 1	3 1	5 3	1 2	1 —	1 1	1 —	}	148
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	— —	— —	— —	— —	2 —	— —	2 1	1 1	— —	1 —	— 1	1 —	— 1	— —	}	150
12 6	6 4	1 3	1 1	1 —	— 2	— 3	2 —	— 1	4 1	— —	— —	— —	— —	— —	— —		
1 2	— —	— —	1 —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	}	B
— —	1 —	— —	— —	— —	— —	— —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —		
10 4	4 3	1 2	— 1	— —	— —	— —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	}	D
1 —	1 1	— 1	— —	1 —	— 2	— 3	— —	— 1	2 —	— —	— —	— —	— —	— —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	151
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	B
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	D
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
152	Other diseases peculiar to early infancy.	M 306 F 233	293 227	13 6	— —	— —	306 233	— —	— —	— —	— —	306 233	— —
	A. Diseases of umbilicus, &c.	M 38 F 23	35 22	3 1	— —	— —	38 23	— —	— —	— —	— —	38 23	— —
	B. Atelectasis -	M 152 F 120	143 117	9 3	— —	— —	152 120	— —	— —	— —	— —	152 120	— —
	C. Injuries at birth.	M 111 F 90	110 88	1 2	— —	— —	111 90	— —	— —	— —	— —	111 90	— —
	D. Cyanosis neonatorum.	M 5 F —	5 —	— —	— —	— —	5 —	— —	— —	— —	— —	5 —	— —
153	Lack of care -	M 38 F 31	36 31	2 —	— —	— —	38 31	— —	— —	— —	— —	38 31	— —
XII.—Old Age.													
154	Old age -	M 3,341 F 4,365	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Senile dementia.	M 174 F 178	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Senile decay -	M 3,167 F 4,187	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
155-186	XIII.—Affections produced by External Causes.	M 4,609 F 1,391	60 47	30 29	16 12	23 28	129 116	62 60	66 77	67 44	66 39	390 336	181 108
155	Suicide by poison -	M 24 F 22	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
156	Suicide by asphyxia	M 16 F 14	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
157	Suicide by hanging or strangulation.	M 151 F 40	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
158	Suicide by drowning	M 96 F 67	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
159	Suicide by firearms	M 63 F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
160	Suicide by cutting or piercing instruments.	M 138 F 30	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
161	Suicide by jumping from high place.	M 11 F 6	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
162	Suicide by crushing	M 21 F 8	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
163	Other suicides -	M 1 F 4	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
155-163	<i>Suicide -</i>	M 521 F 191	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
164	Poisoning by food -	M 10 F 11	— —	— —	— 1	— —	— 1	— —	— 1	— —	1 —	1 2	2 —
165	Other acute poisonings.	M 27 F 17	1 —	— —	— —	1 —	2 —	3 —	1 1	— —	1 —	7 1	— 1
166	Conflagration -	M 2 F 8	— —	— —	— —	— 1	— 1	— —	— 1	— 1	— 1	— 4	— —
167	Burns (conflagration excepted).	M 194 F 327	— —	— 3	— —	5 7	5 10	36 36	36 49	26 24	10 20	113 139	15 52

GE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1917—continued.

AGES AT DEATH.																International List Nos.		
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.			
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	152	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		}	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}		B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		}	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}		D
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		}	153
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
—	—	—	—	—	—	—	—	1	10	53	175	653	934	905	610	}		154
—	—	—	—	—	—	—	—	—	9	44	157	649	1118	1176	1212			
—	—	—	—	—	—	—	—	—	4	14	21	51	38	35	11		}	A
—	—	—	—	—	—	—	—	—	2	12	13	34	49	33	35			
—	—	—	—	—	—	—	—	1	6	39	154	602	896	870	599	}		B
—	—	—	—	—	—	—	—	—	7	32	144	615	1069	1143	1177			
75 62	340 58	595 53	479 40	402 47	385 67	309 56	284 58	253 60	209 49	190 55	156 61	111 79	84 92	42 67	24 43		}	155— 186
—	1	1	2	2	3	2	2	3	1	3	3	1	—	—	—			
—	2	1	1	2	6	1	—	1	1	4	2	—	—	1	—	}		155
—	—	1	2	—	3	1	1	4	2	—	1	1	—	—	—			
—	—	—	1	—	2	3	3	1	3	1	—	—	—	—	—		}	156
—	4	3	5	12	11	19	17	12	22	12	17	8	3	4	2			
—	—	1	1	4	6	4	5	5	6	4	1	1	1	1	—	}		157
—	3	4	4	4	10	13	8	13	8	12	7	4	3	3	—			
—	7	4	7	5	9	7	10	6	1	5	2	2	2	—	—		}	158
—	2	5	6	8	7	6	8	10	4	1	3	1	1	1	—			
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}		159
—	3	5	10	17	20	13	12	15	7	13	10	4	6	2	1			
—	—	1	2	1	5	2	5	3	1	1	3	3	1	1	1		}	160
—	—	—	—	3	1	—	3	—	1	—	1	2	—	—	—			
—	—	—	—	—	1	—	2	1	1	—	—	—	1	—	—	}		161
1	1	—	2	4	2	2	5	1	—	2	1	—	—	—	—			
—	1	4	—	1	—	—	—	2	—	—	—	—	—	—	—		}	162
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—			
—	—	—	—	—	1	1	—	1	—	—	1	—	—	—	—	}		163
1	14	19	31	51	57	56	56	58	45	43	43	21	13	10	3			155—
—	10	11	12	13	30	18	25	20	13	15	9	6	5	3	1		}	163
—	4	—	—	—	1	—	—	—	—	2	—	—	—	—	—			
1	—	—	1	2	—	2	—	—	1	1	—	—	—	1	—	}		164
—	—	2	—	—	—	7	3	4	2	1	1	—	—	—	—			
2	3	—	—	1	2	1	1	1	2	—	1	1	—	—	—		}	165
—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—			
1	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	}		166
5	6	3	2	1	5	5	5	8	7	3	3	5	3	3	2			
27	12	7	2	2	5	9	4	3	10	5	7	13	17	10	3		}	167
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT PERIODS.

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
168	Absorption of dele- terious gases { (conflagration ex- cepted). M	104	37	23	11	6	77	2	—	—	—	79	—
	F	85	26	23	11	6	66	3	2	1	—	72	—
169	Accidental drown- ing. { M	548	8	1	—	1	10	3	17	13	13	56	5
	F	95	2	—	—	—	2	2	3	3	5	15	1
170	Injury by firearms { M	39	—	—	—	—	—	—	—	1	1	2	—
	F	7	—	—	—	—	—	—	—	1	—	1	—
171	Injury by cutting or piercing { instruments. M	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—
172	Injury by fall - { M	436	—	—	—	4	4	3	5	4	6	22	11
	F	297	—	—	—	3	3	3	5	2	5	18	—
173	Injury in mines { M	316	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—
174	Injury by machines { M	87	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	—	—	—	—	—
175	Injury by other crushing (vehi- cles, railways, landslides, &c.) { M	769	—	—	1	2	3	2	4	17	26	52	66
	F	139	—	—	—	2	2	7	10	8	4	31	20
176	Injury by animals { M	30	—	—	—	—	—	1	—	—	1	2	2
	F	1	—	—	—	—	—	—	—	—	—	—	—
177	Starvation - - { M	4	—	—	—	—	—	—	—	—	—	—	—
	F	3	1	—	—	—	1	—	—	—	—	1	—
178	Excessive cold - { M	17	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	—	—	—	—	—
179	Effects of heat - { M	46	1	—	—	—	1	2	2	2	3	10	6
	F	18	1	—	—	3	4	1	—	1	1	7	2
180	Lightning - - { M	7	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—
181	Electricity (light- ning excepted). { M	8	—	—	—	—	—	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—
182	Homicide by fire- arms. { M	3	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	—	—	—	—	—
183	Homicide by cut- ting or piercing { instruments. M	8	1	—	—	—	1	1	—	—	—	2	—
	F	8	1	—	—	—	1	—	1	1	—	3	—
184	Homicide by other means. { M	25	9	—	1	—	10	2	—	—	—	12	1
	F	39	11	1	—	—	12	1	—	1	—	14	1
185	Fractures (cause not specified). { M	16	2	—	—	—	2	—	—	1	—	3	1
	F	5	2	—	—	—	2	—	—	—	—	2	—
186	Other violence - { M	1391	1	6	3	4	14	7	1	3	4	29	18
	F	134	3	2	—	6	11	7	4	1	3	26	13
187— 189	XIV. Ill-defined Causes. { M	330	16	—	3	5	24	39	13	5	1	82	3
	F	267	10	2	3	6	21	38	8	2	4	73	2
187	Dropsy - - - { M	2	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	—	—	—	—	—	—	—

E-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1917—*continued.*

AGES AT DEATH.																International List Nos.
	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.	
1	3 1	2 1	2 —	1 1	1 —	3 —	2 1	2 2	— 1	— 1	2 —	— 1	1 3	— —	— —	{ 168
62 6	53 7	32 8	40 3	38 4	44 5	32 8	37 5	38 5	19 2	12 6	13 5	13 2	2 3	— —	1 —	
4 2	7 2	4 —	5 —	7 —	6 —	2 1	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	{ 170
—	—	—	—	—	—	—	—	—	—	1 —	— —	— —	— —	— —	— —	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ 171
20 4	17 2	14 1	9 5	11 5	20 3	25 7	32 6	30 9	30 10	49 18	33 21	42 43	38 54	18 48	13 37	
5	40	32	27	39	37	43	24	30	18	13	6	1	1	—	—	{ 173
13	14 1	6 1	4 —	6 —	5 —	7 —	10 —	6 —	10 —	2 —	3 —	— —	— —	— —	— —	
41 6	72 6	77 9	60 5	49 4	41 7	44 3	52 3	50 7	54 3	46 7	24 11	18 7	19 7	8 2	2 1	{ 175
5	3	1	2	—	1	4	2	1	1	—	1	1 1	2	1	1	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ 176
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ 177
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	2	1	—	1	1	3	1	1	1	3	3	—	—	—	{ 178
—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	
4 1	2 1	1 —	2 1	2 1	2 —	— —	4 1	2 1	2 —	— —	5 1	3 1	1 1	— —	— —	{ 179
—	2	—	—	1	—	—	1	1	1	—	1	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ 180
1	2	—	2	—	—	—	1	1	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ 181
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—	{ 182
—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	
—	1	2	1	—	1	—	—	—	—	1	—	—	—	—	—	{ 183
—	—	—	1	2	2	—	—	—	—	—	—	—	—	—	—	
2	1	1	—	1	—	2	2	1	1	—	—	—	—	1	—	{ 184
—	—	5	5	5	5	1	—	—	—	2	1	—	—	—	—	
1	—	1	1	—	—	3	2	—	1	—	1	—	—	1	1	{ 185
—	—	—	—	—	—	—	—	—	1	—	—	—	2	—	—	
10 12	99 13	395 10	289 3	194 7	163 8	72 6	48 12	19 11	16 5	16 —	15 2	4 3	3 —	— 3	1 —	{ 186
3 2	4 5	4 3	7 1	4 3	8 13	13 13	19 11	29 25	37 29	57 30	53 46	5 5	1 4	1 1	— 1	
—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	{ 187- 189
—	—	—	—	—	—	—	—	1	2	—	1	—	2	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ 187
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
188	Syncope, Sudden death. {	M 29	—	—	—	—	—	—	—	—	—	—	—
		F 29	—	—	—	—	—	—	1	—	—	1	—
	A. Syncope (aged 1 year and under 70 years). {	M 29	—	—	—	—	—	—	—	—	—	—	—
		F 29	—	—	—	—	—	—	1	—	—	1	—
	B. Sudden death (not otherwise defined). {	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
189	Ill-defined causes - {	M 299	16	—	3	5	24	39	13	5	1	82	3
		F 232	10	2	3	6	21	38	7	2	4	72	2
	A. Heart failure (aged 1 year and under 70). {	M 168	—	—	—	—	—	—	1	—	—	1	3
		F 126	—	—	—	—	—	—	1	—	—	1	—
	B. Atrophy, debility, marasmus (aged 1 year and under 70). {	M 60	—	—	—	—	—	38	11	3	—	52	—
		F 55	—	—	—	—	—	36	6	2	2	46	—
	C. Teething - {	M 5	—	—	—	4	4	1	—	—	—	5	—
		F 5	—	—	—	4	4	1	—	—	—	5	—
	D. Pyrexia - - {	M 2	—	—	—	—	—	—	—	—	—	—	—
		F 1	—	—	—	—	—	—	—	—	—	—	—
	E. Other ill-defined deaths. {	M 50	8	—	3	1	12	—	1	2	1	16	—
		F 34	5	2	2	2	11	1	—	—	2	14	1
	F. Cause not specified. {	M 14	8	—	—	—	8	—	—	—	—	8	—
		F 11	5	—	1	—	6	—	—	—	—	6	1

E-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1917—*continued*.

AGES AT DEATH.																International List Nos.
	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.	
	1	—	—	—	1	4	4	4	7	4	4	—	—	—	—	{ 188
	—	2	—	1	1	4	3	2	4	5	6	—	—	—	—	
	1	—	—	—	1	4	4	4	7	4	4	—	—	—	—	{ A
	—	2	—	1	1	4	3	2	4	5	6	—	—	—	—	
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ B
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	3	4	7	4	7	9	14	24	30	53	49	5	1	1	—	{ 189
2	5	1	1	2	12	9	8	22	23	25	39	5	2	1	1	
1	2	3	6	2	4	6	12	22	24	43	39	—	—	—	—	{ A
2	3	—	—	2	10	7	7	18	20	20	36	—	—	—	—	
	—	—	—	—	—	—	—	1	1	4	2	—	—	—	—	{ B
	1	—	1	—	—	2	—	1	1	3	—	—	—	—	—	
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ C
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	{ D
	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	
2	1	—	1	2	—	3	1	1	5	4	7	5	1	1	—	{ E
	1	1	—	—	2	—	1	2	2	2	3	4	—	1	—	
	—	1	—	—	2	—	1	—	—	1	1	—	—	—	—	{ F
	—	—	—	—	—	—	—	1	—	—	—	1	1	—	1	

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE

BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1918.

QUARTERLY RETURN
OF
MARRIAGES, BIRTHS, AND DEATHS
REGISTERED IN
ENGLAND AND WALES

AND IN THE REGISTRATION COUNTIES;

AND OF BIRTHS, DEATHS, AND NOTIFIED CASES OF INFECTIOUS DISEASE
IN CERTAIN LARGE TOWNS.

Published by Authority of the Registrar-General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.2; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 278.]

[Price 1s.

Marriages—*January, February, March, 1918.*

Births and Deaths—*April, May, June, 1918.*

*General Register Office, Somerset House,
31st July, 1918.*

The figures in this publication are tabulated mainly from statistical Returns furnished by the local Registrars, and may not be found to correspond exactly with the authoritative figures for the whole year to be published later in the Annual Report. The table showing commercial statistics and pauperism has been discontinued. *With this issue of the Quarterly Return a table of the deaths (by sex, age, and cause) in England and Wales during the third quarter of the year 1917 is incorporated. Similar tables for subsequent quarters will be published from time to time as available in future issues of this Return. A list of changes in the boundaries of administrative areas and Poor Law areas during the six months ended 30th June, 1918, is also included.*

ENGLAND AND WALES.

The figures in this Quarterly Return are based upon the BIRTHS and DEATHS registered in the 1,943 registration sub-districts of England and Wales in the three months ended 30th June, 1918; and the MARRIAGES in 16,083 churches or chapels, in 17,136 registered places of worship unconnected with the Established Church, and in 634 Superintendent Registrars' Offices, in the three months ended 31st March, 1918.

The births registered during the three months ended 30th June, 1918, numbered 170,239 and the deaths 118,550; the number of persons married during the three months ended 31st March, 1918, was 131,316.

Marriages.

The number of persons married during the *first* quarter of 1918 showed a decrease of 17,250 from the number in the preceding quarter, and was 29,966 greater than that in the *first* quarter of 1917. The number of persons married during the first quarter of 1918 corresponds to an annual rate of 14·2 per 1,000 total population.

Births.

The births registered in the *second* quarter of 1918 were 7,931 more than in the preceding quarter, and 3,179 fewer than in the *second* quarter of 1917.

Of the 170,239 births, 10,415 (or 898 more than the number in the corresponding quarter of 1917) were illegitimate; the distribution of the illegitimate births among the several registration counties is shown in Table IV*a*.

The births of males numbered 87,087 and those of females 83,152. Male births were in proportion to female births as 1,047 to 1,000, the average proportion in the ten preceding second quarters being 1,039.

The 170,239 births registered during the quarter correspond to an annual rate of 18·2 per 1,000 total population in 1917.

Natural Increase of Population.

The natural increase of population in England and Wales last quarter by excess of births over deaths was 51,689, against 74,534, 82,472, and 45,714 in the second quarters of 1915, 1916, and 1917, respectively.

Deaths.

The deaths registered in England and Wales last quarter were 19,455 fewer than in the preceding quarter, and 9,154 fewer than in the second quarter of 1917.

The 118,550 registered deaths included 63,068 of males and 55,482 of females. The proportion of male to female deaths was 1,137 to 1000, the average of the ten preceding second quarters being 1,094.

The civilian death-rate for the quarter cannot be stated at present, the number of non-civilian deaths included in the total of 118,550 being as yet unknown. The civilian death-rate in the whole group of 244 towns dealt with in Table III. which comprises 62 per cent. of the population of England and Wales was, however, 13·7 per 1,000; and during recent quarters the rate in this group of towns has corresponded closely to that in the country as a whole.

Infant Mortality.

Infant mortality, measured by the proportion of deaths under one year of age to registered births, was equal to 83 per 1,000, being 8 per 1,000 below the average in the ten preceding second quarters.

Urban Mortality.

Table III. shows the birth-rates, the death-rates from all causes, from the principal epidemic diseases and from violence, and the infant mortality, together with the proportion of inquest cases, of uncertified deaths, and of deaths in public institutions among the civilian population during the last five quarters in the 96 great towns, in the 148 smaller towns, and, as far as possible, in the whole of England and Wales.

The highest death-rates per 1,000 from the several epidemic diseases among the 96 great towns last quarter, as shown by Table VI., were as follows:—from *enteric fever*, 0·10 in Hull, 0·12 in Warrington, and 0·14 in Enfield; from *measles*, 3·10 in West Hartlepool, 3·32 in Hull, 3·86 in Wakefield, and 10·29 in Barnsley; from *scarlet fever*, 0·12 in Bootle, 0·13 in Ealing and in Salford, 0·14 in Croydon, 0·17 in Liverpool, 0·18 in St. Helens, and 0·21 in Birkenhead; from *whooping-cough*, 1·09 in Walsall, 1·11 in Sheffield, 1·16 in West Hartlepool, 1·17 in Aberdare, 1·40 in Warrington, and 1·51 in Merthyr Tydfil; and from *diphtheria*, 0·30 in Liverpool, Portsmouth, and Stoke-on-Trent, 0·31 in Bury, 0·35 in Halifax, and 1·06 in St. Helens. The highest death-rates per 1000 births from *diarrhoea and enteritis* among children under 2 years of age were 13·04 in Wigan, 14·15 in Dewsbury, 14·25 in Stockton-on-Tees, 14·93 in Darlington, 15·01 in Salford, and 16·34 in Middlesbrough.

UNITED KINGDOM.

In the United Kingdom 206,651 *births* and 174,245 *deaths* were registered in the three months ended 31st March, 1918. The natural increase of population was, therefore, 32,406. The number of *persons married* in the United Kingdom during the quarter was 159,510.

For facts, in detail, concerning Scotland and Ireland reference should be made to the Quarterly Returns of the Registrars-General of those parts of the United Kingdom.

COLONIAL AND FOREIGN CITIES.

The Registrar-General has been favoured with returns of vital statistics by the authorities of certain Colonial and Foreign Cities. From these a summary has been constructed for the 13 weeks ended 29th June, 1918 (Table XIII).

RETURNS OF NOTIFIED CASES OF INFECTIOUS DISEASE.

At the request of the Local Government Board, and of the London County Council, and on their responsibility with respect to accuracy, tables have been inserted, in continuation of those published in previous returns, showing the numbers of cases of infectious sickness among the civilian population notified, under Act of Parliament, to the Sanitary Authorities of certain of the largest towns in England and Wales, during the 13 weeks ended 29th June, 1918 (*see* pages 20–25); and in the two following tables these numbers have been reduced to rates per 1,000 of the several estimated civilian populations (*see* pages 26–31).

METEOROLOGY.**April.*


Winds which blew very persistently from points between North and East were accompanied by a great deficiency of warmth over the British Isles generally, and not until the last week was the weather at all spring-like. Overcast skies, moreover, with much mist and haze on many days, caused a great reduction in the amount of sunshine in most localities, the daily mean deficiency during the week ended April 20th, for instance, being as much as 3·8 hours in England East. Rainfall in the South and East was, in addition, excessive, the conditions in these districts being in marked contrast with those which prevailed in the North and West, which were much drier. At Richmond (Kew Observatory) the total rainfall for the month was 82 mm., and was the largest recorded in April since 1878, while at Yarmouth the total of 77 mm. was the largest since 1872. Gales were rare, but thunderstorms were very generally experienced on the 1st, 2nd, 7th, 10th, 25th, and 26th, and were sometimes accompanied by destructive hail-storms.

Temperature.†—Temperature was below the normal in all districts, the deficiency ranging from 1·2a in England East to 0·3a in England North-West. The highest of the individual readings was 294a at Lancaster and Southport on the 26th, and the lowest 269a at Mayfield (Staffs.) and West Witton (Yorks.) on the 19th.

Precipitation.—Rainfall was very variable, the departures from normal ranging from +37 mm. in England East to -24 mm. in England North-West. On the 15th, unusually heavy rain fell over a large part of Eastern England, 49 mm. being recorded at Little Massingham (Norfolk), 42 mm. at Norwich and 41 mm. at Cambridge.

Sunshine.—The mean daily amount of sunshine varied from 5·63 hours in England North-West to 3·44 hours in England South-East, the departures from normal ranging from -2·21 hours in the latter district to +0·42 hour in the former.

Temperature
Scales.

*May.*

During the opening week the winds were mainly easterly, so that very generally there was at first a deficiency of warmth, the lowest temperatures of the month commonly occurring during this period. Towards the middle of the month the wind became westerly, whereupon there was a marked increase in temperature, a change which was, however, followed in many places by severe thunderstorms and heavy falls of rain and hail. These storms, indeed,

* Furnished by the Director of the Meteorological Office. For further information the reader is referred to the Monthly Weather Report (Price 6d., post free 7d.) and other publications of the Meteorological Office. Maps illustrating the distribution of rainfall, pressure, temperature and sunshine are given in the Monthly Weather Report. The normal values for each month, mostly based on 35 years' observations, are shown by tables and maps in "Monthly Normals of Temperature, Rainfall and Sunshine." (M.O. 214a, IV., 1915, Price 2s. 6d.)

† Temperature is given on the Absolute Centigrade Scale. To the nearest degree 255a = 0° F., 273a = 32° F., 280a = 45° F., 300a = 81° F., and 310a = 99° F.

were a notable feature of the month's weather, and over a great part of the country they precipitated the bulk of the rainfall for the month, several places on the 17th, 22nd and 23rd having more than 25 mm. On the 17th and 22nd there were destructive hailstorms in various localities, heavy rain on the former date causing serious floods in parts of Buckinghamshire.

Temperature.—In all districts the temperature was above the normal, the excess ranging from 2·5a in the Midland Counties to 1·7a in England East and South-West. The highest of the individual readings was 303a at Reading on the 22nd, and the lowest 270a at Garforth on the 11th. At Birmingham and Southport 301a was recorded on the 22nd, the highest reading recorded in May during the past 31 years and 34 years respectively. At Kew Observatory the maximum of 300a recorded on the 21st has only once been exceeded during the past 48 years.

Precipitation.—Thunder rains had a marked effect on the month's rainfall values, and relatively to the normal the aggregates varied greatly, England North-West having an excess of 11 mm. and England South-West, on the other hand, a deficiency of 15 mm.

Sunshine.—The mean daily amount of sunshine varied from 7·93 hours in England South-East to 6·28 hours in England North-East, there being an excess of 1·03 hour in the former district, and a deficiency of 0·18 hour in the latter.

June.

Commonly the month opened and closed with two hot days, but the intervening period, especially about the 14th to 18th was cool and unseasonable. Winds from points between North and West were moreover frequent, the nights at some of the inland stations being very cold. Ground frosts also were numerous for the time of year, a temperature in the open of 266a being recorded at Raunds, Northampton, on the 5th, and 270a at Greenwich on the 17th. During the day, however, the sunshine was plentiful, but the rainfall was deficient, the atmosphere at times being unusually dry, this dryness combined with the scorching sunshine and the low temperature at night proving very unfavourable for the growing crops.

Temperature.—In all districts the mean monthly temperature was below the normal, but the deficiency was not large, the greatest defect being 0·7a in England East. The highest reading recorded was 302a at Kensington Palace on the 1st, and the lowest 272a at Wokingham on the 17th, 25th, and 26th, an equally low reading being recorded at Porton (Salisbury Plain) on the 25th.

Precipitation.—During the first seven or eight days the drought, which in some parts of the country had lasted for 16 days, came to an end. Thereafter the rain mainly fell in showers, but although the monthly aggregates were mostly below the normal the number of rain-days was comparatively large. All districts, however, had a deficiency of rain, which varied from 36 mm. in England North-East to 17 mm. in England South-West, the largest aggregate being 44 mm. in England North-West and the smallest 15 mm. in England North-East.

Sunshine.—Sunshine was above the normal in all districts, the excess ranging from 1·92 hours in England South-West to 0·56 hour in the Midlands. The latter district was the least sunny (6·76 hours per day), the sunniest being England South-West (8·71 hours per day).

THE QUARTER.

The temperature of the quarter differed but little from the normal, England East and South-East being just equal to it, there being an excess elsewhere ranging from 0·5a in the North-East to 0·1a in the South-West. Except in the East, where there was an excess of 6 mm., the rainfall in all districts was below the normal, the deficiency varying from 52 mm. in the South-West to 5 mm. in the South-East. In the North-West and South-West the mean daily amount of sunshine was ahead of the normal by 0·5 hour and 0·7 hour respectively. The South-East was normal, the North-East having a slight excess of 0·2 hour and the Midlands and East an excess of 0·1 hour.

TABLES.

TABLE I.—**Marriages, Births, and Deaths** registered in **England and Wales** in the Years **1908-1918**, and in each Quarter of those Years.

YEAR - - -	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.*	1918.*
Marriages - - -	264,940	260,544	267,721	274,943	283,834	286,583	294,401	360,885	279,846	258,360	-
Births - - -	940,383	914,472	896,962	881,138	872,737	881,890	879,096	814,614	785,520	668,340	-
Deaths - - -	520,456	518,003	483,247	527,810	486,939	504,975	516,742	562,253	508,217	498,955	-
MARRIAGES.											
Quarter ended the last day of											
March - - -	47,548	45,094	56,432	44,808	44,737	60,926	51,046	55,472	67,952	50,675	65,658
June - - -	73,502	71,829	61,036	75,656	74,619	65,904	81,312	97,220	74,550	63,763	-
September - - -	73,785	73,843	76,545	77,873	83,505	83,636	82,048	102,671	67,477	69,639	-
December - - -	70,105	69,778	73,708	76,606	80,973	76,117	79,995	105,522	69,867	74,283	-
BIRTHS.											
March - - -	240,112	228,787	221,684	223,585	222,600	216,629	217,414	221,523	194,965	178,725	162,308
June - - -	243,834	237,220	234,825	225,774	218,070	227,470	226,152	213,109	209,006	173,418	170,239
September - - -	237,229	228,840	227,146	222,506	219,232	225,501	227,238	196,501	198,307	162,526	-
December - - -	219,208	219,625	213,307	209,273	212,835	212,290	208,292	183,481	183,242	153,671	-
DEATHS.											
March - - -	156,328	160,506	136,400	143,128	144,642	146,541	146,193	177,243	142,983	163,919	138,005
June - - -	121,052	125,233	115,671	119,966	115,777	121,743	124,128	138,575	126,534	127,704	118,550
September - - -	113,929	104,786	104,149	140,949	101,680	113,446	115,535	109,406	102,435	94,591	-
December - - -	129,147	127,478	127,027	123,767	124,840	123,245	130,886	137,029	136,265	112,741	-

* Provisional.

TABLE II.—**Annual Rate** per 1,000, of **Persons Married**, of **Births**, and of **Deaths**, in the Years **1908-1917**, and in each Quarter of those years.

Estimated Population of England and Wales in thousands, in the middle of each Year* - - -	35,059	35,424	35,792	36,190	36,382	36,606	36,961	35,359*	34,500*	33,711*
YEAR - - -	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.
Persons married - -	15·1	14·7	15·0	15·2	15·6	15·7	15·9	19·4†	14·9†	13·8†
Births - - -	26·7	25·8	25·1	24·3	23·9	24·1	23·8	21·9†	20·9†	17·8†
Deaths - - -	14·8	14·6	13·5	14·6	13·3	13·8	14·0	15·7*	14·4*	14·4*
PERSONS MARRIED.										
Quarter ended the last day of										
March - - -	10·9	10·3	12·8	10·0	9·9	13·5	11·2	12·1†	14·5†	10·9†
June - - -	16·8	16·3	13·7	16·8	16·5	14·4	17·6	20·9†	15·9†	13·6†
September - - -	16·7	16·5	17·0	17·1	18·2	18·1	17·6	21·9†	14·3†	14·7†
December - - -	15·9	15·6	16·3	16·8	17·7	16·5	17·2	22·5†	14·8†	15·7†
BIRTHS.										
March - - -	27·5	26·2	25·1	25·1	24·5	24·0	23·9	24·1†	20·8†	19·3†
June - - -	27·9	26·9	26·3	25·0	24·0	24·9	24·5	22·9†	22·3†	18·5†
September - - -	26·8	25·6	25·2	24·4	23·9	24·4	24·4	20·9†	21·0†	17·2†
December - - -	24·8	24·6	23·6	22·9	23·2	23·0	22·4	19·5†	19·4†	16·2†
DEATHS.										
March - - -	17·9	18·4	15·5	16·0	15·9	16·2	16·0	20·1*	16·4*	19·3*
June - - -	13·8	14·2	13·0	13·3	12·8	13·3	13·5	15·4*	14·4*	14·8*
September - - -	12·9	11·7	11·5	15·5	11·1	12·3	12·4	12·1*	11·4*	10·9*
December - - -	14·6	14·3	14·1	13·6	13·6	13·4	14·0	15·1*	15·3*	13·0*

* Civilians only.

† Based upon total populations specially estimated for this purpose.

TABLE III.—**Birth-rate, Civilian Death-rate and Analysis of Mortality** during the last Five Quarters.

(Provisional figures. Populations estimated to the middle of 1917 have been used for the purposes of this Table.)

	QUARTER ended	ANNUAL BIRTH-RATE PER 1,000 TOTAL POPULATION.	ANNUAL DEATH-RATE PER 1,000 CIVILIAN POPULATION.										DEATH-RATE PER 1000 BIRTHS.		PERCENTAGE OF TOTAL DEATHS.*			
			All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Violence.	Diarrhoea and Enteritis (under 2 Years).	Total deaths under one Year.	Deaths in Public Institutions.	Certified Causes.	Inquest Cases.	Uncertified Causes of Death.		
ENGLAND AND WALES	{ 1917. June 30 - Sept. 30 - Dec. 31 - 1918. Mar. 31 - June 30 -	18.5	14.8	0.03	0.00	0.51	0.02	0.15	0.10	0.52	6.44	90	26.3	92.1	6.5	1.4		
		17.2	10.9	0.03	0.06	0.17	0.02	0.10	0.09	0.46	21.99	79	26.9	91.0	7.6	1.4		
		16.2	13.0	0.03	-	0.23	0.03	0.16	0.17	0.51	14.31	93	26.5	91.2	7.3	1.5		
		17.5	†	†	†	†	†	†	†	†	5.84	113	25.6	92.0	6.6	1.4		
		18.2	†	†	†	†	†	†	†	†	5.05	83	26.7	92.2	6.4	1.4		
96 GREAT TOWNS (Census Populations exceeding 50,000).	{ 1917. June 30 - Sept. 30 - Dec. 31 - 1918. Mar. 31 - June 30 -	19.0	15.2	0.02	-	0.76	0.02	0.17	0.10	0.52	7.74	95	31.5	92.3	6.9	0.8		
		17.7	11.2	0.02	0.00	0.21	0.02	0.12	0.10	0.42	31.20	91	33.1	91.6	7.6	0.8		
		16.4	13.2	0.02	-	0.26	0.03	0.19	0.17	0.49	18.87	104	32.3	91.3	7.8	0.9		
		18.0	17.1	0.02	-	0.60	0.04	0.62	0.20	0.61	7.76	124	30.5	91.9	7.3	0.8		
		18.0	14.0	0.02	-	0.60	0.03	0.48	0.13	0.44	6.18	89	31.8	92.7	6.5	0.8		
148 SMALLER TOWNS (Census Populations, 20,000-50,000).	{ 1917. June 30 - Sept. 30 - Dec. 31 - 1918. Mar. 31 - June 30 -	18.6	13.4	0.02	-	0.42	0.01	0.21	0.11	0.46	5.47	88	17.8	93.1	5.3	1.6		
		17.3	9.8	0.04	-	0.19	0.01	0.10	0.08	0.39	15.89	72	18.6	92.6	5.8	1.6		
		16.4	11.6	0.04	-	0.29	0.02	0.15	0.19	0.42	12.03	87	17.8	92.4	5.7	1.9		
		17.6	14.6	0.04	-	0.43	0.02	0.35	0.20	0.40	4.70	108	17.8	93.7	4.6	1.7		
		18.6	12.4	0.03	-	0.40	0.02	0.38	0.12	0.39	4.63	83	18.2	93.6	4.8	1.6		

* Non-civilians are included in these figures for England and Wales but not for other areas.

† The numbers of deaths of non-civilians in England and Wales during the First and Second Quarters of 1918, have not yet been ascertained. Until these are known the civilian death-rates cannot be calculated. (See page ii.)

TABLE IV.—**England and Wales and Registration Counties.**—**MARRIAGES** registered in the Quarter ended 31st March, 1918 :
BIRTHS and DEATHS registered in the Quarter ended 30th June, 1918.

NOTE.—The Registration or Union Counties consist of groups of Registration Districts which are generally co-extensive with Poor Law Unions of the same names. The differences between Registration Counties and Administrative Counties are shown in Table 7 of Vol. II. of the Abstracts of the Census Returns, 1911 (Cd. 6259). The numbers of marriages, births, and deaths, are the numbers actually registered in each case.

REGISTRATION COUNTIES.		MAR-RIAGES in Quarter ended 31st Mar., 1918.		BIRTHS in Quarter in ended 30th June, 1918.		DEATHS in Quarter ended 30th June, 1918.		The DEATHS registered include										REGISTRATION COUNTIES.																	
								Deaths of		Deaths from							Inquest Cases.		Deaths in Public Institutions.		Uncertified Causes of Death.														
								Infants under 1 Year of age.		Persons aged 65 Years and upwards.		Enteric Fever.		Small-pox.		Measles.		Scarlet Fever.		Whooping Cough.		Diphtheria.		Diarrhoea and Enteritis (under 2 Years).		Violence.									
England and Wales		65,658		170,239		118,550		14,194		36,630		233		1		3,862		200		3,310		1,037		860		5,578		7,546		31,607		1,629		England and Wales.	
LONDON*	-	10,185	18,410	14,292	1,737	4,238	12	-	678	20	663	142	144	801	1,250	7,108	21	LONDON.*																	
SURREY	-	1,797	3,667	2,952	201	969	3	-	83	12	60	21	7	134	185	1,265	7	SURREY.																	
KENT	-	2,028	4,451	3,074	244	1,012	11	-	47	2	40	27	13	305	220	1,023	58	KENT.																	
SUSSEX	-	1,328	2,595	2,081	150	872	-	-	29	2	30	13	3	106	147	495	9	SUSSEX.																	
HAMPSHIRE	-	1,766	4,350	2,929	226	990	7	-	72	4	35	30	8	224	210	863	38	HAMPSHIRE.																	
BERKSHIRE	-	610	1,343	915	71	389	3	-	8	1	16	6	5	38	67	244	17	BERKSHIRE.																	
MIDDLESEX	-	2,143	4,832	2,979	288	1,003	8	-	80	1	95	32	11	123	199	907	5	MIDDLESEX.																	
HERTFORDSHIRE	-	422	1,087	920	55	351	1	-	3	1	6	2	2	38	52	382	16	HERTFORDSHIRE.																	
BUCKINGHAMSHIRE	-	324	838	585	41	241	-	-	3	-	5	3	1	22	30	140	15	BUCKINGHAMSHIRE.																	
OXFORDSHIRE	-	304	668	577	35	263	1	-	21	-	3	9	2	28	25	151	3	OXFORDSHIRE.																	
NORTHAMPTONSHIRE	-	564	1,441	1,024	107	386	-	-	8	2	16	13	3	45	47	181	19	NORTHAMPTONSHIRE.																	
HUNTINGDONSHIRE	-	49	195	98	7	52	-	-	1	-	1	1	-	7	6	15	4	HUNTINGDONSHIRE.																	
BEDFORDSHIRE	-	362	908	638	52	262	-	-	12	1	7	13	5	23	30	186	13	BEDFORDSHIRE.																	
CAMBRIDGESHIRE	-	314	871	636	66	271	2	-	9	2	12	4	2	35	44	158	10	CAMBRIDGESHIRE.																	
Essex	-	2,466	5,723	3,676	377	1,214	9	-	146	-	95	25	17	149	181	1,205	91	Essex.																	
SUFFOLK	-	650	1,682	1,175	146	470	2	-	44	-	21	5	5	54	70	231	16	SUFFOLK.																	
NORFOLK	-	709	2,003	1,529	144	682	-	-	45	2	19	9	3	88	110	323	14	NORFOLK.																	
WILTSHIRE	-	496	1,233	878	63	321	5	-	30	3	9	15	6	63	56	259	35	WILTSHIRE.																	
DORSETSHIRE	-	397	856	639	47	276	3	-	1	1	10	2	2	35	31	134	7	DORSETSHIRE.																	
DEVONSHIRE	-	1,170	2,616	2,388	168	939	3	-	69	3	20	11	3	111	145	545	16	DEVONSHIRE.																	
CORNWALL	-	468	1,216	1,050	86	447	9	-	6	-	15	9	7	68	93	131	9	CORNWALL.																	
SOMERSETSHIRE	-	716	1,694	1,359	100	589	2	-	9	1	25	7	4	58	88	296	8	SOMERSETSHIRE.																	
Gloucestershire	-	1,201	2,711	2,099	193	743	7	-	116	4	28	14	20	99	158	567	3	Gloucestershire.																	
Herefordshire	-	148	456	374	31	167	-	-	6	-	14	-	2	7	18	65	4	Herefordshire.																	
Shropshire	-	366	1,186	753	79	280	1	-	10	-	18	3	2	47	49	124	27	Shropshire.																	
Staffordshire	-	2,329	7,908	4,505	708	1,223	3	-	150	6	82	42	41	157	247	979	43	Staffordshire.																	
Worcestershire	-	535	1,528	983	103	375	-	-	9	-	8	4	5	46	57	255	15	Worcestershire.																	
Warwickshire	-	2,448	6,892	3,836	504	1,121	2	-	39	2	98	50	32	184	179	1,138	94	Warwickshire.																	

REGISTRATION COUNTIES.	The DEATHS registered include													REGISTRATION COUNTIES.			
	MAR- RIAGES in Quarter ended 31st March, 1918.	BIRTHS in Quarter ended 30th June, 1918.	DEATHS in Quarter ended 30th June, 1918.	Deaths of		Deaths from							Inquest Cases.		Deaths in Public Institutions.	Uncertified Causes of Death.	
				Persons aged 65 Years and upwards.		Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Violence.					
				Infants under 1 Year of Age.	Enteric Fever.												
LEICESTERSHIRE -	853	1,984	1,401	148	479	3	-	14	-	25	12	7	60	75	318	19	LEICESTERSHIRE.
RUTLANDSHIRE -	21	70	44	4	21	-	-	-	-	-	-	-	3	4	2	1	RUTLANDSHIRE.
LINCOLNSHIRE -	974	2,855	1,840	221	685	2	-	23	1	33	14	11	137	113	257	62	LINCOLNSHIRE.
NOTTINGHAMSHIRE -	1,313	3,719	2,106	315	612	8	-	28	2	59	17	19	109	123	451	36	NOTTINGHAMSHIRE.
DERBYSHIRE -	999	2,764	1,542	215	524	3	-	28	2	44	13	6	58	88	311	39	DERBYSHIRE.
CHESHIRE -	1,379	4,080	2,852	327	883	6	-	67	10	74	27	20	120	177	660	6	CHESHIRE.
LANCASHIRE -	8,220	22,120	17,492	2,114	4,485	44	-	494	64	560	180	173	670	976	4,622	275	LANCASHIRE.
WEST RIDING -	5,277	14,469	11,608	1,530	3,073	24	-	773	18	485	95	70	459	750	2,563	71	WEST RIDING.
EAST RIDING (WITH YORK).	935	2,320	1,966	220	562	9	-	220	3	34	7	9	60	124	454	9	EAST RIDING (WITH YORK).
NORTH RIDING -	718	2,417	1,632	237	526	2	-	9	-	35	18	17	89	137	256	15	NORTH RIDING.
DURHAM -	2,839	9,181	5,197	936	1,197	8	-	153	11	209	50	62	187	243	682	315	DURHAM.
NORTHUMBERLAND -	1,470	4,272	2,617	401	709	6	-	28	4	78	17	22	106	175	510	53	NORTHUMBERLAND.
CUMBERLAND -	496	1,584	908	130	321	1	-	19	1	20	6	10	33	40	108	19	CUMBERLAND.
WESTMORLAND -	72	176	205	13	102	1	-	2	1	4	-	-	8	7	21	4	WESTMORLAND.
MONMOUTHSHIRE -	676	2,873	1,388	286	300	3	-	76	3	40	7	15	74	81	202	10	MONMOUTHSHIRE.
GLAMORGANSHIRE -	1,917	7,485	3,691	702	772	11	*1	175	6	151	44	49	190	288	520	10	GLAMORGANSHIRE.
CARMARTHENSHIRE -	223	990	547	90	186	1	-	-	1	17	3	6	18	27	52	8	CARMARTHENSHIRE.
PEMBROKESHIRE -	138	453	260	23	103	-	-	2	-	2	2	2	22	24	20	5	PEMBROKESHIRE.
CARDIGANSHIRE -	93	317	319	26	156	1	-	-	-	-	-	1	7	11	9	9	CARDIGANSHIRE.
BRECKNOCKSHIRE -	78	318	178	23	64	-	-	-	-	6	2	-	1	2	29	6	BRECKNOCKSHIRE.
RADNORSHIRE -	22	82	49	5	24	-	-	-	-	-	-	-	1	1	4	1	RADNORSHIRE.
MONTGOMERYSHIRE -	64	279	214	20	98	-	-	-	-	5	2	-	7	10	22	4	MONTGOMERYSHIRE.
FLINTSHIRE -	98	381	199	24	79	-	-	-	-	1	-	-	10	21	18	3	FLINTSHIRE.
DENBIGHSHIRE -	206	698	451	65	140	4	-	5	3	11	6	2	28	30	85	11	DENBIGHSHIRE.
MERIONETHSHIRE -	64	241	203	23	88	-	-	1	-	4	-	-	5	6	8	6	MERIONETHSHIRE.
CARNARVONSHIRE -	171	548	552	54	232	1	-	3	-	11	3	2	14	14	47	12	CARNARVONSHIRE.
ANGLESEY -	47	203	145	13	58	1	-	-	-	1	-	2	7	5	6	3	ANGLESEY.

TABLE IVa.—**England and Wales and Registration Counties.**—
 ILLEGITIMATE BIRTHS registered in the Quarter ended 30th June of the
 Years 1917 and 1918.

REGISTRATION COUNTIES.	Illegitimate Births registered during the Quarter ended		REGISTRATION COUNTIES.	Illegitimate Births registered during the Quarter ended	
	30th June, 1917.	30th June, 1918.		30th June, 1917.	30th June, 1918.
England and Wales.	9,517	10,415	Leicestershire - - -	118	116
London - - - -	1,545	1,518	Rutlandshire - - -	6	4
Surrey - - - -	237	249	Lincolnshire - - -	179	191
Kent - - - -	265	322	Nottinghamshire - - -	213	276
Sussex - - - -	184	265	Derbyshire - - -	119	153
Hampshire - - -	259	310	Cheshire - - - -	189	212
Berkshire - - -	97	103	Lancashire - - - -	1,134	1,279
Middlesex - - -	232	272	Yorkshire (West Riding) -	832	843
Hertfordshire - - -	49	67	Yorkshire (East Riding with York).	145	173
Buckinghamshire - - -	43	49	Yorkshire (North Riding)	117	168
Oxfordshire - - -	41	39	Durham - - - -	398	440
Northamptonshire - - -	86	86	Northumberland - - -	198	212
Huntingdonshire - - -	10	16	Cumberland - - -	91	95
Bedfordshire - - -	55	62	Westmorland - - -	17	6
Cambridgeshire - - -	54	48	Monmouthshire - - -	77	104
Essex - - - -	320	274	Glamorganshire - - -	231	284
Suffolk - - - -	128	159	Cardiganshire - - -	36	30
Norfolk - - - -	171	185	Pembrokeshire - - -	27	25
Wiltshire - - - -	60	109	Cardiganshire - - -	19	23
Dorsetshire - - -	69	59	Brecknockshire - - -	2	19
Devonshire - - -	171	184	Radnorshire - - -	3	8
Cornwall - - - -	51	70	Montgomeryshire - - -	20	18
Somersetshire - - -	68	75	Flintshire - - - -	24	17
Gloucestershire - - -	141	142	Denbighshire - - -	59	50
Herefordshire - - -	30	37	Merionethshire - - -	26	12
Shropshire - - -	77	85	Carnarvonshire - - -	43	46
Staffordshire - - -	348	374	Anglesey - - - -	22	19
Worcestershire - - -	76	79			
Warwickshire - - -	305	354			

Meteorology in the 13 weeks ended 29th June, 1918.

NOTE.—The 96 Great Towns are those with populations exceeding 50,000 persons at the Census of 1911. The births here shown are those actually registered in the several towns. The deaths relate to the civil population only; those in London have been corrected as far as possible (1) by excluding deaths of all non-residents, and (2) by including the deaths of London residents occurring in the Metropolitan Outer Ring or in Metropolitan Public Institutions situated outside the County. (See also Table XII.) The deaths in the other towns have been corrected, as far as possible, (1) by the exclusion of all deaths of non-residents and (2) by the inclusion of deaths of residents in certain outlying public institutions. With regard to the Outer Ring and its constituent areas, however, correction is more complete, a distribution of all transferable deaths occurring in any part of Greater London having been made.

TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1917.	BIRTHS.	DEATHS.	Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	MEAN TEMPERATURE (De- grees Fabr.). *	RAIN- FALL (Milli- metres). *	TOWNS.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Violence.						
96 Towns	16,545,401	82,950	57,801	7,410	16,335	94	-	2,472	125	1,961	550	513	1,817	3,776	18,407	473	52.3	133	96 Towns.
LONDON	4,026,901	18,410	14,230	1,665	4,353	20	-	680	20	666	144	133	494	1,157	7,156	21	53.2†	139†	LONDON.
(CROYDON	167,681	691	485	43	186	-	-	5	6	9	4	2	7	35	148	-	51.1	181	(CROYDON.
WIMBLEDON	53,536	178	142	8	48	-	-	2	-	4	-	-	8	17	35	-	-	155	WIMBLEDON.
EALING	64,128	259	174	13	68	-	-	6	2	4	-	2	4	10	41	-	-	-	EALING.
ACTON	58,507	246	142	12	43	1	-	1	-	5	-	-	10	14	46	-	-	-	ACTON.
WILLESDEN	157,005	663	394	60	109	1	-	5	-	18	7	1	9	20	161	-	-	-	WILLESDEN.
HORNSEY	82,442	238	202	17	74	-	-	3	-	5	1	1	5	11	50	-	-	-	HORNSEY.
TOTTENHAM	135,173	609	347	39	105	-	-	19	-	9	4	1	12	32	109	-	53.5	178	TOTTENHAM.
EDMONTON	61,940	306	126	11	37	1	-	-	-	4	1	-	6	16	43	-	-	-	EDMONTON.
ENFIELD	57,192	231	133	15	45	2	-	1	-	8	-	-	5	8	46	1	53.0	169	ENFIELD.
WEST HAM	271,934	1,580	962	144	222	-	-	93	-	42	11	12	39	75	325	1	-	-	WEST HAM.
EAST HAM	131,008	566	320	26	100	-	-	7	-	8	3	2	16	17	95	3	-	-	EAST HAM.
LEYTON	112,452	435	292	35	106	-	-	15	-	7	4	1	7	16	100	1	-	-	LEYTON.
WALTHAMSTOW	119,307	479	309	37	101	1	-	8	-	9	1	1	9	17	107	4	-	-	WALTHAMSTOW.
ILFORD	75,130	282	144	21	51	1	-	2	-	9	2	-	1	3	32	-	-	-	ILFORD.
GILLINGHAM	44,074	282	110	14	30	1	-	1	-	2	1	-	3	3	24	2	-	-	GILLINGHAM.
HASTINGS	48,439	220	194	8	79	-	-	7	-	7	1	-	4	9	49	-	52.8	95	HASTINGS.
EASTBOURNE	44,842	204	103	11	45	-	-	1	1	2	1	-	4	8	16	-	52.4	135	EASTBOURNE.
BRIGHTON	113,635	585	406	28	169	-	-	3	1	2	2	-	10	33	133	1	53.1	110	BRIGHTON.
PORTSMOUTH	198,527	1,248	641	77	213	3	-	29	2	12	15	-	13	36	184	6	53.9	112	PORTSMOUTH.
BOURNEMOUTH	70,327	302	217	10	104	-	-	1	-	1	1	1	7	12	30	-	53.2	109	BOURNEMOUTH.
SOUTHAMPTON	115,345	638	381	47	126	-	-	12	1	2	5	4	11	27	115	-	54.0	130	SOUTHAMPTON.
READING	82,475	405	218	24	87	-	-	2	-	1	5	4	7	18	50	-	52.5	119	READING.
OXFORD	53,101	171	141	5	63	-	-	10	-	-	2	-	2	3	27	-	52.6	166	OXFORD.
NORTHAMPTON	82,471	335	236	25	77	-	-	-	-	6	6	1	5	9	49	2	-	-	NORTHAMPTON.
CAMBRIDGE	52,282	198	135	14	61	-	-	1	-	6	2	-	8	10	36	1	51.8	165	CAMBRIDGE.

* The values for Mean Temperature and Rainfall relate to the calendar quarter.

† These values refer to The Royal Observatory, Greenwich.

† These towns are included within the Metropolitan Outer Ring.

TABLE V. (continued).—96 Great Towns, &c.—Population; Births, Deaths, and Meteorology in the 13 Weeks ended 29th June, 1918.

TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1917.	BIRTHS.	DEATHS.	The DEATHS registered include											MEAN TEMPERATURE (De- grees Fahr.). *	RAIN- FALL (Milli- metres). *	TOWNS.		
				Deaths of		Deaths from								Inquest Cases.				Deaths in Public Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Violence.						
SOUTHEND ON SEA.	71,919	219	151	11	68	-	-	1	-	2	-	-	2	1	26	15	SOUTHEND ON SEA.		
IPSWICH.	72,800	388	208	29	74	-	-	6	-	3	-	1	8	18	48	-	IPSWICH.		
GREAT YARMOUTH.	45,516	246	189	19	81	-	-	10	-	2	-	-	9	17	38	-	GREAT YARMOUTH.		
NORWICH.	109,877	465	379	38	144	-	-	28	1	7	4	2	10	26	91	-	NORWICH.		
SWINDON.	51,516	276	113	9	34	-	-	5	-	2	1	2	4	8	15	-	SWINDON.		
EXETER.	51,631	213	163	8	71	-	-	-	-	1	1	-	10	20	40	1	EXETER.		
PLYMOUTH.	179,375	1,007	699	68	222	1	-	41	-	11	5	-	20	50	133	-	PLYMOUTH.		
BATH.	58,799	200	201	9	96	-	-	-	-	3	1	-	8	17	62	-	BATH.		
BRISTOL.	334,814	1,530	1,092	130	337	5	-	104	4	18	8	13	30	90	289	-	BRISTOL.		
GLOUCESTER.	55,026	228	136	12	49	1	-	-	-	2	2	1	6	8	46	1	GLOUCESTER.		
STOKE ON TRENT.	215,116	1,324	796	126	167	2	-	46	2	8	16	6	25	51	181	6	STOKE ON TRENT.		
WOLVERHAMPTON.	93,037	532	266	35	85	-	-	-	1	3	-	4	3	13	70	-	WOLVERHAMPTON.		
WALSALL.	87,957	511	334	54	87	-	-	4	-	24	4	4	8	19	66	-	WALSALL.		
WEST BROMWICH.	67,221	453	214	36	58	-	-	1	-	4	2	3	4	6	44	5	WEST BROMWICH.		
DUDLEY.	52,049	353	175	30	55	-	-	4	-	3	-	3	1	2	34	2	DUDLEY.		
BIRMINGHAM.	870,211	4,502	2,523	337	699	1	-	26	1	88	35	27	84	94	812	84	BIRMINGHAM.		
SMETHWICK.	69,788	417	181	39	55	-	-	-	-	2	-	1	5	8	30	1	SMETHWICK.		
COVENTRY.	128,098	740	348	47	88	-	-	7	-	3	4	1	8	16	91	1	COVENTRY.		
LEICESTER.	212,433	894	680	72	244	1	-	1	-	8	2	4	22	40	191	8	LEICESTER.		
LINCOLN.	58,617	304	169	23	69	-	-	7	-	7	2	2	4	6	23	2	LINCOLN.		
GRIMSBY.	67,014	419	234	33	70	-	-	6	1	3	-	2	4	10	34	3	GRIMSBY.		
NOTTINGHAM.	236,853	1,093	782	97	227	1	-	10	-	11	10	8	26	42	223	5	NOTTINGHAM.		
DERBY.	119,191	579	354	37	127	-	-	1	-	6	2	-	14	37	134	-	DERBY.		

* The values for Mean Temperature and Rainfall relate to the calendar quarter.

† Observations made at Clifton.

TABLE V. (continued).—96 Great Towns, &c.—Population, Births, Deaths, and Meteorology in the 13 Weeks ended 29th June, 1918.

TOWNS.	ESTIMATED CIVILIAN POPULATION, Mid. 1917.	BIRTHS.	DEATHS.	The DEATHS registered include										MEAN TEMPERATURE (Degrees Fahr.). *	RAIN- FALL, (Milli- metres). *	TOWNS.			
				Deaths of		Deaths from											Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Violence.						
STOCKPORT	111,922	444	380	42	119	-	-	3	-	10	2	5	4	7	83	-	-	STOCKPORT.	
BIRKENHEAD	133,819	830	492	68	123	1	-	28	7	12	8	5	13	25	135	1	51.8†	BIRKENHEAD.	
WALLASEY	84,209	363	224	36	58	1	-	4	2	12	-	1	5	12	50	1	-	WALLASEY.	
LIVERPOOL	716,140	4,382	3,244	444	683	5	-	209	30	86	54	44	82	168	1,249	68	-	LIVERPOOL.	
BOOTLE	68,871	467	266	38	57	-	-	1	2	9	4	4	6	7	62	6	52.1†	BOOTLE.	
ST. HELENS	90,582	647	388	67	57	-	-	4	4	11	24	1	15	15	120	10	-	ST. HELENS.	
SOUTHPORT	60,747	210	218	12	105	-	-	3	-	1	1	2	5	6	31	9	51.5	SOUTHPORT.	
WIGAN	83,110	460	340	49	81	-	-	10	-	3	3	6	17	29	64	-	-	WIGAN.	
WARRINGTON	68,554	402	243	42	42	2	-	2	1	24	2	1	6	6	46	9	-	WARRINGTON.	
BOLTON	163,411	684	592	68	108	2	-	1	-	27	3	6	13	32	111	2	51.5	BOLTON	
BURY	51,851	169	218	17	74	-	-	1	-	2	4	1	4	11	44	2	-	BURY.	
MANCHESTER	660,143	3,389	2,372	310	571	4	-	56	6	121	14	30	84	153	789	18	53.3	MANCHESTER.	
SALFORD	211,373	1,066	757	113	197	5	-	2	7	23	-	16	21	42	210	1	-	SALFORD.	
OLDHAM	133,721	526	533	56	122	3	-	18	-	22	2	5	11	30	121	-	-	OLDHAM.	
ROCHDALE	84,561	337	341	34	104	2	-	27	-	2	-	2	7	15	71	6	-	ROCHDALE.	
BURNLEY	93,779	372	333	36	85	1	-	8	-	5	1	3	11	22	63	-	50.2	BURNLEY.	
BLACKBURN	113,315	401	424	49	125	1	-	2	-	2	4	3	15	27	107	4	-	BLACKBURN.	
PRESTON	106,747	504	341	41	103	1	-	-	-	10	2	4	12	18	57	8	51.0§	PRESTON.	
BLACKPOOL	64,775	192	232	23	71	-	-	16	-	3	2	-	5	7	43	6	51.7	BLACKPOOL.	
BARROW IN FURNESS	78,675	546	221	50	51	-	-	11	-	5	2	3	9	10	42	4	-	BARROW IN FURNESS.	
HUDDERSFIELD	105,818	346	399	35	101	-	-	7	1	10	3	2	22	35	92	7	51.1	HUDDERSFIELD.	
HALIFAX	92,775	334	351	27	123	1	-	4	-	2	8	-	15	27	88	3	-	HALIFAX.	
BRADFORD	266,338	959	1,156	127	343	-	-	80	-	45	13	3	29	103	315	2	50.3	BRADFORD.	
LEEDS	417,051	1,851	1,676	182	455	1	-	101	3	31	13	10	63	119	472	1	-	LEEDS.	
DEWSBURY	52,244	212	175	22	63	-	-	-	-	2	-	3	9	15	26	-	-	DEWSBURY.	
WAKEFIELD	47,830	229	208	25	36	-	-	46	1	1	-	2	3	9	43	-	52.0	WAKEFIELD.	
BARNSELEY	47,943	319	327	49	34	1	-	123	-	10	2	2	7	12	48	2	-	BARNSELEY.	

* The values for Mean Temperature and Rainfall relate to the calendar quarter.
† These values refer to Blundellsands.
‡ These values refer to Bidston Observatory.
§ As extended 1st April 1918.

TABLE V. (continued).—96 Great Towns, &c.—Population; Births, Deaths, and Meteorology in the 13 Weeks ended 29th June, 1918.

TOWNS.	ESTIMATED CIVILIAN POPULATION, Mid. 1917.	BIRTHS.	DEATHS.	The DEATHS registered include												MEAN TEMPERATURE (De- grees Fahr.) *	RAIN- FALL (Milli- metres). *	TOWNS.	
				Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.				Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Violence.							
SHEFFIELD	-	2,687	1,732	313	415	4	-	14	8	130	5	16	44	108	495	2	SHEFFIELD.		
ROTHERHAM	-	384	248	38	63	1	-	7	-	14	1	1	10	13	52	1	ROTHERHAM.		
YORK	-	386	256	23	102	1	-	9	-	1	-	-	7	10	63	-	YORK.		
HULL	-	1,261	1,143	147	247	6	-	204	2	25	5	9	36	71	252	8	HULL.		
MIDDLESBROUGH	-	857	546	113	112	-	-	5	-	11	4	14	17	39	86	6	MIDDLESBROUGH.		
DARLINGTON	-	335	218	41	74	-	-	1	-	9	2	5	6	9	35	12	DARLINGTON.		
STOCKTON ON TEES	-	351	252	38	56	-	-	18	-	2	1	5	7	15	41	2	STOCKTON ON TEES.		
WEST HARTLEPOOL	-	417	301	53	63	-	-	48	-	18	1	3	7	10	33	5	WEST HARTLEPOOL.		
SUNDERLAND	-	955	700	102	153	-	-	43	1	30	-	3	18	41	132	24	SUNDERLAND.		
SOUTH SHIELDS	-	781	463	83	93	1	-	-	-	25	6	6	7	8	70	28	SOUTH SHIELDS.		
GATESHEAD	-	849	461	85	90	1	-	7	2	16	4	4	15	19	82	17	GATESHEAD.		
NEWCASTLE ON TYNE	-	1,670	978	167	239	-	-	4	2	40	3	6	28	82	205	4	NEWCASTLE ON TYNE.		
TYNEMOUTH	-	422	220	33	64	-	-	1	-	1	-	3	8	10	43	7	TYNEMOUTH.		
CARLISLE	-	268	164	25	61	-	-	2	-	8	-	1	5	10	25	4	CARLISLE.		
NEWPORT (MON.)	-	442	223	29	61	1	-	2	-	7	-	-	9	15	50	1	NEWPORT (MON.).		
CARDIFF	-	1,016	534	75	130	2	-	4	-	9	10	11	16	54	73	-	CARDIFF.		
RHONDDA	-	1,095	521	121	94	1	-	58	1	6	2	6	32	34	39	3	RHONDDA.		
MERTHYR TYDFIL	-	480	269	60	43	1	-	21	-	28	4	4	10	14	39	2	MERTHYR TYDFIL.		
ABERDARE	-	341	207	47	40	1	-	18	-	15	2	1	12	14	9	-	ABERDARE.		
SWANSEA	-	658	343	47	81	-	-	17	2	6	7	1	9	23	73	-	SWANSEA.		
GREATER LONDON	-	30,055	21,369	2,445	6,712	28	-	938	31	893	214	175	734	1,650	9,336	37	GREATER LONDON.		
OUTER RING	-	11,645	7,139	780	2,359	8	-	258	11	227	70	42	240	493	2,180	16	OUTER RING.		
14 GREAT TOWNS IN OUTER RING.	-	6,763	4,172	481	1,295	7	-	167	8	141	38	23	138	291	1,338	10	14 GREAT TOWNS IN OUTER RING.		
REMAINDER OF OUTER RING.	-	4,882	2,967	299	1,064	1	-	91	3	86	32	19	102	202	842	6	REMAINDER OF OUTER RING.		
EDINBURGH†	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	EDINBURGH.†		
GLASGOW†	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	GLASGOW.†		
DUBLIN (Registra- tion Area).†	-	2,575	1,945	288	483	6	-	48	2	88	7	41	29	39	799	44	DUBLIN (Registra- tion Area).†		
BELFAST†	-	2,528	2,191	325	378	10	-	32	2	138	9	17	37	53	537	27	BELFAST.†		

* The values for Mean Temperature and Rainfall relate to the calendar quarter.

† The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

¶ The populations are total populations and refer to the middle of 1918.

‡ The populations are total populations and refer to the middle of 1918.

§ The populations are total populations and refer to the middle of 1918.

NOTE.—The rates in this table are based upon the figures shown in Table V.

TOWNS.	ANNUAL BIRTH-RATE PER 1000 TOTAL POPULATION, 1917.*	ANNUAL DEATH-RATE PER 1000 CIVILIAN POPULATION, 1917.										DEATH-RATE PER 1000 BIRTHS.		PERCENTAGE of Total Deaths.		
		Deaths from										Diar- rhoea and Enter- itis (under 2 years).	Total Deaths under one year.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
		All Causes.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Violence.						
		13 Weeks ended :— 30th June, 29th June, 1917.†	1918.													
96 Towns	18.0	15.2	14.0	0.02	-	0.60	0.03	0.48	0.13	0.44	6.18	89	6.5	31.8	0.8	96 Towns.
LONDON	16.5	15.4	14.2	0.02	-	0.68	0.02	0.66	0.14	0.49	7.22	90	8.1	50.3	0.1	LONDON.
{ CROYDON.	14.8	12.6	11.6	-	-	0.12	0.14	0.22	0.10	0.17	2.89	62	7.2	30.5	-	{ CROYDON.
WIMBLEDON.	12.0	9.6	10.6	-	-	0.15	-	0.30	-	0.60	-	45	12.0	24.6	-	WIMBLEDON.
EALING	14.5	9.3	10.9	-	-	0.38	0.13	0.25	-	0.25	7.72	50	5.7	23.6	-	EALING.
ACTON	15.1	11.0	9.7	0.07	-	0.07	-	0.34	-	0.69	-	49	9.9	32.4	-	ACTON.
WILLESDEN	15.2	11.1	10.1	0.03	-	0.13	-	0.46	0.18	0.23	1.51	90	5.1	40.9	-	WILLESDEN.
HORNSEY	10.4	9.0	9.8	-	-	0.15	-	0.24	0.05	0.24	4.20	71	5.4	24.8	-	HORNSEY.
TOTTENHAM	16.2	12.0	10.3	-	-	0.56	-	0.27	0.12	0.36	1.64	64	9.2	31.4	-	TOTTENHAM.
EDMONTON	17.8	11.7	8.2	0.06	-	-	-	0.26	0.06	0.39	-	36	12.7	34.1	-	{ EDMONTON.
ENFIELD	14.5	11.5	9.3	0.14	-	0.07	-	0.56	-	0.35	-	65	6.0	34.6	0.8	ENFIELD.
WEST HAM	20.9	15.6	14.2	-	-	1.37	-	0.62	0.16	0.58	7.59	91	7.8	33.8	0.1	WEST HAM.
EAST HAM	15.5	11.8	9.8	-	-	0.21	-	0.24	0.09	0.49	3.53	46	5.3	29.7	0.9	EAST HAM.
LEYTON	13.9	12.3	10.4	-	-	0.54	-	0.25	0.14	0.25	2.30	80	5.5	34.2	0.3	LEYTON.
WALTHAMSTOW	14.4	11.1	10.4	0.03	-	0.27	-	0.30	0.03	0.30	2.09	77	5.5	34.6	1.3	WALTHAMSTOW.
{ ILFORD.	13.5	9.6	7.7	0.05	-	0.11	-	0.48	0.11	0.05	-	74	2.1	22.2	-	{ ILFORD.
GILLINGHAM	23.0	13.9	10.0	0.09	-	0.09	-	0.18	0.09	0.27	-	50	2.7	21.8	1.8	GILLINGHAM.
HASTINGS	16.3	18.7	16.1	-	-	0.58	-	0.58	0.08	0.33	-	36	4.6	25.3	-	HASTINGS.
EASTBOURNE	16.4	10.6	9.2	-	-	0.09	0.09	0.18	0.09	0.36	-	54	7.8	15.5	-	EASTBOURNE.
BRIGHTON	18.5	13.3	14.3	-	-	0.11	0.04	0.07	0.07	0.35	-	48	8.1	32.8	0.2	BRIGHTON.
PORTSMOUTH	22.6	14.2	13.0	0.06	-	0.59	0.04	0.24	0.30	0.26	-	62	5.6	28.7	0.9	PORTSMOUTH.
BOURNEMOUTH	15.5	13.2	12.4	-	-	0.06	-	0.06	0.06	0.40	3.31	33	5.5	13.8	-	BOURNEMOUTH.
SOUTHAMPTON	19.9	14.6	13.2	-	-	0.42	0.03	0.07	0.17	0.38	6.27	74	7.1	30.2	-	SOUTHAMPTON.
READING	17.7	11.5	10.6	-	-	0.10	-	0.05	0.24	0.34	9.88	59	8.3	22.9	-	READING.
OXFORD	11.6	11.9	10.7	-	-	0.76	-	-	0.15	0.15	-	29	2.1	19.1	-	OXFORD.
NORTHAMPTON	14.6	12.6	11.5	-	-	-	-	0.29	0.29	0.24	2.99	75	3.8	20.8	0.8	NORTHAMPTON.
CAMBRIDGE	13.6	10.7	10.4	-	-	0.08	-	0.46	0.15	0.61	-	71	7.4	26.7	0.7	CAMBRIDGE.

* The birth-rates are based upon total populations estimated for this purpose.

† These towns are included within the Metropolitan Outer Ring.

‡ Revised rates.

TABLE VI. (continued).—96 Great Towns, &c.—Birth-rate, Civilian Death-rate and Analysis of Mortality in the 13 Weeks ended 29th June, 1918.

TOWNS.	ANNUAL BIRTH-RATE PER 1000 TOTAL POPULATION, 1917.*	ANNUAL DEATH-RATE PER 1000 CIVILIAN POPULATION, 1917.										DEATH-RATE PER 1000 BIRTHS.		PERCENTAGE of Total Deaths.			TOWNS.
		Deaths from															
		All Causes.															
		Violence.															
		Diphtheria.															
13 Weeks ended :—	30th June, 1917.†	29th June, 1918.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Violence.	Total Deaths under one year.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.				
13 Weeks ended :—	30th June, 1917.†	29th June, 1918.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Violence.								
13 Weeks ended :—	30th June, 1917.†	29th June, 1918.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Violence.								
13 Weeks ended :—	30th June, 1917.†	29th June, 1918.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Violence.								
13 Weeks ended :—	30th June, 1917.†	29th June, 1918.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Violence.								
SOUTHEND ON SEA -	11·0	14·9	8·4	-	0·06	-	0·11	-	0·11	50	0·7	17·2	9·9	17·2	9·9	SOUTHEND ON SEA.	
IPSWICH -	19·2	13·9	11·5	-	0·33	-	0·17	-	0·44	75	8·7	23·1	-	23·1	-	IPSWICH.	
GREAT YARMOUTH -	19·4	16·9	16·7	-	0·88	-	0·18	-	0·79	77	9·0	20·1	-	20·1	-	GREAT YARMOUTH.	
NORWICH -	15·2	15·2	13·8	-	1·02	0·04	0·26	0·15	0·37	82	6·9	24·0	-	24·0	-	NORWICH.	
SWINDON -	19·3	11·8	8·8	-	0·39	-	0·16	0·08	0·31	33	7·1	13·3	-	13·3	-	SWINDON.	
EXETER -	14·8	15·0	12·7	-	-	-	0·08	0·08	0·78	38	12·3	24·5	0·6	24·5	0·6	EXETER.	
PLYMOUTH -	20·2	17·1	15·6	0·02	0·92	-	0·25	0·11	0·45	68	7·2	19·0	-	19·0	-	PLYMOUTH.	
BATH -	12·2	12·7	13·7	-	-	-	0·20	0·07	0·55	45	8·5	30·8	-	30·8	-	BATH.	
BRISTOL -	16·4	13·9	13·1	0·06	-	1·25	0·22	0·10	0·36	85	8·2	26·5	-	26·5	-	BRISTOL.	
GLOUCESTER -	14·9	11·2	9·9	0·07	-	-	0·15	0·15	0·44	53	5·9	33·8	0·7	33·8	0·7	GLOUCESTER.	
STOKE ON TRENT -	22·1	19·9	14·8	0·04	-	0·86	0·15	0·30	0·47	95	6·4	22·7	0·8	22·7	0·8	STOKE ON TRENT.	
WOLVERHAMPTON -	20·6	14·6	11·5	-	-	-	0·13	-	0·13	66	4·9	26·3	-	26·3	-	WOLVERHAMPTON.	
WALSALL -	20·9	18·4	15·2	-	-	0·18	1·09	0·18	0·36	106	5·7	19·8	-	19·8	-	WALSALL.	
WEST BROMWICH -	24·2	16·8	12·8	-	-	0·06	0·24	0·12	0·24	79	2·8	20·6	2·3	20·6	2·3	WEST BROMWICH.	
DUDLEY -	24·4	16·0	13·5	-	-	0·31	0·23	-	0·08	85	1·1	19·4	1·1	19·4	1·1	DUDLEY.	
BIRMINGHAM -	18·6	13·4	11·6	0·00	-	0·12	0·41	0·16	0·39	75	3·7	32·2	3·3	32·2	3·3	BIRMINGHAM.	
SMETHWICK -	21·5	12·2	10·4	-	-	-	0·11	-	0·29	94	4·4	16·6	0·6	16·6	0·6	SMETHWICK.	
COVENTRY -	20·8	10·7	10·9	-	-	0·22	0·09	0·13	0·25	64	4·6	26·1	0·3	26·1	0·3	COVENTRY.	
LEICESTER -	15·1	14·4	12·8	0·02	-	0·02	0·15	0·04	0·42	81	5·9	28·1	1·2	28·1	1·2	LEICESTER.	
LINCOLN -	18·7	12·6	11·6	-	-	0·48	0·48	0·14	0·27	76	3·6	13·6	1·2	13·6	1·2	LINCOLN.	
GRIMSBY -	22·5	14·5	14·0	-	-	0·36	0·18	-	0·24	79	4·3	14·5	1·3	14·5	1·3	GRIMSBY.	
NOTTINGHAM -	16·6	17·0	13·2	0·02	-	0·17	0·19	0·17	0·44	89	5·4	28·5	0·6	28·5	0·6	NOTTINGHAM.	
DERBY -	17·5	14·7	11·9	-	-	0·03	0·20	0·07	0·47	64	10·5	37·9	-	37·9	-	DERBY.	

* See note * on first page of table.

† Revised rates.

TOWNS.	ANNUAL BIRTH-RATE PER 1000 TOTAL POPULATION, 1917.*	ANNUAL DEATH-RATE PER 1000 CIVILIAN POPULATION, 1917.										PERCENTAGE of Total Deaths.			TOWNS.	
		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
		All Causes.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Violence.						
		13 Weeks ended:— 30th June, 1917. +	29th June, 1918.													
STOCKPORT	14.3	13.4	13.6	-	-	0.11	-	0.36	0.07	0.14	11.26	95	1.8	21.8	-	STOCKPORT.
BIRKENHEAD	22.3	13.9	14.7	0.03	-	0.84	0.21	0.36	0.24	0.39	6.02	82	5.1	27.4	0.2	BIRKENHEAD.
WALLASEY	15.5	10.8	10.7	0.05	-	0.19	0.10	0.57	-	0.24	2.75	99	5.4	22.3	0.4	WALLASEY.
LIVERPOOL	22.0	18.6	18.2	0.03	-	1.17	0.17	0.48	0.30	0.46	10.04	101	5.2	38.5	2.1	LIVERPOOL.
BOOTLE	24.4	15.7	15.5	-	-	0.06	0.12	0.52	0.23	0.35	8.57	81	2.6	23.3	2.3	BOOTLE.
ST. HELENS	25.7	14.9	17.2	-	-	0.18	0.18	0.49	1.06	0.66	1.55	104	3.9	30.9	2.6	ST. HELENS.
SOUTHPORT	12.4	15.2	14.4	-	-	0.20	-	0.07	0.07	0.33	9.52	57	2.8	14.2	4.1	SOUTHPORT.
WIGAN	19.9	14.5	16.4	-	-	0.48	-	0.14	0.14	0.82	13.04	107	8.5	18.8	-	WIGAN.
WARRINGTON	21.1	15.7	14.2	0.12	-	0.12	0.06	1.40	0.12	0.35	2.49	104	2.5	18.9	3.7	WARRINGTON.
BOLTON	15.1	18.7	14.5	0.05	-	0.02	-	0.66	0.07	0.32	8.77	99	5.4	18.8	0.3	BOLTON.
BURY	11.7	17.6	16.9	-	-	0.08	-	0.15	0.31	0.31	5.92	101	5.0	20.2	0.9	BURY.
MANCHESTER	18.5	15.9	14.4	0.02	-	0.34	0.04	0.74	0.09	0.51	8.85	91	6.5	33.3	0.8	MANCHESTER.
SALFORD	18.1	17.6	14.4	0.09	-	0.04	0.13	0.44	-	0.40	15.01	106	5.5	27.7	0.1	SALFORD.
OLDHAM	14.2	17.0	16.0	0.09	-	0.54	-	0.66	0.06	0.33	9.51	106	5.6	22.7	-	OLDHAM.
ROCHDALE	14.3	16.0	16.2	0.09	-	1.28	-	0.09	-	0.33	5.93	101	4.4	20.8	1.8	ROCHDALE.
BURNLEY	14.3	16.0	14.2	0.04	-	0.34	-	0.21	0.04	0.47	8.06	97	6.6	18.9	-	BURNLEY.
BLACKBURN	12.7	16.5	15.0	0.04	-	0.07	-	0.07	0.14	0.53	7.48	122	6.4	25.2	0.9	BLACKBURN.
PRESTON	17.0	16.5	12.8	0.04	-	-	-	0.38	0.08	0.45	7.94	81	5.3	16.7	2.3	PRESTON.
BLACKPOOL†	10.7	12.6	14.4	-	-	0.99	-	0.19	0.12	0.31	-	120	3.0	18.5	2.6	BLACKPOOL.
BARROW IN FURNESS	25.0	12.7	11.3	-	-	0.56	-	0.25	0.10	0.46	5.49	92	4.5	19.0	1.8	BARROW IN FURNESS.
HUDDERSFIELD	11.8	14.4	15.1	-	-	0.27	0.04	0.38	0.11	0.83	5.78	101	8.8	23.1	1.8	HUDDERSFIELD.
HALIFAX	13.0	18.2	15.2	0.04	-	0.17	-	0.09	0.35	0.65	-	81	7.7	25.1	0.9	HALIFAX.
BRADFORD	13.0	15.9	17.4	-	-	1.20	-	0.68	0.20	0.44	3.13	132	8.9	27.2	0.2	BRADFORD.
LEEDS	16.0	18.0	16.1	0.01	-	0.97	0.03	0.30	0.13	0.61	5.40	98	7.1	28.2	0.1	LEEDS.
DEWSBURY	14.6	15.0	13.4	-	-	-	-	0.15	-	0.69	14.15	104	8.6	14.9	-	DEWSBURY.
WAKEFIELD	17.2	14.8	17.4	-	-	3.86	0.08	0.08	-	0.25	8.73	109	4.3	20.7	-	WAKEFIELD.
BARNLEY	23.9	15.1	27.4	0.08	-	10.29	-	0.84	0.17	0.59	6.27	154	3.7	14.7	0.6	BARNLEY.

* See note * on first page of table.

† Revised rates.

‡ As extended 1st April 1918.

TABLE VI. (continued).—96 Great Towns, &c.—Birth-rate, Civilian Death-rate and Analysis of Mortality in the 13 Weeks ended 29th June, 1918.

TOWNS.	ANNUAL BIRTH-RATE PER 1000 TOTAL POPULATION, 1917.*	ANNUAL DEATH-RATE PER 1000 CIVILIAN POPULATION, 1917.										DEATH-RATE PER 1000 BIRTHS.		PERCENTAGE of Total Deaths.			TOWNS.
		Deaths from						Diarrhoea and Enteritis (under 2 years).	Total Deaths under one year.	Deaths in Public Institutions.	Uncertified Causes of Death.						
		All Causes.															
		13 Weeks ended :— 30th June, 1917.†	29th June, 1918.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.					Whooping Cough.	Diphtheria.	Violence.			
SHEFFIELD	20·6	14·9	14·8	0·03	—	0·12	0·07	1·11	0·04	0·38	5·95	116	6·2	28·6	0·1	SHEFFIELD.	
ROTHERHAM	21·4	17·3	15·4	0·06	—	0·43	—	0·87	0·06	0·62	2·60	99	5·2	21·0	0·4	ROTHERHAM.	
YORK	17·7	13·5	13·1	0·05	—	0·46	—	0·05	—	0·36	—	60	3·9	24·6	—	YORK.	
HULL	18·4	17·0	18·6	0·10	—	3·32	0·03	0·41	0·08	0·59	7·14	117	6·2	22·0	0·7	HULL.	
MIDDLESBROUGH	25·9	23·2	18·4	—	—	0·17	—	0·37	0·13	0·57	16·34	132	7·1	15·8	1·1	MIDDLESBROUGH.	
DARLINGTON	19·9	14·1	14·5	—	—	0·07	—	0·60	0·13	0·40	14·93	122	4·1	16·1	5·5	DARLINGTON.	
STOCKTON ON TEES	22·1	16·9	17·7	—	—	1·27	—	0·14	0·07	0·49	14·25	108	6·0	16·3	0·8	STOCKTON ON TEES.	
WEST HARTLEPOOL	24·2	15·8	19·5	—	—	3·10	—	1·16	0·06	0·45	7·19	127	3·3	11·0	1·7	WEST HARTLEPOOL.	
SUNDERLAND	24·2	21·6	19·8	—	—	1·22	0·03	0·85	—	0·51	3·14	107	5·9	18·9	3·4	SUNDERLAND.	
SOUTH SHIELDS	26·4	22·1	17·4	0·04	—	—	—	0·94	0·23	0·26	7·68	106	1·7	15·1	6·0	SOUTH SHIELDS.	
GATESHEAD	25·6	19·4	15·5	0·03	—	0·24	0·07	0·54	0·13	0·51	4·71	100	4·1	17·8	3·7	GATESHEAD.	
NEWCASTLE ON TYNE	22·5	16·1	14·7	—	—	0·06	0·03	0·60	0·05	0·42	3·59	100	8·4	21·0	0·4	NEWCASTLE ON TYNE.	
TYNEMOUTH	26·4	15·5	15·3	—	—	0·07	—	0·07	—	0·56	7·11	78	4·5	19·5	3·2	TYNEMOUTH.	
CARLISLE	18·2	15·2	12·4	—	—	0·15	—	0·60	—	0·38	3·73	93	6·1	15·2	2·4	CARLISLE.	
NEWPORT (MON.)	19·2	11·3	10·8	0·05	—	0·10	—	0·34	—	0·44	—	66	6·7	22·4	0·4	NEWPORT (MON.).	
CARDIFF	21·6	13·0	12·6	0·05	—	0·09	—	0·21	0·24	0·38	10·83	74	10·1	13·7	—	CARDIFF.	
RHONDDA	25·5	13·1	13·5	0·03	—	1·51	0·03	0·16	0·05	0·83	5·48	111	6·5	7·5	0·6	RHONDDA.	
MERTHYR TYDFIL	23·2	12·4	14·5	0·05	—	1·13	—	1·51	0·22	0·54	8·33	125	5·2	14·5	0·7	MERTHYR TYDFIL.	
ABERDARE	23·9	11·5	16·2	0·08	—	1·41	—	1·17	0·16	0·94	2·93	138	6·8	4·3	—	ABERDARE.	
SWANSEA	21·2	13·6	12·3	—	—	0·61	0·07	0·22	0·25	0·32	1·52	71	6·7	21·3	—	SWANSEA.	
GREATER LONDON	16·1	13·9	12·7	0·02	—	0·56	0·02	0·53	0·13	0·44	5·82	81	7·7	43·7	0·2	GREATER LONDON.	
OUTER RING	15·5	11·8	10·6	0·01	—	0·38	0·02	0·34	0·10	0·36	3·61	67	6·9	30·5	0·2	OUTER RING.	
14 GREAT TOWNS IN OUTER RING.	15·7	12·0	10·8	0·02	—	0·43	0·02	0·37	0·10	0·36	3·40	71	7·0	32·1	0·2	14 GREAT TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING.	15·2	11·4	10·3	0·00	—	0·32	0·01	0·30	0·11	0·36	3·89	67	6·8	28·4	0·2	REMAINDER OF OUTER RING.	
EDINBURGH†	—	17·0	—	—	—	—	—	—	—	—	—	—	—	—	—	EDINBURGH.†	
GLASGOW†	—	17·2	—	—	—	—	—	—	—	—	—	—	—	—	—	GLASGOW.†	
DUBLIN (Registration Area)	25·8	20·3	19·5	0·06	—	0·49	0·02	0·88	0·07	0·29	15·92	112	2·0	41·1	2·3	DUBLIN (Registra- tion Area).	
BELFAST	25·7	17·4	22·3	0·10	—	0·33	0·02	1·40	0·09	0·38	6·72	129	2·4	24·5	1·2	BELFAST.	

* See note * on first page of table.

† Revised rates.

‡ Figures for 1918 were not available at time of going to press.

NOTE.—The 148 Smaller Towns are those with populations of 20,000 but not exceeding 50,000 at the Census of 1911. The births here shown are those actually registered in the several towns. The deaths relate to the civil population only, and have been corrected as far as possible, (1) by the exclusion of all deaths of non-residents, and (2) by the inclusion of deaths of residents in certain outlying institutions. With regard to towns in the Outer Ring, however, correction is more complete, a distribution of all transferable deaths occurring in any part of Greater London having been made.

TOWNS.		ESTIMATED CIVILIAN POPULATION, MID. 1917.		BIRTHS. DEATHS.		Deaths of		Deaths from								Inquest Cases.		Deaths in Public Institutions.		Uncertified Causes of Death.		Deaths under 1 Year to 1000 Births.		TOWNS.									
						Infants under 1 Year of Age.		Persons aged 65 Years and upwards.		Enteric Fever.		Small-pox.		Measles.		Scarlet Fever.		Whooping Cough.		Diphtheria.		Diarrhoea and Enteritis (under 2 Years).		Violence.									
148 Towns		4,390,429		22,661 13,562		1,874 4,235		30		439		21		420		126		105		426		653		2,475		211		83		148 Towns.			
SURREY.																																	
Barnes*	-	32,495	107	79	29	-	-	6	1	1	-	-	4	4	19	-	47	Barnes.*															
Guildford	-	22,606	104	45	18	-	-	5	-	-	-	-	3	8	33	-	19	Guildford.															
Kingston on Thames*	-	35,608	154	99	42	-	-	8	-	-	-	-	3	13	35	-	39	Kingston on Thames.*															
Mitcham*	-	30,189	138	88	33	-	-	9	-	-	-	-	2	7	35	-	43	Mitcham.*															
Reigate	-	23,680	99	75	28	-	-	-	-	-	-	-	6	5	20	-	51	Reigate.															
Richmond*	-	33,359	100	99	38	-	-	-	-	-	-	-	1	15	31	-	60	Richmond.*															
Sutton*	-	19,502	61	39	12	-	-	-	-	-	-	-	4	11	11	-	115	Sutton.*															
Woking	-	22,771	113	44	18	-	-	-	-	-	-	-	2	6	6	-	53	Woking.															
KENT.																																	
Beckenham*	-	30,612	100	80	34	-	-	-	-	-	-	-	3	4	18	-	60	Beckenham.*															
Bromley*	-	31,882	132	60	21	-	-	2	-	-	-	-	1	6	17	-	53	Bromley.*															
Canterbury	-	21,627	109	56	20	1	-	2	-	-	-	-	1	13	31	4	64	Canterbury.															
Chatham	-	36,422	198	112	31	-	-	1	-	-	-	-	8	5	31	3	76	Chatham.															
Dartford	-	21,007	96	49	12	-	-	1	1	1	-	-	3	8	36	4	73	Dartford.															
Dover	-	35,685	210	98	41	-	-	-	-	-	-	-	2	3	23	-	33	Dover.															
Erith*	-	33,129	162	73	26	-	-	-	-	-	-	-	3	3	12	6	62	Erith.*															
Folkestone	-	31,856	162	80	31	-	-	9	-	-	-	-	1	13	12	1	31	Folkestone.															
Gravesend	-	26,832	134	73	26	-	-	-	-	-	-	-	3	26	13	3	67	Gravesend.															
Maidstone	-	30,796	122	114	39	1	-	-	-	-	-	-	3	12	26	2	66	Maidstone.															
Margate	-	19,412	44	43	15	-	-	-	-	-	-	-	1	2	12	2	114	Margate.															
Penge (Surrey Reg. Co.)*	-	21,474	85	61	27	-	-	-	-	-	-	-	1	17	17	-	71	Penge (Surrey Reg. Co.)*.															
Ramsgate	-	21,362	64	58	26	-	-	-	-	-	-	-	1	25	25	-	94	Ramsgate.															
Rochester	-	28,896	152	80	20	-	-	5	-	-	-	-	4	15	15	2	79	Rochester.															
Tunbridge Wells	-	30,751	114	99	37	1	-	3	-	-	-	-	3	22	22	2	70	Tunbridge Wells.															
SUSSEX EAST.																																	
Hove	-	39,622	162	140	68	-	-	-	-	-	-	-	5	7	19	-	99	Hove.															
SUSSEX WEST.																																	
Worthing	-	27,662	96	107	56	-	-	2	-	-	-	-	5	6	13	-	83	Worthing.															
SOUTHAMPTON.																																	
Aldershot (Surrey Reg. Co.).	-	20,391	157	48	15	-	-	1	-	-	-	-	1	1	14	-	38	Aldershot (Surrey Reg. Co.).															
Gosport and Alverstoke	-	27,762	139	76	30	1	-	-	-	-	-	-	2	1	17	-	36	Gosport and Alverstoke.															
Winchester	-	20,152	97	60	21	-	-	-	-	-	-	-	1	1	15	-	41	Winchester.															
MIDDLESEX.																																	
Chiswick*	-	38,712	149	127	37	-	-	4	-	-	-	-	1	7	49	-	67	Chiswick.*															
Finchley*	-	42,969	145	92	28	-	-	1	-	-	-	-	2	5	23	-	55	Finchley.*															
Hendon*	-	51,689	173	106	34	-	-	1	-	-	-	-	4	4	35	-	40	Hendon.*															
Heston and Isleworth*	-	38,683	227	136	55	-	-	5	-	-	-	-	3	6	41	-	62	Heston and Isleworth*.															
Southall Norwood*	-	26,556	121	63	15	-	-	9	-	-	-	-	1	3	17	3	91	Southall Norwood*.															

* These towns are included within the Metropolitan Outer Ring.

TABLE VII. (continued).—One hundred and forty-eight Smaller Towns.—Population; Births and Deaths in the QUARTER ended 30th June, 1918.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1917.	BIRTHS.	DEATHS.	Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Deaths under 1 Year to 1000 Births.	TOWNS.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Violence.					
MIDDLESEX—continued. Southgate* Twickenham* Wood Green* HERTFORDSHIRE. St. Albans Watford. BUCKINGHAMSHIRE. Chepping Wycombe NORTHAMPTONSHIRE. Kettering SOKE OF PETERBOROUGH. Peterborough BEDFORDSHIRE. Bedford Luton ESSEX. Barking Town* Colchester SUFFOLK EAST. Lowestoft NORFOLK. King's Lynn WILTSHIRE. Salisbury DORSETSHIRE. Poole Weymouth and Melcombe Regis. DEVONSHIRE. Torquay SOMERSETSHIRE. Taunton. Weston super Mare.	37,107 35,764 46,645 24,208 40,650 19,627 27,370 34,920 37,663 54,208 32,394 36,991 30,223 17,520 20,394 37,978 21,388 30,685 19,247	111 144 157 94 159 102 127 152 174 267 167 195 194 84 113 160 127 104 72	68 101 110 60 96 54 72 120 121 136 92 109 128 57 58 100 57 127 47	4 13 6 3 11 5 8 14 13 20 15 9 28 10 5 13 5 12 1	30 21 47 27 40 18 23 44 51 42 19 49 35 22 19 43 26 61 17 31	- - - - - - - - - - - - 1 - - - 1 - -	- 4 4 - - - - - 4 - - 13 1 26 3 6 - - - -	- 1 - - - - - 1 - 1 - - - - 1 - - - - -	2 3 1 - - - 2 1 2 2 9 - 12 - - 1 4 - 2 -	- - 1 - - 3 - - - - - - - - - - - - - -	- - - - 3 1 1 - 5 2 - 2 3 3 1 1 - - - -	19 34 24 17 35 6 17 19 29 36 19 32 18 15 16 20 14 38 13 8	- - - - - 1 - - - - - - - - - - - - - -	36 90 38 32 69 49 63 92 75 75 90 46 144 119 44 81 39 115 14 68	MIDDLESEX—continued. Southgate.* Twickenham.* Wood Green.* HERTFORDSHIRE. St. Albans. Watford. BUCKINGHAMSHIRE. Chepping Wycombe. NORTHAMPTONSHIRE. Kettering. SOKE OF PETERBOROUGH Peterborough. BEDFORDSHIRE. Bedford. Luton. ESSEX. Barking Town.* Colchester. SUFFOLK EAST. Lowestoft. NORFOLK. King's Lynn. WILTSHIRE. Salisbury. DORSETSHIRE. Poole. Weymouth and Melcombe Regis. DEVONSHIRE. Torquay. SOMERSETSHIRE. Taunton. Weston super Mare.			

TOWNS.		ESTIMATED CIVILIAN POPULATION, MID. 1917.	BIRTHS. DEATHS.		The DEATHS registered in the Quarter include										Deaths under 1 Year to 1000 Births.	TOWNS.			
					Deaths of		Deaths from							Inquest Cases.			Deaths in Public Institutions.	Uncertified Causes of Death.	
					Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).						Violence.
GLoucestershire.	Cheltenham	41,181	139	134	9	74	1	-	4	-	-	1	1	1	1	35	-	65	GLoucestershire. Cheltenham.
HEREFORDshire.	Hereford	23,246	89	68	8	26	-	-	-	-	-	-	1	1	1	12	-	90	HEREFORDshire. Hereford.
SHROPSHIRE.	Shrewsbury	27,386	146	75	6	23	-	-	3	2	2	2	-	4	6	15	2	41	SHROPSHIRE. Shrewsbury.
STAFFORDshire.	Bilston	24,728	172	77	16	23	-	-	-	3	-	-	-	1	3	14	-	93	STAFFORDshire. Bilston.
	Burton upon Trent	42,311	215	164	22	47	-	-	11	1	6	2	-	3	5	32	4	102	Burton upon Trent.
	Cannock	28,785	247	123	38	23	-	-	14	-	2	4	4	2	3	8	1	154	Cannock.
	Coseley	21,897	176	56	13	18	-	-	-	1	-	-	-	2	2	5	-	74	Coseley.
	Newcastle under Lyme	18,532	119	57	8	30	-	-	3	-	-	-	1	1	3	8	-	67	Newcastle under Lyme.
	Rowley Regis	36,505	224	97	23	16	-	-	3	-	5	-	1	2	2	6	-	103	Rowley Regis.
	Stafford	24,376	100	87	16	22	-	-	10	-	-	-	-	-	3	20	3	160	Stafford.
	Tipton	31,630	208	98	19	23	-	-	1	-	-	-	2	5	6	14	-	91	Tipton.
	Wednesbury	29,759	194	92	15	22	-	-	1	1	1	-	-	-	3	12	-	77	Wednesbury.
	Wolstanton United	27,704	163	79	19	23	-	-	3	-	-	2	1	2	3	8	2	117	Wolstanton United.
WORCEstershire.	Kidderminster	23,508	105	70	8	30	-	-	3	-	-	-	-	3	3	17	1	76	WORCEstershire. Kidderminster.
	Oldbury (Staffs. Reg. Co.)	34,884	207	103	18	29	-	-	4	-	4	-	2	2	4	3	5	87	Oldbury (Staffs. Reg. Co.).
	Worcester	44,744	196	160	10	68	-	-	-	-	-	-	-	8	14	50	1	51	Worcester.
WARWICKshire.	Nuneaton	37,681	228	105	15	27	-	-	1	-	-	7	-	8	8	19	1	66	WARWICKshire. Nuneaton.
	Royal Leamington Spa	25,654	117	91	9	38	-	-	-	-	-	-	-	3	7	31	-	77	Royal Leamington Spa.
	Rugby	22,675	130	49	10	10	-	-	-	-	-	-	1	1	4	12	-	77	Rugby.
	Sutton Coldfield (Staffs. Reg. Co.)	19,265	97	38	9	14	-	-	-	3	-	-	-	1	1	3	2	93	Sutton Coldfield (Staffs. Reg. Co.).
LEICestershire.	Loughborough	22,967	89	73	8	24	-	-	1	1	1	-	1	1	4	10	-	90	LEICestershire. Loughborough.
LINCOLNshire (Kesteven).	Grantham	20,388	123	63	11	16	-	-	-	6	2	-	-	4	4	11	1	89	LINCOLNshire (Kesteven). Grantham.
LINCOLNshire (Lindsey).	Cleethorpe with Thruscoe.	22,285	140	55	8	17	-	-	5	1	1	-	-	2	6	4	-	57	LINCOLNshire (Lindsey). Cleethorpe with Thruscoe.
	Gainsborough	19,092	78	51	8	19	-	-	-	-	-	-	2	1	1	7	2	103	Gainsborough.
NOTTINGHAMshire.	Mansfield	40,936	265	113	22	31	-	-	-	-	-	-	-	5	3	20	2	83	NOTTINGHAMshire. Mansfield.
	Sutton in Ashfield	22,329	163	49	13	12	1	-	-	1	-	-	-	1	2	3	4	80	Sutton in Ashfield.
	Worksop	20,209	117	74	14	18	-	-	-	5	-	-	-	8	8	12	1	120	Worksop.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1917.	BIRTHS.	DEATHS.	The DEATHS registered in the Quarter include													Deaths under 1 Year to 1000 Births.	TOWNS.		
				Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.				
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Violence.							
DERBYSHIRE.	36,706	239	129	23	30	-	-	-	-	5	-	4	1	-	1	2	31	5	96	DERBYSHIRE.
Chesterfield	19,329	72	66	5	23	-	-	-	-	-	-	-	-	1	2	12	12	1	69	Chesterfield.
Glossop	29,597	150	68	7	19	-	-	-	-	-	-	-	-	1	4	9	9	2	47	Glossop.
Ilkeston (Notts. Reg. Co.)																				Ilkeston (Notts. Reg. Co.).
CHESHIRE.	37,262	189	146	15	54	1	-	-	-	5	-	2	-	2	8	11	41	2	79	CHESHIRE.
Chester	43,256	215	114	21	38	-	-	-	-	-	-	-	-	2	2	16	16	-	98	Chester.
Crewe	30,328	105	86	3	31	-	-	-	-	-	-	-	-	2	4	13	13	-	29	Crewe.
Hyde	29,634	105	121	12	47	-	-	-	-	1	-	4	2	-	2	9	38	-	114	Hyde.
Macclesfield	23,464	121	98	12	38	-	-	-	-	-	-	6	2	-	1	7	12	-	99	Macclesfield.
Stalybridge (Lancs. Reg. Co.).																				Stalybridge (Lancs. Reg. Co.).
LANCASHIRE.	40,694	173	123	11	45	-	-	-	-	-	-	-	3	1	2	20	20	1	64	LANCASHIRE.
Accrington	21,101	144	67	16	10	-	-	-	-	5	-	3	3	-	1	2	9	1	111	Accrington.
Ashton in Makerfield	39,173	203	166	22	51	-	-	-	-	1	-	7	1	-	3	6	41	1	108	Ashton in Makerfield.
Ashton under Lyne	19,235	75	96	18	31	-	-	-	-	1	-	13	1	-	-	-	10	-	240	Ashton under Lyne.
Bacup	26,298	111	87	13	19	-	-	-	-	-	-	4	1	2	1	4	12	1	117	Bacup.
Chadderton	27,328	127	97	12	28	-	-	-	-	-	-	2	3	-	1	2	11	1	94	Chadderton.
Chorley	22,312	67	65	5	24	1	-	-	-	-	-	3	1	-	1	2	11	1	75	Chorley.
Colne	34,278	87	118	3	53	-	-	-	-	-	-	1	1	-	6	9	28	1	34	Colne.
Darwen	40,247	187	121	15	32	1	-	-	-	2	-	1	2	-	5	5	26	2	80	Darwen.
Eccles	24,759	158	93	15	22	1	-	-	-	-	-	10	1	-	5	5	5	2	95	Eccles.
Farnworth	23,579	89	94	6	32	1	-	-	-	-	-	7	1	-	3	3	17	1	67	Farnworth.
Heywood	22,251	146	79	17	20	1	-	-	-	-	-	2	1	-	-	3	6	1	116	Heywood.
Hindley	20,871	148	83	11	16	1	-	-	-	4	-	4	2	-	3	3	8	5	74	Hindley.
Ince in Makerfield	36,707	173	133	18	37	-	-	-	-	1	-	2	2	-	3	5	21	3	104	Ince in Makerfield.
Lancaster	42,189	250	169	29	39	-	-	-	-	1	-	15	1	4	7	9	24	4	116	Lancaster.
Leigh	25,539	80	94	6	22	-	-	-	-	8	-	2	-	1	3	6	12	5	75	Leigh.
Middleton	36,538	109	94	9	31	-	-	-	-	1	-	-	-	-	3	6	14	2	83	Middleton.
Nelson	23,054	94	86	4	30	-	-	-	-	1	-	-	1	-	3	-	16	2	43	Nelson.
Radcliffe	26,032	86	111	11	31	1	-	-	-	2	-	5	-	-	9	12	10	1	128	Radcliffe.
Rawtenstall	28,682	146	89	6	35	1	-	-	-	2	-	1	-	-	2	2	10	3	41	Rawtenstall.
Stretford	28,188	122	72	10	21	1	-	-	-	-	-	2	1	1	2	2	10	3	82	Stretford.
Swinton and Pendlebury	27,746	136	90	13	24	-	-	-	-	3	-	2	1	1	2	2	18	-	96	Swinton and Pendlebury.
Waterloo with Seaforth	31,368	217	127	21	22	-	-	-	-	24	-	3	1	-	5	5	16	3	97	Waterloo with Seaforth.
Widnes																				Widnes.
YORKSHIRE (WEST RIDING).																				YORKSHIRE (WEST RIDING).
Batley	33,801	148	133	15	42	1	-	-	-	2	-	1	-	-	9	13	31	-	101	Batley.
Brighouse	19,332	64	83	8	23	-	-	-	-	-	-	10	-	-	4	7	7	-	125	Brighouse.
Castleford	24,256	153	71	17	20	1	-	-	-	-	-	1	4	-	4	6	5	-	111	Castleford.
Doncaster	48,187	273	132	17	34	-	-	-	-	-	-	1	2	-	6	6	25	6	62	Doncaster.
Goole	16,397	88	85	6	26	-	-	-	-	21	-	2	2	-	1	3	16	-	68	Goole.
Harncliffe	22,522	123	107	9	42	-	-	-	-	4	-	1	1	-	-	2	16	-	88	Harncliffe.

The DEATHS registered in the Quarter include

The DEATHS registered in the Quarter include																		
TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1917.	BIRTHS	DEATHS.	Deaths of		Deaths from								Deaths under 1 Year to 1000 Births.	TOWNS.			
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Violence.					
																Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
YORKSHIRE (WEST RIDING)— <i>cont.</i>																	YORKSHIRE (WEST RIDING)— <i>cont.</i>	
Keighley.	40,575.	147	156	13	54	-	-	26	-	12	-	-	3	4	33	7	88	Keighley.
Morley.	22,567	102	94	12	23	-	-	7	-	1	-	-	2	6	4	-	118	Morley.
Shipley.	26,377	82	104	12	27	-	-	11	-	8	2	-	4	6	9	1	146	Shipley.
Spennorth.	29,816	123	98	13	31	-	-	3	-	-	-	-	3	4	12	-	106	Spennorth.
Todmorden.	23,862	71	86	8	33	-	-	-	-	1	1	-	3	5	8	1	113	Todmorden.
YORKSHIRE (NORTH RIDING).																	YORKSHIRE (NORTH RIDING).	
Eston.	28,909	241	109	19	22	-	-	-	-	-	5	2	6	7	14	-	79	Eston.
Scarborough.	28,410	113	134	7	66	-	-	-	-	7	2	-	3	9	36	1	62	Scarborough.
DURHAM.																	DURHAM.	
Blaydon.	30,870	223	74	19	16	1	-	-	-	-	2	2	2	3	3	-	85	Blaydon.
Felling.	24,532	169	82	15	22	-	-	7	-	8	-	-	5	5	10	5	89	Felling.
Hartlepool.	18,195	137	101	21	18	-	-	-	2	4	-	1	7	7	10	-	153	Hartlepool.
Hebburn.	23,660	177	86	13	14	-	-	-	-	7	-	1	1	2	5	6	73	Hebburn.
Jarrow.	35,400	279	124	29	22	-	-	-	-	9	-	1	4	4	17	8	104	Jarrow.
Stanley.	22,538	132	61	14	11	-	-	-	1	10	2	-	1	1	5	2	106	Stanley.
NORTHUMBERLAND.																	NORTHUMBERLAND.	
Ashington.	26,281	189	80	15	17	1	-	-	-	3	3	5	3	3	4	1	79	Ashington.
Bedlingtonshire.	23,667	169	82	20	27	3	-	3	-	7	1	-	1	1	7	4	118	Bedlingtonshire.
Blyth.	28,505	219	108	24	27	-	-	-	-	5	-	1	4	4	4	8	110	Blyth.
Wallsend.	43,358	356	137	35	34	-	-	1	-	3	1	3	2	4	11	5	98	Wallsend.
CUMBERLAND.																	CUMBERLAND.	
Workington.	25,282	194	67	15	16	-	-	-	-	-	4	1	4	2	9	3	77	Workington.
MONMOUTHSHIRE.																	MONMOUTHSHIRE.	
Abersychan.	25,274	183	75	17	4	-	-	31	-	1	-	1	4	4	4	-	93	Abersychan.
Abertillery.	37,032	302	91	31	16	1	-	3	1	2	-	1	6	5	4	-	103	Abertillery.
Bedwellty.	28,016	228	75	19	10	-	-	-	-	4	-	1	3	3	7	2	83	Bedwellty.
Ebbw Vale.	34,073	255	120	26	17	-	-	7	1	14	1	3	6	6	18	2	102	Ebbw Vale.
Tredeggar.	22,879	180	89	21	25	-	-	2	-	6	1	2	2	2	11	2	117	Tredeggar.
GLAMORGANSHIRE.																	GLAMORGANSHIRE.	
Barry.	33,403	214	91	12	22	-	-	-	1	-	-	1	2	5	10	1	56	Barry.
Caerphilly.	33,859	250	78	12	15	1	-	4	-	9	-	-	-	-	9	-	48	Caerphilly.
Gelligaer.	39,211	351	137	47	16	-	-	9	-	23	1	4	4	4	11	2	134	Gelligaer.
Maesteg.	27,454	217	65	17	13	-	-	2	1	1	4	1	3	4	6	-	78	Maesteg.
Mountain Ash.	41,341	274	115	23	19	-	-	5	-	2	-	1	5	5	11	-	84	Mountain Ash.
Ogmore and Garw.	28,515	178	88	18	18	2	-	9	-	2	-	4	5	5	5	-	101	Ogmore and Garw.
Pontypridd.	41,651	317	128	25	32	-	-	2	-	7	-	3	9	12	15	-	79	Pontypridd.
CARMARTHENSHIRE.																	CARMARTHENSHIRE.	
Llanelli.	34,905	187	105	16	34	-	-	-	-	2	1	2	3	5	11	2	86	Llanelli.

TABLE VIII.—NUMBER of CASES of INFECTIOUS DISEASE among the CIVIL POPULATION notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 29th June, 1918.*

CITIES, BOROUGHES, and URBAN DISTRICTS.	Estimated Civilian Population, Mid. 1917.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Croup).	Cholera.	Erysipelas.	Puerperal Fever.
Great Towns.											
LONDON -	4,026,901	4,106	102	-	1	7	1,429	2,044	-	478	45
CROYDON -	167,681	173	5	-	-	-	110	44	-	11	3
WIMBLEDON -	53,536	48	-	-	-	-	17	26	-	4	1
EALING -	64,128	24	1	-	-	-	9	7	-	7	-
ACTON -	58,507	18	-	-	-	-	10	7	-	1	-
WILLESDEN -	157,005	108	6	-	-	-	30	60	-	11	1
HORNSEY -	82,442	38	5	-	-	-	19	10	-	4	-
TOTTENHAM -	135,173	109	-	-	-	-	38	67	-	4	-
EDMONTON -	61,940	42	4	-	-	-	22	9	-	7	-
ENFIELD -	57,192	20	2	-	-	-	7	7	-	3	1
WEST HAM -	271,934	307	7	-	-	-	113	148	-	36	3
EAST HAM -	131,008	124	1	-	-	-	52	60	-	11	-
LEYTON -	112,452	81	-	-	-	-	32	36	-	8	5
WALTHAMSTOW -	119,307	68	1	-	-	-	10	46	-	11	-
ILFORD -	75,130	150	23	-	-	-	34	87	-	6	-
GILLINGHAM -	44,074	61	2	-	-	-	53	3	-	3	-
HASTINGS -	48,439	42	3	-	-	-	7	20	-	12	-
EASTBOURNE -	44,842	28	-	-	-	-	13	11	-	4	-
BRIGHTON -	113,635	134	13	-	-	-	50	62	-	8	1
PORTSMOUTH† -	198,527	318	6	-	-	-	69	215	-	22	6
BOURNEMOUTH -	70,327	38	2	-	-	-	19	11	-	5	1
SOUTHAMPTON -	115,345	74	4	-	-	-	16	42	-	10	2
READING -	82,475	65	-	-	-	-	36	20	-	8	1
OXFORD -	53,101	22	-	-	-	-	1	18	-	3	-
NORTHAMPTON -	82,471	38	4	-	-	-	8	17	-	8	1
CAMBRIDGE -	52,282	26	1	-	-	-	6	14	-	5	-
SOUTHEND ON SEA -	71,919	27	1	-	-	-	17	5	-	3	1
IPSWICH -	72,800	58	-	-	-	-	15	35	-	7	1
GREAT YARMOUTH -	45,516	24	2	-	-	-	3	15	-	4	-
NORWICH -	109,877	93	-	-	-	-	33	50	-	10	-
SWINDON -	51,516	42	-	-	-	-	19	19	-	4	-
EXETER -	51,631	15	1	-	-	-	3	3	-	8	-
PLYMOUTH -	179,375	136	8	-	-	-	53	61	-	13	1
BATH -	58,799	39	-	-	-	-	20	11	-	8	-
BRISTOL -	334,814	228	12	-	-	-	79	96	-	28	13
GLOUCESTER -	55,026	33	3	-	1	-	3	21	-	5	-
STOKE ON TRENT -	215,116	227	6	-	-	-	69	117	-	31	4
WOLVERHAMPTON -	93,037	49	-	-	-	-	26	12	-	9	2
WALSALL -	87,957	57	-	-	-	-	27	18	-	12	-
WEST BROMWICH -	67,221	17	2	-	-	-	4	8	-	1	2
DUDLEY -	52,049	17	1	-	-	-	11	4	-	1	-
BIRMINGHAM -	870,211	656	7	-	-	-	284	256	-	91	18
SMETHWICK -	69,788	36	-	-	-	-	15	9	-	9	3
COVENTRY -	128,098	82	2	-	-	-	41	19	-	19	1
LEICESTER -	212,433	191	13	-	-	-	119	39	-	18	2
LINCOLN -	58,617	52	1	-	-	-	29	17	-	5	-
GRIMSBY -	67,014	59	-	-	-	-	43	11	-	4	1
NOTTINGHAM -	236,853	176	2	-	-	-	50	88	-	36	-
DERBY -	119,191	192	3	-	-	-	78	91	-	17	3
STOCKPORT -	111,922	69	4	-	-	-	33	19	-	12	1
BIRKENHEAD -	133,819	197	1	-	-	-	126	59	-	11	-
WALLASEY -	84,209	140	-	-	-	-	123	13	-	4	-
LIVERPOOL -	716,140	1,180	17	2	-	-	752	323	-	77	9
BOOTLE -	68,871	154	-	-	-	-	124	26	-	4	-
ST. HELENS -	90,582	413	2	-	-	-	165	234	-	10	2
SOUTHPORT -	60,747	30	-	-	-	-	14	5	-	10	1
WIGAN -	83,110	70	6	-	-	-	38	13	-	12	1
WARRINGTON -	68,554	70	5	-	-	-	27	21	-	16	1
BOLTON -	163,411	75	2	-	-	-	47	17	-	9	-
BURY -	51,851	51	3	-	-	-	22	23	-	2	1
MANCHESTER -	660,143	454	40	-	-	-	202	132	-	62	18
SALFORD -	211,373	158	14	-	-	-	88	34	-	16	6

* The figures in this table, excepting those for London, which are derived from Table IX., are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

† The figures for Southsea District of Portsmouth are—total population (1911), 25,380; enteric fever, nil; typhus, nil; continued fever, nil; small-pox, nil; scarlet fever, 1; diphtheria (including membranous croup), 14; erysipelas, 1; and puerperal fever, nil.

TABLE VIII. (*continued*).—NUMBER of CASES of INFECTIOUS DISEASE among the CIVIL POPULATION notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 29th June, 1918.*

CITIES, BOROUGHES, and URBAN DISTRICTS.	Estimated Civilian Population, Mid. 1917.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
OLDHAM	133,721	59	10	-	-	-	27	13	-	7	2
ROCHDALE	84,561	34	2	-	-	-	5	19	-	6	2
BURNLEY	93,779	30	1	-	-	-	11	11	-	6	1
BLACKBURN	113,315	46	3	-	-	-	13	16	-	12	2
PRESTON	106,747	40	2	-	-	-	12	17	-	9	-
BLACKPOOL †	64,775	39	2	-	-	-	18	14	-	4	1
BARROW IN FURNESS	78,675	37	2	-	-	-	16	14	-	5	-
HUDDERSFIELD	105,818	70	1	-	-	-	32	34	-	3	-
HALIFAX	92,775	75	1	-	-	-	19	47	-	7	1
BRADFORD	266,338	172	9	-	-	-	51	77	-	30	5
LEEDS	417,051	287	7	-	-	-	95	135	-	44	6
DEWSBURY	52,244	10	2	-	-	-	5	2	-	-	1
WAKEFIELD	47,830	54	4	-	-	-	33	11	-	5	1
BARNLEY	47,943	41	3	-	-	-	11	19	-	8	-
SHEFFIELD	469,293	598	22	-	-	-	357	149	-	57	13
ROTHERHAM	64,685	37	2	-	-	-	20	9	-	6	-
YORK	78,492	38	8	-	-	-	12	14	-	4	-
HULL	246,357	206	5	-	-	-	105	65	-	28	3
MIDDLESBROUGH	119,251	68	2	-	-	-	22	35	-	7	2
DARLINGTON	60,482	28	1	-	-	-	9	12	-	6	-
STOCKTON ON TEES	57,048	32	1	-	-	-	6	19	-	4	2
WEST HARTLEPOOL	62,034	25	1	-	-	-	7	10	-	6	1
SUNDERLAND	141,765	117	1	-	-	-	85	15	-	14	2
SOUTH SHIELDS	106,500	35	-	-	-	-	17	11	-	7	-
GATESHEAD	119,134	63	1	-	-	-	34	20	-	8	-
NEWCASTLE ON TYNE	266,551	154	9	-	-	-	74	54	-	16	1
TYNEMOUTH	57,591	33	3	-	-	-	13	11	-	6	-
CARLISLE	53,064	36	-	-	-	-	11	11	-	14	-
NEWPORT (Mon.)	82,709	36	2	-	-	-	25	7	-	2	-
CARDIFF	169,440	186	5	-	-	-	100	70	-	11	-
RHONDDA	154,388	77	4	-	-	-	32	31	-	7	3
MERTHYR TYDFIL	74,508	79	1	-	-	-	64	12	-	2	-
ABERDARE	51,317	36	1	-	-	-	24	9	-	2	-
SWANSEA	111,776	57	1	-	-	-	20	26	-	7	3
Smaller Towns.											
SURREY—											
BARNES	32,495	21	-	-	-	-	14	6	-	1	-
GUILDFORD	22,606	16	-	-	-	-	12	2	-	2	-
KINGSTON ON THAMES	35,608	20	-	-	-	-	3	12	-	4	1
MITCHAM	30,189	36	3	-	-	1†	12	17	-	2	1
REIGATE	23,680	9	-	-	-	-	1	8	-	-	-
RICHMOND	33,359	11	1	-	-	-	6	2	-	1	1
SUTTON	19,502	3	-	-	-	-	-	3	-	-	-
WOKING	22,771	7	-	-	-	-	5	2	-	-	-
KENT—											
BECKENHAM	30,612	34	-	-	-	-	8	23	-	3	-
BROMLEY	31,882	13	-	-	-	-	6	4	-	2	1
CANTERBURY	21,627	24	1	-	-	-	-	15	-	6	2
CHATHAM	36,422	31	-	-	-	-	23	6	-	2	-
DARTFORD	21,007	51	-	-	-	4	4	39	-	3	1
DOVER	35,685	8	-	-	-	-	5	1	-	1	1
BRITH	33,129	19	-	-	-	-	14	4	-	1	-
FOLKESTONE	31,856	9	-	-	-	-	1	4	-	4	-
GRAVESEND	26,832	24	1	-	-	-	3	17	-	3	-
MAIDSTONE	30,796	26	5	-	-	-	8	13	-	-	-
MARGATE	19,412	29	1	-	-	-	5	20	-	3	-
PENGE (Surrey Reg. Co.)	21,474	15	-	-	-	-	10	2	-	2	1
RAMSGATE	21,362	14	-	-	-	-	3	8	-	3	-
ROCHESTER	28,896	26	1	-	-	-	13	7	-	5	-
TUNBRIDGE WELLS	30,751	9	2	-	-	-	2	1	-	4	-

* The figures in this table, excepting those for London, which are derived from Table IX., are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

† Doubtful.

‡ As extended 1st April 1918.

TABLE VIII. (continued).—NUMBER of CASES of INFECTIOUS DISEASE among the CIVIL POPULATION notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 29th June, 1918.*

CITIES, BOROUGHES, and URBAN DISTRICTS.	Estimated Civilian Population. Mid. 1917	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Croup).	Cholera.	Erysipelas.	Puerperal Fever.
SUSSEX EAST—											
Hove - - - - -	39,622	13	-	-	-	-	6	6	-	1	-
SUSSEX WEST—											
WORTHING - - - - -	27,662	21	-	-	-	-	6	14	-	1	-
SOUTHAMPTON—											
ALDERSHOT (Surrey Reg. Co.).	20,391	11	-	-	-	-	5	4	-	2	-
GOSPORT AND ALVERSTOKE	27,762	75	-	-	-	-	38	37	-	-	-
WINCHESTER - - - - -	20,152	33	21	-	-	-	7	4	-	1	-
MIDDLESEX—											
CHISWICK - - - - -	38,712	34	-	-	-	-	13	17	-	4	-
FINCHLEY - - - - -	42,969	41	1	-	-	-	21	16	-	2	1
HENDON - - - - -	51,689	29	2	-	-	-	19	6	-	2	-
HESTON AND ISLEWORTH -	38,683	18	2	-	-	-	3	8	-	3	2
SOUTHALL NORWOOD - -	26,556	12	-	-	-	-	7	4	-	1	-
SOUTHGATE - - - - -	37,107	14	-	-	-	-	4	5	-	5	-
TWICKENHAM - - - - -	35,764	8	-	-	-	-	4	2	-	-	2
WOOD GREEN - - - - -	46,645	41	-	-	-	-	6	33	-	1	1
HERTFORDSHIRE—											
ST. ALBANS - - - - -	24,208	9	-	-	-	-	5	3	-	1	-
WATFORD - - - - -	40,650	25	-	-	-	-	5	14	-	6	-
BUCKINGHAMSHIRE—											
CHEPPING WYCOMBE -	19,627	29	-	-	-	-	7	21	-	1	-
NORTHAMPTONSHIRE—											
KETTERING - - - - -	27,370	45	-	-	-	-	5	34	-	6	-
SOKE OF PETER- BOROUGH—											
PETERBOROUGH - - - -	34,920	40	1	-	-	-	29	5	-	5	-
BEDFORDSHIRE—											
BEDFORD - - - - -	37,663	33	-	-	-	-	14	18	-	1	-
LUTON - - - - -	54,208	40	-	-	-	-	11	28	-	1	-
ESSEX—											
BARKING TOWN - - - -	32,394	32	-	-	-	-	5	21	-	6	-
COLCHESTER - - - - -	36,991	23	6	-	-	-	5	9	-	3	-
SUFFOLK EAST—											
LOWESTOFT - - - - -	30,223	16	1	-	-	-	11	3	-	1	-
NORFOLK—											
KING'S LYNN - - - - -	17,520	3	-	-	-	-	1	1	-	1	-
WILTSHIRE—											
SALISBURY - - - - -	20,394	6	-	-	-	-	4	2	-	-	-
DORSETSHIRE—											
POOLE - - - - -	37,978	30	1	-	-	-	10	15	-	3	1
WEYMOUTH AND MELCOMBE REGIS.	21,338	-	-	-	-	-	-	-	-	-	-
DEVONSHIRE—											
TORQUAY - - - - -	30,685	17	-	-	-	-	-	16	-	1	-
SOMERSETSHIRE—											
TAUNTON - - - - -	19,247	8	-	-	-	-	-	5	-	3	-
WESTON SUPER MARE -	21,222	8	-	-	-	-	6	1	-	1	-
GLOUCESTERSHIRE—											
CHELTENHAM - - - - -	41,181	33	1	-	-	-	9	16	-	7	-
HEREFORDSHIRE—											
HEREFORD - - - - -	23,246	4	-	-	-	-	1	-	-	3	-

* The figures in this table, excepting those for London, which are derived from Table IX., are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

TABLE VIII. (continued).—NUMBER of CASES of INFECTIOUS DISEASE among the CIVIL POPULATION notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 29th June, 1918.*

CITIES, BOROUGHES, and URBAN DISTRICTS.	Estimated Civilian Population, Mid. 1917.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Croup).	Cholera.	Erysipelas.	Puerperal Fever.
SHROPSHIRE—											
SHREWSBURY - - -	27,386	35	-	-	-	-	7	23	-	5	-
STAFFORDSHIRE—											
BILSTON - - - -	24,728	15	-	-	-	-	13	1	-	1	-
BURTON UPON TRENT -	42,311	86	-	-	-	-	62	11	-	13	-
CANNOCK - - - -	28,785	19	-	-	-	-	4	12	-	3	-
COSELEY - - - -	21,897	4	-	-	-	-	2	-	-	2	-
NEWCASTLE UNDER LYME	18,532	8	1	-	-	-	3	3	-	1	-
ROWLEY REGIS - - -	36,505	11	-	-	-	-	7	3	-	1	-
STAFFORD - - - -	24,376	66	-	-	-	-	9	54	-	3	-
TIPTON - - - -	31,630	24	1	-	-	-	15	2	-	6	-
WEDNESBURY - - -	29,759	12	3	-	-	-	4	2	-	2	1
WOLSTANTON UNITED -	27,704	9	-	-	-	-	3	5	-	-	1
WORCESTERSHIRE—											
KIDDERMINSTER - -	23,508	8	-	-	-	-	3	4	-	1	-
OLDBURY (Staffordshire Reg. Co.).	34,884	11	-	-	-	-	8	2	-	1	-
WORCESTER - - - -	44,744	26	-	-	-	-	8	16	-	2	-
WARWICKSHIRE—											
NUNEATON - - - -	37,681	31	-	-	-	-	2	29	-	-	-
ROYAL LEAMINGTON SPA -	25,654	13	-	-	-	-	5	7	-	1	-
RUGBY - - - -	22,675	12	2	-	-	-	6	4	-	-	-
SUTTON COLDFIELD (Staffs. Reg. Co.).	19,265	8	-	-	-	-	7	-	-	1	-
LEICESTERSHIRE—											
LOUGHBOROUGH - -	22,967	5	-	-	-	-	3	2	-	-	-
LINCOLNSHIRE											
(KESTEVEN)—											
GRANTHAM - - - -	20,388	10	-	-	-	-	3	7	-	-	-
LINCOLNSHIRE											
(LINDSEY)—											
CLEETHORPE WITH	22,285	15	1	-	-	-	6	6	-	2	-
THRUNSCOE.											
GAINSBOROUGH - - -	19,092	9	-	-	-	-	6	3	-	-	-
NOTTINGHAMSHIRE—											
MANSFIELD - - - -	40,936	24	-	-	-	-	12	6	-	6	-
SUTTON IN ASHFIELD -	22,329	22	7	-	-	-	3	4	-	8	-
WORKSOP - - - -	20,209	8	-	-	-	-	7	1	-	-	-
DERBYSHIRE—											
CHESTERFIELD - - -	36,706	43	1	-	-	-	12	28	-	2	-
GLOSSOP - - - -	19,329	5	1	-	-	-	1	3	-	-	-
ILKESTON (Nottingham- shire Reg. Co.).	29,597	4	2	-	-	-	1	-	-	1	-
CHESHIRE—											
CHESTER - - - -	37,262	16	2	-	-	-	1	13	-	-	-
CREWE - - - -	43,256	40	-	-	-	-	12	27	-	1	-
HYDE - - - -	30,828	14	-	-	-	-	1	8	-	5	-
MACCLESFIELD - - -	29,634	8	1	-	-	-	4	1	-	2	-
STALYBRIDGE (Lancashire Reg. Co.).	23,464	5	1	-	-	-	-	3	-	1	-
LANCASHIRE—											
ACCRINGTON - - - -	40,694	11	2	-	-	-	3	3	-	3	-
ASHTON IN MAKERFIELD -	21,101	15	2	-	-	-	10	3	-	-	-
ASHTON UNDER LYNE -	39,173	20	6	-	-	-	7	2	-	5	-
BACUP - - - -	19,235	6	1	-	-	-	1	-	-	4	-
CHADDERTON - - - -	26,298	43	1	-	-	-	23	10	-	9	-
CHORLEY - - - -	27,328	7	-	-	-	-	6	-	-	1	-
COLNE - - - -	22,312	69	2	-	-	-	1	63	-	3	-
DARWEN - - - -	34,278	17	-	-	-	-	10	4	-	3	-
ECCLES - - - -	40,247	38	2	-	-	-	18	10	-	6	2
FARNWORTH - - - -	24,759	20	1	-	-	-	13	-	-	6	-

* The figures in this table, excepting those for London, which are derived from Table IX., are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

TABLE VIII. (*continued*).—NUMBER of CASES of INFECTIOUS DISEASE among the CIVIL POPULATION notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 29th June, 1918.*

CITIES, BOROUGHs, and URBAN DISTRICTS.	Estimated Civilian Population, Mid. 1917.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
LANCASHIRE—<i>cont.</i>											
HEYWOOD - - -	23,579	12	2	-	-	-	2	5	-	3	-
HINDLEY - - -	22,251	32	1	-	-	-	18	6	-	7	-
INCE IN MAKERFIELD - -	20,871	16	1	-	-	-	12	1	-	2	-
LANCASTER - - -	36,707	16	-	-	-	-	5	4	-	7	-
LEIGH - - -	42,189	26	1	-	-	-	7	10	-	7	1
MIDDLETON - - -	25,539	6	-	-	-	-	-	3	-	2	1
NELSON - - -	36,538	9	-	-	-	-	6	1	-	2	-
RADCLIFFE - - -	23,054	11	1	-	-	-	6	3	-	-	1
RAWTENSTALL - - -	26,032	8	3	-	-	-	2	-	-	2	1
STRETFORD - - -	40,682	11	2	-	-	-	3	3	-	3	-
SWINTON AND PENDLEBURY.	28,188	22	1	-	-	-	12	2	-	7	-
WATERLOO WITH SEAFORTH.	27,746	47	-	-	-	-	21	23	-	3	-
WIDNES - - -	31,368	16	-	-	-	-	5	9	-	2	-
YORKSHIRE (WEST RIDING)—											
BATLEY - - -	33,801	12	1	-	-	-	3	5	-	3	-
BRIGHOUSE - - -	19,332	7	-	-	-	-	3	4	-	-	-
CASTLEFORD - - -	24,256	13	1	-	-	-	9	1	-	2	-
DONCASTER - - -	48,187	41	1	-	-	-	10	16	-	14	-
GOOLE - - -	16,397	16	-	-	-	-	5	10	-	1	-
HARROGATE - - -	30,722	30	1	-	-	-	16	13	-	-	-
KEIGHLEY - - -	40,575	15	-	-	-	-	5	9	-	1	-
MORLEY - - -	22,567	19	2	-	-	-	9	4	-	3	1
SHIPLEY - - -	26,377	6	-	-	-	-	2	4	-	-	-
SPENBOROUGH - - -	29,816	23	-	-	-	-	7	12	-	4	-
TODMORDEN - - -	23,862	4	-	-	-	-	1	2	-	1	-
YORKSHIRE (NORTH RIDING)—											
ESTON - - -	28,909	25	1	-	1	-	2	17	-	4	-
SCARBOROUGH - - -	28,410	43	1	-	-	-	7	33	-	2	-
DURHAM—											
BLAYDON - - -	30,870	17	1	-	-	-	3	11	-	2	-
FELLING - - -	24,532	10	-	-	-	-	6	2	-	2	-
HARTLEPOOL - - -	18,195	23	-	-	-	-	16	2	-	5	-
HEBBURN - - -	23,660	19	-	-	-	-	14	2	-	3	-
JARROW - - -	35,460	20	1	-	-	-	14	1	-	4	-
STANLEY - - -	22,538	57	-	-	-	-	45	8	-	4	-
NORTHUMBERLAND—											
ASHINGTON - - -	26,281	47	4	-	-	-	23	15	-	5	-
BEDLINGTONSHIRE - -	23,667	12	5	-	-	-	2	2	-	3	-
BLYTH - - -	28,505	8	1	-	-	-	4	-	-	3	-
WALLSEND - - -	43,358	29	-	-	-	-	19	8	-	2	-
CUMBERLAND—											
WORKINGTON - - -	25,282	23	-	-	-	-	-	19	-	4	-
MONMOUTHSHIRE—											
ABERSYCHAN - - -	25,274	17	1	-	-	-	8	2	-	6	-
ABERTILLERY - - -	37,032	42	2	-	-	-	35	3	-	2	-
BEDWELLY - - -	28,016	17	-	-	-	-	15	1	-	1	-
EBBW VALE - - -	34,073	29	2	-	-	-	13	10	-	4	-
TREDEGAR - - -	22,879	18	-	-	-	-	13	2	-	3	-
GLAMORGANSHIRE—											
BARRY - - -	33,403	38	2	-	-	-	19	10	-	7	-
CAERPHILLY - - -	33,859	33	-	-	-	-	23	8	-	1	1
GELLIGAER - - -	39,211	30	7	-	-	-	8	15	-	-	-
MAESTEG - - -	27,454	30	-	-	-	-	12	16	-	2	-
MOUNTAIN ASH - - -	41,341	30	4	-	-	-	6	14	-	6	-
OGMORE AND GARW - -	28,515	11	1	-	-	-	7	-	-	3	-
PONTYPRIDD - - -	41,651	19	-	-	-	-	10	4	-	5	-
CARMARTHENSHIRE—											
LLANELLY - - -	34,905	11	-	-	-	-	10	1	-	-	-

* The figures in this table, excepting those for London, which are derived from Table IX., are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

TABLE IX.—NUMBER of CASES of INFECTIOUS DISEASE among the CIVIL POPULATION notified in the several BOROUGHs of the ADMINISTRATIVE COUNTY of LONDON during the 13 Weeks ended 29th June, 1918.*

BOROUGHs.	Estimated Civilian Population, Mid. 1917.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Anthrax.	Glanders.	Ophthalmia Neonatorum.	Poliomyelitis.	Chicken-pox.	
WEST.																		
Addington - -	122,507	344	3	-	-	-	25	81	-	18	2	1	-	-	6	-	208	
Barnsington - -	151,535	361	2	-	1	-	47	50	-	16	4	1	-	-	4	-	236	
Barnhamsmith - -	114,952	262	2	-	-	-	36	46	-	9	4	1	-	-	7	-	157	
Barnham - - -	145,186	284	-	-	-	-	44	53	-	10	4	4	-	-	6	-	163	
Barnsea - - -	57,368	98	2	-	-	-	11	6	-	5	-	-	-	-	7	-	67	
City of Westminster	122,046	287	6	-	-	-	17	35	-	12	-	-	-	-	5	-	212	
NORTH.																		
Barn Marylebone - -	92,796	137	1	-	-	-	17	37	-	14	2	2	-	-	6	1	57	
Barn Hampstead - -	75,649	165	2	-	-	-	14	29	-	7	-	-	-	-	1	-	112	
Barn Pancras - - -	186,600	582	5	-	-	-	64	105	-	36	1	-	1	-	11	1	358	
Barn Finsbury - - -	297,102	951	9	-	-	1	102	140	-	28	4	1	-	-	14	-	652	
Barn Stoke Newington - -	47,426	136	-	-	-	-	10	32	-	7	1	-	-	-	1	-	85	
Barn Finsbury - - -	196,598	444	12	-	-	-	38	82	-	21	1	4	1	-	6	1	278	
CENTRAL.																		
Barn Finsbury - - -	35,303	57	1	-	-	-	8	13	-	2	-	-	-	-	2	-	31	
Barn Finsbury - - -	68,011	222	2	-	-	-	49	31	-	6	1	-	-	-	-	-	133	
City of London - -	16,138	44	-	-	-	-	2	3	-	1	-	-	-	-	-	-	38	
EAST.																		
Barn Finsbury - - -	89,675	316	3	-	-	-	26	48	-	19	1	-	-	-	4	-	215	
Barn Finsbury - - -	107,362	258	4	-	-	-	32	74	-	26	1	1	-	-	4	2	114	
Barn Finsbury - - -	232,010	751	5	-	-	4	60	193	-	25	4	2	-	-	4	2	452	
Barn Finsbury - - -	143,443	276	-	-	-	1	42	72	-	18	3	2	-	-	6	1	131	
SOUTH.																		
Barn Finsbury - - -	167,936	499	3	-	-	-	115	113	-	30	1	4	-	-	11	-	222	
Barn Finsbury - - -	107,635	329	2	-	-	-	51	116	-	12	2	1	-	-	3	4	138	
Barn Finsbury - - -	272,038	551	1	-	-	1	105	104	-	18	6	5	-	-	16	-	295	
Barn Finsbury - - -	150,023	467	3	-	-	-	69	47	-	16	2	-	-	-	5	1	324	
Barn Finsbury - - -	300,787	714	18	-	-	-	146	140	-	20	6	8	-	-	8	1	367	
Barn Finsbury - - -	239,461	550	6	-	-	-	85	136	-	33	3	1	1	-	13	-	272	
Barn Finsbury - - -	103,527	332	1	-	-	-	48	68	-	28	1	-	-	-	3	1	182	
Barn Finsbury - - -	90,440	341	2	-	-	-	57	58	-	15	-	-	-	-	6	-	203	
Barn Finsbury - - -	161,405	434	3	-	-	-	45	87	-	9	1	1	-	-	3	-	285	
Barn Finsbury - - -	131,942	450	4	-	-	-	63	42	-	17	2	6	-	-	7	2	307	
City of London - -	?	4	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	
ADMINISTRATIVE COUNTY OF LONDON - -		4,026,901	10,646	102	-	1	7	1,429	2,044	-	478	57	45	3	-	169	17	6,294
Ages 0-1 - - -																		
Ages 0-1 - - -		572	-	-	-	-	16	50	-	14	10	-	-	-	169	-	313	
" 1-5 - - -		3,409	4	-	-	1	393	769	-	20	17	-	-	-	-	9	2,196	
" 5- - - -		4,287	6	-	-	-	570	700	-	22	6	-	-	-	-	5	2,978	
" 10- - - -		1,061	11	-	-	-	265	245	-	22	7	-	-	-	-	-	511	
" 15- - - -		386	16	-	-	1	88	97	-	24	11	1	1	-	-	-	147	
" 20- - - -		228	16	-	-	-	44	67	-	22	1	13	-	-	-	2	63	
" 25- - - -		243	21	-	-	-	33	70	-	51	2	15	-	-	-	-	51	
" 35- - - -		171	17	-	-	2	16	26	-	75	1	14	-	-	-	-	20	
" 45- - - -		123	6	-	-	2	2	14	-	87	1	1	1	-	-	-	9	
" 55- - - -		82	4	-	1	-	2	4	-	64	1	-	1	-	-	1	4	
" 65- - - -		59	1	-	-	1	-	2	-	53	-	-	-	-	-	-	2	
" 75 and upwards - -		24	-	-	-	-	-	-	-	24	-	-	-	-	-	-	-	
Age not stated - - -		1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	

This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

TABLE X.—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 29th June, 1918.

(Civilian Population only.)

TOWNS.	Annual Rate per 1000 Civilian Population, Mid. 1917.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
LONDON - - - -	4·09	0·10	-	0·00	0·01	1·42	2·04	-	0·48	0·04
243 Provincial Towns - -	3·23	0·12	0·00	0·00	0·00	1·48	1·26	-	0·37	0·03
95 Great Towns - - -	3·41	0·12	0·00	0·00	-	1·59	1·23	-	0·37	0·05
148 Smaller Towns - - -	2·87	0·13	-	0·00	0·00	1·15	1·21	-	0·36	0·02
Great Towns.										
CROYDON - - - -	4·13	0·12	-	-	-	2·63	1·05	-	0·26	0·07
WIMBLEDON - - - -	3·59	-	-	-	-	1·27	1·95	-	0·30	0·07
EALING - - - -	1·50	0·06	-	-	-	0·56	0·44	-	0·44	-
ACTON - - - -	1·24	-	-	-	-	0·69	0·43	-	0·07	-
WILLESDEN - - - -	2·76	0·15	-	-	-	0·77	1·53	-	0·28	0·03
HORNSEY - - - -	1·84	0·24	-	-	-	0·92	0·49	-	0·19	-
TOTTENHAM - - - -	3·24	-	-	-	-	1·13	1·99	-	0·12	-
EDMONTON - - - -	2·71	0·26	-	-	-	1·42	0·58	-	0·45	-
ENFIELD - - - -	1·40	0·14	-	-	-	0·49	0·49	-	0·21	0·07
WEST HAM - - - -	4·52	0·10	-	-	-	1·67	2·18	-	0·53	0·04
EAST HAM - - - -	3·80	0·03	-	-	-	1·59	1·84	-	0·34	-
LEYTON - - - -	2·89	-	-	-	-	1·14	1·28	-	0·29	0·18
WALTHAMSTOW - - - -	2·29	0·03	-	-	-	0·34	1·55	-	0·37	-
ILFORD - - - -	8·01	1·23	-	-	-	1·82	4·64	-	0·32	-
GILLINGHAM - - - -	5·54	0·18	-	-	-	4·82	0·27	-	0·27	-
HASTINGS - - - -	3·48	0·25	-	-	-	0·58	1·66	-	0·99	-
EASTBOURNE - - - -	2·50	-	-	-	-	1·16	0·98	-	0·36	-
BRIGHTON - - - -	4·73	0·46	-	-	-	1·76	2·19	-	0·28	0·04
PORTSMOUTH - - - -	6·41	0·12	-	-	-	1·39	4·34	-	0·44	0·12
BOURNEMOUTH - - - -	2·17	0·11	-	-	-	1·08	0·63	-	0·29	0·06
SOUTHAMPTON - - - -	2·58	0·14	-	-	-	0·56	1·46	-	0·35	0·07
READING - - - -	3·16	-	-	-	-	1·75	0·97	-	0·39	0·05
OXFORD - - - -	1·67	-	-	-	-	0·08	1·36	-	0·23	-
NORTHAMPTON - - - -	1·85	0·19	-	-	-	0·39	0·83	-	0·39	0·05
CAMBRIDGE - - - -	1·99	0·08	-	-	-	0·46	1·07	-	0·38	-
SOUTHEND ON SEA - - - -	1·52	0·06	-	-	-	0·95	0·28	-	0·17	0·06
IPSWICH - - - -	3·21	-	-	-	-	0·83	1·93	-	0·39	0·06
GREAT YARMOUTH - - - -	2·11	0·18	-	-	-	0·26	1·32	-	0·35	-
NORWICH - - - -	3·40	-	-	-	-	1·20	1·83	-	0·37	-
SWINDON - - - -	3·27	-	-	-	-	1·48	1·48	-	0·31	-
EXETER - - - -	1·16	0·08	-	-	-	0·23	0·23	-	0·62	-
PLYMOUTH - - - -	3·04	0·18	-	-	-	1·19	1·36	-	0·29	0·02
BATH - - - -	2·66	-	-	-	-	1·36	0·75	-	0·55	-
BRISTOL - - - -	2·74	0·14	-	-	-	0·95	1·15	-	0·34	0·16
GLOUCESTER - - - -	2·40	0·22	-	0·07	-	0·22	1·53	-	0·36	-
STOKE ON TRENT - - - -	4·23	0·11	-	-	-	1·29	2·18	-	0·58	0·07
WOLVERHAMPTON - - - -	2·12	-	-	-	-	1·12	0·52	-	0·39	0·09
WALSALL - - - -	2·60	-	-	-	-	1·23	0·82	-	0·55	-
WEST BROMWICH - - - -	1·02	0·12	-	-	-	0·24	0·48	-	0·06	0·12
DUDLEY - - - -	1·32	0·08	-	-	-	0·85	0·31	-	0·08	-
BIRMINGHAM - - - -	3·02	0·03	-	-	-	1·31	1·18	-	0·42	0·08
SMETHWICK - - - -	2·07	-	-	-	-	0·86	0·52	-	0·52	0·17
COVENTRY - - - -	2·55	0·06	-	-	-	1·28	0·59	-	0·59	0·03
LEICESTER - - - -	3·62	0·25	-	-	-	2·25	0·74	-	0·34	0·04
LINCOLN - - - -	3·55	0·07	-	-	-	1·98	1·16	-	0·34	-
GRIMSBY - - - -	3·53	-	-	-	-	2·57	0·66	-	0·24	0·06
NOTTINGHAM - - - -	2·98	0·03	-	-	-	0·85	1·49	-	0·61	-
DERBY - - - -	6·45	0·10	-	-	-	2·62	3·06	-	0·57	0·10
STOCKPORT - - - -	2·47	0·14	-	-	-	1·18	0·68	-	0·43	0·04
BIRKENHEAD - - - -	5·91	0·03	-	-	-	3·78	1·77	-	0·33	-
WALLASEY - - - -	6·67	-	-	-	-	5·86	0·62	-	0·19	-
LIVERPOOL - - - -	6·61	0·10	0·01	-	-	4·21	1·81	-	0·43	0·05
BOOTLE - - - -	8·96	-	-	-	-	7·22	1·51	-	0·23	-
ST. HELENS - - - -	18·29	0·09	-	-	-	7·31	10·36	-	0·44	0·09
SOUTHPORT - - - -	1·98	-	-	-	-	0·92	0·33	-	0·66	0·07
WIGAN - - - -	3·38	0·29	-	-	-	1·83	0·63	-	0·58	0·05
WARRINGTON - - - -	4·10	0·29	-	-	-	1·58	1·23	-	0·94	0·06
BOLTON - - - -	1·84	0·05	-	-	-	1·15	0·42	-	0·22	-
BURY - - - -	3·94	0·23	-	-	-	1·70	1·78	-	0·15	0·08
MANCHESTER - - - -	2·76	0·24	-	-	-	1·23	0·80	-	0·38	0·11
SALFORD - - - -	3·00	0·27	-	-	-	1·67	0·65	-	0·30	0·11

TABLE X. (*continued*).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 29th June, 1918.

(Civilian Population only.)

TOWNS.	Annual Rate per 1000 Civilian Population, Mid. 1917.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Puerperal Fever.
OLDHAM	1·77	0·30	-	-	-	0·81	0·39	-	0·21	0·06
ROCHDALE	1·60	0·09	-	-	-	0·24	0·90	-	0·28	0·09
BURNLEY	1·28	0·04	-	-	-	0·47	0·47	-	0·26	0·04
BLACKBURN	1·63	0·11	-	-	-	0·46	0·57	-	0·42	0·07
PRESTON	1·51	0·08	-	-	-	0·45	0·64	-	0·34	-
BLACKPOOL*	2·41	0·12	-	-	-	1·11	0·87	-	0·25	0·06
BARROW IN FURNESS	1·88	0·10	-	-	-	0·82	0·71	-	0·25	-
HUDDERSFIELD	2·65	0·04	-	-	-	1·21	1·29	-	0·11	-
HALIFAX	3·23	0·04	-	-	-	0·82	2·03	-	0·30	0·04
BRADFORD	2·60	0·14	-	-	-	0·77	1·16	-	0·45	0·08
LEEDS	2·76	0·07	-	-	-	0·91	1·30	-	0·42	0·06
DEWSBURY	0·76	0·15	-	-	-	0·38	0·15	-	-	0·08
WAKEFIELD	4·53	0·34	-	-	-	2·77	0·92	-	0·42	0·08
BARNSELY	3·43	0·25	-	-	-	0·92	1·59	-	0·67	-
SHEFFIELD	5·11	0·19	-	-	-	3·05	1·27	-	0·49	0·11
ROTHERHAM	2·29	0·12	-	-	-	1·24	0·56	-	0·37	-
YORK	1·94	0·41	-	-	-	0·61	0·72	-	0·20	-
HULL	3·36	0·08	-	-	-	1·71	1·06	-	0·46	0·05
MIDDLESBROUGH	2·30	0·07	-	-	-	0·74	1·18	-	0·24	0·07
DARLINGTON	1·87	0·07	-	-	-	0·60	0·80	-	0·40	-
STOCKTON ON TEES	2·25	0·07	-	-	-	0·42	1·34	-	0·28	0·14
WEST HARTLEPOOL	1·61	0·06	-	-	-	0·45	0·65	-	0·39	0·06
SUNDERLAND	3·31	0·03	-	-	-	2·40	0·42	-	0·40	0·06
SOUTH SHIELDS	1·31	-	-	-	-	0·64	0·41	-	0·26	-
GATESHEAD	2·11	0·03	-	-	-	1·14	0·67	-	0·27	-
NEWCASTLE ON TYNE	2·32	0·14	-	-	-	1·11	0·81	-	0·24	0·02
TYNEMOUTH	2·31	0·21	-	-	-	0·91	0·77	-	0·42	-
CARLISLE	2·72	-	-	-	-	0·83	0·83	-	1·06	-
NEWPORT (MON.)	1·75	0·10	-	-	-	1·21	0·34	-	0·10	-
CARDIFF	4·41	0·12	-	-	-	2·37	1·66	-	0·26	-
RHONDDA	2·00	0·10	-	-	-	0·83	0·81	-	0·18	0·08
MERTHYR TYDFIL	4·26	0·05	-	-	-	3·45	0·65	-	0·11	-
ABERDARE	2·82	0·08	-	-	-	1·88	0·70	-	0·16	-
SWANSEA	2·05	0·04	-	-	-	0·72	0·93	-	0·25	0·11
Smaller Towns.										
SURREY—										
BARNES	2·58	-	-	-	-	1·72	0·74	-	0·12	-
GUILDFORD	2·83	-	-	-	-	2·13	0·35	-	0·35	-
KINGSTON ON THAMES	2·25	-	-	-	-	0·34	1·35	-	0·45	0·11
MITCHAM	4·78	0·40	-	-	0·13	1·59	2·26	-	0·27	0·13
REIGATE	1·53	-	-	-	-	0·17	1·36	-	-	-
RICHMOND	1·32	0·12	-	-	-	0·72	0·24	-	0·12	0·12
SUTTON	0·62	-	-	-	-	-	0·62	-	-	-
WOKING	1·23	-	-	-	-	0·88	0·35	-	-	-
KENT—										
BECKENHAM	4·45	-	-	-	-	1·05	3·01	-	0·39	-
BROMLEY	1·63	-	-	-	-	0·75	0·50	-	0·25	0·13
CANTERBURY	4·45	0·19	-	-	-	-	2·78	-	1·11	0·37
CHATHAM	3·42	-	-	-	-	2·53	0·67	-	0·22	-
DARTFORD	9·73	-	-	-	0·76	0·76	7·45	-	0·57	0·19
DOVER	0·89	-	-	-	-	0·56	0·11	-	0·11	0·11
ERITH	2·29	-	-	-	-	1·69	0·48	-	0·12	-
FOLKESTONE	1·13	-	-	-	-	0·13	0·50	-	0·50	-
GRAVESEND	3·59	0·15	-	-	-	0·45	2·54	-	0·45	-
MAIDSTONE	3·38	0·65	-	-	-	1·04	1·69	-	-	-
MARGATE	5·99	0·21	-	-	-	1·03	4·13	-	0·62	-
PENGE (Surrey Reg. Co.)	2·80	-	-	-	-	1·87	0·37	-	0·37	0·19
RAMSGATE	2·62	-	-	-	-	0·56	1·50	-	0·56	-
ROCHESTER	3·60	0·14	-	-	-	1·80	0·97	-	0·69	-
TUNBRIDGE WELLS	1·17	0·26	-	-	-	0·26	0·13	-	0·52	-

* As extended 1st April 1918.

TABLE X. (*continued*).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 29th June, 1918.

(Civilian Population only.)

TOWNS.	Annual Rate per 1000 Civilian Population, Mid. 1917.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Puerperal Fever.
SUSSEX EAST—										
Hove	1·32	-	-	-	-	0·61	0·61	-	0·10	-
SUSSEX WEST—										
WORTHING	3·04	-	-	-	-	0·87	2·03	-	0·14	-
SOUTHAMPTON—										
ALDERSHOT (Surrey Reg. Co.).	2·16	-	-	-	-	0·98	0·79	-	0·39	-
GOSPORT & ALVERSTOKE—	10·84	-	-	-	-	5·49	5·35	-	-	-
WINCHESTER	6·57	4·18	-	-	-	1·39	0·80	-	0·20	-
MIDDLESEX—										
CHISWICK	3·52	-	-	-	-	1·35	1·76	-	0·41	-
FINCHLEY	3·82	0·09	-	-	-	1·96	1·49	-	0·19	0·09
HENDON	2·26	0·16	-	-	-	1·47	0·47	-	0·16	-
HESTON & ISLEWORTH	1·87	0·21	-	-	-	0·31	0·83	-	0·31	0·21
SOUTHALL NORWOOD	1·81	-	-	-	-	1·06	0·60	-	0·15	-
SOUTHGATE	1·51	-	-	-	-	0·43	0·54	-	0·54	-
TWICKENHAM	0·89	-	-	-	-	0·45	0·22	-	-	0·22
WOOD GREEN	3·54	-	-	-	-	0·52	2·84	-	0·09	0·09
HERTFORDSHIRE—										
ST. ALBANS	1·50	-	-	-	-	0·83	0·50	-	0·17	-
WATFORD	2·46	-	-	-	-	0·49	1·38	-	0·59	-
BUCKINGHAMSHIRE—										
CHEPPING WYCOMBE	5·92	-	-	-	-	1·43	4·29	-	0·20	-
NORTHAMPTONSHIRE—										
KETTERING	6·59	-	-	-	-	0·73	4·98	-	0·88	-
SOKE OF PETERBOROUGH—										
PETERBOROUGH	4·58	0·11	-	-	-	3·33	0·57	-	0·57	-
BEDFORDSHIRE—										
BEDFORD	3·52	-	-	-	-	1·49	1·92	-	0·11	-
LUTON	2·95	-	-	-	-	0·81	2·07	-	0·07	-
ESSEX—										
BARKING TOWN	3·96	-	-	-	-	0·62	2·60	-	0·74	-
COLCHESTER	2·50	0·65	-	-	-	0·54	0·98	-	0·33	-
SUFFOLK EAST—										
LOWESTOFT	2·12	0·13	-	-	-	1·46	0·40	-	0·13	-
NORFOLK—										
KING'S LYNN	0·69	-	-	-	-	0·23	0·23	-	0·23	-
WILTSHIRE—										
SALISBURY	1·18	-	-	-	-	0·79	0·39	-	-	-
DORSETSHIRE—										
POOLE	3·18	0·11	-	-	-	1·06	1·58	-	0·32	0·11
WEYMOUTH AND MELCOMBE REGIS.	-	-	-	-	-	-	-	-	-	-
DEVONSHIRE—										
TORQUAY	2·22	-	-	-	-	-	2·09	-	0·13	-
SOMERSETSHIRE—										
TAUNTON	1·67	-	-	-	-	-	1·04	-	0·63	-
WESTON SUPER MARE	1·51	-	-	-	-	1·13	0·19	-	0·19	-
GLOUCESTERSHIRE—										
CIBELTENHAM	3·22	0·10	-	-	-	0·88	1·56	-	0·68	-
HEREFORDSHIRE—										
HEREFORD	0·69	-	-	-	-	0·17	-	-	0·52	-

TABLE X. (*continued*).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 29th June, 1918.

(Civilian Population only.)

TOWNS.	Annual Rate per 1000 Civilian Population, Mid. 1917.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
SHROPSHIRE—										
SHREWSBURY - - -	5·13	-	-	-	-	1·03	3·37	-	0·73	-
STAFFORDSHIRE—										
BILSTON - - - -	2·43	-	-	-	-	2·11	0·16	-	0·16	-
BURTON UPON TRENT -	8·15	-	-	-	-	5·88	1·04	-	1·23	-
CANNOCK - - - -	2·65	-	-	-	-	0·56	1·67	-	0·42	-
COSELEY - - - -	0·74	-	-	-	-	0·37	-	-	0·37	-
NEWCASTLE UNDER LYME	1·74	0·22	-	-	-	0·65	0·65	-	0·22	-
ROWLEY REGIS - - -	1·21	-	-	-	-	0·77	0·33	-	0·11	-
STAFFORD - - - -	10·86	-	-	-	-	1·48	8·89	-	0·49	-
TIPTON - - - -	3·04	0·13	-	-	-	1·90	0·25	-	0·76	-
WEDNESBURY - - -	1·61	0·40	-	-	-	0·54	0·27	-	0·27	0·13
WOLSTANTON UNITED -	1·29	-	-	-	-	0·43	0·72	-	-	0·14
WORCESTERSHIRE—										
KIDDERMINSTER - -	1·36	-	-	-	-	0·51	0·68	-	0·17	-
OLDBURY (Staffs. Reg. Co.)	1·26	-	-	-	-	0·92	0·23	-	0·11	-
WORCESTER - - - -	2·33	-	-	-	-	0·72	1·43	-	0·18	-
WARWICKSHIRE—										
NUNEATON - - - -	3·30	-	-	-	-	0·21	3·09	-	-	-
ROYAL LEAMINGTON SPA	2·03	-	-	-	-	0·78	1·09	-	0·16	-
RUGBY - - - -	2·12	0·35	-	-	-	1·06	0·71	-	-	-
SUTTON COLDFIELD (Staffs. Reg. Co.).	1·67	-	-	-	-	1·46	-	-	0·21	-
LEICESTERSHIRE—										
LOUGHBOROUGH - -	0·87	-	-	-	-	0·52	0·35	-	-	-
LINCOLNSHIRE (KESTEVEN)—										
GRANTHAM - - - -	1·97	-	-	-	-	0·59	1·38	-	-	-
LINCOLNSHIRE (LINDSEY)—										
CLEETHORPE WITH THRUNSCOE.	2·70	0·18	-	-	-	1·08	1·08	-	0·36	-
GAINSBOROUGH - -	1·89	-	-	-	-	1·26	0·63	-	-	-
NOTTINGHAMSHIRE—										
MANSFIELD - - - -	2·36	-	-	-	-	1·18	0·59	-	0·59	-
SUTTON IN ASHFIELD -	3·95	1·25	-	-	-	0·54	0·72	-	1·44	-
WORKSOP - - - -	1·59	-	-	-	-	1·39	0·20	-	-	-
DERBYSHIRE—										
CHESTERFIELD - - -	4·70	0·11	-	-	-	1·31	3·06	-	0·22	-
GLOSSOP - - - -	1·04	0·21	-	-	-	0·21	0·62	-	-	-
ILKESTON (Notts. Reg. Co.)	0·55	0·27	-	-	-	0·14	-	-	0·14	-
CHESHIRE—										
CHESTER - - - -	1·73	0·22	-	-	-	0·11	1·40	-	-	-
CREWE - - - -	3·70	-	-	-	-	1·11	2·50	-	0·09	-
HYDE - - - -	1·82	-	-	-	-	0·13	1·04	-	0·65	-
MACCLESFIELD - - -	1·09	0·14	-	-	-	0·54	0·14	-	0·27	-
STALYBRIDGE (Lancs. Reg. Co.).	0·85	0·17	-	-	-	-	0·51	-	0·17	-
LANCASHIRE—										
ACCRINGTON - - - -	1·10	0·20	-	-	-	0·30	0·30	-	0·30	-
ASHTON IN MAKERFIELD	2·85	0·38	-	-	-	1·90	0·57	-	-	-
ASHTON UNDER LYNE -	2·04	0·61	-	-	-	0·72	0·20	-	0·51	-
BACUP - - - -	1·25	0·21	-	-	-	0·21	-	-	0·83	-
CHADDERTON - - - -	6·57	0·16	-	-	-	3·51	1·53	-	1·37	-
CHORLEY - - - -	1·03	-	-	-	-	0·88	-	-	0·15	-
COLNE - - - -	12·40	0·36	-	-	-	0·18	11·32	-	0·54	-
DARWEN - - - -	1·99	-	-	-	-	1·17	0·47	-	0·35	-
ECCLES - - - -	3·79	0·20	-	-	-	1·79	1·00	-	0·60	0·20
FARNWORTH - - - -	3·24	0·16	-	-	-	2·11	-	-	0·97	-

TABLE X. (*continued*).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 29th June, 1918.

(Civilian Population only.)

TOWNS.	Annual Rate per 1000 Civilian Population, Mid. 1917.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
LANCASHIRE— <i>cont.</i>										
HEYWOOD	2·04	0·34	—	—	—	0·34	0·85	—	0·51	—
HINDLEY	5·76	0·18	—	—	—	3·24	1·08	—	1·26	—
INCE IN MAKERFIELD	3·07	0·19	—	—	—	2·31	0·19	—	0·33	—
LANCASTER	1·75	—	—	—	—	0·55	0·44	—	0·76	—
LEIGH	2·49	0·10	—	—	—	0·67	0·95	—	0·67	0·10
MIDDLETON	0·94	—	—	—	—	—	0·47	—	0·31	0·16
NELSON	0·99	—	—	—	—	0·66	0·11	—	0·22	—
RADCLIFFE	1·90	0·17	—	—	—	1·04	0·52	—	—	0·17
RAWTENSTALL	1·23	0·46	—	—	—	0·31	—	—	0·31	0·15
STRETFORD	1·10	0·20	—	—	—	0·30	0·30	—	0·30	—
SWINTON AND PENDLEBURY.	3·13	0·14	—	—	—	1·71	0·28	—	1·00	—
WATERLOO WITH SEAFORTH.	6·80	—	—	—	—	3·04	3·33	—	0·43	—
WIDNES	2·05	—	—	—	—	0·64	1·15	—	0·26	—
YORKSHIRE (WEST RIDING)—										
BATLEY	1·43	0·12	—	—	—	0·36	0·59	—	0·36	—
BRIGHOUSE	1·45	—	—	—	—	0·62	0·83	—	—	—
CASTLEFORD	2·16	0·17	—	—	—	1·49	0·17	—	0·33	—
DONCASTER	3·41	0·08	—	—	—	0·83	1·33	—	1·17	—
GOOLE	3·91	—	—	—	—	1·22	2·45	—	0·24	—
HARROGATE	3·92	0·13	—	—	—	2·09	1·70	—	—	—
KEIGHLEY	1·48	—	—	—	—	0·49	0·89	—	0·10	—
MORLEY	3·38	0·36	—	—	—	1·60	0·71	—	0·53	0·18
SHIPLEY	0·91	—	—	—	—	0·30	0·61	—	—	—
SPENBOROUGH	3·09	—	—	—	—	0·94	1·61	—	0·54	—
TODMORDEN	0·68	—	—	—	—	0·17	0·34	—	0·17	—
YORKSHIRE (NORTH RIDING)—										
ESTON	3·48	0·14	—	0·14	—	0·28	2·36	—	0·56	—
SCARBOROUGH	6·07	0·14	—	—	—	0·99	4·66	—	0·28	—
DURHAM—										
BLAYDON	2·21	0·13	—	—	—	0·39	1·43	—	0·26	—
FELLING	1·64	—	—	—	—	0·98	0·33	—	0·33	—
HARTLEPOOL	5·07	—	—	—	—	3·53	0·44	—	1·10	—
HEBBURN	3·22	—	—	—	—	2·37	0·34	—	0·51	—
JARROW	2·25	0·11	—	—	—	1·58	0·11	—	0·45	—
STANLEY	10·14	—	—	—	—	8·01	1·42	—	0·71	—
NORTHUMBERLAND—										
ASHINGTON	7·17	0·61	—	—	—	3·51	2·29	—	0·76	—
BEDLINGTONSHIRE	2·03	0·84	—	—	—	0·34	0·34	—	0·51	—
BLYTH	1·12	0·14	—	—	—	0·56	—	—	0·42	—
WALLSEND	2·69	—	—	—	—	1·76	0·74	—	0·19	—
CUMBERLAND—										
WORKINGTON	3·64	—	—	—	—	—	3·01	—	0·63	—
MONMOUTHSHIRE—										
ABERSYCHAN	2·70	0·16	—	—	—	1·27	0·32	—	0·95	—
ABERTILLERY	4·55	0·22	—	—	—	3·79	0·32	—	0·22	—
BEDWELLY	2·43	—	—	—	—	2·15	0·14	—	0·14	—
EBBW VALE	3·42	0·24	—	—	—	1·53	1·18	—	0·47	—
TREDEGAR	3·16	—	—	—	—	2·28	0·35	—	0·53	—
GLAMORGANSHIRE—										
BARRY	4·56	0·24	—	—	—	2·28	1·20	—	0·84	—
CAERPHILLY	3·91	—	—	—	—	2·72	0·95	—	0·12	0·12
GELLIGAER	3·07	0·72	—	—	—	0·82	1·53	—	—	—
MAESTEG	4·38	—	—	—	—	1·75	2·34	—	0·29	—
MOUNTAIN ASH	2·91	0·39	—	—	—	0·58	1·36	—	0·58	—
OGMORE AND GARW	1·54	0·14	—	—	—	0·98	—	—	0·42	—
PONTYPRIDD	1·83	—	—	—	—	0·96	0·39	—	0·48	—
CARMARTHENSHIRE—										
LLANELLY	1·26	—	—	—	—	1·15	0·11	—	—	—

TABLE XI.--PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in the several BOROUGHs of the ADMINISTRATIVE COUNTY of LONDON during the 13 Weeks ended 29th June, 1918.

(Civilian Population only.)

BOROUGHs.	Annual Rate per 1000 Civilian Population, Mid. 1917.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
ADMINISTRATIVE COUNTY OF LONDON }	4·09	0·10	-	0·00	0·01	1·42	2·04	-	0·48	0·04
WEST.										
Paddington - - -	4·19	0·10	-	-	-	0·82	2·65	-	0·59	0·03
Kensington - - -	3·09	0·05	-	0·03	-	1·24	1·32	-	0·42	0·03
Hammersmith - - -	3·28	0·07	-	-	-	1·26	1·61	-	0·31	0·03
Fulham - - -	3·07	-	-	-	-	1·22	1·46	-	0·28	0·11
Chelsea - - -	1·68	0·14	-	-	-	0·77	0·42	-	0·35	-
City of Westminster -	2·30	0·20	-	-	-	0·56	1·15	-	0·39	-
NORTH.										
St. Marylebone - - -	3·07	0·04	-	-	-	0·73	1·60	-	0·61	0·09
Hampstead - - -	2·76	0·11	-	-	-	0·74	1·54	-	0·37	-
St. Pancras - - -	4·52	0·11	-	-	-	1·38	2·26	-	0·77	-
Islington - - -	3·79	0·12	-	-	0·01	1·38	1·89	-	0·38	0·01
Stoke Newington - - -	4·15	-	-	-	-	0·85	2·71	-	0·59	-
Hackney - - -	3·20	0·24	-	-	-	0·78	1·67	-	0·43	0·08
CENTRAL.										
Holborn - - -	2·73	0·11	-	-	-	0·91	1·48	-	0·23	-
Finsbury - - -	5·19	0·12	-	-	-	2·89	1·83	-	0·35	-
City of London - - -	1·50	-	-	-	-	0·50	0·75	-	0·25	-
EAST.										
Shoreditch - - -	4·29	0·13	-	-	-	1·16	2·15	-	0·85	-
Bethnal Green - - -	5·12	0·15	-	-	-	1·20	2·76	-	0·97	0·04
Stepney - - -	5·00	0·09	-	-	0·07	1·04	3·34	-	0·43	0·03
Poplar - - -	3·77	-	-	-	0·03	1·17	2·01	-	0·50	0·06
SOUTH.										
Southwark - - -	6·34	0·07	-	-	-	2·75	2·70	-	0·72	0·10
Bermondsey - - -	6·78	0·07	-	-	-	1·90	4·32	-	0·45	0·04
Lambeth - - -	3·44	0·01	-	-	0·01	1·55	1·53	-	0·27	0·07
Battersea - - -	3·61	0·08	-	-	-	1·84	1·26	-	0·43	-
Wandsworth - - -	4·44	0·24	-	-	-	1·95	1·87	-	0·27	0·11
Camberwell - - -	4·37	0·10	-	-	-	1·42	2·28	-	0·55	0·02
Deptford - - -	5·61	0·04	-	-	-	1·86	2·63	-	1·08	-
Greenwich - - -	5·86	0·09	-	-	-	2·53	2·57	-	0·67	-
Lewisham - - -	3·59	0·07	-	-	-	1·12	2·16	-	0·22	0·02
Woolwich - - -	4·02	0·12	-	-	-	1·92	1·28	-	0·52	0·18
Port of London - - -	?	-	-	-	-	?	?	-	-	-

TABLE XII.—COUNTY OF LONDON.—**Births, Deaths, and Death-Rates** in **London**, and in the **Metropolitan Boroughs** during the 13 WEEKS ended **29th June, 1918**. (The births in this table are those actually registered in the several Metropolitan Boroughs. The deaths relate to the civilian population only and are, so far as concerns London as a whole, corrected to the extent indicated at the head of Table V. As between individual boroughs, however, correction is complete.)

BOROUGH.	Estimated Civilian Population, Mid. 1917.	Births.	Deaths from										ANNUAL DEATH-RATES PER 1000 CIVILIAN POPULATION, MID. 1917.						RATE PER 1000 BIRTHS.			
			All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Pulmonary Tuberculosis.	Deaths of Infants under 1 Year of Age.	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Pulmonary Tuberculosis.	Diarrhoea and Enteritis (under 2 Years).	Total deaths under 1 Year.
County of London -	4,026,901	18,410	14,230	20	-	680	20	666	144	133	1,524	1,665	14.2	0.02	-	0.68	0.02	0.66	0.14	1.52	7.22	90
WEST.																						
PADDINGTON -	122,507	435	419	-	-	16	-	18	7	6	40	59	13.7	-	-	0.52	-	0.59	0.23	1.31	13.79	136
KENSINGTON -	151,535	578	503	-	-	5	1	20	1	5	50	55	13.3	-	-	0.13	0.03	0.53	0.03	1.32	8.65	95
HAMMERSMITH -	114,952	441	366	-	-	19	-	10	-	10	41	55	12.8	-	-	0.66	-	0.35	-	1.43	22.68	125
FULHAM -	145,186	662	470	1	-	29	3	27	2	5	41	64	13.0	0.03	-	0.80	0.08	0.75	0.06	1.13	7.55	97
CHELSEA -	57,368	223	223	-	-	7	-	7	-	2	14	20	15.6	-	-	0.49	-	0.49	-	0.98	8.97	90
CITY OF WESTMINSTER -	122,046	292	394	1	-	6	1	4	4	4	49	38	12.9	0.03	-	0.20	0.03	0.13	0.13	1.61	13.70	130
NORTH.																						
ST. MARYLEBONE -	92,796	883	364	2	-	2	-	15	3	5	44	37	15.7	0.09	-	0.09	-	0.65	0.13	1.90	5.66	42
HAMPSTEAD -	75,649	220	193	1	-	-	-	3	2	1	13	15	10.2	0.05	-	-	0.05	0.16	0.11	0.69	4.55	68
ST. PANCRAS -	186,600	839	722	1	-	17	1	40	9	6	95	69	15.5	0.02	-	0.37	0.02	0.86	0.19	2.04	7.15	82
ISLINGTON -	297,102	1,210	1,082	3	-	26	2	64	6	7	126	113	14.6	0.04	-	0.35	0.03	0.86	0.08	1.70	5.79	93
STOKE NEWINGTON -	47,426	117	138	1	-	5	-	2	3	1	10	13	11.7	0.08	-	0.42	-	0.17	0.25	0.85	8.55	111
HACKNEY -	196,598	909	670	1	-	18	-	27	7	7	74	75	13.7	0.02	-	0.37	-	0.55	0.14	1.51	7.70	83
CENTRAL.																						
HOLBORN -	35,303	82	147	1	-	1	1	5	1	-	23	9	16.7	0.11	-	0.11	-	0.57	0.11	2.61	-	110
FINSBURY -	68,011	573	326	-	-	3	1	24	3	2	42	28	19.2	-	-	0.18	0.06	1.42	0.18	2.48	3.49	49
CITY OF LONDON -	16,138	99	60	-	-	-	-	1	1	1	5	3	14.9	-	-	-	-	0.25	0.25	1.24	10.10	30
EAST.																						
SHOREDITCH -	89,675	363	366	-	-	11	-	32	2	8	49	60	16.4	-	-	0.49	-	1.43	0.09	2.19	22.04	165
BETHNAL GREEN -	107,362	427	474	1	-	64	-	36	4	2	54	67	17.7	0.04	-	2.39	-	1.34	0.15	2.02	4.68	157
STEPNEY -	232,010	1,340	939	3	-	51	-	39	13	9	132	128	16.2	0.05	-	0.88	-	0.67	0.22	2.28	6.72	96
POPULAR -	143,443	740	596	-	-	66	-	28	9	5	57	81	16.7	-	-	1.85	-	0.78	0.25	1.59	6.76	109
SOUTH.																						
SOUTHWARK -	167,936	739	805	-	-	76	1	63	10	5	70	119	19.2	-	-	1.82	0.02	1.50	0.24	1.67	6.77	161
BERMONDSEY -	107,635	585	484	-	-	40	1	16	9	3	39	68	18.0	-	-	1.49	0.04	0.60	0.34	1.45	5.13	116
LAMBETH -	272,038	1,666	954	1	-	63	1	36	8	8	93	104	14.1	0.01	-	0.93	0.01	0.64	0.12	1.37	4.80	62
BATTERSEA -	150,023	615	476	-	-	41	-	24	2	5	43	45	12.7	-	-	1.10	-	0.64	0.05	1.15	8.13	73
WANDSWORTH -	300,787	1,144	796	-	-	23	1	26	7	11	82	79	10.6	0.03	-	0.31	0.01	0.35	0.09	1.09	9.62	69
CAMBERWELL -	239,461	1,057	818	-	-	50	1	34	13	3	77	89	13.7	-	-	0.84	0.02	0.57	0.22	1.29	2.84	84
DEPTFORD -	103,527	495	330	-	-	14	-	19	4	1	43	33	12.8	-	-	0.54	-	0.74	0.15	1.67	2.02	67
GREENWICH -	90,440	440	342	-	-	17	1	25	5	3	37	34	15.2	-	-	0.75	0.04	1.11	0.22	1.64	6.82	123
LEWISHAM -	161,405	587	401	1	-	10	-	11	8	2	35	35	10.0	0.02	-	-	0.07	0.27	0.20	0.87	3.41	60
WOOLWICH -	131,942	649	372	-	-	10	-	10	1	6	46	50	11.3	-	-	0.30	0.03	0.30	0.03	1.40	9.24	77

TABLE XIII.—**Births and Deaths** in the **Second Quarter** (13 Weeks) of **1918** in certain **Colonial and Foreign Cities.**

CITIES.	POPULATION (enumerated or estimated).	BIRTHS. (Excluding Stillborn.)	DEATHS.	ANNUAL RATE per 1000 Persons living.									RATE per 1000 Births.	
				Births.	Deaths from								Diarrhoea and Enteri- tis (under 2 Years).*	Total Deaths under 1 Yr.
					All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping- Cough.	Diphtheria and Croup.			
LONDON† - -	4,026,901	18,410	14,230	16·5	14·2	0·02	-	0·68	0·02	0·66	0·15	7·22	90	
CALCUTTA - -	896,067	—	—	—	—	-	-	-	-	-	-	-	-	
BOMBAY - -	979,445	—	—	—	—	-	-	-	-	-	-	-	-	
MADRAS - -	518,660	—	—	—	—	-	-	-	-	-	-	-	-	
PARIS - - -	2,847,229	6,994	10,107	9·9	14·2	0·04	0·01	0·19	0·02	0·18	0·05	21·88	130	
BRUSSELS - -	—	—	—	—	—	-	-	-	-	-	-	-	-	
ANTWERP - -	—	—	—	—	—	-	-	-	-	-	-	-	-	
AMSTERDAM - -	643,873	3,431	1,979	21·4	12·3	0·10	-	0·57	0·04	0·27	0·09	9·01	69	
COPENHAGEN -	524,000	2,942	1,625	22·5	12·4	0·03	-	0·06	0·01	0·04	0·08	8·50	80	
STOCKHOLM - -	413,163	1,496	1,271	14·5	12·3	0·03	-	-	0·04	0·18	0·13	2·01	69	
GOTHENBURG -	196,943	-	598	-	12·2	0·12	-	-	0·04	0·06	0·31	-	-	
CHRISTIANIA (12 weeks).	257,399	1,266	729	21·4	12·3	0·07	-	-	0·02	0·19	0·03	7·90	62	
PETROGRAD - -	—	—	—	—	—	-	-	-	-	-	-	-	-	
MOSCOW - -	—	—	—	—	—	-	-	-	-	-	-	-	-	
BERLIN - - -	1,732,178	—	—	—	—	-	-	-	-	-	-	-	-	
HAMBURG - -	1,050,300	—	—	—	—	-	-	-	-	-	-	-	-	
LEIPZIG - - -	676,289	—	—	—	—	-	-	-	-	-	-	-	-	
MUNICH - - -	600,000	—	—	—	—	-	-	-	-	-	-	-	-	
DRESDEN - - -	575,790	—	—	—	—	-	-	-	-	-	-	-	-	
COLOGNE - - -	644,385	—	—	—	—	-	-	-	-	-	-	-	-	
BRESLAU - - -	493,393	—	—	—	—	-	-	-	-	-	-	-	-	
FRANKFORT ON MAIN.	470,124	—	—	—	—	-	-	-	-	-	-	-	-	
VIENNA - - -	2,293,540	—	—	—	—	-	-	-	-	-	-	-	-	
PRAGUE - - -	456,721	—	—	—	—	-	-	-	-	-	-	-	-	
BUDAPEST - -	1,031,256	—	—	—	—	-	-	-	-	-	-	-	-	
TRIESTE - - -	152,740	—	—	—	—	-	-	-	-	-	-	-	-	
BUCAREST - -	—	—	—	—	—	-	-	-	-	-	-	-	-	
NEW YORK - -	5,872,143	—	—	—	—	-	-	-	-	-	-	-	-	
CHICAGO - - -	2,596,681	-	8,809	-	13·6	0·01	-	0·04	0·02	0·07	0·26	-	-	
NEW ORLEANS -	384,000	—	—	—	—	-	-	-	-	-	-	-	-	
RIO DE JANEIRO -	955,702	—	—	—	—	-	-	-	-	-	-	-	-	
CAIRO :—														
Egyptians - -	673,000	—	—	—	—	-	-	-	-	-	-	-	-	
Foreigners - -	76,000	—	—	—	—	-	-	-	-	-	-	-	-	
ALEXANDRIA :—														
Egyptians - -	330,000	—	—	—	—	-	-	-	-	-	-	-	-	
Foreigners - -	81,000	—	—	—	—	-	-	-	-	-	-	-	-	

* The death-rates in this column relate to all ages for Christiania and to *children under 1 year of age* for Copenhagen, Stockholm, and Gothenburg.
† The figures for London refer to the civilian population only.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.												
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	
18	Erysipelas - - { M F	36 50	— 3	3 2	2 2	— 1	5 8	1 —	— —	— —	1 1	7 9	1 —	
19	Other epidemic diseases. { M F	18 16	— 1	— 1	— —	3 3	3 5	4 2	— 1	1 2	— 3	8 13	3 3	
	A. Mumps - - { M F	4 3	— —	— —	— —	— —	— —	— —	— —	1 2	— —	1 2	3 1	
	B. German measles. { M F	3 8	— —	— 1	— —	— 1	— 2	3 1	— 1	— —	— 2	3 6	— 2	
	C. Varicella - - { M F	4 5	— 1	— —	— —	3 2	3 3	1 1	— —	— —	— 1	4 5	— —	
	D. Other diseases included under 19. { M F	7 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
20	Pyæmia, Septicæmia. { M F	60 27	2 —	— —	— 1	1 —	3 1	— 1	— 1	— 2	3 —	6 5	2 5	
	A. Pyæmia - - { M F	6 5	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	
	B. Septicæmia - - { M F	53 22	2 —	— —	— 1	— —	2 1	— 1	— 1	— 2	3 —	5 5	2 4	
	C. Vaccinia - - { M F	1 —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	1 —	— —	
21	Glanders - - - { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
22	Anthrax (Splenic Fever). { M F	6 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
23	Rabies - - - - { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
24	Tetanus - - - - { M F	36 9	4 —	1 —	— —	— —	5 —	— —	1 —	— —	— 1	6 1	5 —	
25	Mycoses - - - - { M F	3 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	A. Actinomycosis { M F	3 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	B. Other mycoses { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
26	Pellagra - - - { M F	— 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
27	Beri-beri - - - { M F	3 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
28	Pulmonary tuberculosis (not acute). { M F	4,338 3,764	— —	2 1	4 4	10 12	16 17	22 14	15 18	14 16	12 20	79 85	54 69	
	A. Pulmonary tuberculosis. { M F	3,156 2,738	— —	2 1	4 3	8 12	14 16	21 14	12 16	10 12	11 16	68 74	41 55	
	B. Phthisis (not defined as tuberculous). { M F	1,182 1,026	— —	— —	— 1	2 —	2 1	1 —	3 2	4 4	1 4	11 11	13 14	

AGE-PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1917—continued.

AGES AT DEATH.																	International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.		
3 1	1 3	1 1	2 1	1 —	— 4	— 6	2 4	4 1	2 3	2 3	— 2	6 5	1 5	3 —	— 2	{	18
—	—	1	1	1	3	—	—	—	1	—	—	—	—	—	—		{
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		{
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	
—	—	1	1	1	3	—	—	—	1	—	—	—	—	—	—		{
4 —	8 3	4 1	2 3	3 2	— —	3 1	3 —	5 —	4 3	3 1	5 1	5 1	2 1	1 —	— —	{	
—	—	—	—	—	—	—	1	—	1	1	2	1	—	—	—		{
4 —	8 2	4 —	2 3	3 2	— —	3 1	2 —	5 —	3 2	2 —	3 1	4 1	2 1	1 —	— —	{	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		{
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	
—	—	—	1	—	—	1	1	1	—	1	—	1	—	—	—		{
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	
2 2	2 1	2 2	— 1	2 1	1 1	6 —	5 —	2 —	1 —	— —	1 —	1 —	— —	— —	— —		{
—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—	{	
—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—		{
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	
—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—		{
—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	{	
88 229	283 511	366 516	435 421	465 418	448 417	495 342	484 253	394 167	300 129	244 92	140 66	41 34	18 11	1 4	3 —		{
68 173	205 379	283 365	317 301	334 291	318 298	354 247	348 190	287 117	218 99	179 67	97 47	26 27	9 4	1 4	3 —	{	
20 56	78 132	83 151	118 120	131 127	130 119	141 95	136 63	107 50	82 30	65 25	43 19	15 7	9 7	— —	— —		{

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
29	Acute phthisis, Acute miliary tuberculosis	M 469	—	1	5	8	14	14	13	7	2	50	22
		F 481	—	—	1	6	7	8	7	7	3	32	33
	A. Acute phthisis	M 387	—	1	3	4	8	6	4	—	1	19	15
		F 400	—	—	1	2	3	4	1	3	2	13	18
	B. Acute miliary tuberculosis.	M 82	—	—	2	4	6	8	9	7	1	31	7
		F 81	—	—	—	4	4	4	6	4	1	19	15
28 & 29	<i>Pulmonary tuber- culosis (acute and chronic).</i>	M 4,807	—	3	9	18	30	36	28	21	14	129	76
		F 4,245	—	1	5	18	24	22	25	23	23	117	102
30	Tuberculous meningitis.	M 575	1	8	16	47	72	91	68	45	42	318	105
		F 551	—	3	20	43	66	77	60	49	44	296	101
31	Tuberculosis of peritoneum and intestines.	M 381	2	20	23	36	81	44	36	21	12	194	58
		F 403	—	10	23	24	57	49	32	19	15	172	53
	A. Tabes mesenterica.	M 41	1	7	3	8	19	8	4	1	—	32	4
		F 45	—	4	6	4	14	8	6	3	1	32	6
	B. Other peri- toneal and intestinal tubercle.	M 340	1	13	20	28	62	36	32	20	12	162	54
		F 358	—	6	17	20	43	41	26	16	14	140	47
32	Tuberculosis of spinal column	M 88	—	—	—	—	—	2	1	—	4	7	9
		F 81	—	—	—	—	—	—	1	2	1	4	6
33	Tuberculosis of joints.	M 55	—	—	—	1	1	—	1	1	—	3	4
		F 34	—	1	—	—	1	—	—	1	1	3	2
34	Tuberculosis of other organs.	M 98	—	2	3	5	10	—	6	1	2	19	12
		F 88	—	—	—	2	2	1	2	—	—	5	3
	A. Lupus - -	M 5	—	—	—	—	—	—	—	—	—	—	—
		F 15	—	—	—	—	—	—	—	—	—	—	—
	B. Scrofula - -	M 1	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
	C. Other tuber- culosis in- cluded under 34.	M 92	—	2	3	5	10	—	6	1	2	19	12
		F 73	—	—	—	2	2	1	2	—	—	5	3
35	Disseminated tuberculosis.	M 328	—	4	6	14	24	21	13	20	12	90	41
		F 255	1	1	1	3	6	16	13	11	3	49	33
28- 35	<i>Tuberculosis (all forms).</i>	M 6,332	3	37	57	121	218	194	153	109	86	760	305
		F 5,657	1	16	49	90	156	165	133	105	87	646	300
36	Rickets, Softening of bones.	M 101	1	—	11	12	24	41	21	4	1	91	3
		F 75	—	2	4	15	21	31	7	3	1	63	4
	A. Rickets - -	M 95	1	—	11	12	24	41	21	4	1	91	3
		F 66	—	2	4	15	21	31	7	3	1	63	3
	B. Other forms of bone soften- ing.	M 6	—	—	—	—	—	—	—	—	—	—	—
		F 9	—	—	—	—	—	—	—	—	—	—	1
37	Syphilis - - -	M 258	55	62	30	18	165	9	5	1	—	180	—
		F 200	42	40	30	28	140	11	1	—	—	152	—

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

AGE-PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1917—continued.

AGES AT DEATH.																	International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	—	1	2	—	—	2	—	—	—	—	—	—	—	—	—	}	38
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	1	2	—	—	2	—	—	—	—	—	—	—	—	—	}	B
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	2	1	2	3	17	47	72	90	95	95	70	38	26	9	}	39
—	—	2	2	3	3	2	9	12	8	12	16	13	13	3	2		
—	1	1	2	24	27	61	135	202	249	322	304	241	134	52	9	}	40
1	1	1	5	16	37	64	97	133	189	251	245	244	166	63	28		
—	—	3	5	6	28	40	59	102	114	167	202	184	82	37	5	}	41
—	—	2	6	11	19	43	78	115	125	150	179	151	104	60	23		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	42
—	1	6	10	28	68	104	172	170	180	140	144	86	64	28	10		
—	—	—	—	—	—	1	—	—	5	—	1	1	—	—	—	}	43
—	—	—	1	13	42	77	118	133	142	134	108	106	76	37	20		
—	—	—	1	1	4	4	7	18	16	14	16	22	33	16	9	}	44
—	—	—	1	—	2	5	8	7	8	9	5	16	18	13	8		
6	9	14	16	16	35	47	77	104	137	190	149	120	81	27	8	}	45
3	8	5	5	11	21	46	51	70	68	66	58	62	39	14	3		
6	10	20	25	49	97	170	325	498	611	788	767	638	368	158	40	}	39-45
4	10	16	30	82	192	341	533	640	720	762	755	678	480	223	94		
—	—	—	1	—	3	1	—	2	1	4	3	2	1	—	—	}	46
—	—	1	—	1	1	—	3	1	3	2	5	1	6	1	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	1	—	3	1	—	2	1	4	3	2	1	—	—	}	C
—	—	1	—	1	1	—	3	1	3	2	5	1	6	1	—		
13	13	11	7	8	6	5	7	7	9	4	4	—	—	2	—	}	47
23	24	12	14	11	12	6	12	13	6	4	4	1	5	2	1		
—	—	2	—	1	—	5	9	18	14	24	34	34	34	13	3	}	48
2	1	—	—	3	6	8	8	11	24	29	46	54	28	20	12		
—	—	—	—	—	—	2	2	1	2	3	8	10	9	7	1	}	A
—	1	—	—	—	—	—	1	—	1	7	4	11	8	7	5		
—	—	2	—	1	—	3	5	9	3	13	14	12	10	4	—	}	B
2	—	—	—	3	6	8	6	10	23	21	40	42	20	9	6		
—	—	—	—	—	—	—	2	8	9	8	12	12	15	2	2	}	C
—	—	—	—	—	—	—	1	1	—	1	2	1	—	4	1		

ENGLAND AND WALES—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
49	Scurvy - - - - {	M 5	—	—	—	2	2	—	—	—	—	2	—
		F 2	—	1	—	—	1	—	—	—	—	1	—
50	Diabetes - - - - {	M 358	—	—	—	—	—	—	2	1	1	4	6
		F 376	—	1	—	1	2	—	2	1	1	6	2
51	Exophthalmic goitre. {	M 11	—	—	—	—	—	—	—	—	—	—	—
		F 97	—	—	—	—	—	—	—	—	—	—	—
52	Addison's disease - {	M 24	—	—	—	—	—	—	—	—	—	—	—
		F 40	—	—	—	—	—	1	—	—	—	1	—
53	Leucocythæmia, Lymphadenoma. {	M 87	—	—	—	1	1	1	—	—	—	2	6
		F 76	—	—	—	1	1	—	1	2	1	5	3
	A. Leucocythæ- mia (Leuchæ- mia). {	M 62	—	—	—	1	1	1	—	—	—	2	5
		F 52	—	—	—	1	1	—	1	2	—	4	1
	B. Lymphade- noma. {	M 25	—	—	—	—	—	—	—	—	—	—	1
		F 24	—	—	—	—	—	—	—	—	1	1	2
	Anæmia, Chlorosis {	M 243	—	1	1	1	3	—	3	—	1	7	5
		F 337	1	1	1	—	3	1	1	2	1	8	2
55	Other general diseases. {	M 62	5	2	—	1	8	2	2	—	2	14	7
		F 44	1	—	1	3	5	2	—	1	1	9	4
	A. Diabetes insipidus. {	M 3	—	—	—	—	—	—	—	—	—	—	1
		F —	—	—	—	—	—	—	—	—	—	—	—
	B. Purpura - {	M 38	3	2	—	1	6	—	1	—	—	7	4
		F 31	1	—	1	2	4	2	—	1	1	8	1
	C. Hæmophilia - {	M 15	2	—	—	—	2	2	1	—	2	7	2
		F 6	—	—	—	1	1	—	—	—	—	1	1
	D. Other diseases included under 55. {	M 6	—	—	—	—	—	—	—	—	—	—	—
		F 7	—	—	—	—	—	—	—	—	—	—	2
56	Alcoholism (acute or chronic). {	M 17	—	—	—	—	—	—	—	—	—	—	—
		F 20	—	—	—	—	—	—	—	—	—	—	—
57	Chronic lead poisoning. {	M 13	—	—	—	—	—	—	—	—	—	—	—
		F 3	—	—	—	—	—	—	—	—	—	—	—
	A. Occupational lead poison- ing. {	M 11	—	—	—	—	—	—	—	—	—	—	—
		F 2	—	—	—	—	—	—	—	—	—	—	—
	B. Non-occupa- tional lead poisoning. {	M 2	—	—	—	—	—	—	—	—	—	—	—
		F 1	—	—	—	—	—	—	—	—	—	—	—
58	Other chronic occu- pational poison- ings. {	M 1	—	—	—	—	—	—	—	—	—	—	—
		F 6	—	—	—	—	—	—	—	—	—	—	—
59	Other chronic poisonings. {	M 2	—	—	—	—	—	—	—	—	—	—	—
		F 2	—	—	—	—	—	—	—	—	—	—	—
60- 76	II. Diseases of the Nervous System and of the Organs of Special Sense. {	M 5,355	268	141	127	150	686	154	84	49	30	1,003	108
		F 5,109	162	101	87	136	486	135	69	37	39	766	104
60	Encephalitis - - {	M 44	—	—	—	—	—	1	1	1	—	3	1
		F 25	—	—	—	—	—	—	1	—	1	2	1

AGE-PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1917—*continued.*

AGES AT DEATH.																International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	—	—	—	—	—	1	—	—	1	1	—	—	—	49
—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
5	12	20	12	26	20	14	20	16	48	41	50	40	20	4	—	50
8	14	13	22	19	15	14	17	33	31	63	43	40	25	8	3	
—	—	1	—	—	2	2	1	3	1	—	1	—	—	—	—	51
2	3	8	9	10	9	12	9	17	14	1	3	—	—	—	—	
1	—	—	—	2	5	2	1	6	2	3	2	—	—	—	—	52
—	—	4	2	—	3	4	9	1	7	4	2	1	2	—	—	
5	7	9	2	8	4	8	8	11	5	8	2	2	—	—	—	53
2	2	3	2	5	5	12	7	9	6	4	4	3	2	2	—	
3	5	7	2	6	2	6	6	8	2	6	—	2	—	—	—	A
1	2	3	1	3	5	10	4	5	4	—	3	2	2	2	—	
2	2	2	—	2	2	2	2	3	3	2	2	—	—	—	—	B
1	—	—	1	2	—	2	3	4	2	4	1	1	—	—	—	
4	2	5	3	11	13	23	19	29	28	39	27	15	10	3	—	54
4	8	7	9	12	17	37	27	46	36	42	36	18	22	4	2	
5	4	3	1	2	—	4	2	3	2	3	—	4	5	1	2	55
3	1	4	1	—	—	2	—	5	4	2	3	—	2	3	1	
—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	2	3	1	—	—	3	1	—	2	2	—	2	5	1	2	B
2	1	2	—	—	—	2	—	3	3	1	3	—	2	2	1	
1	1	—	—	1	—	1	—	2	—	—	—	—	—	—	—	C
1	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	
1	1	—	—	1	—	—	—	1	—	1	—	1	—	—	—	D
—	—	1	—	—	—	—	—	1	1	1	—	—	—	1	—	
—	—	—	1	1	2	2	3	3	—	3	2	—	—	—	—	56
—	—	—	—	1	2	3	3	3	1	4	3	—	—	—	—	
—	—	—	1	—	3	3	1	2	1	1	1	—	—	—	—	57
—	—	—	—	—	1	1	—	—	—	—	—	1	—	—	—	
—	—	—	1	—	3	2	1	2	1	—	1	—	—	—	—	A
—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	B
—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	
—	2	—	—	1	—	1	1	1	—	—	—	—	—	—	—	58
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	59
—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	
91	138	106	93	123	198	223	303	323	395	499	497	523	432	194	106	60-76
80	96	79	69	107	149	161	238	318	367	461	538	614	533	281	148	
3	5	6	3	2	4	4	6	1	2	2	1	1	—	—	—	60
2	2	3	2	2	4	—	1	1	—	2	1	—	1	1	—	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.													
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—		
61	Meningitis - -	M	489	5	11	28	52	96	59	36	26	13	230	61	
		F	364	2	12	20	40	74	37	32	17	23	183	56	
	A. Cerebro-spinal fever.	M	128	—	1	4	5	10	8	4	1	1	24	16	
		F	51	—	2	3	5	10	2	2	—	1	15	11	
	B. Posterior basal meningitis.	M	11	—	—	1	3	4	3	1	—	1	9	1	
		F	11	—	—	—	7	7	—	—	—	—	7	—	
	C. Meningitis— other forms.	M	350	5	10	23	44	82	48	31	25	11	197	44	
		F	302	2	10	17	28	57	35	30	17	22	161	45	
62	Locomotor ataxy -	M	114	—	—	—	—	—	—	—	—	—	—	—	
		F	24	—	—	—	—	—	1	—	—	—	1	—	
63	Other diseases of the spinal cord.	M	291	—	—	1	1	2	3	6	1	1	13	4	
		F	233	—	—	1	2	3	3	1	1	1	9	4	
	A. Diseases form- erly classed to "Other nerv- ous affectns."	M	98	—	—	—	—	—	—	—	—	—	—	—	
		F	79	—	—	—	—	—	—	—	—	—	—	—	
	B. Other diseases included un- der 63.	M	193	—	—	1	1	2	3	6	1	1	13	4	
		F	154	—	—	1	2	3	3	1	1	1	9	4	
	64	Cerebral hæmorr- hage, Apoplexy.	M	2,131	2	—	—	2	4	—	1	—	—	5	—
			F	2,613	—	—	—	—	—	2	1	1	2	6	1
A. Apoplexy -		M	434	—	—	—	—	—	—	—	—	—	—	—	
		F	490	—	—	—	—	—	—	—	—	—	—	—	
B. Serous apoplexy and Œdema of brain.		M	11	—	—	—	—	—	—	1	—	—	1	—	
		F	13	—	—	—	—	—	—	—	1	1	2	—	
C. Cerebral congestion.		M	9	2	—	—	2	4	—	—	—	—	4	—	
		F	9	—	—	—	—	—	1	—	—	1	2	—	
D. Cerebral atheroma.		M	38	—	—	—	—	—	—	—	—	—	—	—	
		F	43	—	—	—	—	—	—	—	—	—	—	—	
E. Cerebral hæmorrhage.	M	1,639	—	—	—	—	—	—	—	—	—	—	—		
	F	2,058	—	—	—	—	—	1	1	—	—	2	1		
65	Softening of brain	M	109	—	—	—	—	—	—	—	—	—	—	—	
		F	124	—	—	—	—	—	—	—	—	—	—	—	
66	Paralysis without specified cause.	M	221	—	—	—	—	—	1	—	—	—	1	—	
		F	243	—	—	—	—	—	—	—	1	—	1	1	
	A. Hemiplegia -	M	186	—	—	—	—	—	—	—	—	—	—	—	
		F	207	—	—	—	—	—	—	—	1	—	1	1	
	B. Paraplegia -	M	11	—	—	—	—	—	—	—	—	—	—	—	
		F	14	—	—	—	—	—	—	—	—	—	—	—	
	C. Other forms of paralysis.	M	24	—	—	—	—	—	1	—	—	—	1	—	
		F	22	—	—	—	—	—	—	—	—	—	—	—	
67	General paralysis of the insane.	M	370	—	—	—	—	—	—	—	—	—	—	—	
		F	82	—	—	—	—	—	—	—	—	—	—	—	
68	Other forms of mental alienation.	M	114	—	—	—	—	—	—	—	—	—	—	—	
		F	149	—	—	—	—	—	—	—	—	—	—	—	

AGE-PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1917—continued.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
42 28	49 23	26 9	16 6	9 8	15 7	2 6	12 7	9 9	1 3	5 3	3 4	4 6	2 5	2 1	1 —	}	61
10 7	33 7	17 1	10 3	6 2	5 1	1 1	3 1	1 2	— —	1 —	— —	1 —	— —	— —	— —		}
1 1	— —	— —	— —	— 1	— 1	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	}	
31 20	16 16	9 8	6 3	3 5	10 5	1 5	9 6	8 6	1 3	4 3	3 4	3 6	2 5	2 1	1 —		}
— —	1 —	— —	— —	3 —	7 1	10 3	15 3	18 4	21 1	21 6	12 3	2 1	4 1	— —	— —	}	
3 2	6 2	12 5	8 7	6 8	13 16	16 10	17 22	27 21	31 18	45 28	35 31	24 32	21 13	7 2	3 3		}
— —	2 —	2 1	— 1	— —	1 —	2 2	3 2	8 4	11 5	16 12	15 21	16 20	15 8	5 1	2 2	}	
3 2	4 2	10 4	8 6	6 8	12 16	14 8	14 20	19 17	20 13	29 16	20 10	8 12	6 5	2 1	1 1		}
— 4	2 4	3 5	5 4	11 9	16 31	48 51	95 116	143 193	236 258	289 300	336 396	392 465	322 430	148 225	80 115	}	
— —	— —	— 1	1 1	3 2	3 4	10 9	22 13	31 32	57 49	46 65	66 70	82 86	59 98	32 37	22 23		}
— —	— —	— —	— —	— 1	1 —	2 1	— —	1 —	1 —	1 4	— 1	1 —	1 2	2 1	— 1	}	
— 1	— —	1 —	1 —	— —	— —	— —	— —	1 —	— 2	— —	— —	1 —	— 3	1 —	— 1		}
— —	— —	— —	— —	— —	— —	— —	— 1	1 —	2 4	3 3	8 4	9 11	7 8	3 7	4 6	}	
— 3	2 4	2 4	3 3	8 6	12 27	36 41	72 103	109 161	176 203	239 228	262 321	299 368	255 319	110 180	54 84		}
— —	— —	— —	— —	1 1	1 1	2 1	5 6	6 7	7 12	14 12	22 11	22 27	14 22	13 17	2 7	}	
— 1	1 2	2 —	— 3	2 —	— 4	2 6	6 10	13 8	14 11	30 39	36 35	41 43	42 42	16 22	15 15		}
— 1	— 1	1 —	— 2	1 —	— 1	2 4	5 9	10 7	13 10	27 34	32 29	31 36	36 35	14 21	14 15	}	
— —	— —	— —	— 1	— —	— 1	— 2	— —	1 —	1 1	1 2	1 —	3 3	3 4	— —	1 —		}
— —	1 1	1 —	— —	1 —	— 2	— —	1 1	2 1	— —	2 3	3 6	7 4	3 3	2 1	— —	}	
— —	3 3	1 1	6 3	38 9	76 11	62 17	80 5	45 12	27 6	19 11	6 3	1 1	4 —	1 —	1 —		}
— —	1 —	4 6	3 3	5 8	5 15	6 15	19 14	13 19	12 21	22 17	11 10	4 8	6 7	2 4	1 2	}	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
69	Epilepsy - - - { M F	386 333	1 1	— 1	1 —	— —	2 2	2 1	2 —	3 4	4 —	13 7	10 5
70	Convulsions (non- puerperal; 5 years and over). { M F	12 10	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	6 7
	A. Epileptiform convulsions. { M F	3 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Others in- cluded under 70. { M F	9 9	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	6 7
71	Infantile convul- sions (under 5 years). { M F	683 511	255 159	127 87	92 62	84 84	558 392	78 82	32 25	9 8	6 4	683 511	— —
	A. Convulsions with teeth- ing. { M F	89 81	— —	2 —	10 3	36 31	48 34	37 44	4 3	— —	— —	89 81	— —
	B. Other infan- tile convul- sions. { M F	594 430	255 159	125 87	82 59	48 53	510 358	41 38	28 22	9 8	6 4	594 430	— —
72	Chorea - - - { M F	1 8	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 2
73	Hysteria, Neuralgia, Neuritis. { M F	27 26	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —
	A. Hysteria, Neu- ralgia, Scia- tica. { M F	6 8	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —
	B. Neuritis { M F	21 18	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
74	Other diseases of the nervous sys- tem. { M F	232 236	3 —	3 1	— —	3 2	9 3	3 4	4 4	4 1	3 4	23 16	9 7
	A. Idiocy, Imbe- cility. { M F	32 35	1 —	1 —	— —	2 —	4 —	2 2	— 1	2 1	2 1	10 5	1 2
	B. Cretinism - { M F	3 4	— —	— —	— —	— 1	— 1	— 1	1 —	— —	— —	1 2	1 1
	C. Cerebral tu- mour. { M F	106 117	— —	1 —	— —	1 —	2 —	1 —	2 1	1 —	1 2	7 3	3 3
	D. Other diseases included under 74. { M F	91 80	2 —	1 1	— —	— 1	3 2	— 1	1 2	1 —	— 1	5 6	4 1
75	Diseases of the eyes and annexa. { M F	9 3	— —	— —	1 —	— —	1 —	— —	— —	1 —	— —	2 —	— —
76	Diseases of the ears { M F	122 125	2 —	— —	4 4	8 8	14 12	7 5	2 5	4 4	3 4	30 30	16 20
	A. Mastoid disease. { M F	33 37	— —	— —	1 1	4 3	5 4	1 2	1 2	1 —	1 —	9 8	5 5
	B. Other diseases of the ears. { M F	89 88	2 —	— —	3 3	4 5	9 8	6 3	1 3	3 4	2 4	21 22	11 15
77-85	III. Diseases of the Circulatory System. { M F	6,850 6,679	1 2	2 —	2 4	5 3	10 9	3 4	3 3	6 2	4 3	26 21	23 48
77	Pericarditis - - { M F	35 37	— 1	— —	1 —	— —	1 1	1 2	— —	1 1	— —	3 4	2 —

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
84	Dis. of the lymphatic system (Lymphangitis, &c.)	M 24	—	1	—	2	3	—	1	3	2	9	1
		F 19	1	—	4	3	8	—	—	—	—	8	2
	A. Status lymphaticus.	M 8	—	—	—	1	1	—	1	3	1	6	1
		F 12	1	—	4	2	7	—	—	—	—	7	2
	B. Other diseases of the lymphatic system.	M 16	—	1	—	1	2	—	—	—	1	3	—
		F 7	—	—	—	1	1	—	—	—	—	1	—
85	Hæmorrhage, other dis. of the circulatory system.	M 28	—	—	—	—	—	—	—	—	—	—	1
		F 24	—	—	—	—	—	—	—	—	—	—	—
	A. Functional disease of the heart.	M 20	—	—	—	—	—	—	—	—	—	—	1
		F 16	—	—	—	—	—	—	—	—	—	—	—
	B. Epistaxis	M 1	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
	C. Other diseases included under 85.	M 7	—	—	—	—	—	—	—	—	—	—	—
		F 8	—	—	—	—	—	—	—	—	—	—	—
86-98	IV.—Diseases of the Respiratory System.	M 5,678	51	108	163	337	659	426	197	93	80	1,455	160
		F 3,935	38	99	119	261	517	401	166	84	52	1,220	117
86	Diseases of the nasal fossæ.	M 9	—	1	—	—	1	1	—	1	—	3	—
		F 2	—	—	—	—	—	—	—	—	—	—	1
87	Diseases of the larynx.	M 58	1	2	1	5	9	13	12	3	7	44	9
		F 57	—	1	3	6	10	9	10	6	7	42	8
	A. Laryngismus stridulus.	M 14	—	1	—	2	3	2	3	1	2	11	3
		F 8	—	—	—	1	1	2	4	—	—	7	1
	B. Laryngitis	M 44	1	1	1	3	6	11	9	2	5	33	6
		F 46	—	1	3	5	9	7	4	5	7	32	7
	C. Other diseases of larynx.	M —	—	—	—	—	—	—	—	—	—	—	—
		F 3	—	—	—	—	—	—	2	1	—	3	—
88	Diseases of the thyroid body	M 7	—	—	—	—	—	—	—	—	—	—	—
		F 34	—	—	—	—	—	—	—	—	—	—	—
89 & 90	Bronchitis	M 2,162	19	44	67	96	226	97	29	12	6	370	15
		F 1,624	21	43	43	73	180	93	28	8	7	316	17
	A. Bronchiectasis, Bronchial catarrh, &c.	M 71	1	—	2	2	5	2	—	1	—	8	1
		F 43	1	1	2	1	5	2	1	—	—	8	3
	B. Other bronchitis.	M 2,091	18	44	65	94	221	95	29	11	6	362	14
		F 1,581	20	42	41	72	175	91	27	8	7	308	14
91	Broncho-pneumonia.	M 1,058	19	37	64	169	289	240	92	50	26	697	47
		F 840	8	34	55	116	213	211	87	40	15	566	35
92	Pneumonia, lobar and undefined	M 1,857	5	19	28	64	116	68	58	23	36	301	72
		F 1,049	6	17	14	58	95	81	35	28	18	257	47
	A. Lobar pneumonia	M 847	—	4	5	21	30	25	20	8	12	95	24
		F 426	1	5	2	13	21	18	13	10	5	67	18
	B. Pneumonia (type not stated).	M 1,010	5	15	23	43	86	43	38	15	24	206	48
		F 623	5	12	12	45	74	63	22	18	13	190	29

AGE-PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1917—*continued*.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.		
2 1	— —	1 1	2 —	— 1	— —	1 —	— —	— 1	— 1	1 —	1 —	3 1	3 1	— 1	— 1	{ 84	
1 1	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —		{ A
1 —	— —	1 —	2 —	— 1	— —	1 —	— —	— 1	— 1	1 —	1 —	3 1	3 —	— 1	— 1		
1 —	1 1	— 1	— —	1 —	2 —	1 —	1 1	4 1	5 1	2 3	2 5	— 7	4 1	2 2	1 1	{ 85	
— —	1 —	— 1	— —	— —	2 —	1 —	1 —	2 —	4 —	1 3	1 3	— 5	3 1	2 2	1 1		{ A
— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —		
1 —	— 1	— —	— —	1 —	— —	— —	— 1	1 1	1 1	1 —	1 2	— 2	1 —	— —	— —	{ C	
53 64	85 42	77 52	98 63	139 71	183 84	222 113	262 141	309 141	383 161	475 215	546 295	503 370	407 373	213 245	108 168		{ 86-98
— —	1 —	— —	2 1	— —	— —	1 —	1 —	— —	— —	— —	— —	1 —	— —	— —	— —		
— 1	1 —	— 1	— 1	1 —	— —	— 1	— 1	— 1	— —	1 —	— —	1 1	— —	1 —	— —	{ 87	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		{ A
— 1	1 —	— 1	— 1	1 —	— —	— 1	— 1	— 1	— —	1 —	— —	1 1	— —	1 —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{ C	
1 —	2 —	— 3	— —	— 1	— 2	— 1	— 6	— 4	2 4	1 3	2 2	— 3	— 2	— 2	— —		{ 88
7 5	5 2	7 5	10 7	17 5	25 12	33 28	57 34	78 51	151 75	232 105	307 162	324 240	291 249	152 183	81 128		
2 3	1 2	3 1	2 2	2 1	3 1	2 —	3 1	3 3	4 1	9 3	10 1	5 3	5 1	6 3	2 6	{ A	
5 2	4 —	4 4	8 5	15 4	22 11	31 28	54 33	75 48	147 74	223 102	297 161	319 237	286 248	146 180	79 122		{ B
9 19	11 5	10 6	6 5	14 4	16 8	14 11	25 11	25 15	26 14	35 22	35 30	36 36	31 33	17 9	4 11		
34 34	54 29	53 28	66 38	92 50	124 52	128 49	151 63	153 52	153 61	140 64	145 76	100 62	58 50	22 26	11 11	{ 92	
17 17	21 14	28 14	38 16	49 24	74 26	68 29	89 36	76 30	72 26	62 26	67 32	41 24	17 18	7 7	2 2		{ A
17 17	33 15	25 14	28 22	43 26	50 26	60 20	62 27	77 22	81 35	78 38	78 44	59 38	41 32	15 19	9 9		

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.												
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	
93	Pleurisy - - - {	M	209	—	1	—	2	3	5	5	4	3	20	11
		F	108	—	—	2	1	3	3	4	1	3	14	7
	A. Empyema - {	M	81	—	1	—	1	2	5	4	2	2	15	9
		F	29	—	—	—	—	—	2	2	—	1	5	6
	B. Other pleurisy {	M	128	—	—	—	1	1	—	1	2	1	5	2
		F	79	—	—	2	1	3	1	2	1	2	9	1
94	Pulmonary conges- tion, Pulmonary apoplexy. {	M	85	7	3	—	1	11	1	—	—	1	13	2
		F	104	3	2	2	7	14	4	1	—	1	20	1
	A. Pulmonary apoplexy and infarction. {	M	2	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—	—	—
	B. Pulmonary œdema and congestion. {	M	69	7	3	—	1	11	1	—	—	1	13	2
		F	91	3	2	2	7	14	4	1	—	1	20	1
	C. Hypostatic pneumonia. {	M	14	—	—	—	—	—	—	—	—	—	—	—
		F	12	—	—	—	—	—	—	—	—	—	—	—
	D. Collapse of lung (three months and over). {	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
95	Gangrene of the lung. {	M	21	—	—	—	—	—	—	—	—	—	—	—
		F	9	—	—	—	—	—	—	—	—	—	—	—
96	Asthma - - - {	M	120	—	—	—	—	—	—	—	—	—	—	4
		F	75	—	—	—	—	—	—	1	1	—	2	1
97	Pulmonary emphysema. {	M	21	—	—	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	—	—	—	—	1	1	—
98	Other diseases of the respiratory system. {	M	71	—	1	3	—	4	1	1	—	1	7	—
		F	27	—	2	—	—	2	—	—	—	—	2	—
	A. Fibroid disease of lung. {	M	37	—	—	—	—	—	—	1	—	—	1	—
		F	6	—	—	—	—	—	—	—	—	—	—	—
	B. Other diseases included under 98. {	M	34	—	1	3	—	4	1	—	—	1	6	—
		F	21	—	2	—	—	2	—	—	—	—	2	—
99- 118	V. Diseases of the Digestive System. {	M	4,929	128	451	633	633	1,845	432	114	53	42	2,486	155
		F	4,377	71	323	492	550	1,436	392	93	60	35	2,016	132
99	Diseases of the mouth and annexa. {	M	54	12	7	1	4	24	2	1	—	—	27	3
		F	49	6	8	—	5	19	2	—	3	—	24	—
	A. Diseases of the teeth and gums. {	M	35	3	3	—	3	9	2	1	—	—	12	3
		F	28	—	3	—	1	4	2	—	3	—	9	—
	B. Thrush, Aphthous stomatitis. {	M	13	8	4	1	—	13	—	—	—	—	13	—
		F	13	6	5	—	2	13	—	—	—	—	13	—
	C. Parotitis - {	M	1	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	—	—	—	—	—	—
	D. Other diseases of mouth and annexa. {	M	5	1	—	—	1	2	—	—	—	—	2	—
		F	4	—	—	—	2	2	—	—	—	—	2	—

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
100	Diseases of the pharynx, Tonsil- litis.	M 69	2	—	—	2	4	2	3	3	6	18	13
		F 38	—	—	—	2	2	—	1	2	2	7	10
	A. Tonsillitis	M 49	—	—	—	—	—	2	3	2	6	13	11
		F 29	—	—	—	2	2	—	1	2	1	6	9
	B. Ludwig's angina.	M 8	—	—	—	1	1	—	—	—	—	1	—
		F 3	—	—	—	—	—	—	—	—	—	—	—
	C. Other diseases of the pha- ryn timer.	M 12	2	—	—	1	3	—	—	1	—	4	2
		F 6	—	—	—	—	—	—	—	—	1	1	1
	Diseases of the oesophagus.	M 9	—	—	—	—	—	—	—	—	—	—	—
		F 4	—	—	—	—	—	—	—	—	—	—	—
102	Perforating ulcer of stomach.	M 224	—	—	—	—	—	—	—	—	—	—	—
		F 186	1	—	—	—	1	—	—	—	—	1	1
103	Other diseases of the stomach.	M 343	15	43	27	25	110	14	10	2	2	138	16
		F 398	15	30	26	32	103	18	10	2	3	136	17
	A. Inflammation of stomach	M 288	15	43	27	25	110	12	9	2	2	135	15
		F 339	15	30	26	31	102	17	7	1	2	129	12
	B. Other diseases included under 103.	M 55	—	—	—	—	—	2	1	—	—	3	1
		F 59	—	—	—	1	1	1	3	1	1	7	5
104 & 105	Diarrhoea and enteritis	M 2,756	94	390	579	573	1,636	394	92	34	29	2,185	45
		F 2,326	46	284	449	490	1,269	363	77	43	21	1,773	42
	A. Infective enteritis.	M 922	13	133	243	258	647	162	34	10	8	861	9
		F 811	14	111	197	201	523	164	27	18	3	735	12
	B. Diarrhoea—not returned as infective.	M 616	25	97	136	113	371	88	22	7	4	492	8
		F 537	8	63	95	124	290	82	20	8	3	403	4
	C. Enteritis—not returned as infective.	M 434	22	50	76	68	216	55	17	2	4	294	7
		F 358	5	31	54	52	142	46	12	7	5	212	11
	D. Gastro-enteri- tis—not re- turned as in- fective.	M 612	26	98	116	128	368	87	18	13	13	499	20
		F 528	16	63	95	111	285	69	18	9	10	391	15
106	E. Dyspepsia— under 2 years.	M 35	8	12	7	6	33	2	—	—	—	35	—
		F 28	3	14	8	2	27	1	—	—	—	28	—
	F. Colic	M 11	—	—	1	—	1	—	—	—	—	1	—
		F 8	—	2	—	—	2	—	—	1	—	3	—
	G. Ulceration of intestines.	M 34	—	—	—	—	—	—	1	2	—	3	1
		F 33	—	—	—	—	—	1	—	—	—	1	—
	H. Duodenal ulcer.	M 92	—	—	—	—	—	—	—	—	—	—	—
		F 23	—	—	—	—	—	—	—	—	—	—	—
	Ankylostomiasis	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
107	Other intestinal parasites.	M 2	—	—	—	—	—	1	—	—	—	1	—
		F 1	—	—	—	—	—	—	—	1	—	1	—
108	Appendicitis	M 358	—	1	—	—	1	—	1	11	5	18	55
		F 252	—	—	—	1	1	1	3	4	6	15	43

AGE-PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1917—continued.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.		
9 4	4 4	4 3	2 1	4 1	3 1	2 —	3 —	2 1	3 1	2 1	— 3	— 1	— —	— —	— —	}	100
7 4	3 2	3 2	2 1	4 1	2 1	— —	2 —	— 1	1 —	1 1	— —	— 1	— —	— —	— —		A
2 —	1 —	1 1	— —	— —	1 —	— —	— —	1 —	1 1	— —	— 1	— —	— —	— —	— —	}	B
— —	— 2	— —	— —	— —	— —	2 —	1 —	1 —	1 —	1 —	— 2	— —	— —	— —	— —		C
— —	— —	1 —	1 —	— —	— —	1 —	1 1	— —	1 —	— —	2 1	2 1	— —	— —	— 1	}	101
2 —	2 6	5 13	13 8	14 12	15 27	26 26	28 20	33 20	21 16	24 16	25 10	9 6	5 3	1 1	1 —		102
1 6	2 3	2 4	2 6	7 4	6 6	9 9	14 12	18 12	16 12	27 21	18 32	25 38	19 36	14 30	9 14	}	103
— 6	2 3	1 4	— 2	6 3	3 4	5 6	13 11	14 12	15 7	21 19	12 25	11 29	17 29	11 26	7 12		A
1 —	— —	1 —	2 4	1 1	3 2	4 3	1 1	4 —	1 5	6 2	6 7	14 9	2 7	3 4	2 2	}	B
10 16	11 8	5 9	8 17	25 11	20 22	29 29	42 28	46 36	53 27	41 48	67 70	63 58	66 76	23 35	17 21		104 & 105
5 4	3 3	1 2	— 3	2 2	— 2	1 4	3 1	6 4	3 1	3 9	11 10	8 9	2 8	2 1	2 1	}	A
— 2	1 —	— 2	3 3	2 2	1 —	4 2	7 2	1 5	7 5	6 9	17 22	21 19	25 24	13 17	8 16		B
2 3	2 1	1 4	1 6	8 1	4 4	8 9	8 8	13 12	12 8	14 17	15 16	17 12	23 24	2 9	3 1	}	C
3 5	4 3	1 —	1 2	4 3	1 6	4 8	7 10	10 9	10 9	10 12	7 17	13 14	11 13	3 8	4 3		D
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	E
— —	— —	— —	— —	— —	— —	— —	1 1	1 1	3 —	1 —	1 —	1 1	2 2	— —	— —		F
— 1	— —	1 1	2 2	2 2	3 8	2 5	5 3	2 1	6 2	1 1	3 1	1 3	1 2	1 —	— —	}	G
— 1	1 1	1 —	1 1	7 1	11 2	10 1	11 3	13 4	12 2	6 —	13 4	2 —	2 3	2 —	— —		H
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	106
— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		107
57 34	49 31	22 21	18 15	21 14	13 14	24 9	12 16	18 11	22 10	15 8	11 2	1 2	1 5	— 2	1 —	}	108

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
109	Hernia, Intestinal obstruction. { M	511	4	8	23	28	63	15	4	2	—	84	13
	F	584	2	1	15	17	35	1	1	2	—	39	5
	A. Hernia - - { M	224	2	5	3	5	15	7	2	—	—	24	1
	F	256	—	—	—	1	1	1	—	—	—	2	—
	B. Intestinal obstruction. { M	287	2	3	20	23	48	8	2	2	—	60	12
	F	328	2	1	15	16	34	—	1	2	—	37	5
110	Other diseases of the intestines. { M	56	—	2	2	—	4	—	2	—	—	6	2
	F	65	—	—	—	1	1	2	—	1	1	5	3
111	Acute yellow atrophy of the liver. { M	11	—	—	—	—	—	—	—	—	—	—	1
	F	8	—	—	—	—	—	—	—	1	—	1	—
112	Hydatid of liver - { M	5	—	—	—	—	—	—	—	—	—	—	1
	F	3	—	—	—	—	—	—	—	—	—	—	—
113	Cirrhosis of the liver { M	332	—	—	—	—	—	—	—	—	—	—	—
	F	189	—	—	—	1	1	—	1	—	—	2	2
	A. Cirrhosis of the liver not ret'd alcoholic. { M	312	—	—	—	—	—	—	—	—	—	—	—
	F	167	—	—	—	1	1	—	—	—	—	1	2
	B. Cirrhosis of the liver ret'd as alcoholic. { M	15	—	—	—	—	—	—	—	—	—	—	—
	F	11	—	—	—	—	—	—	—	—	—	—	—
	C. Dis. formerly classed to "Other dis. of liver and gall bladder." { M	5	—	—	—	—	—	—	—	—	—	—	—
	F	11	—	—	—	—	—	—	1	—	—	1	—
114	Biliary calculi - { M	48	—	—	—	—	—	—	—	—	—	—	—
	F	116	—	—	—	—	—	—	—	—	—	—	—
115	Other diseases of the liver. { M	82	—	—	—	1	1	—	1	—	—	2	—
	F	85	—	—	1	1	2	2	—	1	—	5	2
116	Diseases of the spleen. { M	6	—	—	—	—	—	—	—	—	—	—	1
	F	7	—	—	1	—	1	—	—	—	—	1	—
	A. Infarction of spleen. { M	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—
	B. Other diseases of the spleen. { M	6	—	—	—	—	—	—	—	—	—	—	1
	F	7	—	—	1	—	1	—	—	—	—	1	—
117	Peritonitis (cause unstated). { M	37	1	—	1	—	2	4	—	1	—	7	4
	F	47	1	—	—	—	1	2	—	—	2	5	7
118	Other diseases of the digestive system. { M	26	—	—	—	—	—	—	—	—	—	—	1
	F	19	—	—	—	—	—	1	—	—	—	1	—
	A. Abdominal abscess, Sub-phrenic abscs. { M	4	—	—	—	—	—	—	—	—	—	—	1
	F	5	—	—	—	—	—	1	—	—	—	1	—
	B. Other diseases included under 118. { M	22	—	—	—	—	—	—	—	—	—	—	—
	F	14	—	—	—	—	—	—	—	—	—	—	—
119- 133	VI. Non - Venereal Diseases of the Genito-Urinary System and Annexa. { M	2,495	—	1	5	3	9	14	9	6	5	43	30
	F	1,529	—	5	1	6	12	7	11	6	7	43	16
119	Acute Nephritis - { M	228	—	—	5	3	8	10	8	5	3	34	1

AGE-PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1917—continued.

AGES AT DEATH.																International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.	
8	9	4	7	11	19	28	18	31	39	49	60	62	33	22	14	109
7	7	6	15	12	12	24	45	42	51	81	81	68	49	24	16	
—	2	1	6	3	8	11	6	14	17	20	34	36	19	13	9	A
—	—	—	—	3	4	10	22	20	31	40	51	35	24	8	6	
8	7	3	1	8	11	17	12	17	22	29	26	26	14	9	5	B
7	7	6	15	9	8	14	23	22	20	41	30	33	25	16	10	
1	—	—	1	2	2	—	1	4	5	8	8	5	5	3	3	110
—	1	2	3	4	5	5	1	4	4	4	5	2	10	1	6	
1	1	3	1	1	1	—	—	—	1	—	1	—	—	—	—	111
—	1	—	1	—	1	—	—	1	2	—	1	—	—	—	—	
—	1	1	—	—	—	—	—	—	2	—	—	—	—	—	—	112
—	—	1	—	1	—	—	—	—	—	—	—	—	1	—	—	
1	—	4	1	2	5	20	39	39	59	61	46	31	15	7	2	113
—	1	—	4	2	8	6	27	26	27	23	26	18	12	4	1	
1	—	4	1	1	5	20	35	36	55	60	43	28	15	6	2	A
—	1	—	3	2	4	6	25	24	24	21	22	16	12	3	1	
—	—	—	—	1	—	—	3	2	4	1	—	3	—	1	—	B
—	—	—	—	—	4	—	2	1	1	1	2	—	—	—	—	
—	—	—	—	—	—	—	1	1	—	—	3	—	—	—	—	C
—	—	—	1	—	—	—	—	1	2	1	2	2	—	1	—	
—	—	—	1	3	1	1	2	4	1	11	13	4	4	2	1	114
—	—	3	—	1	5	3	6	16	12	14	23	16	8	6	3	
—	—	1	1	3	1	7	6	6	8	8	11	12	11	4	1	115
1	1	—	2	1	2	3	2	10	4	4	7	20	6	13	2	
—	—	1	—	—	1	2	—	1	—	—	—	—	—	—	—	116
1	1	—	—	—	—	—	—	1	1	1	1	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	1	1	—	—	1	2	—	1	—	—	—	—	—	—	—	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	1	1	1	1	—	1	2	1	—	2	6	3	3	1	—	117
2	3	2	3	1	5	3	2	2	6	2	1	—	3	—	—	
—	—	1	3	4	1	—	4	2	2	2	2	1	1	2	—	118
—	—	1	—	1	1	1	2	1	2	2	5	2	—	—	—	
—	—	—	—	—	—	—	1	—	—	—	1	1	—	—	—	A
—	—	—	—	—	—	—	1	1	—	1	—	1	—	—	—	
—	—	1	3	4	1	—	3	2	2	2	1	—	1	2	—	B
—	—	1	—	1	1	1	1	—	2	1	5	1	—	—	—	
25	22	32	41	57	71	106	149	184	285	312	347	315	263	137	76	119– 133
13	24	34	59	66	92	98	141	135	140	167	176	136	112	44	33	
8	6	10	12	12	16	13	25	14	22	8	6	14	7	2	2	119
2	3	6	8	7	7	12	13	5	8	11	9	5	4	1	—	

ENGLAND AND WALES—CAUSES OF DEATH AT DIFFERENT

[illegible]

AGE-PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1917—continued.

AGES AT DEATH.																International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.	
17 10	13 16	15 15	24 27	39 30	44 56	78 57	102 78	134 89	201 107	202 128	201 134	158 106	103 87	32 33	22 25	{ 120
11 5	8 13	8 11	20 18	26 22	35 51	60 43	84 64	108 79	172 91	182 111	178 115	129 92	84 75	28 31	18 18	
6 5	5 3	7 4	4 9	13 8	9 5	18 14	18 14	26 10	29 16	20 17	23 19	29 14	19 12	4 2	4 7	{ B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ 121
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
— 1	1 —	4 3	— 6	1 5	2 5	5 3	4 7	6 5	4 1	2 6	10 6	4 4	2 2	2 2	3 1	{ 122
—	—	1 1	—	— 1	—	1 —	1 1	— 1	—	— 2	— 1	—	1 —	— 1	—	
—	—	—	—	—	—	2 1	—	—	—	1 —	—	—	—	—	1	{ B
—	—	—	—	—	—	—	—	—	—	—	—	1 —	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	1 —	—	—	2 1	—	{ C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
— 1	1 —	3 2	— 6	1 4	2 5	2 2	3 6	6 4	4 1	1 4	9 5	4 2	1 2	—	2 1	{ D
—	2	2	3	2	2	5	1	2	2	8	9	4	3	—	—	
—	—	—	—	—	—	—	2	4	2	3	—	1	—	—	—	{ 123
—	—	—	1	2	1	1	6	3	20	29	25	35	48	29	23	
—	1	—	—	—	1	2	2	7	2	4	6	7	9	6	6	{ 124
—	—	—	1	1	6	3	6	21	23	22	18	12	5	4	—	
—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	{ 125
—	—	—	—	—	—	1	1	—	—	2	1	1	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	1	6	2	5	21	23	20	17	11	5	4	—	{ B
—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	3	4	13	40	77	85	95	68	24	{ 126
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	1	—	—	—	1	1	—	—	—	1	3	—	—	—	{ 127
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	1	{ 128
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	{ A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	{ B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	2	—	2	5	11	14	17	9	5	5	6	2	4	2	—	{ 129
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

AGE-PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1917—continued.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	130
—	—	2	2	3	4	2	10	5	3	1	3	1	2	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	A
—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	B
—	—	2	2	3	4	2	9	5	3	1	3	1	2	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	131
—	1	—	1	3	3	4	4	8	12	7	10	8	4	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	132
—	1	7	11	12	4	3	8	2	—	2	2	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	B
—	1	7	11	12	4	3	8	2	—	2	2	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	133
—	—	1	—	1	—	—	1	—	—	1	—	2	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	134- 141
—	20	90	109	139	113	66	3	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	134
—	1	8	7	18	18	8	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	A
—	—	3	2	4	7	2	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	B
—	—	1	1	3	4	5	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	C
—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	D
—	1	—	4	7	5	1	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	E
—	—	4	—	2	1	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	135
—	3	7	12	17	30	16	1	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	136
—	2	9	15	7	12	8	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	137
—	3	30	37	46	28	18	1	—	—	—	—	—	—	—	—		

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
138	Puerperal albumin- uria and convul- sions.	M	—	—	—	—	—	—	—	—	—	—	—
		F	125	—	—	—	—	—	—	—	—	—	—
	A. Puerperal ne- phritis and uræmia.	M	—	—	—	—	—	—	—	—	—	—	—
		F	27	—	—	—	—	—	—	—	—	—	—
	B. Puerperal albuminuria and Bright's disease.	M	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	—	—	—	—	—	—
	C. Puerperal convulsions.	M	—	—	—	—	—	—	—	—	—	—	—
		F	93	—	—	—	—	—	—	—	—	—	—
139	Puerperal phlegma- sia alba dolens, embolism and sudden death.	M	—	—	—	—	—	—	—	—	—	—	—
		F	46	—	—	—	—	—	—	—	—	—	—
	A. Puerperal phlegmasia alba dolens, and phlebitis.	M	—	—	—	—	—	—	—	—	—	—	—
		F	8	—	—	—	—	—	—	—	—	—	—
	B. Puerperal em- bolism and sudden death.	M	—	—	—	—	—	—	—	—	—	—	—
		F	38	—	—	—	—	—	—	—	—	—	—
140	Puerperal insanity	M	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	—	—	—	—
141	Puerperal diseases of the breast.	M	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	—	—	—	—	—
142— 145	VIII. Diseases of the Skin and of the Cellular Tissue.	M	314	25	13	5	8	51	6	2	2	63	2
		F	295	19	7	5	11	42	7	3	5	61	3
142	Gangrene	M	135	—	—	—	—	1	2	2	1	6	1
		F	117	—	—	1	1	2	1	2	1	7	1
	A. Senile gangrene.	M	115	—	—	—	—	—	—	—	—	—	—
		F	103	—	—	—	—	—	—	—	—	—	—
	B. Noma, Gan- grene of mouth.	M	8	—	—	—	—	1	1	2	1	5	1
		F	9	—	—	—	—	2	1	2	1	6	1
	C. Noma pudendi	M	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	1	1	—	—	—	—	1	—
	D. Other gan- grene.	M	12	—	—	—	—	—	1	—	—	1	—
		F	4	—	—	—	—	—	—	—	—	—	—
143	Carbuncle, Boil	M	31	—	—	—	2	2	—	—	—	2	—
		F	18	—	1	1	2	—	—	—	—	2	—
144	Phlegmon, Acute abscess.	M	61	3	3	2	11	—	—	—	1	12	1
		F	55	1	5	—	7	2	—	1	2	18	1
	A. Phlegmon	M	33	1	1	1	4	—	—	—	—	4	—
		F	31	—	2	—	3	1	—	—	—	6	1
	B. Acute Abscess	M	28	2	2	1	7	—	—	—	1	8	1
		F	24	1	3	—	4	1	—	1	2	12	—

AGE-PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1917—*continued.*

AGES AT DEATH.

International
List Nos.85 years
and
upwards.

10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	Intermatic List No	
—	9	26	31	31	16	12	—	—	—	—	—	—	—	—	—	{	138
—	4	4	6	7	4	2	—	—	—	—	—	—	—	—	—		{
—	—	—	2	1	1	1	—	—	—	—	—	—	—	—	—	{	
—	5	22	23	23	11	9	—	—	—	—	—	—	—	—	—		{
—	2	9	6	17	8	3	1	—	—	—	—	—	—	—	—	{	
—	—	1	—	6	1	—	—	—	—	—	—	—	—	—	—		{
—	2	8	6	11	7	3	1	—	—	—	—	—	—	—	—	{	
—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—		{
—	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—	{	
6 4	3 2	6 1	3 4	5 4	7 —	5 8	7 4	5 5	9 12	25 14	37 32	33 39	51 48	29 32	18 22		{
— 1	—	—	1 —	1 1	—	—	—	—	7 3	8 6	23 16	20 20	34 26	23 21	11 15	{	
—	—	—	—	—	—	—	—	—	3 1	5 5	22 16	19 19	33 26	22 21	11 15		{
— 1	—	—	—	— 1	—	—	—	—	—	1	—	—	—	1	—	{	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		{
—	—	—	1	1	—	—	—	—	4 2	2 1	1 —	1 1	1 —	—	—	{	
—	1	2	1 2	2	3	2 3	3	2	1	3 1	4 2	2 —	2 3	1 2	— 1		{
6 2	2 2	4 —	—	2 3	3 —	2 1	2 3	3 2	— 1	6 1	6 9	5 6	6 5	1 —	— 1	{	
5 2	1 2	3 —	—	— 1	2 —	1 1	2 3	2 2	— 1	5 1	2 4	2 3	4 3	—	— 1		{
1	1	1	—	2 2	1	1	—	1	—	1	4 5	3 3	2 2	1	—	{	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
145	Diseases of the integumentary system.	M 87 F 105	22 18	10 2	3 4	3 2	38 26	5 3	— 2	— 2	— 1	43 34	— 1
	A. Ulcer, Bedsore	M 27 F 46	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Eczema -	M 14 F 11	4 3	3 1	1 1	2 2	10 7	1 1	— —	— —	— —	11 8	— —
	C. Pemphigus -	M 22 F 19	14 11	1 —	— —	— —	15 11	1 2	— —	— —	— 1	16 14	— 1
	D. Other Dis. of the integumentary system.	M 24 F 29	4 4	6 1	2 3	1 —	13 8	3 —	— 2	— 2	— —	16 12	— —
146-149	IX. Diseases of the Bones and of the Organs of Locomotion.	M 104 F 53	— —	1 1	— 1	4 —	5 2	2 1	5 1	— —	5 3	17 7	12 4
146	Diseases of the bones	M 85 F 31	— —	1 —	— 1	4 —	5 1	1 1	5 1	— —	5 3	16 6	11 3
147	Diseases of the joints.	M 14 F 20	— —	— 1	— —	— —	— 1	1 —	— —	— —	— —	1 1	1 1
148	Amputations -	M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
149	Other diseases of locomotor system.	M 5 F 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	X. Malformations.												
150	Congenital malformations.	M 422 F 346	224 184	68 62	32 32	34 18	358 296	19 17	8 9	9 2	5 1	399 325	9 8
	A. Congenital hydrocephalus.	M 41 F 29	11 4	2 2	5 8	7 4	25 18	7 6	1 1	2 —	— 1	35 26	4 2
	B. Phimosis	M 5 F —	1 —	3 —	— —	1 —	5 —	— —	— —	— —	— —	5 —	— —
	C. Congenital malformation of heart.	M 166 F 106	97 64	16 11	11 5	15 2	139 82	6 4	4 4	3 1	2 —	154 91	3 6
	D. Other congenital malformations.	M 210 F 211	115 116	47 49	16 19	11 12	189 196	6 7	3 4	4 1	3 —	205 208	2 —
151-153	XI. Diseases of Early Infancy.	M 2,758 F 2,070	2,196 1,584	357 306	130 110	75 70	2,758 2,070	— —	— —	— —	— —	2,758 2,070	— —
151	Premature birth, Infantiledebility, Icterus and Sclerema.	M 2,493 F 1,888	1,942 1,413	347 295	129 110	75 70	2,493 1,888	— —	— —	— —	— —	2,493 1,888	— —
	A. Premature birth.	M 1,585 F 1,180	1,473 1,055	104 118	7 5	1 2	1,585 1,180	— —	— —	— —	— —	1,585 1,180	— —
	B. Infantile atrophy, debility and marasmus.	M 837 F 649	413 319	234 163	117 102	73 65	837 649	— —	— —	— —	— —	837 649	— —
	C. Icterus neonatorum.	M 61 F 43	52 36	8 7	1 —	— —	61 43	— —	— —	— —	— —	61 43	— —
	D. Sclerema and œdema neonatorum.	M 1 F 9	1 2	— 4	— 2	— 1	1 9	— —	— —	— —	— —	1 9	— —
	E. Want of breast milk.	M 9 F 7	3 1	1 3	4 1	1 2	9 7	— —	— —	— —	— —	9 7	— —

AGE-PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1917—continued.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.		
— 1	— —	— 1	1 2	— —	1 —	1 4	2 1	— 1	1 8	8 6	4 5	6 13	9 14	4 9	7 5	}	145
— —	— —	— —	— —	— —	— —	— 1	1 1	— 1	1 6	6 5	3 5	4 9	6 9	2 7	4 2		}
— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	1 —	— —	— —	1 1	— —	1 1	}	
— —	— —	— —	— —	— —	1 —	1 1	1 —	— —	— —	1 —	— —	1 2	— 1	— —	1 —		}
— 1	— —	— 1	1 2	— —	— —	— 2	— —	— —	— 1	— 1	1 —	— 2	1 3	2 2	2 2	}	
14 7	9 —	4 3	4 2	6 —	3 1	3 2	4 2	6 —	2 3	7 5	6 5	3 6	1 4	2 1	1 1		}
13 5	8 —	2 3	4 1	5 —	3 —	3 2	3 2	5 —	1 2	4 3	4 —	1 3	1 1	— —	— —	}	
1 2	1 —	2 —	— 1	1 —	— 1	— —	1 —	— —	1 1	1 1	— 4	2 3	— 3	2 1	— 1		}
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	
— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	2 1	2 1	— —	— —	— —	— —		}
4 2	3 3	4 3	— 2	1 1	— —	— —	2 —	— —	— 1	— 1	— —	— —	— —	— —	— —	}	
— 1	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		}
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	
3 1	2 3	3 2	— 2	— —	— —	— —	1 —	— —	— —	— 1	— —	— —	— —	— —	— —		}
1 —	1 —	— 1	— —	— 1	— —	— —	1 —	— —	— 1	— —	— —	— —	— —	— —	— —	}	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		}
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		}
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		}
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		}

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
152	Other diseases pe- culiar to early infancy.	M 244 F 164	234 155	9 9	1 —	— —	244 164	— —	— —	— —	— —	244 164	— —
	A. Diseases of umbilicus, &c.	M 19 F 23	17 20	2 3	— —	— —	19 23	— —	— —	— —	— —	19 23	— —
	B. Atelectasis	M 123 F 87	116 81	7 6	— —	— —	123 87	— —	— —	— —	— —	123 87	— —
	C. Injuries at birth.	M 99 F 54	98 54	— —	1 —	— —	99 54	— —	— —	— —	— —	99 54	— —
	D. Cyanosis neonatorum.	M 3 F —	3 —	— —	— —	— —	3 —	— —	— —	— —	— —	3 —	— —
153	Lack of care -	M 21 F 18	20 16	1 2	— —	— —	21 18	— —	— —	— —	— —	21 18	— —
	XII.—Old Age.												
154	Old age -	M 2,291 F 3,073	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Senile dementia.	M 109 F 146	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Senile decay -	M 2,182 F 2,927	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
155- 186	XIII.—Affections produced by Ex- ternal Causes.	M 4,078 F 1,092	36 19	12 11	11 13	23 18	82 61	66 43	85 42	47 34	43 26	323 206	261 77
155	Suicide by poison -	M 23 F 22	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
156	Suicide by asphyxia	M 15 F 26	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
157	Suicide by hanging or strangulation.	M 117 F 31	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
158	Suicide by drowning	M 63 F 79	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
159	Suicide by firearms	M 57 F 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
160	Suicide by cutting or piercing instruments.	M 118 F 22	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
161	Suicide by jumping from high place.	M 11 F 14	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
162	Suicide by crushing	M 18 F 7	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
163	Other suicides -	M 1 F 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
155- 163	<i>Suicide</i> -	M 423 F 207	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
164	Poisoning by food -	M 9 F 10	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	4 —
165	Other acute poison- ings.	M 21 F 13	— —	— —	— —	— —	— —	— —	2 —	2 1	— —	4 1	2 —
166	Conflagration -	M 3 F 16	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —
167	Burns (conflagra- tion excepted).	M 135 F 146	2 —	1 —	— 1	9 6	12 7	27 22	24 17	13 12	6 10	82 68	12 17

AGE-PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1917—*continued.*

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	152
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	D
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	153
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	5	6	20	134	445	658	591	432	{	154
—	—	—	—	—	—	—	—	—	2	38	125	454	783	853	818		
—	—	—	—	—	—	—	—	2	—	7	16	42	19	18	5	{	A
—	—	—	—	—	—	—	—	—	—	5	20	36	37	33	15		
—	—	—	—	—	—	—	—	3	6	13	118	403	639	573	427	{	B
—	—	—	—	—	—	—	—	—	2	33	105	418	746	820	803		
242	348	508	381	325	293	269	208	225	187	170	122	98	54	39	25	{	155—
43	64	43	54	41	60	67	54	41	43	46	68	62	59	40	24		186
—	—	—	1	1	3	1	2	5	6	2	1	—	1	—	—	{	155
1	2	3	2	1	2	4	3	—	—	2	1	—	—	1	—		
—	—	1	—	2	2	4	1	1	1	1	—	2	—	—	—	{	156
—	3	1	4	3	5	5	2	1	—	1	1	—	—	—	—		
1	4	5	6	11	11	11	13	11	14	10	9	3	2	4	2	{	157
—	—	2	2	2	3	6	3	1	2	5	3	2	—	—	—		
—	4	—	2	4	3	12	2	7	6	11	4	5	2	1	—	{	158
2	6	10	—	8	7	13	5	8	8	5	6	1	—	—	—		
1	1	7	3	4	9	6	4	4	9	4	1	3	1	—	—	{	159
—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—		
—	—	2	11	13	14	17	13	9	10	15	5	4	1	3	1	{	160
—	—	—	2	2	6	5	3	1	1	1	1	—	—	—	—		
—	—	1	—	3	1	1	—	3	1	—	—	—	1	—	—	{	161
—	2	2	1	1	1	—	2	—	2	1	1	1	—	—	—		
—	—	1	2	3	3	—	3	3	—	3	—	—	—	—	—	{	162
—	—	1	1	2	—	—	2	—	—	—	—	1	—	—	—		
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	{	163
—	—	—	2	—	—	—	—	1	—	—	—	—	—	—	—		
2	9	17	25	42	46	52	38	43	47	46	20	17	8	8	3	{	155—
3	13	19	14	19	24	34	21	13	13	15	13	5	—	1	—		163
1	1	—	—	1	—	—	1	1	—	—	—	—	—	—	—	{	164
1	—	1	1	—	—	—	1	2	1	1	1	1	—	—	—		
—	—	—	—	3	1	1	5	2	1	1	—	—	1	—	—	{	165
—	1	1	3	1	2	2	—	—	1	—	1	—	—	—	—		
—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	166
—	3	—	—	3	2	—	5	—	1	—	—	1	1	—	—		
3	3	2	1	4	2	3	2	5	3	1	4	3	2	3	—	{	167
11	8	2	2	2	3	3	4	1	—	1	8	6	7	1	2		

E-PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1917—continued.

AGES AT DEATH.																International List Nos.	
15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.			
	2	—	—	2	2	2	3	4	1	3	2	—	—	1	—	{	168
	—	—	—	—	—	1	1	—	1	1	2	—	1	2	—		
99	74	42	30	27	35	42	20	31	12	14	9	5	4	2	—	{	169
6	15	8	6	4	9	8	2	2	2	2	7	2	2	—	—		
2	4	4	3	2	2	3	1	1	—	1	1	1	—	—	—	{	170
	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	171
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
1	16	11	12	12	17	31	25	30	31	30	34	33	24	16	19	{	172
2	6	1	3	—	5	9	8	11	8	11	22	40	37	34	22		
0	42	25	23	35	26	38	26	28	16	14	10	1	1	—	—	{	173
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
7	20	3	4	4	5	9	3	2	7	4	4	1	—	—	—	{	174
	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—		
0	89	102	74	39	46	45	50	45	49	43	30	25	9	9	1	{	175
5	7	9	12	7	8	5	6	3	10	11	8	6	10	1	—		
2	4	—	2	2	3	2	1	—	4	1	—	3	1	—	—	{	176
	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—		
	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	{	177
	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—		
	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	178
	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—		
3	1	—	1	—	2	1	2	1	1	2	—	1	—	—	—	{	179
	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—		
	1	1	2	1	—	1	3	2	2	—	—	—	—	—	—	{	180
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2	—	1	1	1	—	—	1	—	1	1	—	—	—	—	—	{	181
	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	{	182
1	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—		
	—	—	2	—	—	1	—	—	—	—	—	—	1	—	—	{	183
	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		
2	—	1	2	—	3	2	1	2	—	—	—	—	—	—	—	{	184
1	2	2	3	1	2	1	—	1	—	—	—	—	—	—	—		
1	—	1	1	—	2	—	2	1	—	—	—	1	1	—	—	{	185
	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
7	79	298	197	149	100	36	24	27	12	7	8	7	2	—	2	{	186
4	6	—	8	3	5	2	5	7	5	3	6	—	—	—	—		
4	5	3	4	5	6	9	16	23	34	41	42	6	4	2	1	{	187~ 189
4	1	1	3	4	8	14	16	18	16	20	28	3	1	3	1		
	—	—	—	—	—	—	—	—	2	—	1	—	1	—	—	{	187
	—	—	—	—	—	—	1	—	1	1	—	2	—	—	—		

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
188	Syncope, Sudden death. {	M 26	—	—	—	—	—	—	—	—	—	—	—
		F 15	—	—	—	—	—	—	—	—	—	—	—
	A. Syncope (aged 1 year and under 70 years). {	M 25	—	—	—	—	—	—	—	—	—	—	—
		F 15	—	—	—	—	—	—	—	—	—	—	—
	B. Sudden death (not otherwise defined). {	M 1	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
189	Ill-defined causes - {	M 224	8	1	2	1	12	20	4	5	2	43	—
		F 200	14	3	3	2	22	32	14	2	—	70	—
	A. Heart failure (aged 1 year and under 70). {	M 135	—	—	—	—	—	—	—	3	—	3	—
		F 98	—	—	—	—	—	—	2	—	—	2	—
	B. Atrophy, debility, marasmus (aged 1 year and under 70). {	M 33	—	—	—	—	—	20	3	—	2	25	—
		F 53	—	—	—	—	—	32	11	1	—	44	—
	C. Teething - {	M 1	—	—	—	1	1	—	—	—	—	1	—
		F 1	—	—	1	—	1	—	—	—	—	1	—
	D. Pyrexia - {	M 1	—	—	—	—	—	—	—	1	—	1	—
		F 2	—	—	—	—	—	—	—	—	—	—	—
	E. Other ill-defined deaths. {	M 32	3	1	1	—	5	—	1	1	—	7	—
		F 30	3	3	2	2	10	—	1	1	—	12	—
	F. Cause not specified. {	M 22	5	—	1	—	6	—	—	—	—	6	—
		F 16	11	—	—	—	11	—	—	—	—	11	—

AGE-PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1917—continued.

AGES AT DEATH.																International List Nos.	
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.		
— —	1 —	1 —	— —	1 1	— 3	1 2	3 1	3 1	3 2	8 3	5 2	— —	— —	— —	— —	}	188
— —	1 —	1 —	— —	1 1	— 3	1 2	3 1	3 1	3 2	8 3	4 2	— —	— —	— —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	}	B
4 4	4 1	2 1	4 3	4 3	6 5	8 12	13 14	20 17	29 13	33 16	36 26	6 1	3 1	2 3	1 1		
2 2	3 —	2 —	3 3	3 3	3 4	7 10	11 13	17 15	22 12	29 11	28 20	— —	— —	— —	— —	}	A
— 1	— —	— —	— —	— —	1 1	— —	— —	1 —	2 —	1 2	3 1	— —	— —	— —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	C
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— 1	1 —	— —	— —	— —	— —	— 1	2 1	1 2	3 1	2 2	4 4	5 1	3 1	1 3	— 1	}	E
2 —	— —	— 1	1 —	1 —	2 —	1 1	— —	1 —	2 —	1 1	1 1	1 —	— —	1 —	1 —		

CHANGES in the BOUNDARIES of ADMINISTRATIVE AREAS and POOR LAW AREAS which took effect during the six months ending 30th June, 1918.

Authority and Date of Change.	Area decreased by Change.	Area increased or constituted by Change.	Civil Parish transferred.	Area in Statute Acres (Land and Inland Water).	Popul tion, 1911
Blackpool Improve- ment Act, 1917. (1st April, 1918.)	Bispham with Norbreck U.D. and C.P. (abo- lished).	} Blackpool C.B. and C.P. }	Bispham with Norbreck.	1,346	2,244
	Fylde R.D. - - -		Carleton (part of).	240	137
	Carleton C.P. - - -			1,586	2,377

ENUMERATED POPULATIONS by SEX and AGE, 1911, of AREAS transferred between URBAN and RURAL DISTRICTS during the six months ending 30th June, 1918.

Ages.	Bispham with Norbreck U.D.		Area transferred from Fylde R.D. to Blackpool C.B.		Total area added to Blackpool C.B.	
	Males.	Females.	Males.	Females.	Males.	Females.
All Ages - -	919	1,325	68	63	987	1,388
Under 1 - -	11	11	1	1	12	12
1- - - -	13	16	1	2	14	18
2- - - -	13	11	3	2	16	13
3- - - -	18	25	3	2	21	27
4- - - -	22	14	1	—	23	14
Under 5 - -	77	77	9	7	86	84
5- - - -	106	82	4	4	110	86
10- - - -	76	83	8	7	84	90
15- - - -	59	103	6	7	65	110
20- - - -	49	112	7	6	56	118
25- - - -	63	117	3	3	66	120
30- - - -	72	118	1	3	73	121
35- - - -	83	112	4	8	87	120
40- - - -	62	112	6	3	68	115
45- - - -	42	97	3	2	45	99
50- - - -	47	75	2	5	49	80
55- - - -	57	78	5	2	62	80
60- - - -	52	70	7	2	59	72
65- - - -	39	45	—	1	39	46
70- - - -	24	32	—	—	24	32
75- - - -	8	6	1	1	9	7
80- - - -	1	6	2	2	3	8
85 and upwards -	2	—	—	—	2	—

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE

By EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1918.

QUARTERLY RETURN
OF
MARRIAGES, BIRTHS, AND DEATHS
REGISTERED IN
ENGLAND AND WALES
AND IN THE REGISTRATION COUNTIES;
AND OF BIRTHS, DEATHS, AND NOTIFIED CASES OF INFECTIOUS DISEASE
IN CERTAIN LARGE TOWNS.

Published by Authority of the Registrar-General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.2; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 279.]

[Price 1s.

Marriages—*April, May, June, 1918.*

Births and Deaths—*July, August, September, 1918.*

*General Register Office, Somerset House,
31st October, 1918.*

The figures in this publication are tabulated mainly from statistical Returns furnished by the local Registrars, and may not be found to correspond exactly with the authoritative figures for the whole year to be published later in the Annual Report. *With this issue of the Quarterly Return a table of the deaths (by sex, age, and cause) in England and Wales during the fourth quarter of the year 1917 is incorporated. Similar tables for subsequent quarters will be published from time to time as available in future issues of this Return.*

ENGLAND AND WALES.

The figures in this Quarterly Return are based upon the BIRTHS and DEATHS registered in the 1,942 registration sub-districts of England and Wales in the three months ended 30th September, 1918; and the MARRIAGES in 16,088 churches or chapels, in 17,183 registered places of worship unconnected with the Established Church, and in 634 Superintendent Registrars' Offices, in the three months ended 30th June, 1918.

The births registered during the three months ended 30th September, 1918, numbered 168,451 and the deaths 114,218; the

number of persons married during the three months ended 30th June, 1918, was 134,240.

Marriages.

The number of persons married during the *second* quarter of 1918 showed an increase of 2,924 over the number in the preceding quarter, and was 6,714 greater than that in the *second* quarter of 1917. The number of persons married during the *second* quarter of 1918 corresponds to an annual rate of 14·3 per 1,000 total population.

Births.

The births registered in the *third* quarter of 1918 were 1,788 fewer than in the preceding quarter, but 5,925 more than in the *third* quarter of 1917.

Of the 168,451 births, 10,826 (or 1,557 more than the number in the corresponding quarter of 1917) were illegitimate; the distribution of the illegitimate births among the several registration counties is shown in Table IVa.

The births of males numbered 86,212 and those of females 82,239. Male births were in proportion to female births as 1,048 to 1,000, the average proportion in the ten preceding third quarters being 1,040.

The 168,451 births registered during the quarter correspond to an annual rate of 17·8 per 1,000 total population in 1917.

Natural Increase of Population.

The natural increase of population in England and Wales last quarter by excess of births over deaths was 54,233, against 87,095, 95,872, and 67,935 in the third quarters of 1915, 1916, and 1917, respectively.

Deaths.

The deaths registered in England and Wales last quarter were 4,332 fewer than in the preceding quarter, but 19,627 more than in the third quarter of 1917.

The 114,218 registered deaths included 60,201 of males and 54,017 of females. The proportion of male to female deaths was 1,114 to 1000, the average of the ten preceding third quarters being 1,111.

The civilian death-rate for the quarter cannot be stated at present, the number of non-civilian deaths included in the total of 114,218 being as yet unknown. The civilian death-rate in the whole group of 244 towns dealt with in Table III, which comprises 62 per cent. of the population of England and Wales was, however, 13·0 per 1,000; and during recent quarters the rate in this group of towns has corresponded closely to that in the country as a whole.

Infant Mortality.

Infant mortality, measured by the proportion of deaths under one year of age to registered births, was equal to 84 per 1,000, being 25 per 1,000 below the average in the ten preceding third quarters.

Urban Mortality.

Table III. shows the birth-rates, the death-rates from all causes, from the principal epidemic diseases and from violence, and the infant mortality, together with the proportion of inquest cases, of uncertified deaths, and of deaths in public institutions among the

civilian population during the last five quarters in the 96 great towns, in the 148 smaller towns, and, as far as possible, in the whole of England and Wales.

The highest death-rates per 1,000 from the several epidemic diseases among the 96 great towns last quarter, as shown by Table VI., were as follows:—from *enteric fever*, 0·08 in Hastings and in Preston, 0·10 in York and 0·15 in Oxford; from *measles*, 0·66 in Barrow-in-Furness, 1·05 in Sunderland, 1·30 in Lincoln, and 1·42 in Barnsley; from *scarlet fever*, 0·15 in Bury, 0·16 in Liverpool and in Merthyr Tydfil, 0·18 in Warrington, 0·19 in Wigan, 0·31 in St. Helens, 0·36 in Birkenhead, and 0·52 in Bootle; from *whooping-cough*, 0·45 in Preston, 0·46 in Gillingham, 0·48 in Newport (Mon.), 0·81 in Merthyr Tydfil, 0·82 in Walsall; 0·85 in Sunderland, and 1·17 in Warrington; and from *diphtheria*, 0·25 in Nottingham, 0·30 in Liverpool, 0·31 in Bury, 0·41 in Bootle, and 0·93 in St. Helens. The highest death-rates per 1000 births from *diarrhoea and enteritis* among children under 2 years of age were 64·05 in Wigan, 66·50 in Stockton-on-Tees, 74·77 in Bootle, 75·90 in West Ham, 75·95 in Barnsley, 80·82 in Gateshead, 82·71 in Grimsby, 125·00 in West Hartlepool, and 126·55 in Rotherham.

In accordance with precedent special tables relating to summer mortality from diarrhoea and enteritis have been inserted in the present return (Tables XII. and XIII.).

UNITED KINGDOM.

In the United Kingdom 220,140 *births* and 153,496 *deaths* were registered in the three months ended 30th June, 1918. The natural increase of population was, therefore, 66,644. The number of *persons married* in the United Kingdom during the quarter was 161,694.

For facts, in detail, concerning Scotland and Ireland reference should be made to the Quarterly Returns of the Registrars-General of those parts of the United Kingdom.

COLONIAL AND FOREIGN CITIES.

The Registrar-General has been favoured with returns of vital statistics by the authorities of certain Colonial and Foreign Cities. From these a summary has been constructed for the 13 weeks ended 28th September, 1918 (Table XV).

RETURNS OF NOTIFIED CASES OF INFECTIOUS DISEASE.

At the request of the Local Government Board, and of the London County Council, and on their responsibility with respect to accuracy, tables have been inserted, in continuation of those published in previous returns, showing the numbers of cases of infectious sickness among the civilian population notified, under Act of Parliament, to the Sanitary Authorities of certain of the largest towns in England and Wales, during the 13 weeks ended 28th September, 1918 (*see* pages 20–25); and in the two following tables these numbers have been reduced to rates per 1,000 of the several estimated civilian populations (*see* pages 26–31).

METEOROLOGY.

The publication of quarterly meteorological data has been temporarily discontinued.

TABLES.

TABLE I.—**Marriages, Births, and Deaths** registered in **England and Wales** in the Years **1908-1918**, and in each Quarter of those Years.

YEAR - - -	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917. *	1918. *
Marriages - - -	264,940	260,544	267,721	274,943	283,834	286,583	294,401	360,885	279,846	258,360	-
Births - - -	940,383	914,472	896,962	881,138	872,737	881,890	879,096	814,614	785,520	668,340	-
Deaths - - -	520,456	518,003	483,247	527,810	486,939	504,975	516,742	562,253	508,217	498,955	-
MARRIAGES.											
Quarter ended the last day of											
March - - -	47,548	45,094	56,432	44,808	44,737	60,926	51,046	55,472	67,952	50,675	65,658
June - - -	73,502	71,829	61,036	75,656	74,619	65,904	81,312	97,220	74,550	63,763	67,120
September - - -	73,785	73,843	76,545	77,873	83,505	83,636	82,048	102,671	67,477	69,639	-
December - - -	70,105	69,778	73,708	76,606	80,973	76,117	79,995	105,522	69,867	74,283	-
BIRTHS.											
March - - -	240,112	228,787	221,684	223,585	222,600	216,629	217,414	221,523	194,965	178,725	162,308
June - - -	243,834	237,220	234,825	225,774	218,070	227,470	226,152	213,109	209,006	173,418	170,239
September - - -	237,229	228,840	227,146	222,506	219,232	225,501	227,238	196,501	198,307	162,526	168,451
December - - -	219,208	219,625	213,307	209,273	212,835	212,290	208,292	183,481	183,242	153,671	-
DEATHS.											
March - - -	156,328	160,506	136,400	143,128	144,642	146,541	146,193	177,243	142,933	163,919	138,005
June - - -	121,052	125,233	115,671	119,966	115,777	121,743	124,128	138,575	126,534	127,704	118,550
September - - -	113,929	104,786	104,149	140,949	101,680	113,446	115,535	109,406	102,435	94,591	114,218
December - - -	129,147	127,478	127,027	123,767	124,840	123,245	130,886	137,029	136,265	112,741	-

* Provisional.

TABLE II.—**Annual Rate** per 1,000, of **Persons Married**, of **Births**, and of **Deaths**, in the Years **1908-1917**, and in each Quarter of those years.

Estimated Population of England and Wales in thousands, in the middle of each Year* - - -	35,059	35,424	35,792	36,190	36,382	36,606	36,961	35,359*	34,500*	33,711*
YEAR - - -	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.
Persons married - -	15·1	14·7	15·0	15·2	15·6	15·7	15·9	19·4†	14·9†	13·8†
Births - - -	26·7	25·8	25·1	24·3	23·9	24·1	23·8	21·9†	20·9†	17·8†
Deaths - - -	14·8	14·6	13·5	14·6	13·3	13·8	14·0	15·7*	14·4*	14·4*
PERSONS MARRIED.										
Quarter ended the last day of										
March - - -	10·9	10·3	12·8	10·0	9·9	13·5	11·2	12·1†	14·5†	10·9†
June - - -	16·8	16·3	13·7	16·8	16·5	14·4	17·6	20·9†	15·9†	13·6†
September - - -	16·7	16·5	17·0	17·1	18·2	18·1	17·6	21·9†	14·3†	14·7†
December - - -	15·9	15·6	16·3	16·8	17·7	16·5	17·2	22·5†	14·8†	15·7†
BIRTHS.										
March - - -	27·5	26·2	25·1	25·1	24·5	24·0	23·9	24·1†	20·8†	19·3†
June - - -	27·9	26·9	26·3	25·0	24·0	24·9	24·5	22·9†	22·3†	18·5†
September - - -	26·8	25·6	25·2	24·4	23·9	24·4	24·4	20·8†	21·0†	17·2†
December - - -	24·8	24·6	23·6	22·9	23·2	23·0	22·4	19·5†	19·4†	16·2†
DEATHS.										
March - - -	17·9	18·4	15·5	16·0	15·9	16·2	16·0	20·1*	16·4*	19·3*
June - - -	13·8	14·2	13·0	13·3	12·8	13·3	13·5	15·4*	14·4*	14·8*
September - - -	12·9	11·7	11·5	15·5	11·1	12·3	12·4	12·1*	11·4*	10·9*
December - - -	14·6	14·3	14·1	13·6	13·6	13·4	14·0	15·1*	15·3*	13·0*

* Civilians only.

† Based upon total populations specially estimated for this purpose.

TABLE III.—**Birth-rate, Civilian Death-rate and Analysis of Mortality** during the last Five Quarters.

(Provisional figures. Populations estimated to the middle of 1917 have been used for the purposes of this Table.)

	QUARTER.	ANNUAL BIRTH- RATE PER 1,000 TOTAL POPULA- TION.	ANNUAL DEATH-RATE PER 1,000 CIVILIAN POPULATION.								DEATH-RATE PER 1000 BIRTHS.		PERCENTAGE OF TOTAL DEATHS.*			
			All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Violence.	Diarrhoea and Enteritis (under 2 Years).	Total deaths under one Year.	Deaths in Public Institutions.	Certified Causes.	Inquest Cases.	Uncertified Causes of Death.
ENGLAND AND WALES	1917. Third	17.2	10.9	0.03	0.00	0.17	0.02	0.10	0.09	0.46	21.99	79	26.9	91.0	7.6	1.4
	Fourth	16.2	13.0	0.03	-	0.23	0.03	0.16	0.17	0.51	14.31	93	26.5	91.2	7.3	1.5
	1918. First	17.5	16.3	0.03	0.00	0.47	0.03	0.46	0.18	0.58	5.84	113	25.6	92.0	6.6	1.4
	Second	18.2	13.7	0.03	0.00	0.46	0.02	0.39	0.12	0.45	5.05	83	26.7	92.2	6.4	1.4
	Third	17.8	+	+	+	+	+	+	+	+	24.00	84	25.0	92.1	6.4	1.5
96 GREAT TOWNS (Census Populations exceeding 50,000).	1917. Third	17.7	11.2	0.02	0.00	0.21	0.02	0.12	0.10	0.42	31.20	91	33.1	91.6	7.6	0.8
	Fourth	16.4	13.2	0.02	-	0.26	0.03	0.19	0.17	0.49	18.87	104	32.3	91.3	7.8	0.9
	1918. First	18.0	17.1	0.02	-	0.60	0.04	0.62	0.20	0.61	7.76	124	30.5	91.9	7.3	0.8
	Second	18.0	14.0	0.02	-	0.60	0.03	0.48	0.13	0.44	6.18	89	31.8	92.7	6.5	0.8
	Third	17.5	13.3	0.02	0.00	0.15	0.03	0.19	0.11	0.40	31.79	94	29.4	92.7	6.4	0.9
148 SMALLER TOWNS (Census Populations, 20,000-50,000).	1917. Third	17.3	9.8	0.04	-	0.19	0.01	0.10	0.08	0.39	15.89	72	18.6	92.6	5.8	1.6
	Fourth	16.4	11.6	0.04	-	0.29	0.02	0.15	0.19	0.42	12.03	87	17.8	92.4	5.7	1.9
	1918. First	17.6	14.6	0.04	-	0.43	0.02	0.35	0.20	0.40	4.70	108	17.8	93.7	4.6	1.7
	Second	18.6	12.4	0.03	-	0.40	0.02	0.38	0.12	0.39	4.63	83	18.2	93.6	4.8	1.6
	Third	18.2	12.1	0.04	-	0.10	0.02	0.19	0.09	0.34	21.51	82	15.2	94.0	4.4	1.6

* Non-civilians are included in these figures for England and Wales but not for other areas.

† The numbers of deaths of non-civilians in England and Wales during the Third Quarter of 1918 have not yet been ascertained. Until these are known the civilian death-rates cannot be calculated. (See page ii.)

TABLE IV.—**England and Wales and Registration Counties.**—MARRIAGES registered in the Quarter ended 30th June, 1918 :
BIRTHS and DEATHS registered in the Quarter ended 30th September, 1918.

NOTE.—The Registration or Union Counties consist of groups of Registration Districts which are generally co-extensive with Poor Law Unions of the same names. The differences between Registration Counties and Administrative Counties are shown in Table 7 of Vol. II. of the Abstracts of the Census Returns, 1911 (Cd. 6259). The numbers of marriages, births, and deaths, are the numbers actually registered in each case.

REGISTRATION COUNTIES.	MAR- RIAGES in Quarter ended 30th June, 1918.	BIRTHS in Quarter ended 30th Sept., 1918.	DEATHS in Quarter ended 30th Sept., 1918.	The DEATHS registered include										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	REGISTRATION COUNTIES.
				Deaths of		Deaths from											
				Infants under 1 Year of age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Violence.				
England and Wales	67,120	168,451	114,218	14,234	31,002	254	1	1,107	215	1,648	864	4,042	5,315	7,307	28,501	1,684	England and Wales.
LONDON*	9,590	17,869	13,168	1,630	3,550	16	-	197	28	186	111	540	698	1,110	6,570	28	LONDON.*
SURREY	1,682	3,664	2,503	176	837	6	-	30	3	16	18	40	120	195	942	2	SURREY.
KENT	1,930	4,325	2,871	272	907	7	-	12	3	33	29	58	260	228	871	62	KENT.
SUSSEX	1,204	2,524	1,997	142	752	7	-	8	-	12	21	30	122	158	494	16	SUSSEX.
HAMPSHIRE	1,783	4,325	2,910	251	887	14	-	22	3	24	30	73	222	209	968	32	HAMPSHIRE.
BERKSHIRE	524	1,226	810	82	294	-	-	5	1	10	7	12	47	57	224	17	BERKSHIRE.
MIDDLESEX	2,063	4,541	2,843	329	850	5	-	13	2	41	18	106	137	218	833	7	MIDDLESEX.
HERTFORDSHIRE	449	1,098	789	49	276	-	-	8	-	10	5	5	46	54	259	12	HERTFORDSHIRE.
BUCKINGHAMSHIRE	296	776	497	37	204	-	-	1	-	4	-	9	23	20	117	7	BUCKINGHAMSHIRE.
OXFORDSHIRE	323	694	466	32	201	1	-	2	1	1	4	6	24	25	114	7	OXFORDSHIRE.
NORTHAMPTONSHIRE	594	1,394	900	85	310	2	-	3	1	17	15	12	29	38	144	24	NORTHAMPTONSHIRE.
HUNTINGDONSHIRE	71	194	129	14	52	-	-	-	-	2	-	3	10	11	20	5	HUNTINGDONSHIRE.
BEDFORDSHIRE	359	825	534	50	183	1	-	-	-	4	7	9	13	24	117	10	BEDFORDSHIRE.
CAMBRIDGESHIRE	345	853	557	42	240	1	-	6	-	12	5	8	17	25	120	8	CAMBRIDGESHIRE.
ESSEX	2,364	5,400	3,569	366	1,021	6	-	30	1	58	32	149	147	158	1,008	97	ESSEX.
SUFFOLK	634	1,706	987	95	379	1	-	11	-	18	3	16	48	74	205	19	SUFFOLK.
NORFOLK	777	1,995	1,363	124	510	3	-	5	1	15	6	11	89	109	329	20	NORFOLK.
WILTSHIRE	518	1,125	799	72	260	10	-	4	-	7	3	3	104	72	245	48	WILTSHIRE.
DORSETSHIRE	430	932	603	50	249	1	-	4	1	2	2	4	36	42	131	12	DORSETSHIRE.
DEVONSHIRE	1,286	2,570	2,219	159	766	3	-	12	10	14	6	35	93	130	551	20	DEVONSHIRE.
CORNWALL	501	1,184	931	80	401	5	-	2	-	17	6	5	63	79	100	7	CORNWALL.
SOMERSETSHIRE	818	1,775	1,208	73	498	1	-	6	2	6	1	-	48	74	241	11	SOMERSETSHIRE.
GLOUCESTERSHIRE	1,254	2,868	1,912	231	617	3	-	8	-	16	12	52	113	183	500	5	GLOUCESTERSHIRE.
HEREFORDSHIRE	193	458	276	22	115	-	-	3	1	2	1	1	11	15	48	10	HEREFORDSHIRE.
SHROPSHIRE	448	1,163	781	74	254	-	-	4	1	17	6	1	64	60	146	24	SHROPSHIRE.
STAFFORDSHIRE	2,628	7,733	4,623	614	1,042	7	-	48	11	91	30	143	159	275	814	56	STAFFORDSHIRE.
WORCESTERSHIRE	543	1,418	971	77	325	1	-	4	2	19	8	9	50	53	195	24	WORCESTERSHIRE.

REGISTRATION COUNTIES.	The DEATHS registered include																REGISTRATION COUNTIES.
	MAR- RIAGES in Quarter ended 30th June 1918.	BIRTHS in Quarter in ended 30th Sept., 1918.	DEATHS in Quarter ended 30th Sept., 1918.	Deaths of		Deaths from							Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Violence.					
LEICESTERSHIRE -	850	1,926	1,324	156	380	5	-	5	1	30	8	22	44	73	251	31	LEICESTERSHIRE.
RUTLANDSHIRE -	29	64	48	1	29	-	-	-	-	-	-	-	2	4	5	-	RUTLANDSHIRE.
LINCOLNSHIRE -	1,157	2,803	1,724	220	535	5	-	5	-	34	10	54	122	110	229	69	LINCOLNSHIRE.
NOTTINGHAMSHIRE -	1,398	3,755	2,342	343	614	5	-	5	2	41	24	95	99	127	449	51	NOTTINGHAMSHIRE.
DERBYSHIRE -	1,063	2,781	1,740	215	444	3	-	3	7	37	16	35	217	150	268	140	DERBYSHIRE.
CHESHIRE -	1,440	4,073	2,735	324	778	2	-	2	12	36	22	85	86	167	602	13	CHESHIRE.
LANCASHIRE -	8,313	22,105	17,359	2,069	3,914	43	-	43	68	208	160	589	563	860	4,237	297	LANCASHIRE.
WEST RIDING -	5,739	14,910	11,004	1,584	2,628	32	-	32	14	159	64	496	396	729	2,222	61	WEST RIDING.
EAST RIDING (WITH YORK).	903	2,354	1,694	231	460	7	-	7	-	21	13	85	58	116	430	11	EAST RIDING (WITH YORK).
NORTH RIDING -	866	2,403	1,675	241	423	1	-	1	17	33	18	73	65	100	210	15	NORTH RIDING.
DURHAM -	2,754	9,445	5,968	1,212	1,117	12	-	12	73	119	34	549	197	262	721	170	DURHAM.
NORTHUMBERLAND -	1,467	4,265	2,689	443	561	17	1	17	5	35	16	129	108	180	493	47	NORTHUMBERLAND.
CUMBERLAND -	564	1,440	856	119	234	-	-	-	3	11	6	25	47	56	111	21	CUMBERLAND.
WESTMORLAND -	95	219	171	9	85	-	-	-	1	2	-	-	10	11	14	4	WESTMORLAND.
MONMOUTHSHIRE -	813	2,819	1,347	214	261	5	-	5	7	28	4	50	66	90	197	11	MONMOUTHSHIRE.
GLAMORGANSHIRE -	2,041	7,277	3,771	666	667	10	-	10	16	94	19	158	199	287	537	5	GLAMORGANSHIRE.
CARMARTHENSHIRE -	261	988	513	65	137	-	-	-	-	19	1	10	17	25	49	6	CARMARTHENSHIRE.
PEMBROKESHIRE -	145	441	256	47	86	1	-	1	2	14	1	6	14	14	24	12	PEMBROKESHIRE.
CARDIGANSHIRE -	101	332	232	18	114	-	-	-	1	2	3	-	5	7	8	3	CARDIGANSHIRE.
BRECKNOCKSHIRE -	112	304	170	21	48	-	-	-	-	3	2	3	4	10	13	2	BRECKNOCKSHIRE.
RADNORSHIRE -	31	76	52	2	29	-	-	-	-	-	-	-	-	2	7	-	RADNORSHIRE.
MONTGOMERYSHIRE -	96	269	169	13	79	1	-	1	-	-	4	-	9	13	15	3	MONTGOMERYSHIRE.
FLINTSHIRE -	115	378	181	21	61	-	-	-	-	1	2	1	10	14	9	4	FLINTSHIRE.
DENBIGHSHIRE -	250	744	444	90	119	-	-	-	-	15	2	8	16	20	71	7	DENBIGHSHIRE.
MERIONETHSHIRE -	71	240	175	18	70	-	-	-	-	1	3	1	13	14	9	-	MERIONETHSHIRE.
CARNARVONSHIRE -	183	460	465	34	164	2	-	-	2	7	5	2	14	19	34	5	CARNARVONSHIRE.
ANGLESEY -	49	170	110	15	45	1	-	-	-	-	-	-	4	5	4	2	ANGLESEY.

TABLE IVa—**England and Wales and Registration Counties.**—
 ILLEGITIMATE BIRTHS registered in the Quarter ended 30th September of the
 Years 1917 and 1918.

REGISTRATION COUNTIES.	Illegitimate Births registered during the Quarter ended		REGISTRATION COUNTIES.	Illegitimate Births registered during the Quarter ended	
	30th Sept., 1917.	30th Sept., 1918.		30th Sept., 1917.	30th Sept., 1918.
England and Wales.	9,269	10,826	Leicestershire - - -	96	95
London - - - -	1,292	1,474	Rutlandshire - - -	1	6
Surrey - - - -	197	252	Lincolnshire - - -	167	167
Kent - - - -	303	339	Nottinghamshire - - -	233	284
Sussex - - - -	195	212	Derbyshire - - -	114	161
Hampshire - - -	289	334	Cheshire - - - -	176	242
Berkshire - - -	66	87	Lancashire - - - -	1,142	1,352
Middlesex - - -	225	232	Yorkshire (West Riding) -	807	964
Hertfordshire - - -	70	50	Yorkshire (East Riding	151	181
Buckinghamshire - - -	31	43	with York).		
Oxfordshire - - -	45	46	Yorkshire (North Riding)	125	180
Northamptonshire - - -	91	100	Durham - - - -	430	535
Huntingdonshire - - -	7	16	Northumberland - - -	243	270
Bedfordshire - - -	50	72	Cumberland - - -	90	99
Cambridgeshire - - -	42	65	Westmorland - - -	24	21
Essex - - - -	254	296	Monmouthshire - - -	91	116
Suffolk - - - -	123	173	Glamorganshire - - -	251	271
Norfolk - - - -	184	188	Cardiganshire - - -	34	32
Wiltshire - - - -	74	87	Pembrokeshire - - -	19	30
Dorsetshire - - -	61	71	Cardiganshire - - -	19	25
Devonshire - - -	169	165	Brecknockshire - - -	17	16
Cornwall - - - -	68	74	Radnorshire - - -	4	3
Somersetshire - - -	79	103	Montgomeryshire - - -	25	24
Gloucestershire - - -	145	173	Flintshire - - -	12	19
Herefordshire - - -	25	43	Denbighshire - - -	46	56
Shropshire - - -	77	85	Merionethshire - - -	21	28
Staffordshire - - -	335	392	Carnarvonshire - - -	49	51
Worcestershire - - -	77	74	Anglesey - - - -	16	13
Warwickshire - - -	292	339			

NOTE.—The 96 Great Towns are those with populations exceeding 50,000 persons at the Census of 1911. The births here shown are those actually registered in the several towns. The deaths relate to the civilian population only; those in London have been corrected as far as possible (1) by excluding deaths of all non-residents, and (2) by including the deaths of London residents occurring in the Metropolitan Outer Ring or in Metropolitan Public Institutions situated outside the County. (See also Table XIV.) The deaths in the other towns have been corrected, as far as possible, (1) by the exclusion of non-residents and (2) by the inclusion of deaths of residents in certain outlying public institutions. With regard to the Outer Ring and its constituent areas, however, correction is more complete, a distribution of all transferable deaths occurring in any part of Greater London having been made.

TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1917.	BIRTHS	DEATHS.	Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Violence.					
96 Towns	16,545,401	80,663	54,670	7,617	13,551	72	634	141	783	4.5	2,564	1,649	3,495	16,096	508	96 Towns.	
LONDON	4,026,901	17,575	12,380	1,493	3,516	18	196	25	186	104	485	429	1,008	5,997	27	LONDON.	
(CROYDON	167,681	650	418	49	148	2	12	1	3	1	9	15	40	117	-	(CROYDON.	
WIMBLEDON	53,536	211	117	14	36	1	1	-	3	3	6	2	10	31	-	WIMBLEDON.	
EALING	64,128	249	139	16	58	1	-	-	6	1	7	5	9	41	-	EALING.	
ACTON	58,507	243	148	23	39	-	-	-	1	-	9	4	6	50	-	ACTON.	
WILLESDEN	157,005	581	424	70	117	-	2	1	4	5	22	21	35	173	1	WILLESDEN.	
HORNSEY	82,442	235	160	9	62	-	-	-	-	1	1	6	14	40	-	HORNSEY.	
TOTTENHAM	135,173	554	383	57	82	1	5	2	2	5	24	7	23	120	-	TOTTENHAM.	
EDMONTON	61,940	317	150	29	31	-	4	-	5	2	7	2	9	50	-	EDMONTON.	
ENFIELD	57,192	213	125	11	40	-	-	-	1	-	3	4	10	27	-	ENFIELD.	
WEST HAM	271,934	1,423	954	174	170	1	7	-	15	15	108	38	62	310	4	WEST HAM.	
EAST HAM	131,008	518	320	26	88	1	10	-	6	2	8	12	14	74	7	EAST HAM.	
LEYTON	112,452	384	275	34	70	-	1	-	-	4	14	9	11	97	4	LEYTON.	
WALTHAMSTOW	119,307	467	271	24	62	-	8	1	3	2	2	7	14	91	1	WALTHAMSTOW.	
ILFORD	75,130	214	158	13	49	1	-	-	1	1	3	11	11	22	4	ILFORD.	
GILLINGHAM	44,074	282	124	16	34	-	-	1	5	-	4	3	4	22	-	GILLINGHAM.	
HASTINGS	48,439	213	176	14	79	1	-	-	-	1	1	14	19	45	1	HASTINGS.	
EASTBOURNE	44,842	171	126	8	49	-	4	-	1	1	1	4	7	26	3	EASTBOURNE.	
BRIGHTON	113,635	511	361	34	104	-	-	-	5	3	12	12	28	110	-	BRIGHTON.	
PORTSMOUTH	198,527	1,234	638	79	188	1	16	1	11	12	29	25	49	179	4	PORTSMOUTH.	
BOURNEMOUTH	70,327	294	176	5	81	-	1	-	-	-	1	5	14	29	-	BOURNEMOUTH.	
SOUTHAMPTON	115,345	640	358	60	98	-	-	-	3	3	24	13	26	119	-	SOUTHAMPTON.	
READING	82,475	400	199	27	69	-	-	1	1	2	9	5	9	48	1	READING.	
OXFORD	53,101	175	109	5	45	2	-	-	-	-	2	3	6	25	-	OXFORD.	
NORTHAMPTON	82,471	335	230	25	75	-	-	-	6	3	4	1	6	49	3	NORTHAMPTON.	
CAMBRIDGE	52,282	207	103	9	50	-	-	-	5	-	1	1	2	17	-	CAMBRIDGE.	

* The publication of meteorological observations is temporarily suspended.

† These towns are included within the Metropolitan Outer Ring.

TABLE V. (continued).—96 Great Towns, &c.—Population, Births and Deaths in the 13 Weeks ended 28th September, 1918.

TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1917.	BIRTHS.	DEATHS.	The DEATHS registered include										Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.	
				Deaths of		Deaths from											
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Violence.				
SOUTHEND ON SEA.	71,919	214	187	10	62	-	-	-	-	4	-	3	2	6	32	6	SOUTHEND ON SEA.
IPSWICH.	72,800	351	190	25	57	-	-	6	-	2	-	6	6	17	45	-	IPSWICH.
GREAT YARMOUTH.	45,516	244	174	24	62	-	-	1	-	4	2	4	4	8	41	-	GREAT YARMOUTH.
NORWICH.	109,877	456	301	29	96	1	-	1	-	3	1	3	18	25	88	-	NORWICH.
SWINDON.	51,516	211	112	16	30	-	-	-	-	-	1	1	6	9	18	-	SWINDON.
EXETER.	51,631	222	147	15	61	-	-	-	-	-	-	2	1	8	23	-	EXETER.
PLYMOUTH.	179,375	961	592	77	163	1	-	6	1	6	2	29	12	40	93	-	PLYMOUTH.
BATH.	58,799	213	152	10	79	-	-	2	-	1	-	-	4	10	30	-	BATH.
BRISTOL.	334,814	1,574	973	141	274	1	-	-	-	11	6	41	30	92	262	-	BRISTOL.
GLOUCESTER.	55,026	225	126	21	46	-	-	-	-	1	-	3	3	6	34	3	GLOUCESTER.
STOKE ON TRENT.	215,116	1,292	809	114	142	2	-	7	3	9	10	19	26	59	102	10	STOKE ON TRENT.
WOLVERHAMPTON.	93,037	526	269	42	63	-	-	1	1	5	2	10	7	16	60	-	WOLVERHAMPTON.
WALSALL.	87,957	509	379	61	56	1	-	7	-	18	2	15	10	26	57	3	WALSALL.
WEST BROMWICH.	67,221	386	241	46	51	-	-	-	-	5	1	12	6	10	44	2	WEST BROMWICH.
DUDLEY.	52,049	331	207	31	42	-	-	2	-	2	-	8	8	12	25	5	DUDLEY.
BIRMINGHAM.	870,211	4,366	2,567	416	596	1	-	11	2	30	32	182	60	72	716	91	BIRMINGHAM.
SMETHWICK.	69,788	378	211	38	31	-	-	2	-	3	3	11	12	15	32	2	SMETHWICK.
COVENTRY.	128,098	731	317	65	75	-	-	3	2	4	2	16	7	12	68	1	COVENTRY.
LEICESTER.	212,433	806	663	91	182	-	-	-	-	15	1	16	11	38	150	16	LEICESTER.
LINCOLN.	58,617	277	174	25	48	-	-	19	-	3	1	4	7	8	15	3	LINCOLN.
GRIMSBY.	67,014	399	235	58	43	1	-	1	-	7	2	33	3	9	42	3	GRIMSBY.
NOTTINGHAM.	236,853	1,083	879	123	244	-	-	-	-	9	15	40	26	46	246	8	NOTTINGHAM.
DERBY.	119,191	582	348	43	104	-	-	3	-	5	4	8	14	31	100	-	DERBY.

TABLE V. (continued).—96 Great Towns, &c.—Population, Births and Deaths in the 13 Weeks ended 28th September, 1918.

TOWNS.	ESTIMATED CIVILIAN POPULATION, Mid. 1917.	BIRTHS.	DEATHS.	The DEATHS registered include										TOWNS.			
				Deaths of		Deaths from							Inquest Cases.		Deaths in Public Institutions.	Uncertified Causes of Death	
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).					Violence.
STOCKPORT.	111,922	440	388	35	107	-	-	1	2	1	3	4	9	19	93	2	STOCKPORT.
BIRKENHEAD.	133,819	829	468	90	96	-	-	5	12	14	5	41	8	31	117	1	BIRKENHEAD.
WALLASEY.	84,209	333	196	19	72	-	-	-	1	1	2	7	3	9	48	-	WALLASEY.
LIVERPOOL.	716,140	4,401	2,965	462	543	6	-	88	29	27	54	214	91	170	1,191	64	LIVERPOOL.
BOOTLE.	68,871	428	268	59	39	1	-	-	9	2	7	32	7	7	73	2	BOOTLE.
ST. HELENS.	90,582	614	351	68	46	-	-	-	7	4	21	27	6	6	116	5	ST. HELENS.
SOUTHPORT.	60,747	203	159	9	66	1	-	-	-	-	-	3	3	3	34	5	SOUTHPORT.
WIGAN.	83,110	484	325	56	63	-	-	6	4	1	-	31	10	23	30	-	WIGAN.
WARRINGTON.	68,554	428	265	44	43	-	-	-	3	20	1	6	10	10	56	7	WARRINGTON.
BOLTON.	163,411	692	565	49	141	1	-	-	1	1	4	11	17	36	85	1	BOLTON
BURY.	51,851	189	189	17	47	-	-	-	2	1	4	2	4	8	39	4	BURY.
MANCHESTER.	660,143	3,270	2,300	250	556	2	-	30	1	27	9	43	54	116	675	20	MANCHESTER.
SALFORD.	211,373	1,003	827	104	186	-	-	8	-	11	2	29	23	58	221	3	SALFORD.
OLDHAM.	133,721	486	536	33	127	2	-	6	1	3	2	-	7	37	115	-	OLDHAM.
ROCHDALE.	84,561	298	386	29	100	-	-	-	-	1	-	5	5	14	70	5	ROCHDALE.
BURNLEY.	93,779	375	345	41	78	-	-	-	-	8	2	6	7	21	61	-	BURNLEY.
BLACKBURN.	113,315	396	445	40	122	1	-	-	-	3	2	7	16	29	84	3	BLACKBURN.
PRESTON.	106,747	456	407	47	100	2	-	-	-	12	-	9	7	11	60	13	PRESTON.
BLACKPOOL.	64,775	181	199	17	71	1	-	-	-	-	-	2	6	7	31	9	BLACKPOOL.
BARROW IN FURNESS.	78,675	491	214	50	39	-	-	13	1	3	-	4	8	8	41	9	BARROW IN FURNESS.
HUDDERSFIELD.	105,818	463	423	40	106	1	-	-	-	7	-	4	12	28	69	4	HUDDERSFIELD.
HALIFAX.	92,775	304	339	37	101	1	-	1	-	1	3	11	7	16	71	4	HALIFAX.
BRADFORD.	266,338	1,042	968	116	255	1	-	9	-	12	7	25	22	70	232	5	BRADFORD.
LEEDS.	417,051	2,000	1,499	218	382	2	-	7	3	10	5	80	69	132	410	-	LEEDS.
DEWSBURY.	52,244	226	176	19	48	-	-	-	-	-	-	2	4	10	29	-	DEWSBURY.
WAKEFIELD.	47,830	244	190	20	43	-	-	5	1	-	1	4	4	19	38	1	WAKEFIELD.
BARNSELEY.	47,943	316	264	50	44	-	-	17	-	2	-	24	6	20	36	-	BARNSELEY.

TABLE V. (continued).—96 Great Towns, &c.—Population, Births and Deaths in the 13 Weeks ended 28th September, 1918.

TOWNS.	ESTIMATED CIVILIAN POPULATION, Mid. 1917.	BIRTHS.	DEATHS.	The DEATHS registered include										Deaths in Public Institutions.	Unidentified Causes of Death.	TOWNS.	
				Deaths of		Deaths from							Inquest Cases.				
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).					Violence.
SHEFFIELD.	469,293	2,728	1,730	272	350	1	-	6	5	35	8	104	49	99	455	-	SHEFFIELD.
ROTHERHAM.	64,685	403	275	84	52	1	-	6	-	5	2	51	5	7	36	3	ROTHERHAM.
YORK.	78,492	340	225	23	65	2	-	2	-	1	-	4	5	19	63	-	YORK.
HULL.	246,357	1,354	948	159	224	2	-	13	-	16	7	67	23	51	213	11	HULL.
MIDDLESBROUGH.	119,251	875	544	103	74	-	-	2	-	7	4	38	12	26	70	9	MIDDLESBROUGH.
DARLINGTON.	60,482	334	225	31	41	-	-	2	1	4	3	9	6	9	42	7	DARLINGTON.
STOCKTON ON TEES.	57,048	391	234	33	53	1	-	3	1	1	2	26	4	8	26	-	STOCKTON ON TEES.
WEST HARTLEPOOL.	62,034	416	324	94	69	1	-	2	1	4	-	52	8	13	34	5	WEST HARTLEPOOL.
SUNDERLAND.	141,765	990	755	131	144	-	-	37	5	30	1	38	24	51	139	17	SUNDERLAND.
SOUTH SHIELDS.	106,500	742	465	91	90	-	-	-	1	8	1	41	12	14	65	23	SOUTH SHIELDS.
GATESHEAD.	119,134	829	519	107	83	-	-	4	-	12	3	67	6	10	76	28	GATESHEAD.
NEWCASTLE ON TYNE.	266,551	1,586	1,027	180	181	1	1	14	5	18	4	44	27	84	191	4	NEWCASTLE ON TYNE.
TYNEMOUTH.	57,591	372	220	36	46	1	-	1	-	2	-	10	8	9	29	9	TYNEMOUTH.
CARLISLE.	53,064	281	164	23	38	-	-	-	-	2	-	3	5	10	25	6	CARLISLE.
NEWPORT (MON.).	82,709	447	229	37	45	-	-	1	-	10	1	6	12	23	34	3	NEWPORT (MON.).
CARDIFF.	169,440	900	567	104	117	-	-	-	-	6	1	51	20	52	85	-	CARDIFF.
RHONDDA.	154,388	1,064	523	113	71	2	-	3	-	8	2	32	18	25	22	1	RHONDDA.
MERTHYR TYDFIL.	74,508	439	267	40	41	-	-	1	3	15	1	8	9	12	48	-	MERTHYR TYDFIL.
ABERDARE.	51,317	329	190	42	35	-	-	1	-	5	1	5	14	12	12	1	ABERDARE.
SWANSEA.	111,776	618	307	50	64	-	-	1	-	2	2	13	16	22	64	1	SWANSEA.
GREATER LONDON.	6,726,753	28,430	19,061	2,306	5,439	31	-	255	31	274	166	785	675	1,458	7,953	62	GREATER LONDON.
OUTER RING.	2,699,852	10,855	6,681	813	1,923	13	-	59	6	88	62	300	246	450	1,956	35	OUTER RING.
14 GREAT TOWNS IN OUTER RING.	1,547,435	6,259	4,042	549	1,032	8	-	50	5	50	42	223	143	268	1,243	21	14 GREAT TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,152,417	4,596	2,639	264	871	5	-	9	1	38	20	77	103	182	713	14	REMAINDER OF OUTER RING.
EDINBURGH*.	333,200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	EDINBURGH*.
GLASGOW*.	1,114,100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	GLASGOW*.
DUBLIN (Registra- tion Area).†	399,000	2,634	1,996	348	383	6	-	8	3	32	4	158	28	33	734	38	DUBLIN (Registra- tion Area).†
BELFAST†.	393,000	2,377	1,748	310	276	8	-	6	-	27	4	99	32	55	429	20	BELFAST†.

* The populations are total populations and refer to the middle of 1918. The figures relating to births and deaths were not available at the time of going to press.
† Excluding deaths of persons admitted into public institutions from 21st and 22nd September 1918.

NOTE.—The rates in this table are based upon the figures shown in Table V.

TOWNS.	ANNUAL BIRTH-RATE PER 1000 TOTAL POPULATION, 1917.*	ANNUAL DEATH-RATE PER 1000 CIVILIAN POPULATION, 1917.										DEATH-RATE PER 1000 BIRTHS.		PERCENTAGE of Total Deaths.			TOWNS.
		Deaths from						Violence.				Total Deaths under one year.	Deaths in Public Institutions.	Uncertified Causes of Death.			
		All Causes.		Etiotic Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.								
		13 Weeks ended :—	29th Sept., 1917.†														
96 Towns	17.5	11.2	13.2	0.02	0.00	0.15	0.03	0.19	0.11	0.40	31.79	94	6.4	29.4	0.9	96 Towns.	
LONDON.	15.7	11.3	12.3	0.02	-	0.20	0.02	0.19	0.10	0.43	27.60	85	8.1	48.4	0.2	LONDON.	
(CROYDON.	13.9	9.7	10.0	0.05	-	0.29	0.02	0.07	0.02	0.36	13.85	75	9.6	28.0	-	(CROYDON.	
WIMBLEDON.	14.2	9.2	8.8	0.07	-	0.07	-	0.22	0.22	0.15	28.44	66	8.5	26.5	-	WIMBLEDON.	
EALING	14.0	7.8	8.7	0.06	-	-	-	0.38	0.06	0.31	28.11	64	6.5	29.5	-	EALING.	
ACTON	14.9	9.6	10.1	-	-	-	-	0.07	-	0.27	37.04	95	4.1	33.8	-	ACTON.	
WILLESDEN.	13.3	8.6	10.8	-	-	0.05	0.03	0.10	0.13	0.54	37.87	120	8.3	40.8	0.2	WILLESDEN.	
HORNSEY.	10.3	8.4	7.8	-	-	-	-	-	0.05	0.29	4.26	38	8.8	25.0	-	HORNSEY.	
TOTTENHAM.	14.7	9.3	11.4	0.03	-	0.15	0.06	0.06	0.15	0.21	43.32	103	6.0	31.3	-	TOTTENHAM.	
EDMONTON.	18.4	7.8	9.7	-	-	0.26	-	0.32	0.13	0.13	22.08	91	6.0	33.3	-	EDMONTON.	
ENFIELD	13.4	7.9	8.8	-	-	-	-	0.07	0.22	0.28	14.08	52	8.0	21.6	-	ENFIELD.	
WEST HAM.	18.8	11.9	14.1	0.01	-	0.10	-	0.22	0.22	0.56	75.90	122	6.5	32.5	0.4	WEST HAM.	
EAST HAM.	14.2	9.7	9.8	0.03	-	0.31	-	0.18	0.06	0.37	15.44	50	4.4	23.1	2.2	EAST HAM.	
LEYTON	12.3	9.6	9.8	-	-	0.04	-	-	0.14	0.32	36.46	89	4.0	35.3	1.5	LEYTON.	
WALTHAMSTOW	14.1	7.8	9.1	-	-	0.27	-	0.10	0.07	0.24	4.28	51	5.2	33.6	0.4	WALTHAMSTOW.	
ILFORD.	10.2	6.8	8.4	0.05	-	-	-	0.05	0.05	0.59	14.02	61	7.0	13.9	2.5	ILFORD.	
GILLINGHAM	23.0	7.6	11.3	-	-	-	-	0.46	-	0.27	14.18	57	3.2	17.7	-	GILLINGHAM.	
HASTINGS.	15.8	10.3	14.6	0.08	-	-	-	-	0.08	1.66	4.69	66	10.8	25.6	0.6	HASTINGS.	
EASTBOURNE	13.7	8.6	11.3	-	-	0.36	-	0.09	0.09	0.36	5.85	47	5.6	20.6	2.4	EASTBOURNE.	
BRIGHTON	16.2	12.1	12.7	-	-	-	-	0.18	0.11	0.42	23.48	67	7.8	30.5	-	BRIGHTON.	
PORTSMOUTH	22.4	10.8	12.9	0.02	-	0.32	0.02	0.22	0.24	0.51	23.50	64	7.7	28.1	0.6	PORTSMOUTH.	
BOURNEMOUTH.	15.0	10.2	10.0	-	-	0.06	-	-	-	0.29	3.40	17	8.0	16.5	-	BOURNEMOUTH.	
SOUTHAMPTON.	20.0	10.8	12.4	-	-	-	-	0.10	0.10	0.45	37.50	94	7.3	33.2	-	SOUTHAMPTON.	
READING	17.5	8.6	9.7	-	-	-	0.05	0.05	0.10	0.24	22.50	68	4.5	24.1	0.5	READING.	
OXFORD	11.9	9.1	8.2	0.15	-	-	-	-	-	0.23	11.43	29	5.5	22.9	-	OXFORD.	
NORTHAMPTON.	14.6	10.9	11.2	-	-	-	-	0.29	0.15	0.05	11.94	75	2.6	21.3	1.3	NORTHAMPTON.	
CAMBRIDGE	14.2	7.7	7.9	-	-	-	-	0.38	-	0.08	4.83	43	1.9	16.5	-	CAMBRIDGE.	

* The birth-rates are based upon total populations estimated for this purpose.

† These towns are included within the Metropolitan Outer Ring.

‡ Revised rates.

TABLE VI. (continued).—96 Great Towns, &c.—Birth-rate, Civilian Death-rate and Analysis of Mortality in the 13 Weeks ended 28th September, 1918.

TOWNS.	ANNUAL BIRTH RATE PER 1000 TOTAL POPULATION, 1917.*	ANNUAL DEATH-RATE PER 1000 CIVILIAN POPULATION, 1917.										DEATH-RATE PER 1000 BIRTHS.		PERCENTAGE of Total Deaths.			TOWNS.
		Deaths from										Diar- rhea and Ente- ritis (under 2 years).	Total Deaths under one year.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
		All Causes.															
		13 Weeks ended :— 24th Sept 1917.†	24th Sept 1917.†	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Violence.							
SOUTHEND ON SEA -	10.7	10.2	10.4	-	-	-	-	0.22	-	0.11	14.02	47	3.2	3.2	17.1	3.2	SOUTHEND ON SEA.
IPSWICH -	17.3	10.7	10.6	-	-	0.33	-	0.11	-	0.33	17.09	71	8.9	8.9	23.7	-	IPSWICH.
GREAT YARMOUTH -	19.3	12.1	15.3	-	-	0.09	-	0.35	0.18	0.35	16.39	98	4.6	4.6	23.6	-	GREAT YARMOUTH.
NORWICH -	14.9	13.1	11.0	0.04	-	0.04	-	0.11	0.04	0.66	6.58	64	8.3	8.3	29.2	-	NORWICH.
SWINDON -	14.7	8.4	8.7	-	-	-	-	-	0.08	0.47	4.74	76	8.0	8.0	16.1	-	SWINDON.
EXETER -	15.5	10.6	11.4	-	-	-	-	-	-	0.08	9.01	68	5.4	5.4	15.6	-	EXETER.
PLYMOUTH -	19.3	11.7	13.2	0.02	-	0.13	0.02	0.13	0.04	0.27	30.18	80	6.8	6.8	15.7	-	PLYMOUTH.
BATH -	13.0	10.6	10.4	-	-	0.14	-	0.07	-	0.27	-	47	6.6	6.6	19.7	-	BATH.
BRISTOL -	16.9	8.6	11.7	0.01	-	-	-	0.13	0.07	0.36	26.05	90	9.5	9.5	26.9	-	BRISTOL.
GLOUCESTER -	14.7	8.2	9.2	-	-	-	-	0.07	-	0.22	13.33	93	4.8	4.8	27.0	2.4	GLOUCESTER.
STOKE ON TRENT -	21.6	12.3	15.1	0.04	-	0.13	0.06	0.17	0.19	0.48	14.71	88	7.3	7.3	12.6	1.2	STOKE ON TRENT.
WOLVERHAMPTON -	20.3	9.7	11.6	-	-	0.04	0.04	0.22	0.09	0.30	19.01	80	5.9	5.9	22.3	-	WOLVERHAMPTON.
WALSALL -	20.8	11.7	17.3	0.05	-	0.32	-	0.82	0.09	0.46	29.47	120	6.9	6.9	15.0	0.8	WALSALL.
WEST BROMWICH -	20.7	12.1	14.4	-	-	-	-	0.30	0.06	0.36	31.09	119	4.1	4.1	18.3	0.8	WEST BROMWICH.
DUDLEY -	22.9	10.6	16.0	-	-	0.15	-	0.15	-	0.62	24.17	94	5.8	5.8	12.1	2.4	DUDLEY.
BIRMINGHAM -	18.1	9.9	11.8	0.00	-	0.05	0.01	0.14	0.15	0.28	41.69	95	2.8	2.8	27.9	3.5	BIRMINGHAM.
SMETHWICK -	19.5	9.7	12.1	-	-	0.11	-	0.17	0.17	0.69	29.10	101	7.1	7.1	15.2	0.9	SMETHWICK.
COVENTRY -	20.5	8.0	9.9	-	-	0.09	0.06	0.13	0.06	0.22	21.89	89	3.8	3.8	21.5	0.3	COVENTRY.
LEICESTER -	13.7	9.8	12.5	-	-	-	-	0.28	0.02	0.21	19.85	113	5.7	5.7	22.6	2.4	LEICESTER.
LINCOLN -	17.0	9.1	11.9	-	-	1.30	-	0.21	0.07	0.48	14.44	90	4.6	4.6	8.6	1.7	LINCOLN.
GRIMSBY -	21.4	9.3	14.1	0.06	-	0.06	-	0.42	0.12	0.18	82.71	145	3.8	3.8	17.9	1.3	GRIMSBY.
NOTTINGHAM -	16.5	11.5	14.9	-	-	-	-	0.15	0.25	0.44	36.93	114	5.2	5.2	28.0	0.9	NOTTINGHAM.
DERBY -	17.6	10.7	11.7	-	-	0.10	-	0.17	0.13	0.47	13.75	74	8.9	8.9	28.7	-	DERBY.

* See note * on first page of table.

† Revised rates.

TOWNS.		ANNUAL BIRTH-RATE PER 1000 TOTAL POPULATION, 1917.*	ANNUAL DEATH-RATE PER 1000 CIVILIAN POPULATION, 1917.										DEATH-RATE PER 1000 BIRTHS.		PERCENTAGE of Total Deaths.			TOWNS.
			Deaths from															
			All Causes.			Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Violence.						
			13 Weeks ended :—															
			29th Sept., 1917.*	28th Sept., 1918.														
STOCKPORT	-	14.1	10.0	13.9	-	-	0.04	0.07	0.04	0.11	0.32	9.09	80	4.9	24.0	0.3	STOCKPORT.	
BIRKENHEAD	-	22.3	11.3	14.0	-	-	0.15	0.36	0.42	0.15	0.24	49.46	109	6.6	25.0	0.2	BIRKENHEAD.	
WALLASEY	-	14.2	8.7	9.3	-	-	-	0.05	0.03	0.10	0.14	21.02	57	4.6	24.5	-	WALLASEY.	
LIVERPOOL	-	22.1	13.9	16.6	-	0.03	0.49	0.16	0.15	0.30	0.51	48.63	105	5.7	40.2	2.2	LIVERPOOL.	
BOOTLE	-	22.4	13.9	15.6	-	0.06	-	0.52	0.12	0.41	0.41	74.77	138	2.6	27.2	0.7	BOOTLE.	
ST. HELENS	-	24.4	13.9	15.5	-	-	-	0.31	0.18	0.93	0.27	43.97	111	1.7	33.0	1.4	ST. HELENS.	
SOUTHPORT	-	12.0	11.3	10.5	-	0.07	-	-	-	-	0.20	14.78	44	1.9	21.4	3.1	SOUTHPORT.	
WIGAN	-	21.0	11.9	15.7	-	-	0.29	0.19	0.03	-	0.48	64.05	116	7.1	9.2	-	WIGAN.	
WARRINGTON	-	22.5	9.1	15.5	-	-	-	0.18	1.17	0.06	0.59	14.02	103	3.8	21.1	2.6	WARRINGTON.	
BOLTON	-	15.2	10.3	13.9	-	0.02	-	0.02	0.02	0.10	0.42	15.90	71	6.4	15.0	0.2	BOLTON.	
BURY	-	13.1	11.2	14.6	-	-	-	0.15	0.08	0.31	0.31	10.58	90	4.2	20.6	2.1	BURY.	
MANCHESTER	-	17.8	11.7	14.0	-	0.01	0.18	0.01	0.16	0.05	0.33	13.15	76	5.0	29.3	0.9	MANCHESTER.	
SALFORD	-	17.1	12.1	15.7	-	-	0.15	-	0.21	0.04	0.44	28.91	104	7.0	26.7	0.4	SALFORD.	
OLDHAM	-	13.1	9.9	16.1	-	0.06	0.18	0.03	0.09	0.06	0.21	-	68	6.9	21.5	-	OLDHAM.	
ROCHDALE	-	12.7	11.8	18.3	-	-	-	-	0.05	-	0.24	16.78	97	3.6	18.1	1.3	ROCHDALE.	
BURNLEY	-	14.4	10.7	14.8	-	-	-	-	0.34	0.09	0.30	16.00	109	6.1	17.7	-	BURNLEY.	
BLACKBURN	-	12.6	11.6	15.8	-	0.04	-	-	0.11	0.07	0.57	17.68	101	6.5	18.9	0.7	BLACKBURN.	
PRESTON	-	15.4	11.2	15.3	-	0.08	-	-	0.45	-	0.26	19.74	103	2.7	14.7	3.2	PRESTON.	
BLACKPOOL	-	10.1	11.7	12.3	-	0.06	-	-	-	-	0.37	11.05	94	3.5	15.6	4.5	BLACKPOOL.	
BARROW IN FURNESS	-	22.5	9.4	10.9	-	-	0.66	0.05	0.15	-	0.41	8.15	102	3.7	19.2	4.2	BARROW IN FURNESS.	
HUDDERSFIELD	-	13.7	10.1	16.0	-	0.04	-	-	0.27	-	0.45	9.93	99	6.6	16.3	0.9	HUDDERSFIELD.	
HALIFAX	-	11.8	11.9	14.7	-	0.04	0.04	-	0.04	0.13	0.30	36.18	122	4.7	20.9	1.2	HALIFAX.	
BRADFORD	-	14.1	12.6	14.6	-	0.02	-	-	0.18	0.11	0.33	23.99	111	7.2	24.0	0.5	BRADFORD.	
LEEDS	-	17.3	14.1	14.4	-	0.02	0.07	0.03	0.01	0.05	0.66	40.00	109	8.8	27.4	-	LEEDS.	
DEWSBURY	-	15.6	12.1	13.5	-	-	-	-	-	-	0.31	8.85	84	5.7	16.5	-	DEWSBURY.	
WAKEFIELD	-	18.4	12.6	15.9	-	-	0.42	0.08	-	0.08	0.34	16.39	82	10.0	20.0	0.5	WAKEFIELD.	
BARNSELEY	-	23.7	12.5	22.1	-	-	1.42	-	0.17	-	0.50	75.95	158	7.6	13.6	-	BARNSELEY.	

* See note * on first page of table.

† Revised rates.

TABLE VI. (continued).—96 Great Towns, &c.—Birth-rate, Civilian Death-rate and Analysis of Mortality in the 13 Weeks ended 28th September, 1918.

TOWNS.		ANNUAL BIRTH-RATE PER 1000 TOTAL POPULATION, 1917.*	ANNUAL DEATH-RATE PER 1000 CIVILIAN POPULATION, 1917.										DEATH-RATE PER 1000 BIRTHS.		PERCENTAGE * of Total Deaths.			TOWNS.
			Deaths from										Diar- rheia and Enter- itis (under 2 years).	Total Deaths under one year.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
			All Causes.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Violence.							
			13 Weeks ended :—	29th Sept., 1917.†								28th Sept., 1918.						
SHEFFIELD	-	20·9	11·2	14·8	0·01	-	0·05	0·04	0·30	0·07	0·42	38·12	100	5·7	26·3	-	SHEFFIELD.	
ROTHERHAM	-	22·4	11·8	17·1	0·06	-	0·37	-	0·31	0·12	0·31	126·55	208	2·5	13·1	1·1	ROTHERHAM.	
YORK	-	15·6	12·5	11·5	0·10	-	0·10	-	0·05	-	0·26	11·76	68	8·4	28·0	-	YORK.	
HULL	-	19·8	13·1	15·4	0·03	-	0·21	-	0·26	0·11	0·37	49·48	117	5·4	22·5	1·2	HULL.	
MIDDLESBROUGH	-	26·4	15·0	18·3	-	-	0·07	-	0·24	0·13	0·40	43·43	118	4·8	12·9	1·7	MIDDLESBROUGH.	
DARLINGTON	-	19·9	10·1	14·9	-	-	0·13	0·07	0·27	0·20	0·40	26·95	93	4·0	18·7	3·1	DARLINGTON.	
STOCKTON ON TEES	-	24·7	16·6	16·5	0·07	-	0·21	0·07	0·07	0·14	0·28	66·50	84	3·4	11·1	-	STOCKTON ON TEES.	
WEST HARTLEPOOL	-	24·1	10·3	20·9	0·06	-	0·13	0·06	0·26	-	0·52	123·00	226	4·0	10·5	1·5	WEST HARTLEPOOL.	
SUNDERLAND	-	25·1	13·9	21·4	-	-	1·05	0·14	0·85	0·03	0·68	38·38	132	6·8	18·4	2·3	SUNDERLAND.	
SOUTH SHIELDS	-	25·1	14·1	17·5	-	-	-	0·04	0·30	0·04	0·45	55·26	123	3·0	14·0	4·9	SOUTH SHIELDS.	
GATESHEAD	-	25·0	14·4	17·5	-	-	0·13	-	0·40	0·10	0·20	80·82	129	1·9	14·6	5·4	GATESHEAD.	
NEWCASTLE ON TYNE	-	21·4	11·9	15·5	0·02	0·02	0·21	0·08	0·27	0·06	0·41	27·74	113	8·2	18·6	0·4	NEWCASTLE ON TYNE.	
TYNEMOUTH	-	23·2	12·3	15·3	0·07	-	0·07	-	0·14	-	0·56	26·88	97	4·1	13·2	4·1	TYNEMOUTH.	
CARLISLE	-	19·1	11·8	12·4	-	-	-	-	0·15	-	0·38	10·68	82	6·1	15·2	3·7	CARLISLE.	
NEWPORT (MON.)	-	19·4	11·0	11·1	-	-	0·05	-	0·48	0·05	0·58	13·42	83	10·0	14·8	1·3	NEWPORT (MON.).	
CARDIFF	-	19·1	9·7	13·4	-	-	-	-	0·14	0·02	0·47	56·67	116	9·2	15·0	-	CARDIFF.	
RHONDDA	-	24·8	8·9	13·6	0·05	-	0·08	-	0·21	0·05	0·47	30·08	106	4·8	6·1	0·2	RHONDDA.	
MERTHYR TYDFIL	-	24·1	11·5	14·4	-	-	0·05	0·16	0·81	0·05	0·48	16·03	80	4·5	18·0	-	MERTHYR TYDFIL.	
ABERDARE	-	23·1	9·5	14·9	-	-	0·08	-	0·39	0·08	1·09	15·20	128	6·3	6·3	0·5	ABERDARE.	
SWANSEA	-	19·9	11·1	11·0	-	-	0·04	-	0·07	0·07	0·57	21·04	81	7·2	20·8	0·3	SWANSEA.	
GREATER LONDON	-	15·2	10·4	11·4	0·02	-	0·15	0·02	0·16	0·10	0·40	27·61	81	7·6	41·7	0·3	GREATER LONDON.	
OUTER RING	-	14·5	8·9	9·9	0·02	-	0·09	0·01	0·13	0·09	0·37	27·64	75	6·7	29·3	0·5	OUTER RING.	
14 GREAT TOWNS IN OUTER RING.	-	14·6	9·3	10·5	0·02	-	0·13	0·01	0·13	0·11	0·37	35·63	88	6·6	30·8	0·5	14 GREAT TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING.	-	14·4	8·4	9·2	0·02	-	0·03	0·00	0·13	0·07	0·36	16·75	57	6·9	27·0	0·5	REMAINDER OF OUTER RING.	
EDINBURGH†	-	-	11·0	-	-	-	-	-	-	-	-	-	-	-	-	-	EDINBURGH.†	
GLASGOW†	-	-	12·1	-	-	-	-	-	-	-	-	-	-	-	-	-	GLASGOW.†	
DUBLIN (Registration Area)	-	26·4	15·2	20·0	0·06	-	0·08	0·03	0·32	0·04	0·28	59·98	132	1·7	36·8	1·9	{ DUBLIN (Registra- tion Area).	
BELFAST	-	24·2	12·2	17·8	0·08	-	0·06	-	0·27	0·04	0·33	41·65	130	3·1	24·5	1·1	BELFAST.	

deaths relate to the civilian population only, and have been corrected as far as possible, (1) by the exclusion of all deaths of non-residents, and (2) by the inclusion of deaths of residents in certain outlying institutions. With regard to towns in the Outer Ring, however, correction is more complete, a distribution of all transferable deaths occurring in any part of Greater London having been made.

TOWNS.		ESTIMATED CIVILIAN POPULATION, MID. 1917.	BIRTHS. DEATHS.		The DEATHS registered in the Quarter include										Deaths under 1 Year to 1000 Births.		TOWNS.	
					Deaths of		Deaths from											
					Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Violence.				Inquest Cases.
148 Towns	4,390,429	22,453	13,368	1,843	3,623	44	-	112	17	206	103	483	377	539	2,026	215	82	148 Towns.
SURREY.																		SURREY.
Barnes.*	32,495	103	67	7	26	-	-	-	-	1	1	4	1	3	14	-	68	Barnes.*
Guildford	22,606	86	49	3	20	-	-	-	-	-	-	-	5	7	9	-	35	Guildford.
Kingston on Thames*	35,608	155	111	4	41	-	-	3	-	-	-	2	4	17	50	-	26	Kingston on Thames.*
Mitcham.*	30,189	151	86	17	17	-	-	-	-	3	-	8	1	1	31	-	113	Mitcham.*
Reigate	23,680	108	58	4	31	-	-	7	-	-	1	5	3	7	15	-	37	Reigate.
Richmond*	33,359	92	58	11	36	-	-	-	-	3	-	-	5	8	23	-	120	Richmond.*
Sutton.*	19,502	74	41	-	18	-	-	-	1	-	1	-	1	2	11	-	-	Sutton.*
Woking	22,771	125	48	3	20	-	-	-	-	-	-	-	4	7	6	1	24	Woking.
KENT.																		KENT.
Beckenham.*	30,612	83	72	2	36	-	-	-	-	-	-	1	1	2	14	-	24	Beckenham.*
Bromley.*	31,882	106	68	7	30	-	-	-	-	1	-	1	2	2	20	2	66	Bromley.*
Canterbury	21,627	110	65	4	33	-	-	-	-	-	-	2	1	2	17	-	36	Canterbury.
Chatham	36,422	207	96	18	27	-	-	-	-	2	5	8	6	6	27	2	87	Chatham.
Dartford	21,007	93	54	6	12	-	-	-	-	1	4	3	2	7	9	2	65	Dartford.
Dover	35,685	207	106	13	34	-	-	-	-	-	-	3	6	5	20	3	63	Dover.
Erith.*	33,129	146	71	9	18	-	-	-	-	-	-	3	4	7	20	-	62	Erith.*
Folkestone	31,856	167	68	10	21	-	-	-	-	-	-	1	-	8	14	5	60	Folkestone.
Gravesend	26,832	115	63	3	24	-	-	-	1	1	-	1	-	-	18	1	26	Gravesend.
Maidstone	30,796	163	69	12	24	-	-	-	-	1	-	-	-	2	16	-	74	Maidstone.
Margate	19,412	56	41	10	18	-	-	-	-	-	-	1	-	3	16	1	179	Margate.
Penge (Surrey Reg. Co.)*	21,474	95	62	5	25	-	-	-	-	-	-	-	1	4	17	-	53	Penge (Surrey Reg. Co.).*
Ramsgate	21,362	88	68	6	25	-	-	-	-	-	-	1	2	3	13	3	68	Ramsgate.
Rochester	28,896	125	51	6	22	-	-	1	-	-	-	2	1	1	18	1	48	Rochester.
Tunbridge Wells	30,751	113	88	8	41	-	-	-	-	1	-	-	-	-	20	5	71	Tunbridge Wells.
SUSSEX EAST.																		SUSSEX EAST.
Hove	39,622	142	99	7	51	-	-	-	-	1	-	2	1	2	19	1	49	Hove.
SUSSEX WEST.																		SUSSEX WEST.
Worthing	27,662	110	89	8	45	-	-	-	-	-	3	2	4	10	10	-	73	Worthing.
SOUTHAMPTON.																		SOUTHAMPTON.
Aldershot (Surrey Reg. Co.).	20,391	160	54	9	14	-	-	1	-	-	1	2	2	2	12	1	56	Aldershot (Surrey Reg. Co.).
Gosport and Alverstoke	27,762	181	69	11	19	-	-	-	-	2	-	5	2	2	11	1	61	Gosport and Alverstoke.
Winchester	20,152	92	58	3	26	-	-	-	-	-	-	3	3	6	19	-	33	Winchester.
MIDDLESEX.																		MIDDLESEX.
Chiswick*	38,712	134	96	10	32	-	-	-	-	3	-	2	4	4	30	-	75	Chiswick.*
Finchley*	42,969	144	85	2	31	-	-	1	-	1	3	1	6	8	25	-	14	Finchley.*
Hendon*	51,689	176	95	9	21	-	-	-	-	-	-	1	7	10	17	-	51	Hendon.*
Heston and Isleworth*	38,683	187	118	14	38	-	-	-	-	1	-	5	8	13	41	-	75	Heston and Isleworth.*
Southall Norwood*	26,556	128	63	4	17	-	-	-	-	-	1	1	3	4	17	1	31	Southall Norwood.*

* These towns are included within the Metropolitan Outer Ring.

TABLE VII. (continued).—One hundred and forty-eight Smaller Towns.—Population, Births and Deaths in the QUARTER ended 30th September, 1918.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1917.	BIRTHS.	DEATHS.	The DEATHS registered in the Quarter include													Deaths under 1 Year to 1000 Births.	TOWNS.
				Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Violence.					
MIDDLESEX—continued. Southgate* Twickenham* Wood Green* HERTFORDSHIRE. St. Albans Watford BUCKINGHAMSHIRE. Chepping Wycombe NORTHAMPTONSHIRE. Kettering SOKE OF PETERBOROUGH. Peterborough BEDFORDSHIRE. Bedford Luton ESSEX. Barking Town* Colchester SUFFOLK EAST. Lowestoft NORFOLK. King's Lynn WILTSHIRE. Salisbury DORSETSHIRE. Poole Weymouth and Melcombe Regis. DEVONSHIRE. Torquay SOMERSETSHIRE.	37,107 35,764 46,645 24,208 40,650 19,627 27,370 34,920 37,663 54,208 32,394 36,991 30,223 17,520 20,394 37,978 21,388 30,685	74 135 171 89 145 97 81 182 147 249 198 182 178 88 97 181 137 95	59 93 90 62 113 48 59 94 95 122 95 99 78 54 49 91 50 110	2 15 7 8 13 10 5 12 12 21 12 7 8 6 4 8 7 6	23 23 26 19 35 13 15 31 34 34 21 38 25 21 20 46 18 47	- - - - - - - - - - 1 1 1 - - - - -	- - - - - - - - - - - - - - - - - -	- 1 - - - - - - - - - - - - - - - - -	- - 1 2 1 - 2 1 1 1 1 1 - - - 1 1 -	- - 1 - - - - - - - - - - - - - - -	1 5 2 3 3 1 1 3 5 2 5 1 1 4 13 17 5 12 1 19	- - - 2 2 - 1 2 3 2 2 - 2 2 2 - - 1 1 1	27 111 41 90 90 103 62 66 82 84 61 38 45 68 41 44 51 63	MIDDLESEX—continued. Southgate.* Twickenham.* Wood Green.* HERTFORDSHIRE. St. Albans. Watford. BUCKINGHAMSHIRE. Chepping Wycombe. NORTHAMPTONSHIRE. Kettering. SOKE OF PETERBOROUGH. Peterborough. BEDFORDSHIRE. Bedford. Luton. ESSEX. Barking Town.* Colchester. SUFFOLK EAST. Lowestoft. NORFOLK. King's Lynn. WILTSHIRE. Salisbury. DORSETSHIRE. Poole. Weymouth and Melcombe Regis. DEVONSHIRE. Torquay. SOMERSETSHIRE.				

The DEATHS registered in the Quarter include

The DEATHS registered in the Quarter include															Deaths under 1 Year to 1000 Births.	TOWNS.		
ESTIMATED (CIVILIAN) POPULATION, MID. 1917	BIRTHS.	DEATHS.	Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.			Uncertified Causes of Death.	
			Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Violence.						
GLoucestershire.																		
Cheltenham	41,181	167	123	13	54	-	-	7	-	2	-	1	3	3	22	-	78	GLoucestershire. Cheltenham.
HEREFORDSHIRE.																		
Hereford	23,246	97	57	3	18	-	-	2	-	-	-	-	4	6	15	2	31	HEREFORDSHIRE. Hereford.
SHROPSHIRE.																		
Shrewsbury	27,386	142	100	16	31	-	-	1	1	10	1	-	2	5	10	3	113	SHROPSHIRE. Shrewsbury.
STAFFORDSHIRE.																		
Bilston	24,728	178	98	12	26	-	-	-	1	2	-	-	-	8	13	-	67	STAFFORDSHIRE. Bilston.
Burton upon Trent	42,311	207	133	15	36	-	-	-	3	2	1	1	1	5	30	3	72	Burton upon Trent.
Cannock	28,785	208	119	17	17	-	-	14	-	4	5	3	2	5	6	4	82	Cannock.
Coseley	21,897	147	70	12	16	1	-	-	-	3	-	2	4	5	5	2	82	Coseley.
Newcastle under Lyme	18,532	116	70	6	17	-	-	-	-	5	-	1	1	3	6	-	52	Newcastle under Lyme.
Rowley Regis	36,505	259	102	15	24	1	-	-	1	5	-	5	1	4	6	-	58	Rowley Regis.
Stafford	24,376	124	86	7	22	-	-	-	-	-	-	-	5	8	10	-	56	Stafford.
Tipton	31,630	125	122	16	28	1	-	-	-	-	-	9	6	4	10	-	74	Tipton.
Wednesbury	29,759	196	103	14	29	-	-	-	1	1	-	6	2	4	12	-	71	Wednesbury.
Wolstanton United	27,704	169	68	10	21	-	-	-	-	1	-	1	1	1	6	3	59	Wolstanton United.
WORCESTERSHIRE.																		
Kidderminster	23,508	112	56	3	17	-	-	1	-	-	1	-	1	1	16	2	27	WORCESTERSHIRE. Kidderminster.
Oldbury (Staffs. Reg. Co.)	34,884	194	103	28	16	-	-	2	-	2	-	14	1	3	7	2	144	Oldbury (Staffs. Reg. Co.).
Worcester	44,744	198	137	11	51	1	-	-	1	-	-	3	5	7	30	5	56	Worcester.
WARWICKSHIRE.																		
Nuneaton	37,681	213	71	14	20	-	-	-	-	2	1	1	1	2	8	-	66	WARWICKSHIRE. Nuneaton.
Royal Leamington Spa	25,654	130	67	6	25	-	-	-	-	-	-	-	2	5	8	1	46	Royal Leamington Spa.
Rugby	22,675	90	47	7	14	-	-	-	-	-	-	2	1	2	11	-	78	Rugby.
Sutton Coldfield (Staffs. Reg. Co.).	19,265	80	53	4	18	-	-	-	-	1	-	2	2	4	9	1	50	Sutton Coldfield (Staffs. Reg. Co.).
LEICESTERSHIRE.																		
Loughborough	22,967	95	57	7	12	-	-	-	-	-	1	-	4	6	12	2	74	LEICESTERSHIRE. Loughborough.
LINCOLNSHIRE (Kesteven).																		
Grantham	20,388	116	57	10	20	-	-	-	-	2	-	-	3	3	3	3	86	LINCOLNSHIRE (Kesteven). Grantham.
LINCOLNSHIRE (Lindsey).																		
Cleethorpe with Thruscoe.	22,285	123	54	10	6	-	-	-	-	1	-	2	1	3	4	1	81	LINCOLNSHIRE (Lindsey). Cleethorpe with Thruscoe.
Gainsborough	19,092	98	63	11	39	-	-	-	-	3	2	1	1	1	5	-	112	Gainsborough.
NOTTINGHAMSHIRE.																		
Mansfield	40,936	267	137	33	29	-	-	-	-	-	-	-	2	2	17	-	124	NOTTINGHAMSHIRE. Mansfield.
Sutton in Ashfield	22,329	113	52	2	12	-	-	-	-	-	1	1	-	1	1	4	18	Sutton in Ashfield.
Worksop	20,209	119	60	9	17	-	3	-	-	-	-	5	2	2	11	1	76	Worksop.

The DEATHS registered in the Quarter include

The DEATHS registered in the Quarter include																		
TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1917.	BIRTHS.	DEATHS.	Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Deaths under 1 Year to 1000 Births.	TOWNS.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Violence.					
YORKSHIRE (WEST RIDING)— <i>cont.</i>																	YORKSHIRE (WEST RIDING)— <i>cont.</i>	
Keighley	40,575	127	119	5	39	-	-	-	-	-	-	1	5	7	24	1	39	Keighley.
Morley	22,567	101	88	9	27	-	-	-	-	-	-	4	1	3	9	-	89	Morley.
Shipley	26,377	100	82	10	30	1	-	-	-	1	-	1	2	2	20	2	100	Shipley.
Spennorth	29,816	118	93	11	18	-	-	-	-	1	-	-	1	4	5	-	93	Spennorth.
Todmorden	23,862	61	65	4	24	-	-	2	-	-	-	-	4	5	10	2	66	Todmorden.
YORKSHIRE (NORTH RIDING).																	YORKSHIRE (NORTH RIDING).	
Eston	28,909	249	151	36	19	1	-	1	-	-	2	14	3	6	9	-	145	Eston.
Scarborough	28,410	137	115	12	37	-	-	-	-	6	8	-	1	4	23	-	88	Scarborough.
DURHAM.																	DURHAM.	
Blaydon	30,870	240	130	32	22	-	-	1	-	2	2	23	2	2	-	6	133	Blaydon.
Felling	24,532	189	106	20	26	-	-	-	-	1	-	13	3	3	14	2	106	Felling.
Hartlepool	18,195	140	107	17	15	-	-	3	-	1	-	6	4	6	11	2	121	Hartlepool.
Hebburn	23,660	185	97	25	15	-	-	-	-	2	-	16	1	1	14	2	135	Hebburn.
Jarrow	35,460	262	135	30	23	-	-	-	-	4	1	8	3	3	17	5	115	Jarrow.
Stanley	22,538	175	83	28	9	-	-	-	1	1	-	7	3	3	1	3	160	Stanley.
NORTHUMBERLAND.																	NORTHUMBERLAND.	
Ashington	26,281	206	120	37	17	12	-	-	-	7	1	19	1	2	11	4	180	Ashington.
Bedlingtonshire	23,667	173	75	20	15	1	-	-	-	1	1	5	1	1	5	1	116	Bedlingtonshire.
Blyth	28,505	203	118	14	25	-	-	-	-	-	2	12	5	4	9	6	69	Blyth.
Wallsend	43,358	315	140	31	21	-	-	-	-	1	-	10	1	1	3	1	98	Wallsend.
CUMBERLAND.																	CUMBERLAND.	
Workington	25,282	172	92	18	15	-	-	-	-	1	-	8	5	5	5	5	105	Workington.
MONMOUTHSHIRE.																	MONMOUTHSHIRE.	
Abersychan	25,274	168	66	10	13	-	-	-	-	-	-	1	-	3	3	2	60	Abersychan.
Abertillery	37,032	209	124	30	15	1	-	2	1	-	1	19	2	2	4	-	112	Abertillery.
Bedwellty	28,016	246	86	20	10	-	-	1	-	6	-	6	3	3	1	1	81	Bedwellty.
Ebbw Vale	34,073	200	108	21	14	-	-	-	-	-	1	7	3	3	10	-	81	Ebbw Vale.
Tredeggar	22,879	203	83	22	19	1	-	-	-	3	1	2	6	6	10	-	108	Tredeggar.
GLAMORGANSHIRE.																	GLAMORGANSHIRE.	
Barry	33,403	213	89	21	12	-	-	-	-	3	-	5	6	10	5	-	99	Barry.
Caerphilly	33,859	244	99	18	20	-	-	-	-	5	-	1	10	10	5	-	74	Caerphilly.
Gelligaer	39,211	274	120	32	14	-	-	-	-	5	-	8	3	4	7	-	117	Gelligaer.
Maesteg	27,454	207	71	16	12	-	-	-	-	-	3	6	5	5	7	-	77	Maesteg.
Mountain Ash	41,341	274	144	30	18	1	-	-	-	1	2	10	6	7	10	-	109	Mountain Ash.
Ogmore and Garw	28,515	223	77	17	12	-	-	-	-	8	-	3	4	6	-	-	76	Ogmore and Garw.
Pontypridd	41,651	310	161	35	26	-	-	2	1	5	1	2	9	13	15	-	113	Pontypridd.
CARMARTHENSHIRE.																	CARMARTHENSHIRE.	
Llanelli	34,905	209	111	16	20	-	-	-	-	2	-	6	3	4	11	4	77	Llanelli.

TABLE VIII.—NUMBER of CASES of INFECTIOUS DISEASE among the CIVILIAN POPULATION notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 28th September, 1918.*

CITIES, BOROUGHs, and URBAN DISTRICTS.	Estimated Civilian Population, Mid. 1917.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Croup).	Cholera.	Erysipelas.	Puerperal Fever.
Great Towns.											
LONDON - - - -	4,026,901	3,739	92	1	1	1	1,573	1,620	-	422	29
CROYDON - - - -	167,681	110	7	-	-	-	70	26	-	7	-
WIMBLEDON - - -	53,536	49	10	-	-	-	12	26	-	1	-
EALING - - - -	64,128	29	5	-	-	-	9	10	-	4	1
ACTON - - - -	58,507	22	-	-	-	-	7	10	-	5	-
WILLESDEN - - -	157,005	98	5	-	-	-	18	65	-	10	-
HORNSEY - - - -	82,442	31	3	-	-	-	16	9	-	2	1
TOTTENHAM - - -	135,173	120	2	-	-	-	59	47	-	12	-
EDMONTON - - - -	61,940	40	2	-	-	-	18	16	-	4	-
ENFIELD - - - -	57,192	18	-	-	-	-	8	5	-	5	-
WEST HAM - - - -	271,934	312	16	-	-	-	100	156	-	38	2
EAST HAM - - - -	131,008	126	2	-	-	-	53	62	-	9	-
LEYTON - - - -	112,452	69	1	-	-	-	31	35	-	2	-
WALTHAMSTOW - -	119,307	99	2	-	-	-	29	57	-	10	1
ILFORD - - - -	75,130	114	2	-	-	-	70	37	-	5	-
GILLINGHAM - - -	44,074	50	-	-	-	-	45	3	-	2	-
HASTINGS - - - -	48,439	29	4	-	-	-	8	11	-	6	-
EASTBOURNE - - -	44,842	27	-	-	-	-	11	14	-	1	1
BRIGHTON - - - -	113,635	102	7	-	-	-	26	56	-	11	2
PORTSMOUTH† - - -	198,527	173	15	-	-	-	59	80	-	17	2
BOURNEMOUTH - -	70,327	26	1	-	-	-	7	13	-	4	1
SOUTHAMPTON - - -	115,345	56	9	-	-	-	9	28	-	9	1
READING - - - -	82,475	53	-	-	-	-	31	18	-	4	-
OXFORD - - - -	53,101	37	6	-	-	-	-	25	-	4	2
NORTHAMPTON - - -	82,471	30	-	-	-	-	3	19	-	8	-
CAMBRIDGE - - - -	52,282	21	2	-	-	-	3	9	-	7	-
SOUTHEND ON SEA -	71,919	36	-	-	-	-	19	13	-	2	2
IPSWICH - - - -	72,800	46	-	-	-	-	13	28	-	5	-
GREAT YARMOUTH -	45,516	24	-	-	-	-	11	9	-	4	-
NORWICH - - - -	109,877	68	2	-	-	-	22	41	-	3	-
SWINDON - - - -	51,516	46	-	-	-	-	17	23	-	6	-
EXETER - - - -	51,631	24	3	-	-	-	3	13	-	5	-
PLYMOUTH - - - -	179,375	148	4	-	-	-	69	50	-	25	-
BATH - - - -	58,799	29	-	-	-	-	18	11	-	-	-
BRISTOL - - - -	334,814	185	5	-	2	-	60	88	-	29	1
GLOUCESTER - - -	55,026	27	1	-	-	-	8	13	-	5	-
STOKE ON TRENT - -	215,116	188	8	-	-	-	71	83	-	23	3
WOLVERHAMPTON -	93,037	79	-	-	-	-	48	23	-	7	1
WALSALL - - - -	87,957	51	2	-	-	-	32	11	-	6	-
WEST BROMWICH - -	67,221	8	-	-	-	-	2	5	-	1	-
DUDLEY - - - -	52,049	6	-	-	-	-	3	1	-	2	-
BIRMINGHAM - - -	870,211	491	9	-	-	-	238	160	-	64	20
SMETHWICK - - - -	69,788	21	-	-	-	-	5	13	-	1	2
COVENTRY - - - -	128,098	81	1	-	-	-	43	25	-	9	3
LEICESTER - - - -	212,433	191	12	-	-	-	124	30	-	24	1
LINCOLN - - - -	58,617	43	1	-	-	-	27	12	-	3	-
GRIMSBY - - - -	67,014	51	2	-	-	-	35	11	-	3	-
NOTTINGHAM - - -	236,853	149	5	-	-	-	46	77	-	21	-
DERBY - - - -	119,191	88	1	-	-	-	23	45	-	15	4
STOCKPORT - - - -	111,922	75	3	-	-	-	50	14	-	8	-
BIRKENHEAD - - - -	133,819	275	4	-	-	-	212	46	-	10	3
WALLASEY - - - -	84,209	76	1	-	-	-	61	9	-	2	3
LIVERPOOL - - - -	716,140	1,181	25	-	-	-	677	370	-	102	7
BOOTLE - - - -	68,871	106	2	-	-	-	61	39	-	3	1
ST. HELENS - - - -	90,582	266	2	-	-	-	10	141	-	13	1
SOUTHPORT - - - -	60,747	28	4	-	-	-	13	8	-	3	-
WIGAN - - - -	83,110	55	7	-	-	-	31	5	-	12	-
WARRINGTON - - -	68,554	82	-	-	-	-	53	19	-	9	1
BOLTON - - - -	163,411	60	7	-	-	-	30	15	-	7	1
BURY - - - -	51,851	30	3	-	-	-	4	19	-	3	1
MANCHESTER - - -	660,143	366	12	-	-	-	154	117	-	57	26
SALFORD - - - -	211,373	102	6	-	-	-	46	33	-	15	2

* The figures in this table, excepting those for London, which are derived from Table IX., are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

† The figures for Southsea District of Portsmouth are—total population (1911), 25,380; enteric fever, 3; typhus, nil; continued fever, nil; small-pox, nil; scarlet fever, 1; diphtheria (including membranous croup), 6; erysipelas, 1; and puerperal fever, nil.

TABLE VIII. (*continued*).—NUMBER of CASES of INFECTIOUS DISEASE among the CIVILIAN POPULATION notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 28th September, 1918.*

CITIES, BOROUGHES, and URBAN DISTRICTS.	Estimated Civilian Population, Mid. 1917.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
OLDHAM - - - -	133,721	58	2	-	-	-	28	13	-	13	2
ROCHDALE - - - -	84,561	38	3	-	-	-	8	18	-	9	-
BURNLEY - - - -	93,779	23	-	-	-	-	5	8	-	9	1
BLACKBURN - - - -	113,315	89	3	-	-	-	60	10	-	15	1
PRESTON - - - -	106,747	45	4	-	-	-	14	17	-	9	1
BLACKPOOL - - - -	64,775	45	3	-	-	-	17	18	-	5	2
BARROW IN FURNESS - -	78,675	45	1	-	-	-	23	10	-	11	-
HUDDERSFIELD - - - -	105,818	61	6	-	-	-	21	25	-	8	1
HALIFAX - - - -	92,775	52	1	-	-	-	16	30	-	5	-
BRADFORD - - - -	266,338	117	8	-	-	-	35	45	-	27	2
LEEDS - - - -	417,051	291	12	-	-	-	135	109	-	34	1
DEWSBURY - - - -	52,244	31	2	-	-	-	23	2	-	2	2
WAKEFIELD - - - -	47,830	31	2	-	-	-	11	15	-	3	-
BARNSELY - - - -	47,943	24	3	-	-	-	7	8	-	6	-
SHEFFIELD - - - -	469,293	558	10	-	-	-	352	124	-	56	16
ROTHERHAM - - - -	64,685	28	-	-	-	-	13	10	-	5	-
YORK - - - -	78,492	25	7	-	-	-	9	7	-	1	1
HULL - - - -	246,357	161	10	-	-	-	68	66	-	15	2
MIDDLESBROUGH - - - -	119,251	76	3	-	-	-	27	36	-	10	-
DARLINGTON - - - -	60,482	49	1	-	-	-	26	20	-	1	1
STOCKTON ON TEES - - -	57,048	44	4	-	-	-	19	17	-	3	1
WEST HARTLEPOOL - - -	62,034	41	3	-	-	-	32	1	-	4	1
SUNDERLAND - - - -	141,765	131	2	-	-	-	109	8	-	11	1
SOUTH SHIELDS - - - -	106,500	18	2	-	-	-	11	3	-	2	-
GATESHEAD - - - -	119,134	48	1	-	-	-	20	20	-	7	-
NEWCASTLE ON TYNE - -	266,551	179	7	-	-	-	91	62	-	17	2
TYNEMOUTH - - - -	57,591	36	9	-	-	-	12	6	-	9	-
CARLISLE - - - -	53,064	30	-	-	-	-	7	19	-	4	-
NEWPORT (MON.) - - - -	82,709	24	1	-	-	-	18	1	-	4	-
CARDIFF - - - -	169,440	140	7	-	-	-	92	31	-	10	-
RHONDDA - - - -	154,388	51	7	-	-	-	18	22	-	3	1
MERTHYR TYDFIL - - -	74,504	102	2	-	-	-	85	10	-	1	4
ABERDARE - - - -	51,317	22	6	-	-	-	9	4	-	2	1
SWANSEA - - - -	111,776	63	1	-	-	-	19	25	-	15	3
Smaller Towns.											
SURREY—											
BARNES - - - -	32,495	15	-	-	-	-	7	6	-	-	2
GUILDFORD - - - -	22,606	10	-	-	-	-	5	5	-	-	-
KINGSTON ON THAMES - -	35,608	38	-	-	-	-	11	22	-	4	1
MITCHAM - - - -	30,189	30	1	-	-	-	8	20	-	1	-
REIGATE - - - -	23,680	12	-	-	-	-	5	7	-	-	-
RICHMOND - - - -	33,359	6	1	-	-	-	1	1	-	3	-
SUTTON - - - -	19,502	31	-	-	-	-	29	2	-	-	-
WOKING - - - -	22,771	3	-	-	-	-	1	-	-	2	-
KENT—											
BECKENHAM - - - -	30,612	20	2	-	-	-	11	6	-	1	-
BROMLEY - - - -	31,882	9	1	-	-	-	3	4	-	1	-
CANTERBURY - - - -	21,627	22	-	-	-	-	2	18	-	1	1
CHATHAM - - - -	36,422	50	6	-	-	-	39	5	-	-	-
DARTFORD - - - -	21,007	48	7	-	-	2	4	32	-	2	1
DOVER - - - -	35,685	24	-	-	-	-	5	19	-	-	-
ERITH - - - -	33,129	23	-	-	-	-	17	5	-	1	-
FOLKESTONE - - - -	31,856	7	-	-	-	-	-	6	-	1	-
GRAVESEND - - - -	26,832	27	2	-	-	-	7	17	-	1	-
MAIDSTONE - - - -	30,796	19	10	-	-	-	1	6	-	2	-
MARGATE - - - -	19,412	33	1	-	-	-	12	18	-	2	-
PENGE (Surrey Reg. Co.) -	21,474	10	-	-	-	-	1	8	-	1	-
RAMSGATE - - - -	21,362	12	-	-	-	-	2	9	-	1	-
ROCHESTER - - - -	28,896	18	-	-	-	-	14	4	-	-	-
TUNBRIDGE WELLS - - -	30,751	15	2	-	-	-	8	4	-	1	-

* The figures in this table, excepting those for London, which are derived from Table IX. are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

TABLE VIII. (*continued*).—NUMBER of CASES of INFECTIOUS DISEASE among the CIVILIAN POPULATION notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 28th September, 1918.*

CITIES, BOROUGHES, and URBAN DISTRICTS.	Estimated Civilian Population, Mid. 1917	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
SUSSEX EAST—											
Hove - - - -	39,622	28	-	-	-	-	9	15	-	4	-
SUSSEX WEST—											
WORTHING - - -	27,662	23	2	-	-	-	6	15	-	-	-
SOUTHAMPTON—											
ALDERSHOT (Surrey Reg. Co.).	20,391	4	-	-	-	-	-	3	-	1	-
GOSPORT AND ALVERSTOKE	27,762	27	3	-	-	-	20	3	-	1	-
WINCHESTER - - -	20,152	9	1	-	-	-	5	2	-	1	-
MIDDLESEX—											
CHISWICK - - - -	38,712	10	1	-	-	-	5	4	-	-	-
FINCHLEY - - - -	42,969	28	1	-	-	-	10	16	-	1	-
HENDON - - - -	51,489	38	3	-	-	-	19	7	-	8	1
HESTON AND ISLEWORTH -	38,643	44	1	-	-	-	24	16	-	2	1
SOUTHALL NORWOOD - -	26,556	23	-	-	-	-	12	9	-	2	-
SOUTHGATE - - - -	37,107	16	-	-	-	-	9	5	-	2	-
TWICKENHAM - - - -	35,764	5	-	-	-	-	2	2	-	1	-
WOOD GREEN - - - -	46,645	36	-	-	-	-	13	18	-	4	1
HERTFORDSHIRE—											
ST. ALBANS - - - -	24,208	9	-	-	-	-	-	6	-	3	-
WATFORD - - - -	40,650	19	-	-	-	-	3	15	-	1	-
BUCKINGHAMSHIRE—											
CHEPPING WYCOMBE - -	19,627	19	3	-	-	-	6	9	-	1	-
NORTHAMPTONSHIRE—											
KETTERING - - - -	27,370	24	-	-	-	-	5	16	-	3	-
SOKE OF PETER- BOROUGH—											
PETERBOROUGH - - - -	34,920	31	-	-	-	-	16	15	-	-	-
BEDFORDSHIRE—											
BEDFORD - - - -	37,663	45	-	-	-	-	24	21	-	-	-
LUTON - - - -	54,208	30	2	-	-	-	3	22	-	3	-
ESSEX—											
BARKING TOWN - - - -	32,394	23	2	-	-	-	6	11	-	4	-
COLCHESTER - - - -	36,991	15	4	-	-	-	3	5	-	3	-
SUFFOLK EAST—											
LOWESTOFT - - - -	30,223	9	-	-	-	-	3	2	-	3	1
NORFOLK—											
KING'S LYNN - - - -	17,520	16	1	-	-	-	12	1	-	2	-
WILTSHIRE—											
SALISBURY - - - -	20,394	1	-	-	-	-	-	1	-	-	-
DORSETSHIRE—											
POOLE - - - -	37,978	29	1	-	-	-	17	8	-	3	-
WEYMOUTH AND MELCOMBE REGIS.	21,388	7	-	-	-	-	-	3	-	1	3
DEVONSHIRE—											
TORQUAY - - - -	30,685	11	1	-	-	-	3	6	-	1	-
SOMERSETSHIRE—											
TAUNTON - - - -	19,247	7	-	-	-	-	1	2	-	3	1
WESTON SUPER MARE - -	21,222	11	-	-	-	-	9	1	-	1	-
GLOUCESTERSHIRE—											
CHELTENHAM - - - -	41,181	31	-	-	-	-	4	20	-	7	-
HEREFORDSHIRE—											
HEREFORD - - - -	23,246	14	1	-	-	-	12	-	-	1	-

* The figures in this table, excepting those for London, which are derived from Table IX. are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

TABLE VIII. (*continued*).—NUMBER of CASES of INFECTIOUS DISEASE among the CIVILIAN POPULATION notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 28th September, 1918.*

CITIES, BOROUGHs, and URBAN DISTRICTS.	Estimated Civilian Population, Mid. 1917.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
SHROPSHIRE—											
SHREWSBURY - - -	27,386	26	-	-	-	-	6	17	-	3	-
STAFFORDSHIRE—											
BILSTON - - - -	24,728	14	-	-	-	-	11	2	-	-	1
BURTON UPON TRENT -	42,311	45	-	-	-	-	26	16	-	2	1
CANNOCK - - - -	28,785	13	-	-	-	-	-	10	-	3	-
COSELEY - - - -	21,897	10	2	-	-	-	4	2	-	2	-
NEWCASTLE UNDER LYME	18,532	7	-	-	-	-	-	7	-	-	-
ROWLEY REGIS - - -	36,505	9	1	-	-	-	6	-	-	2	-
STAFFORD - - - -	24,376	28	-	-	-	-	3	25	-	-	-
TIPTON - - - -	31,630	9	1	-	-	-	3	-	-	5	-
WEDNESBURY - - -	29,759	13	3	-	-	-	5	3	-	2	-
WOLSTANTON UNITED -	27,704	12	1	-	-	-	10	1	-	-	-
WORCESTERSHIRE—											
KIDDERMINSTER - -	23,508	9	-	-	-	-	1	7	-	-	1
OLDBURY (Staffordshire Reg. Co.).	34,884	4	1	-	-	-	1	-	-	1	1
WORCESTER - - -	44,744	24	-	-	-	-	11	9	-	4	-
WARWICKSHIRE—											
NUNEATON - - - -	37,681	18	-	-	-	-	7	10	-	1	-
ROYAL LEAMINGTON SPA -	25,654	9	-	-	-	-	1	6	-	2	-
RUGBY - - - -	22,675	8	2	-	-	-	4	2	-	-	-
SUTTON COLDFIELD (Staffs. Reg. Co.).	19,265	7	1	-	-	-	5	1	-	-	-
LEICESTERSHIRE—											
LOUGHBOROUGH - -	22,967	11	-	-	-	-	6	4	-	1	-
LINCOLNSHIRE (KESTEVEN)—											
GRANTHAM - - - -	20,388	7	-	-	-	-	6	1	-	-	-
LINCOLNSHIRE (LINDSEY)—											
CLEETHORPE WITH THRUNSCOE.	22,285	14	-	-	-	-	8	5	-	1	-
GAINSBOROUGH - - -	19,092	7	-	-	-	-	4	3	-	-	-
NOTTINGHAMSHIRE—											
MANSFIELD - - - -	40,936	13	-	-	-	-	6	3	-	3	1
SUTTON IN ASHFIELD -	22,329	31	19	-	-	-	6	6	-	-	-
WORKSOP - - - -	20,209	11	-	-	-	-	7	2	-	2	-
DERBYSHIRE—											
CHESTERFIELD - - -	36,706	18	-	-	-	-	5	10	-	2	1
GLOSSOP - - - -	19,329	9	-	-	-	-	-	5	-	4	-
ILKESTON (Nottingham- shire Reg. Co.).	29,597	7	1	-	-	-	3	3	-	-	-
CHESHIRE—											
CHESTER - - - -	37,262	12	2	-	-	-	3	6	-	1	-
CREWE - - - -	43,256	32	-	-	-	-	12	19	-	1	-
HYDE - - - -	30,828	9	1	-	-	-	4	3	-	-	1
MACCLESFIELD - - -	29,634	20	4	-	-	-	6	8	-	2	-
STALYBRIDGE (Lancashire Reg. Co.).	23,464	3	-	-	-	-	-	-	-	3	-
LANCASHIRE—											
ACCRINGTON - - -	40,694	7	1	-	-	-	-	3	-	3	-
ASHTON IN MAKERFIELD -	21,101	17	1	-	-	-	7	4	-	5	-
ASHTON UNDER LYNE -	39,173	15	-	-	-	-	13	1	-	1	-
BACUP - - - -	19,235	7	1	-	-	-	4	-	-	2	-
CHADDERTON - - -	26,298	19	-	-	-	-	9	2	-	8	-
CHORLEY - - - -	27,328	5	1	-	-	-	-	4	-	-	-
COLNE - - - -	22,312	29	1	-	-	-	2	21	-	5	-
DARWEN - - - -	34,278	18	-	-	-	-	14	-	-	3	1
ECCLES - - - -	40,247	20	-	-	-	-	13	5	-	2	-
FARNWORTH - - - -	24,759	6	5	-	-	-	1	-	-	-	-

* The figures in this table, excepting those for London, which are derived from Table IX. are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

TABLE VIII. (*continued*).--NUMBER of CASES of INFECTIOUS DISEASE among the CIVILIAN POPULATION notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 28th September, 1918.*

CITIES, BOROUGHs, and URBAN DISTRICTS.	Estimated Civilian Population, Mid. 1917.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
LANCASHIRE—<i>cont.</i>											
HEYWOOD - - - -	23,579	23	-	-	-	-	-	20	-	3	-
HINDLEY - - - -	22,251	16	-	-	-	-	7	6	-	2	1
INCE IN MAKERFIELD - -	20,871	21	6	-	-	-	8	4	-	3	-
LANCASTER - - - -	36,707	21	3	-	-	-	5	7	-	6	-
LEIGH - - - -	42,189	21	2	-	-	-	4	12	-	3	-
MIDDLETON - - - -	25,539	9	-	-	-	-	-	8	-	1	-
NELSON - - - -	36,538	15	-	-	-	-	11	3	-	1	-
RADCLIFFE - - - -	23,054	32	-	-	-	-	27	4	-	-	1
RAWTENSTALL - - - -	26,032	4	3	-	-	-	-	-	-	-	1
STRETFORD - - - -	40,682	16	-	-	-	-	8	5	-	3	-
SWINTON AND PENDLEBURY.	28,188	12	2	-	-	-	3	3	-	4	-
WATERLOO WITH SEAFOORTH.	27,746	38	1	-	-	-	23	8	-	6	-
WIDNES - - - -	31,368	22	1	-	-	-	11	8	-	2	-
YORKSHIRE (WEST RIDING)—											
BATLEY - - - -	33,801	24	12	-	-	-	4	7	-	1	-
BRIGHOUSE - - - -	19,332	5	-	-	-	-	1	3	-	-	1
CASTLEFORD - - - -	24,256	9	2	-	-	-	5	2	-	-	-
DONCASTER - - - -	48,187	24	1	-	-	-	10	9	-	4	-
GOOLE - - - -	16,397	42	2	-	-	-	7	32	-	1	-
HARROGATE - - - -	60,722	14	1	-	-	-	9	2	-	2	-
KEIGHLEY - - - -	40,575	8	-	-	-	-	1	4	-	3	-
MORLEY - - - -	22,567	28	-	-	-	-	11	14	-	2	1
SHIPLEY - - - -	26,377	7	2	-	-	-	2	3	-	-	-
SPENBOROUGH - - - -	29,816	8	-	-	-	-	4	3	-	1	-
TODMORDEN - - - -	23,862	4	-	-	-	-	1	2	-	1	-
YORKSHIRE (NORTH RIDING)—											
ESTON - - - -	28,909	31	1	-	3	-	3	24	-	-	-
SCARBOROUGH - - - -	28,410	69	1	-	-	-	10	56	-	1	1
DURHAM—											
BLAYDON - - - -	30,870	41	2	-	-	-	32	7	-	-	-
FELLING - - - -	24,532	6	-	-	-	-	3	-	-	3	-
HARTLEPOOL - - - -	18,195	12	-	-	-	-	11	-	-	1	-
HEBBURN - - - -	23,660	11	-	-	-	-	10	1	-	-	-
JARROW - - - -	35,460	13	-	-	-	-	7	4	-	2	-
STANLEY - - - -	22,538	42	-	-	-	-	29	12	-	1	-
NORTHUMBERLAND—											
ASHINGTON - - - -	26,281	74	55	-	-	-	10	6	-	3	-
BEDLINGTONSHIRE - - -	23,667	14	9	-	-	-	-	3	-	2	-
BLYTH - - - -	28,505	15	7	-	-	-	4	3	-	1	-
WALLSEND - - - -	43,358	25	-	-	-	-	20	4	-	1	-
CUMBERLAND—											
WORKINGTON - - - -	25,282	15	-	-	-	-	5	6	-	4	-
MONMOUTHSHIRE—											
ABERSYCHAN - - - -	25,274	10	-	-	-	-	5	3	-	2	-
ABERTILLERY - - - -	37,032	22	-	-	-	-	15	7	-	-	-
BEDWELTY - - - -	28,016	15	1	-	-	-	12	1	-	1	-
EBBW VALE - - - -	34,073	12	2	-	-	-	5	1	-	4	-
TREDEGAR - - - -	22,879	23	1	-	-	-	15	6	-	1	-
GLAMORGANSHIRE—											
BARRY - - - -	33,403	40	2	-	-	-	15	20	-	3	-
CAERPHILLY - - - -	33,859	35	-	-	-	-	22	10	-	1	2
GELLIGAER - - - -	39,211	10	1	-	-	-	5	4	-	-	-
MAESTEG - - - -	27,454	34	1	-	-	-	13	20	-	-	-
MOUNTAIN ASH - - - -	41,341	23	5	-	-	-	10	7	-	-	1
OGMORE AND GARW - - -	28,515	9	-	-	-	-	7	1	-	1	-
PONTYPRIDD - - - -	41,651	13	3	-	-	-	5	3	-	2	-
CARMARTHENSHIRE—											
LLANELLY - - - -	34,905	9	-	-	-	-	8	-	-	-	1

* The figures in this table, excepting those for London, which are derived from Table IX., are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

TABLE IX.—NUMBER of CASES of INFECTIOUS DISEASE among the CIVILIAN POPULATION notified in the several BOROUGHs of the ADMINISTRATIVE COUNTY of LONDON during the 13 Weeks ended 28th September, 1918.*

BOROUGHs.	Estimated Civilian Population, Mid. 1917.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Anthrax.	Glanders.	Ophthalmia Neonatorum.	Poliomyelitis.	
WEST.																	
Paddington - -	122,507	106	4	-	-	-	34	47	-	14	-	1	-	-	6	-	
Kensington - -	151,535	113	1	-	-	-	67	26	-	10	1	1	-	-	7	-	
Hammersmith - -	114,952	89	8	-	-	-	37	28	-	7	1	1	-	-	7	-	
Fulham - - -	145,186	119	7	-	-	-	51	33	-	14	-	-	-	-	14	-	
Chelsea - - -	57,368	32	2	-	-	-	13	6	-	3	-	3	-	-	5	-	
City of Westminster	122,046	60	2	-	-	-	9	24	-	10	2	3	-	-	10	-	
NORTH.																	
St. Marylebone - -	92,796	75	3	-	-	-	20	31	-	9	-	1	-	-	9	2	
Hampstead - - -	75,649	43	4	-	-	-	6	24	-	7	-	-	-	-	1	1	
St. Pancras - - -	186,600	196	2	-	-	-	65	94	-	25	1	-	-	-	9	-	
Islington - - -	297,102	249	8	-	-	1	88	102	-	39	1	-	-	-	9	1	
Stoke Newington - -	47,426	27	-	-	-	-	11	12	-	2	1	1	-	-	-	-	
Hackney - - -	196,598	162	5	-	-	-	46	83	-	17	3	3	-	-	5	-	
CENTRAL.																	
Holborn - - -	35,303	14	-	-	-	-	5	7	-	1	-	-	-	-	1	-	
Finsbury - - -	68,011	88	-	-	-	-	54	25	-	5	-	-	-	-	4	-	
City of London	16,138	7	-	-	-	-	7	5	-	2	-	-	-	-	-	-	
EAST.																	
Shoreditch - - -	89,675	105	1	-	-	-	37	42	-	21	1	-	-	-	2	1	
Bethnal Green - -	107,362	184	2	-	-	-	78	73	-	28	2	1	-	-	-	-	
Stepney - - -	232,010	346	1	-	-	-	124	179	-	31	2	-	-	-	7	2	
Poplar - - -	143,443	139	4	-	-	-	45	63	-	13	3	2	-	-	8	1	
SOUTH.																	
Southwark - - -	167,936	396	3	-	1	-	225	119	-	36	-	2	-	-	10	-	
Bermondsey - - -	107,635	143	2	1	-	-	54	72	-	8	1	-	-	-	2	3	
Lambeth - - -	272,038	265	3	-	-	-	128	80	-	27	1	5	-	-	21	-	
Battersea - - -	150,023	123	-	-	-	-	57	46	-	11	3	-	-	-	5	1	
Wandsworth - - -	300,787	211	13	-	-	-	95	53	-	29	6	1	-	-	13	1	
Camberwell - - -	239,461	208	1	-	-	-	65	115	-	20	3	-	-	-	4	-	
Deptford - - -	103,527	118	3	-	-	-	47	54	-	8	-	1	-	-	4	1	
Greenwich - - -	90,440	112	5	-	-	-	30	63	-	7	1	-	-	-	5	1	
Lewisham - - -	161,405	101	2	-	-	-	29	55	-	11	-	1	-	-	2	1	
Woolwich - - -	131,942	130	6	-	-	-	53	59	-	7	2	2	-	-	1	-	
Port of London - -	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ADMINISTRATIVE COUNTY OF LONDON.		4,026,901	3,961	92	1	1	1	1,573	1,620	-	422	35	29	-	-	171	16
Ages 0-1 - - -		239	-	-	-	-	18	28	-	14	6	-	-	-	171	2	
" 1-5 - - -		945	2	-	-	-	377	530	-	20	8	-	-	-	-	8	
" 5- - - -		1,380	8	-	-	-	743	598	-	25	4	-	-	-	-	2	
" 10- - - -		579	13	-	-	-	288	248	-	19	8	-	-	-	-	3	
" 15- - - -		207	11	-	1	-	79	80	-	31	3	1	-	-	-	1	
" 20- - - -		115	6	-	-	-	32	48	-	19	-	10	-	-	-	-	
" 25- - - -		150	25	-	-	-	24	52	-	36	3	10	-	-	-	-	
" 35- - - -		109	15	-	-	-	8	23	-	53	2	8	-	-	-	-	
" 45- - - -		93	10	1	-	1	4	8	-	68	1	-	-	-	-	-	
" 55- - - -		71	2	-	-	-	-	3	-	66	-	-	-	-	-	-	
" 65- - - -		48	-	-	-	-	-	2	-	46	-	-	-	-	-	-	
" 75 and upwards - -		25	-	-	-	-	-	-	-	25	-	-	-	-	-	-	
Age not stated - -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

TABLE X.—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 28th September, 1918.

(Civilian Population only.)

TOWNS.	Annual Rate per 1000 Civilian Population, Mid. 1917.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
LONDON - - - -	3·72	0·09	0·00	0·00	0·00	1·57	1·61	-	0·42	0·03
243 Provincial Towns - - -	2·88	0·14	-	0·00	0·00	1·36	1·04	-	0·30	0·04
95 Great Towns - - -	3·02	0·12	-	0·00	-	1·47	1·05	-	0·33	0·05
148 Smaller Towns - - -	2·54	0·22	-	0·00	0·00	1·04	1·02	-	0·23	0·03
Great Towns.										
CROYDON - - - -	2·63	0·17	-	-	-	1·67	0·62	-	0·17	-
WIMBLEDON - - - -	3·67	0·75	-	-	-	0·90	1·95	-	0·07	-
EALING - - - -	1·81	0·31	-	-	-	0·56	0·63	-	0·25	0·06
ACTON - - - -	1·51	-	-	-	-	0·48	0·69	-	0·34	-
WILLESDEN - - - -	2·51	0·13	-	-	-	0·46	1·66	-	0·26	-
HORNSEY - - - -	1·52	0·15	-	-	-	0·78	0·44	-	0·10	0·05
TOTTENHAM - - - -	3·56	0·06	-	-	-	1·75	1·39	-	0·36	-
EDMONTON - - - -	2·60	0·13	-	-	-	1·17	1·04	-	0·26	-
ENFIELD - - - -	1·26	-	-	-	-	0·56	0·35	-	0·35	-
WEST HAM - - - -	4·60	0·24	-	-	-	1·47	2·30	-	0·56	0·03
EAST HAM - - - -	3·86	0·06	-	-	-	1·62	1·90	-	0·28	-
LEYTON - - - -	2·47	0·04	-	-	-	1·11	1·25	-	0·07	-
WALTHAMSTOW - - - -	3·33	0·07	-	-	-	0·97	1·92	-	0·34	0·03
ILFORD - - - -	6·10	0·11	-	-	-	3·74	1·98	-	0·27	-
GILLINGHAM - - - -	4·55	-	-	-	-	4·10	0·27	-	0·18	-
HASTINGS - - - -	2·40	0·33	-	-	-	0·66	0·91	-	0·50	-
EASTBOURNE - - - -	2·41	-	-	-	-	0·98	1·25	-	0·09	0·09
BRIGHTON - - - -	3·61	0·25	-	-	-	0·92	1·98	-	0·39	0·07
PORTSMOUTH - - - -	3·49	0·30	-	-	-	1·19	1·62	-	0·34	0·04
BOURNEMOUTH - - - -	1·49	0·06	-	-	-	0·40	0·74	-	0·23	0·06
SOUTHAMPTON - - - -	1·93	0·31	-	-	-	0·31	0·97	-	0·31	0·03
READING - - - -	2·58	-	-	-	-	1·51	0·88	-	0·19	-
OXFORD - - - -	2·79	0·45	-	-	-	-	1·89	-	0·30	0·15
NORTHAMPTON - - - -	1·46	-	-	-	-	0·15	0·92	-	0·39	-
CAMBRIDGE - - - -	1·61	0·15	-	-	-	0·23	0·69	-	0·54	-
SOUTHEND ON SEA - - - -	2·01	-	-	-	-	1·06	0·73	-	0·11	0·11
IPSWICH - - - -	2·54	-	-	-	-	0·72	1·54	-	0·28	-
GREAT YARMOUTH - - - -	2·11	-	-	-	-	0·97	0·79	-	0·35	-
NORWICH - - - -	2·48	0·07	-	-	-	0·80	1·50	-	0·11	-
SWINDON - - - -	3·58	-	-	-	-	1·32	1·79	-	0·47	-
EXETER - - - -	1·86	0·23	-	-	-	0·23	1·01	-	0·39	-
PLYMOUTH - - - -	3·31	0·09	-	-	-	1·54	1·12	-	0·56	-
BATH - - - -	1·98	-	-	-	-	1·23	0·75	-	-	-
BRISTOL - - - -	2·21	0·06	-	0·02	-	0·72	1·05	-	0·35	0·01
GLOUCESTER - - - -	1·96	0·07	-	-	-	0·58	0·95	-	0·36	-
STOKE ON TRENT - - - -	3·51	0·15	-	-	-	1·32	1·55	-	0·43	0·06
WOLVERHAMPTON - - - -	3·40	-	-	-	-	2·07	0·99	-	0·30	0·04
WALSALL - - - -	2·32	0·09	-	-	-	1·46	0·50	-	0·27	-
WEST BROMWICH - - - -	0·48	-	-	-	-	0·12	0·30	-	0·06	-
DUDLEY - - - -	0·46	-	-	-	-	0·23	0·08	-	0·15	-
BIRMINGHAM - - - -	2·26	0·04	-	-	-	1·10	0·74	-	0·29	0·09
SMETHWICK - - - -	1·21	-	-	-	-	0·29	0·75	-	0·06	0·11
COVENTRY - - - -	2·53	0·03	-	-	-	1·35	0·78	-	0·28	0·09
LEICESTER - - - -	3·61	0·23	-	-	-	2·34	0·57	-	0·45	0·02
LINCOLN - - - -	2·95	0·07	-	-	-	1·85	0·82	-	0·21	-
GRIMSBY - - - -	3·05	0·12	-	-	-	2·09	0·66	-	0·18	-
NOTTINGHAM - - - -	2·52	0·08	-	-	-	0·78	1·30	-	0·36	-
DERBY - - - -	2·94	0·03	-	-	-	0·77	1·51	-	0·50	0·13
STOCKPORT - - - -	2·69	0·11	-	-	-	1·79	0·50	-	0·29	-
BIRKENHEAD - - - -	8·24	0·12	-	-	-	6·35	1·38	-	0·30	0·09
WALLASEY - - - -	3·63	0·05	-	-	-	2·91	0·43	-	0·10	0·14
LIVERPOOL - - - -	6·61	0·14	-	-	-	3·79	2·07	-	0·57	0·04
BOOTLE - - - -	6·17	0·12	-	-	-	3·55	2·27	-	0·17	0·06
ST. HELENS - - - -	11·78	0·09	-	-	-	4·83	6·24	-	0·58	0·04
SOUTHPORT - - - -	1·85	0·26	-	-	-	0·86	0·53	-	0·20	-
WIGAN - - - -	2·66	0·34	-	-	-	1·50	0·24	-	0·58	-
WARRINGTON - - - -	4·80	-	-	-	-	3·10	1·11	-	0·53	0·06
BOLTON - - - -	1·47	0·17	-	-	-	0·74	0·37	-	0·17	0·02
BURY - - - -	2·32	0·23	-	-	-	0·31	1·47	-	0·23	0·08
MANCHESTER - - - -	2·23	0·07	-	-	-	0·94	0·71	-	0·35	0·16
SALFORD - - - -	1·93	0·11	-	-	-	0·87	0·63	-	0·28	0·04

TABLE X. (*continued*).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 28th September, 1918.

(Civilian Population only.)

TOWNS.	Annual Rate per 1000 Civilian Population, Mid. 1917.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Puerperal Fever.
OLDHAM - - - -	1·74	0·06	-	-	-	0·84	0·39	-	0·39	0·06
ROCHDALE - - - -	1·80	0·14	-	-	-	0·38	0·85	-	0·43	-
BURNLEY - - - -	0·97	-	-	-	-	0·21	0·34	-	0·38	0·04
BLACKBURN - - - -	3·15	0·11	-	-	-	2·12	0·35	-	0·53	0·04
PRESTON - - - -	1·70	0·15	-	-	-	0·53	0·64	-	0·34	0·04
BLACKPOOL - - - -	2·78	0·19	-	-	-	1·05	1·11	-	0·31	0·12
BARROW IN FURNESS - -	2·29	0·05	-	-	-	1·17	0·51	-	0·56	-
HUDDERSFIELD - - - -	2·32	0·23	-	-	-	0·80	0·95	-	0·30	0·04
HALIFAX - - - -	2·25	0·04	-	-	-	0·69	1·30	-	0·22	-
BRADFORD - - - -	1·77	0·12	-	-	-	0·53	0·68	-	0·41	0·03
LEEDS - - - -	2·81	0·12	-	-	-	1·30	1·05	-	0·33	0·01
DEWSBURY - - - -	2·37	0·15	-	-	-	1·77	0·15	-	0·15	0·15
WAKEFIELD - - - -	2·60	0·17	-	-	-	0·92	1·26	-	0·25	-
BARNLEY - - - -	2·01	0·25	-	-	-	0·59	0·67	-	0·50	-
SHEFFIELD - - - -	4·78	0·09	-	-	-	3·01	1·06	-	0·48	0·14
ROTHERHAM - - - -	1·74	-	-	-	-	0·81	0·62	-	0·31	-
YORK - - - -	1·28	0·36	-	-	-	0·46	0·36	-	0·05	0·05
HULL - - - -	2·61	0·16	-	-	-	1·11	1·07	-	0·24	0·03
MIDDLESBROUGH - - - -	2·56	0·10	-	-	-	0·91	1·21	-	0·34	-
DARLINGTON - - - -	3·26	0·07	-	-	-	1·72	1·33	-	0·07	0·07
STOCKTON ON TEES - - -	3·10	0·28	-	-	-	1·34	1·20	-	0·21	0·07
WEST HARTLEPOOL - - -	2·64	0·19	-	-	-	2·07	0·06	-	0·26	0·06
SUNDERLAND - - - -	3·71	0·06	-	-	-	3·08	0·23	-	0·31	0·03
SOUTH SHIELDS - - - -	0·68	0·08	-	-	-	0·41	0·11	-	0·08	-
GATESHEAD - - - -	1·61	0·03	-	-	-	0·67	0·67	-	0·24	-
NEWCASTLE ON TYNE - -	2·70	0·11	-	-	-	1·37	0·93	-	0·26	0·03
TYNEMOUTH - - - -	2·52	0·63	-	-	-	0·84	0·42	-	0·63	-
CARLISLE - - - -	2·27	-	-	-	-	0·53	1·44	-	0·30	-
NEWPORT (MON.) - - -	1·16	0·05	-	-	-	0·87	0·05	-	0·19	-
CARDIFF - - - -	3·32	0·17	-	-	-	2·18	0·73	-	0·24	-
RHONDDA - - - -	1·33	0·18	-	-	-	0·47	0·57	-	0·08	0·03
MERTHYR TYDFIL - - -	5·50	0·11	-	-	-	4·58	0·54	-	0·05	0·22
ABERDARE - - - -	1·72	0·47	-	-	-	0·70	0·31	-	0·16	0·08
SWANSEA - - - -	2·27	0·04	-	-	-	0·68	0·90	-	0·54	0·11
Smaller Towns.										
SURREY—										
BARNES - - - -	1·85	-	-	-	-	0·86	0·74	-	-	0·25
GUILDFORD - - - -	1·78	-	-	-	-	0·89	0·89	-	-	-
KINGSTON ON THAMES - -	4·28	-	-	-	-	1·24	2·48	-	0·45	0·11
MITCHAM - - - -	3·98	0·13	-	-	-	1·06	2·66	-	0·13	-
REIGATE - - - -	2·04	-	-	-	-	0·85	1·19	-	-	-
RICHMOND - - - -	0·72	0·12	-	-	-	0·12	0·12	-	0·36	-
SUTTON - - - -	6·37	-	-	-	-	5·96	0·41	-	-	-
WOKING - - - -	0·53	-	-	-	-	0·18	-	-	0·35	-
KENT—										
BECKENHAM - - - -	2·62	0·26	-	-	-	1·44	0·79	-	0·13	-
BROMLEY - - - -	1·14	0·13	-	-	-	0·38	0·50	-	0·13	-
CANTERBURY - - - -	4·09	-	-	-	-	0·37	3·34	-	0·19	0·19
CHATHAM - - - -	5·50	0·66	-	-	-	4·29	0·55	-	-	-
DARTFORD - - - -	9·16	1·34	-	-	0·38	0·76	6·11	-	0·38	0·19
DOVER - - - -	2·70	-	-	-	-	0·56	2·14	-	-	-
ERITH - - - -	2·79	-	-	-	-	2·06	0·61	-	0·12	-
FOLKESTONE - - - -	0·89	-	-	-	-	-	0·76	-	0·13	-
GRAVESEND - - - -	4·04	0·30	-	-	-	1·05	2·54	-	0·15	-
MAIDSTONE - - - -	2·47	1·30	-	-	-	0·13	0·78	-	0·26	-
MARGATE - - - -	6·82	0·21	-	-	-	2·48	3·72	-	0·41	-
PENGE (Surrey Reg. Co.) -	1·87	-	-	-	-	0·19	1·49	-	0·19	-
RAMSGATE - - - -	2·26	-	-	-	-	0·38	1·69	-	0·19	-
ROCHESTER - - - -	2·50	-	-	-	-	1·94	0·56	-	-	-
TUNBRIDGE WELLS - - -	1·95	0·26	-	-	-	1·04	0·52	-	0·13	-

TABLE X. (*continued*).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 28th September, 1918.

(Civilian Population only.)

TOWNS.	Annual Rate per 1000 Civilian Population, Mid. 1917.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
SUSSEX EAST—										
Hove - - - -	2·83	-	-	-	-	0·91	1·52	-	0·40	-
SUSSEX WEST—										
WORTHING - - -	3·33	0·29	-	-	-	0·87	2·17	-	-	-
SOUTHAMPTON—										
ALDERSHOT (Surrey Reg. Co.).	0·79	-	-	-	-	-	0·59	-	0·20	-
GOSPORT & ALVERSTOKE—	3·89	0·43	-	-	-	2·89	0·43	-	0·14	-
WINCHESTER - - -	1·80	0·20	-	-	-	1·00	0·40	-	0·20	-
MIDDLESEX—										
CHISWICK - - - -	1·03	0·10	-	-	-	0·52	0·41	-	-	-
FINCHLEY - - - -	2·60	0·09	-	-	-	0·93	1·49	-	0·09	-
HENDON - - - -	2·94	0·23	-	-	-	1·47	0·54	-	0·62	0·08
HESTON & ISLEWORTH -	4·56	0·10	-	-	-	2·49	1·66	-	0·21	0·10
SOUTHALL NORWOOD -	3·47	-	-	-	-	1·81	1·36	-	0·30	-
SOUTHGATE - - - -	1·73	-	-	-	-	0·97	0·54	-	0·22	-
TWICKENHAM - - -	0·55	-	-	-	-	0·22	0·22	-	0·11	-
WOOD GREEN - - -	3·10	-	-	-	-	1·12	1·55	-	0·34	0·09
HERTFORDSHIRE—										
ST. ALBANS - - -	1·49	-	-	-	-	-	0·99	-	0·50	-
WATFORD - - - -	1·88	-	-	-	-	0·30	1·48	-	0·10	-
BUCKINGHAMSHIRE—										
CHEPPING WYCOMBE -	3·88	0·61	-	-	-	1·23	1·84	-	0·20	-
NORTHAMPTONSHIRE—										
KETTERING - - - -	3·51	-	-	-	-	0·73	2·34	-	0·44	-
SOKE OF PETERBOROUGH—										
PETERBOROUGH - - -	3·56	-	-	-	-	1·84	1·72	-	-	-
BEDFORDSHIRE—										
BEDFORD - - - -	4·80	-	-	-	-	2·56	2·24	-	-	-
LUTON - - - -	2·22	0·15	-	-	-	0·22	1·63	-	0·22	-
ESSEX—										
BARKING TOWN - - -	2·85	0·25	-	-	-	0·74	1·36	-	0·50	-
COLCHESTER - - -	1·63	0·43	-	-	-	0·33	0·54	-	0·33	-
SUFFOLK EAST—										
LOWESTOFT - - - -	1·20	-	-	-	-	0·40	0·27	-	0·40	0·13
NORFOLK—										
KING'S LYNN - - -	3·67	0·23	-	-	-	2·75	0·23	-	0·46	-
WILTSHIRE—										
SALISBURY - - - -	0·20	-	-	-	-	-	0·20	-	-	-
DORSETSHIRE—										
POOLE - - - -	3·07	0·11	-	-	-	1·80	0·84	-	0·32	-
WEYMOUTH AND MELCOMBE REGIS.	1·31	-	-	-	-	-	0·56	-	0·19	0·56
DEVONSHIRE—										
TORQUAY - - - -	1·43	0·13	-	-	-	0·39	0·78	-	0·13	-
SOMERSETSHIRE—										
TAUNTON - - - -	1·47	-	-	-	-	0·21	0·42	-	0·63	0·21
WESTON SUPER MARE -	2·08	-	-	-	-	1·70	0·19	-	0·19	-
GLOUCESTERSHIRE—										
CHELTENHAM - - -	3·02	-	-	-	-	0·39	1·95	-	0·68	-
HEREFORDSHIRE—										
HEREFORD - - - -	2·41	0·17	-	-	-	2·07	-	-	0·17	-

TABLE X. (*continued*).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 28th September, 1918.

(Civilian Population only.)

TOWNS.	Annual Rate per 1000 Civilian Population, Mid. 1917.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
SHROPSHIRE—										
SHREWSBURY - - -	3·81	-	-	-	-	0·88	2·49	-	0·44	-
STAFFORDSHIRE—										
BILSTON - - -	2·26	-	-	-	-	1·78	0·32	-	-	0·16
BURTON UPON TRENT -	4·26	-	-	-	-	2·46	1·52	-	0·19	0·09
CANNOCK - - -	1·81	-	-	-	-	-	1·39	-	0·42	-
COSELEY - - -	1·84	0·37	-	-	-	0·73	0·37	-	0·37	-
NEWCASTLE UNDER LYME	1·52	-	-	-	-	-	1·52	-	-	-
ROWLEY REGIS - - -	0·99	0·11	-	-	-	0·66	-	-	0·22	-
STAFFORD - - -	4·60	-	-	-	-	0·49	4·11	-	-	-
TIPTON - - -	1·14	0·13	-	-	-	0·38	-	-	0·63	-
WEDNESBURY - - -	1·74	0·40	-	-	-	0·67	0·40	-	0·27	-
WOLSTANTON UNITED -	1·73	0·14	-	-	-	1·45	0·14	-	-	-
WORCESTERSHIRE—										
KIDDERMINSTER - - -	1·53	-	-	-	-	0·17	1·19	-	-	0·17
OLDBURY (Staffs. Reg. Co.)	0·44	0·11	-	-	-	0·11	-	-	0·11	0·11
WORCESTER - - -	2·16	-	-	-	-	0·99	0·81	-	0·36	-
WARWICKSHIRE—										
NUNEATON - - -	1·92	-	-	-	-	0·75	1·06	-	0·11	-
ROYAL LEAMINGTON SPA	1·41	-	-	-	-	0·16	0·94	-	0·31	-
RUGBY - - -	1·41	0·35	-	-	-	0·71	0·35	-	-	-
SUTTON COLDFIELD (Staffs. Reg. Co.).	1·46	0·21	-	-	-	1·04	0·21	-	-	-
LEICESTERSHIRE—										
LOUGHBOROUGH - - -	1·92	-	-	-	-	1·05	0·70	-	0·17	-
LINCOLNSHIRE (KESTEVEN)—										
GRANTHAM - - -	1·38	-	-	-	-	1·18	0·20	-	-	-
LINCOLNSHIRE (LINDSEY)—										
CLEETHORPE WITH THRUNSCOE.	2·52	-	-	-	-	1·44	0·90	-	0·18	-
GAINSBOROUGH - - -	1·47	-	-	-	-	0·84	0·63	-	-	-
NOTTINGHAMSHIRE—										
MANSFIELD - - -	1·27	-	-	-	-	0·59	0·29	-	0·29	0·10
SUTTON IN ASHFIELD -	5·57	3·41	-	-	-	1·08	1·08	-	-	-
WORKSOP - - -	2·19	-	-	-	-	1·39	0·40	-	0·40	-
DERBYSHIRE—										
CHESTERFIELD - - -	1·97	-	-	-	-	0·55	1·09	-	0·22	0·11
GLOSSOP - - -	1·87	-	-	-	-	-	1·04	-	0·83	-
ILKESTON (Notts. Reg. Co.)	0·96	0·14	-	-	-	0·41	0·41	-	-	-
CHESHIRE—										
CHESTER - - -	1·30	0·22	-	-	-	0·32	0·65	-	0·11	-
CREWE - - -	2·96	-	-	-	-	1·11	1·76	-	0·09	-
HYDE - - -	1·17	0·13	-	-	-	0·52	0·39	-	-	0·13
MACCLESFIELD - - -	2·70	0·54	-	-	-	0·81	1·08	-	0·27	-
STALYBRIDGE (Lancs. Reg. Co.).	0·51	-	-	-	-	-	-	-	0·51	-
LANCASHIRE—										
ACCRINGTON - - -	0·70	0·10	-	-	-	-	0·30	-	0·30	-
ASHTON IN MAKERFIELD	3·23	0·19	-	-	-	1·33	0·76	-	0·95	-
ASHTON UNDER LYNE -	1·53	-	-	-	-	1·33	0·10	-	0·10	-
BACUP - - -	1·46	0·21	-	-	-	0·83	-	-	0·42	-
CHADDERTON - - -	2·90	-	-	-	-	1·37	0·31	-	1·22	-
CHORLEY - - -	0·74	0·15	-	-	-	-	0·59	-	-	-
COLNE - - -	5·21	0·18	-	-	-	0·36	3·77	-	0·90	-
DARWEN - - -	2·11	-	-	-	-	1·64	-	-	0·35	0·12
ECCLES - - -	2·00	-	-	-	-	1·39	0·50	-	0·20	-
FARNWORTH - - -	0·97	0·81	-	-	-	0·16	-	-	-	-

TABLE X. (*continued*).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 28th September, 1918.

(Civilian Population only.)

		Annual Rate per 1000 Civilian Population, Mid. 1917.								
TOWNS.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
LANCASHIRE— <i>cont.</i>										
HEYWOOD - - -	3·91	-	-	-	-	-	3·40	-	0·51	-
HINDLEY - - -	2·88	-	-	-	-	1·26	1·08	-	0·36	0·18
INCE IN MAKERFIELD - - -	4·04	1·15	-	-	-	1·54	0·77	-	0·58	-
LANCASTER - - -	2·30	0·33	-	-	-	0·55	0·76	-	0·66	-
LEIGH - - -	2·00	0·19	-	-	-	0·38	1·14	-	0·29	-
MIDDLETON - - -	1·42	-	-	-	-	-	1·26	-	0·16	-
NELSON - - -	1·65	-	-	-	-	1·21	0·33	-	0·11	-
RADCLIFFE - - -	5·57	-	-	-	-	4·70	0·70	-	-	0·17
RAWTENSTALL - - -	0·61	0·46	-	-	-	-	-	-	-	0·15
STRETFORD - - -	1·58	-	-	-	-	0·79	0·49	-	0·30	-
SWINTON AND PENDLEBURY.	1·71	0·28	-	-	-	0·43	0·43	-	0·57	-
WATERLOO WITH SEAFORTH.	5·50	0·14	-	-	-	3·33	1·16	-	0·87	-
WIDNES - - -	2·82	0·13	-	-	-	1·41	1·02	-	0·26	-
YORKSHIRE (WEST RIDING)—										
BATLEY - - -	2·84	1·42	-	-	-	0·47	0·83	-	0·12	-
BRIGHOUSE - - -	1·04	-	-	-	-	0·21	0·62	-	-	0·21
CASTLEFORD - - -	1·49	0·33	-	-	-	0·83	0·33	-	-	-
DONCASTER - - -	1·99	0·08	-	-	-	0·83	0·75	-	0·33	-
GOOLE - - -	10·27	0·49	-	-	-	1·71	7·83	-	0·24	-
HARROGATE - - -	1·83	0·13	-	-	-	1·18	0·26	-	0·26	-
KEIGHLEY - - -	0·80	-	-	-	-	0·10	0·40	-	0·30	-
MORLEY - - -	4·99	-	-	-	-	1·96	2·49	-	0·36	0·18
SHIPLEY - - -	1·06	0·30	-	-	-	0·30	0·46	-	-	-
SPENBOROUGH - - -	1·07	-	-	-	-	0·54	0·40	-	0·13	-
TODMORDEN - - -	0·68	-	-	-	-	0·17	0·34	-	0·17	-
YORKSHIRE (NORTH RIDING)—										
ESTON - - -	4·31	0·14	-	0·42	-	0·42	3·33	-	-	-
SCARBOROUGH - - -	9·74	0·14	-	-	-	1·41	7·91	-	0·14	0·14
DURHAM—										
BLAYDON - - -	5·33	0·26	-	-	-	4·16	0·91	-	-	-
FELLING - - -	0·98	-	-	-	-	0·49	-	-	0·49	-
HARTLEPOOL - - -	2·65	-	-	-	-	2·43	-	-	0·22	-
HEBBURN - - -	1·87	-	-	-	-	1·70	0·17	-	-	-
JARROW - - -	1·47	-	-	-	-	0·79	0·45	-	0·23	-
STANLEY - - -	7·48	-	-	-	-	5·16	2·14	-	0·18	-
NORTHUMBERLAND—										
ASHINGTON - - -	11·30	8·39	-	-	-	1·53	0·92	-	0·46	-
BEDLINGTONSHIRE - - -	2·38	1·53	-	-	-	-	0·51	-	0·34	-
BLYTH - - -	2·10	0·98	-	-	-	0·56	0·42	-	0·14	-
WALLSEND - - -	2·31	-	-	-	-	1·85	0·37	-	0·09	-
CUMBERLAND—										
WORKINGTON - - -	2·37	-	-	-	-	0·79	0·95	-	0·63	-
MONMOUTHSHIRE—										
ABERSYCHAN - - -	1·59	-	-	-	-	0·79	0·48	-	0·32	-
ABERTILLERY - - -	2·38	-	-	-	-	1·62	0·76	-	-	-
BEDWELTY - - -	2·14	0·14	-	-	-	1·72	0·14	-	0·14	-
EBBW VALE - - -	1·42	0·24	-	-	-	0·59	0·12	-	0·47	-
TREDEGAR - - -	4·04	0·18	-	-	-	2·63	1·05	-	0·18	-
GLAMORGANSHIRE--										
BARRY - - -	4·80	0·24	-	-	-	1·80	2·40	-	0·36	-
CAERPHILLY - - -	4·15	-	-	-	-	2·61	1·18	-	0·12	0·24
GELLIGAER - - -	1·02	0·10	-	-	-	0·51	0·41	-	-	-
MAESTEG - - -	4·97	0·15	-	-	-	1·90	2·92	-	-	-
MOUNTAIN ASH - - -	2·24	0·49	-	-	-	0·97	0·68	-	-	0·10
OGMORE AND GARW - - -	1·26	-	-	-	-	0·98	0·14	-	0·14	-
PONTYPRIDD - - -	1·25	0·29	-	-	-	0·48	0·29	-	0·19	-
CARMARTHENSHIRE—										
LLANELLY - - -	1·03	-	-	-	-	0·92	-	-	-	0·11

TABLE XI.--PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in the several BOROUGHs of the ADMINISTRATIVE COUNTY of LONDON during the 13 Weeks ended 28th September, 1918.
(Civilian Population only.)

BOROUGHs.	Annual Rate per 1000 Civilian Population, Mid. 1917.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Puerperal Fever.
ADMINISTRATIVE COUNTY OF LONDON }	3·72	0·09	0·00	0·00	0·00	1·57	1·61	-	0·42	0·03
WEST.										
Paddington - - -	3·27	0·13	-	-	-	1·11	1·54	-	0·46	0·03
Kensington - - -	2·78	0·03	+	-	-	1·77	0·69	-	0·26	0·03
Hammersmith - - -	2·82	0·28	-	-	-	1·29	0·98	-	0·24	0·03
Fulham - - -	2·90	0·19	-	-	-	1·41	0·91	-	0·39	-
Chelsea - - -	1·89	0·14	-	-	-	0·91	0·42	-	0·21	0·21
City of Westminster -	1·59	0·07	-	-	-	0·30	0·79	-	0·33	0·10
NORTH.										
St. Marylebone - - -	2·76	0·13	-	-	-	0·86	1·34	-	0·39	0·04
Hampstead - - -	2·17	0·21	-	-	-	0·32	1·27	-	0·37	-
St. Pancras - - -	4·00	0·04	-	-	-	1·40	2·02	-	0·54	-
Islington - - -	3·22	0·11	-	-	0·01	1·19	1·38	-	0·53	-
Stoke Newington - - -	2·19	-	-	-	-	0·93	1·01	-	0·17	0·08
Hackney - - -	3·14	0·10	-	-	-	0·94	1·69	-	0·35	0·06
CENTRAL.										
Holborn - - -	1·48	-	-	-	-	0·57	0·80	-	0·11	-
Finsbury - - -	4·94	-	-	-	-	3·18	1·47	-	0·29	-
City of London - - -	1·74	-	-	-	-	-	1·24	-	0·50	-
EAST.										
Shoreditch - - -	4·51	0·04	-	-	-	1·65	1·88	-	0·94	-
Bethnal Green - - -	6·80	0·07	-	-	-	2·91	2·73	-	1·05	0·04
Stepney - - -	5·79	0·02	-	-	-	2·14	3·09	-	0·54	-
Poplar - - -	3·55	0·11	-	-	-	1·26	1·76	-	0·36	0·06
SOUTH.										
Southwark - - -	9·21	0·07	-	0·02	-	5·37	2·84	-	0·86	0·05
Bermondsey - - -	5·10	0·07	0·04	-	-	2·01	2·68	-	0·30	-
Lambeth - - -	3·58	0·04	-	-	-	1·89	1·18	-	0·40	0·07
Battersea - - -	3·04	-	-	-	-	1·52	1·23	-	0·29	-
Wandsworth - - -	2·55	0·17	-	-	-	1·27	0·71	-	0·39	0·01
Camberwell - - -	3·38	0·02	-	-	-	1·09	1·93	-	0·34	-
Deptford - - -	4·38	0·12	-	-	-	1·82	2·09	-	0·31	0·04
Greenwich - - -	4·65	0·22	-	-	-	1·33	2·79	-	0·31	-
Lewisham - - -	2·43	0·05	-	-	-	0·72	1·37	-	0·27	0·02
Woolwich - - -	3·85	0·18	-	-	-	1·61	1·79	-	0·21	0·06
Port of London - - -	-	-	-	-	-	-	-	-	-	-

TABLE XII.—**Diarrhoea and Enteritis.**—**Mortality** from **Diarrhoea and Enteritis** among **children** under two years of age per 1,000 births in the **96 Great Towns** in each Week of the Third or Summer Quarter of 1918.

(The weekly mortality is calculated upon the average weekly number of births during the 13 weeks.
The maximum weekly mortality in each town is shown in thick type.)

TOWNS.	13 weeks ended 28th Sept. 1918.	Mortality per 1,000 Births.												
		Week ended—												
		July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.
96 Towns	31·8	6·8	5·6	6·6	10·2	11·9	15·6	27·1	50·0	70·3	69·5	55·8	48·2	35·8
LONDON - - -	27·6	3·0	6·7	3·7	9·6	8·9	8·1	17·0	25·1	52·5	67·3	52·5	54·7	49·6
CROYDON - - -	13·8	-	-	-	20·0	-	-	-	20·0	-	-	20·0	60·0	60·0
WIMBLEDON - -	28·4	-	62·5	-	-	-	-	-	-	-	-	250·0	62·5	-
EALING - - -	28·1	52·6	-	52·6	-	-	105·3	-	105·3	-	52·6	-	-	-
ACTON - - -	37·0	-	-	-	52·6	52·6	-	-	52·6	105·3	52·6	52·6	105·3	-
WILLESDEN - -	37·9	22·2	-	-	-	-	-	22·2	66·7	66·7	88·9	155·6	66·7	-
HORNSEY - - -	4·3	-	-	-	-	-	-	-	-	-	-	-	55·6	-
TOTTENHAM - -	43·3	-	-	-	-	-	46·5	23·3	69·8	93·0	139·5	-	116·3	69·8
EDMONTON - -	22·1	-	-	-	-	-	-	-	41·7	83·3	-	41·7	83·3	41·7
ENFIELD - - -	14·1	-	-	-	-	-	-	-	-	-	-	62·5	62·5	62·5
WEST HAM - -	75·9	9·2	18·3	9·2	27·5	27·5	27·5	64·2	110·1	201·8	128·4	156·0	146·8	64·2
EAST HAM - -	15·4	-	-	-	-	-	-	25·0	-	75·0	-	25·0	50·0	25·0
LEYTON - - -	36·5	-	-	-	-	-	-	-	33·3	33·3	100·0	133·3	166·7	-
WALTHAMSTOW -	4·3	-	-	-	27·8	-	-	-	-	-	-	-	-	27·8
ILFORD - - -	14·0	-	-	-	-	-	-	-	62·5	-	62·5	62·5	-	-
GILLINGHAM - -	14·2	-	45·5	-	-	-	-	45·5	-	45·5	-	45·5	-	-
HASTINGS - - -	4·7	-	-	-	-	-	-	-	62·5	-	-	-	-	-
EASTBOURNE - -	5·8	-	-	-	-	-	-	-	-	-	-	-	76·9	-
BRIGHTON - -	23·5	-	-	-	-	-	25·6	-	-	-	25·6	102·6	76·9	76·9
PORTSMOUTH - -	23·5	10·5	-	-	10·5	21·1	10·5	42·1	21·1	31·6	52·6	10·5	63·2	31·6
BOURNEMOUTH -	3·4	-	-	-	-	-	43·5	-	-	-	-	-	-	-
SOUTHAMPTON -	37·5	-	-	-	-	-	-	-	-	61·2	81·6	183·7	61·2	102·0
READING - - -	22·5	-	-	-	-	-	32·3	32·3	64·5	32·3	-	64·5	64·5	-
OXFORD - - -	11·4	76·9	-	-	-	-	-	-	76·9	-	-	-	-	-
NORTHAMPTON -	11·9	-	-	-	-	-	38·5	38·5	-	76·9	-	-	-	-
CAMBRIDGE - -	4·8	-	-	-	-	-	-	-	-	-	-	62·5	-	-
SOUTHEND ON SEA-	14·0	-	-	-	-	-	-	-	62·5	-	-	-	62·5	62·5
IPSWICH - - -	17·1	-	-	-	-	-	-	-	37·0	37·0	37·0	37·0	37·0	37·0
GREAT YARMOUTH-	16·4	-	-	52·6	-	-	-	52·6	-	52·6	-	52·6	-	-
NORWICH - - -	6·6	-	-	-	-	-	-	-	-	-	57·1	-	28·6	-
SWINDON - - -	4·7	-	-	-	-	-	-	-	62·5	-	-	-	-	-
EXETER - - -	9·0	-	-	-	-	58·8	-	58·8	-	-	-	-	-	-
PLYMOUTH - -	30·2	13·5	13·5	40·5	27·0	40·5	27·0	13·5	54·1	81·1	27·0	54·1	-	-
BATH - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BRISTOL - - -	26·0	8·3	-	8·3	-	-	8·3	24·8	82·6	49·6	41·3	24·8	74·4	16·5
GLOUCESTER - -	13·3	-	-	-	-	-	-	117·6	58·8	-	-	-	-	-
STOKE ON TRENT -	14·7	10·1	-	10·1	-	10·1	-	10·1	-	30·3	60·6	20·2	20·2	20·2
WOLVERHAMPTON -	19·0	-	-	-	-	-	-	75·0	25·0	75·0	-	-	50·0	25·0
WALSALL - - -	29·5	-	-	-	76·9	-	-	25·6	25·6	76·9	76·9	102·6	-	-
WEST BROMWICH -	31·1	-	-	-	-	-	-	66·7	33·3	66·7	100·0	66·7	33·3	33·3
DUDLEY - - -	24·2	-	-	-	-	-	-	-	-	40·0	40·0	80·0	80·0	80·0
BIRMINGHAM - -	41·7	6·0	6·0	6·0	17·9	6·0	26·8	29·8	83·3	133·9	122·0	59·5	20·8	23·8
SMETHWICK - -	29·1	34·5	-	-	-	69·0	-	34·5	34·5	34·5	34·5	-	34·5	103·4
COVENTRY - - -	21·9	-	-	-	-	-	-	-	17·9	53·6	107·1	35·7	53·6	17·9
LEICESTER - -	19·9	-	-	16·1	-	16·1	-	-	32·3	32·3	32·3	48·4	16·1	64·5
LINCOLN - - -	14·4	-	-	-	-	-	-	-	-	-	47·6	47·6	-	95·2

TABLE XII. (continued). — **Diarrhoea** and **Enteritis**.—**Mortality** from **Diarrhoea** and **Enteritis** among **children** under two years of age per 1,000 births in the **96 Great Towns** in each Week of the Third or Summer Quarter of 1918.

TOWNS.	13 weeks ended 28th Sept. 1918.	Mortality per 1,000 Births.												
		Week ended—												
		July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.
GRIMSBY - - -	82·7	32·3	32·3	32·3	32·3	-	96·8	-	-	129·0	354·8	225·8	96·8	32·3
NOTTINGHAM - - -	36·9	12·0	-	12·0	-	12·0	-	12·0	48·2	84·3	120·5	120·5	36·1	24·1
DERBY - - -	13·7	-	22·2	-	-	-	-	-	22·2	88·9	44·4	-	-	-
STOCKPORT - - -	9·1	29·4	-	-	-	-	-	-	-	29·4	58·8	-	-	-
BIRKENHEAD - - -	49·5	-	-	15·6	31·3	15·6	15·6	46·9	109·4	109·4	109·4	109·4	78·1	-
WALLASEY - - -	21·0	-	-	38·5	-	-	-	-	38·5	38·5	76·9	38·5	38·5	-
LIVERPOOL - - -	48·6	8·8	2·9	11·8	2·9	14·7	20·6	50·1	88·5	85·5	118·0	94·4	59·0	73·7
BOOTLE - - -	74·8	-	-	-	-	90·9	90·9	30·3	303·0	212·1	30·3	90·9	-	121·2
ST. HELENS - - -	44·0	-	-	-	21·3	42·6	-	106·4	42·6	127·7	85·1	42·6	85·1	21·3
SOUTHPORT - - -	14·8	62·5	-	-	-	-	-	-	-	-	-	-	125·0	-
WIGAN - - -	64·0	27·0	-	-	-	27·0	54·1	81·1	135·1	162·2	162·2	81·1	27·0	81·1
WARRINGTON - - -	14·0	-	-	-	-	-	-	30·3	30·3	30·3	60·6	-	-	30·3
BOLTON - - -	15·9	-	-	18·9	18·9	18·9	-	18·9	18·9	18·9	37·7	18·9	37·7	-
BURY - - -	10·6	-	-	-	-	-	-	-	-	66·7	66·7	-	-	-
MANCHESTER - - -	13·1	11·9	4·0	4·0	7·9	7·9	7·9	15·9	19·8	19·8	15·9	27·8	11·9	15·9
SALFORD - - -	28·9	26·0	13·0	-	-	26·0	26·0	26·0	26·0	26·0	51·9	64·9	77·9	13·0
OLDHAM - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ROCHDALE - - -	16·8	43·5	-	-	-	-	-	-	87·0	-	87·0	-	-	-
BURNLEY - - -	16·0	34·5	34·5	34·5	-	-	-	-	34·5	34·5	-	-	34·5	-
BLACKBURN - - -	17·7	-	-	-	-	33·3	-	-	-	33·3	33·3	33·3	66·7	33·3
PRESTON - - -	19·7	85·7	-	-	28·6	-	-	-	-	28·6	57·1	-	57·1	-
BLACKPOOL - - -	11·0	-	-	-	-	-	-	-	-	-	-	71·4	71·4	-
BARROW IN FURNESS -	8·1	-	-	-	-	-	26·3	26·3	-	52·6	-	-	-	-
HUDDERSFIELD - - -	9·9	-	32·3	-	-	-	-	-	64·5	-	-	32·3	-	-
HALIFAX - - -	36·2	-	-	-	43·5	43·5	-	-	-	130·4	87·0	87·0	43·5	43·5
BRADFORD - - -	24·0	-	12·5	-	12·5	25·0	12·5	37·5	37·5	50·0	25·0	25·0	37·5	37·5
LEEDS - - -	40·0	-	-	6·5	13·0	26·0	13·0	39·0	110·4	90·9	64·9	90·9	58·4	6·5
DEWSBURY - - -	8·8	-	-	-	-	-	-	-	-	-	-	-	58·8	58·8
WAKEFIELD - - -	16·4	52·6	-	-	-	-	-	-	52·6	-	-	105·3	-	-
BARNSELY - - -	75·9	41·7	-	41·7	-	41·7	-	166·7	208·3	250·0	83·3	83·3	41·7	41·7
SHEFFIELD - - -	38·1	-	19·0	-	14·3	14·3	14·3	28·6	61·9	85·7	81·0	66·7	61·9	47·6
ROTHERHAM - - -	126·6	-	-	64·5	193·5	193·5	225·8	96·8	322·6	193·5	96·8	193·5	32·3	32·3
YORK - - -	11·8	-	-	-	-	-	-	76·9	76·9	-	-	-	-	-
HULL - - -	49·5	19·2	9·6	-	28·8	-	19·2	48·1	57·7	153·8	115·4	105·8	76·9	9·6
MIDDLESBROUGH - - -	43·4	-	29·9	29·9	-	14·9	29·9	-	44·8	44·8	89·6	74·6	89·6	119·4
DARLINGTON - - -	26·9	-	-	-	38·5	-	38·5	-	-	115·4	-	38·5	76·9	38·5
STOCKTON ON TEES -	66·5	-	-	-	-	-	33·3	166·7	133·3	133·3	133·3	100·0	100·0	66·7
WEST HARTLEPOOL -	125·0	-	-	31·3	-	-	62·5	156·3	156·3	406·3	343·8	125·0	218·8	125·0
SUNDERLAND - - -	38·4	26·3	-	26·3	-	26·3	13·2	26·3	52·6	92·1	105·3	65·8	26·3	39·5
SOUTH SHIELDS - - -	55·3	-	-	-	-	-	17·5	17·5	122·8	157·9	157·9	70·2	87·7	87·7
GATESHEAD - - -	80·8	31·3	15·6	-	15·6	15·6	140·6	125·0	187·5	203·1	171·9	46·9	62·5	31·3
NEWCASTLE ON TYNE -	27·7	-	-	16·4	-	16·4	-	32·8	57·4	57·4	65·6	41·0	32·8	41·0
TYNEMOUTH - - -	26·9	-	34·5	-	-	-	-	-	69·0	69·0	34·5	69·0	69·0	-
CARLISLE - - -	10·7	-	-	-	-	-	-	-	-	45·5	-	90·9	-	-
NEWPORT (MON.) - - -	13·4	-	-	-	29·4	-	-	88·2	-	58·8	-	-	-	-
CARDIFF - - -	56·7	14·5	-	14·5	14·5	29·0	87·0	58·0	173·9	231·9	101·4	-	14·5	-
RHONDDA - - -	30·1	-	12·2	24·4	24·4	24·4	12·2	12·2	12·2	61·0	85·4	24·4	61·0	36·6
MERTHYR TYDFIL - -	16·0	-	-	-	-	-	-	-	-	52·6	78·9	-	26·3	52·6
ABERDARE - - -	15·2	-	-	-	-	-	80·0	-	40·0	-	-	40·0	40·0	-
SWANSEA - - -	21·0	-	20·8	-	20·8	-	-	20·8	62·5	-	-	62·5	41·7	41·7

TABLE XIII.—**Mortality from Diarrhoea and Enteritis, and Meteorology** (Greenwich), in LONDON, in the Third or Summer Quarters (13 weeks) of each of the Fifty Years 1869–1918.

YEARS.	Estimated POPULATION in the middle of each Year.	MORTALITY from DIARRHOEA and ENTERITIS.*			Mean Earth TEMPERATURE at 3 ft. 2 ins. depth.	RAINFALL.	
		ALL AGES per 1000 Living.	UNDER 1 YEAR OF age per 1000 Births.	UNDER 5 YEARS of age per 1000 Living at that age.		Amount in Millimetres.	Number of Days on which measured.
<i>Mean, 1869–1918.</i>	4,112,282	2·65	64 1876–1918.	21·43 1869–1915.	61°5 1868–1917.	166 1868–1917.	38 1868–1917.
1869	3,176,308	3·71	—	26·22	61·3	124	26
1870	3,221,394	3·92	—	27·19	61·5	145	28
1871	3,267,251	4·21	—	29·60	62·8	208	38
1872	3,319,736	3·76	—	26·41	63·0	165	37
1873	3,373,065	4·08	—	28·89	62·4	193	33
1874	3,427,250	2·89	—	20·05	62·2	157	38
1875	3,482,306	2·67	—	18·68	61·7	262	38
1876	3,538,246	3·48	80	24·77	62·6	135	43
1877	3,595,085	2·18	46	14·99	61·6	163	41
1878	3,652,837	3·49	72	24·38	63·1	165	37
1879	3,711,517	1·43	29	9·73	59·4	297	53
1880	3,771,139	3·48	74	24·58	62·0	224	41
1881	3,824,980	2·71	61	18·72	61·3	208	44
1882	3,862,956	1·67	35	11·60	60·3	152	48
1883	3,901,309	2·12	46	14·75	61·0	165	43
1884	3,940,042	3·43	77	24·62	63·1	114	36
1885	3,979,160	2·27	54	16·31	61·5	142	36
1886	4,018,666	3·47	79	25·80	62·3	124	33
1887	4,058,565	3·49	85	26·08	63·0	150	35
1888	4,098,860	1·64	39	12·11	59·3	284	50
1889	4,139,555	2·23	56	16·60	61·9	142	37
1890	4,180,654	2·21	52	16·60	60·4	196	39
1891	4,223,720	2·00	50	15·28	60·2	201	51
1892	4,269,634	2·03	49	15·49	60·6	168	42
1893	4,312,263	2·65	63	19·98	63·1	150	43
1894	4,351,501	1·56	41	12·26	60·7	191	52
1895	4,387,248	3·28	83	26·42	62·3	165	36
1896	4,419,411	3·42	93	27·79	62·2	221	45
1897	4,447,907	4·66	121	38·45	62·2	160	43
1898	4,472,664	4·75	127	39·69	62·0	64	25
1899	4,493,617	5·43	148	45·03	64·0	109	29
1900	4,510,711	3·66	100	30·81	61·3	117	23
1901	4,536,201	3·43	96	28·93	62·0	130	24
1902	4,534,828	1·78	48	15·14	59·6	145	39
1903	4,533,443	1·84	49	15·53	60·2	312	46
1904	4,531,856	4·02	113	34·51	61·4	122	33
1905	4,530,418	2·87	82	24·89	61·6	147	34
1906	4,528,964	3·84	107	32·87	62·0	97	26
1907	4,527,495	0·73	19	5·64	59·2	89	32
1908	4,525,847	1·90	54	16·20	60·2	208	39
1909	4,524,346	1·21	35	10·14	59·2	188	46
1910	4,522,832	0·84	24	7·05	59·4	170	38
1911	4,521,194	4·28	127	38·23	64·0	76	22
1912	4,520,401	0·66	20	5·66	60·1	193	42
1913	4,519,480	1·50	43	13·49	59·8	137	36
1914	4,518,021	1·93	59	17·22	61·7	84	34
1915	4,518,021†	1·34	45	11·65	60·6	211	35
1916	4,237,387‡	0·78	24	?	59·9	150	42
1917	4,026,901‡	0·86	29	?	62·6	260	47
1918	4,026,901§	0·59	23	?	?	?	?

* Including Appendicitis up to 1900 inclusive, Cholera Nostras to 1910, and Dysentery from 1882 to 1910.

† Estimated population mid. 1914.

‡ Estimated civilian population.

§ Estimated civilian population, mid. 1917.

BOROUGH.	Estimated Civilian Population, Mid. 1917.	Births.	Deaths from										ANNUAL DEATH-RATES PER 1000 CIVILIAN POPULATION, MID. 1917.							RATE PER 1000 BIRTHS.		
			All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Pulmonary Tuberculosis.	Deaths of Infants under 1 Year of Age.	All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Pulmonary Tuberculosis.	Diarrhoea and Enteritis (under 2 Years).	Total deaths under 1 Year.
County of London -	4,026,901	17,575	12,380	18	-	196	25	186	104	485	1,528	1,493	12.3	0.02	-	0.20	0.02	0.19	0.10	1.52	27.60	85
WEST.																						
PADDINGTON -	122,507	454	338	-	-	8	-	11	1	5	22	45	11.1	-	-	0.26	-	0.36	0.03	0.72	11.01	99
KENSINGTON -	151,335	548	420	-	-	6	3	2	2	17	36	44	11.1	-	-	0.05	0.08	0.05	0.05	0.95	31.02	80
HAMMERSMITH -	114,952	453	361	1	-	5	-	4	1	9	41	39	12.6	0.03	-	-	-	0.14	0.03	1.43	19.87	86
FULHAM -	145,186	622	419	1	-	8	1	11	1	32	59	66	11.6	0.03	-	0.22	0.03	0.30	0.03	1.63	51.45	106
CHELSEA -	57,368	195	162	1	-	2	-	3	1	3	25	11	11.3	-	-	0.14	-	0.21	0.07	1.75	15.38	56
CITY OF WESTMINSTER -	122,046	281	332	-	-	2	1	3	2	6	48	27	10.9	-	-	0.07	0.03	0.10	0.07	1.58	21.35	96
NORTH.																						
ST. MARYLEBONE -	92,796	792	287	-	-	1	-	2	2	4	23	23	12.4	-	-	0.04	-	0.09	0.09	0.99	5.05	29
HAMPSTEAD -	75,649	164	178	1	-	-	-	5	1	2	19	19	9.4	0.05	-	-	-	0.27	0.05	1.01	12.20	116
ST. PANCRAS -	186,600	848	614	2	-	30	-	7	6	19	83	71	13.2	0.04	-	0.64	-	0.15	0.13	1.78	22.41	84
ISLINGTON -	297,102	1,149	959	-	-	-	-	17	11	24	115	107	12.9	-	-	0.04	-	0.23	0.15	1.55	20.89	93
STOKE NEWINGTON -	47,426	135	130	-	-	2	-	1	3	4	14	14	11.0	-	-	0.17	-	0.08	0.25	1.18	29.63	104
HACKNEY -	196,598	946	616	2	-	2	-	5	6	40	88	80	12.6	0.04	-	0.04	-	0.10	0.12	1.80	42.28	85
CENTRAL.																						
HOLBORN -	35,303	83	144	-	-	2	-	1	1	4	23	19	16.4	-	-	0.23	-	0.11	0.11	2.61	48.19	229
FINSBURY -	68,011	532	249	-	-	3	1	8	4	7	30	23	14.7	-	-	0.18	0.06	0.47	0.24	1.77	13.16	43
CITY OF LONDON -	16,138	70	33	-	-	-	-	-	-	2	2	3	8.2	-	-	-	-	-	-	0.50	28.57	43
EAST.																						
SHOREDITCH -	89,675	347	319	1	-	-	-	3	3	23	47	43	14.3	0.04	-	-	-	0.13	0.13	2.10	66.28	124
BETHNAL GREEN -	107,362	407	402	1	-	8	1	7	4	21	56	52	15.0	0.04	-	0.30	0.94	0.26	0.15	2.09	51.60	128
STEPNEY -	232,010	1,219	767	1	-	13	3	7	13	32	113	100	13.3	0.02	-	0.22	0.05	0.12	0.22	1.95	26.25	82
POPLAR -	143,443	673	498	-	-	4	-	3	6	28	52	74	13.9	-	-	0.11	-	0.08	0.17	1.45	41.60	110
SOUTH.																						
SOUTHWARK -	167,936	769	643	-	-	18	4	13	6	23	88	75	15.4	-	-	0.43	0.10	0.31	0.14	2.10	29.91	98
BERMONDSEY -	107,635	554	402	-	-	22	1	5	2	18	48	52	15.0	-	-	0.82	0.04	0.19	0.07	1.79	32.49	94
LAMBETH -	272,038	1,566	866	1	-	23	1	11	6	33	125	94	12.8	0.01	-	0.34	0.10	0.16	0.09	1.84	21.07	60
BATTERSEA -	150,023	592	466	-	-	8	1	13	4	18	42	55	12.5	-	-	0.21	0.03	0.35	0.11	1.12	30.41	93
WANDSWORTH -	300,787	1,081	738	1	-	7	-	14	1	38	89	95	9.8	0.01	-	0.09	-	0.19	0.01	1.19	35.15	88
CAMBERWELL -	239,461	976	732	3	-	11	-	8	6	16	98	77	12.3	0.05	-	0.18	-	0.13	0.10	1.64	16.39	79
DEPTFORD -	103,527	535	279	2	-	2	1	1	1	14	30	42	10.8	0.08	-	0.08	0.04	0.04	0.04	1.16	26.17	79
GREENWICH -	90,440	441	306	-	-	7	-	7	2	15	32	38	13.6	-	-	0.31	-	0.31	0.09	1.42	34.01	86
LEWISHAM -	161,405	534	381	-	-	6	-	5	3	10	38	41	9.5	-	-	0.15	-	0.12	0.07	0.94	18.73	77
WOOLWICH -	131,942	609	339	1	-	2	1	9	5	18	42	61	10.3	0.03	-	0.06	0.03	0.27	0.15	1.28	29.56	105

TABLE XV.—**Births and Deaths** in the **Third Quarter** (13 Weeks) of **1918** in certain **Colonial and Foreign Cities.**

CITIES.	POPULATION (enumerated or estimated).	BIRTHS. (Excluding Stillborn.)	DEATHS.	ANNUAL RATE per 1000 Persons living.									RATE per 1000 Births.	
				Births.	Deaths from							Diarrhoea and Enteri- tis (under 2 Years).*	Total Deaths under 1 Yr.	
					All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping- Cough.	Diphtheria and Croup.			
LONDON† - -	4,026,901	17,575	12,380	15·7	12·3	0·02	-	0·20	0·02	0·19	0·10	27·60	85	
CALCUTTA - -	896,067	—	—	—	—	—	—	—	—	—	—	—	—	
BOMBAY - -	979,445	—	—	—	—	—	—	—	—	—	—	—	—	
MADRAS - -	518,660	—	—	—	—	—	—	—	—	—	—	—	—	
PARIS - - -	2,847,229	6,698	8,731	9·4	12·3	0·05	0·01	0·02	0·00	0·03	0·03	55·69	135	
BRUSSELS - -	—	—	—	—	—	—	—	—	—	—	—	—	—	
ANTWERP - -	—	—	—	—	—	—	—	—	—	—	—	—	—	
AMSTERDAM - -	642,831	3,496	1,879	21·8	11·7	0·16	—	0·19	0·02	0·17	0·11	8·58	54	
COPENHAGEN - -	539,000	2,904	1,376	21·6	10·2	0·02	—	0·01	0·01	0·04	0·03	8·61	63	
STOCKHOLM - -	413,163	1,369	1,255	13·3	12·2	0·03	—	—	0·02	0·06	0·16	6·57	46	
GOTHENBURG - -	196,943	-	588	-	12·0	0·73	—	—	0·02	0·06	0·24	—	—	
CHRISTIANIA - -	259,627	1,368	875	21·1	13·5	0·02	—	—	0·05	0·05	0·14	21·20	69	
PETROGRAD - -	—	—	—	—	—	—	—	—	—	—	—	—	—	
MOSCOW - - -	—	—	—	—	—	—	—	—	—	—	—	—	—	
BERLIN - - -	1,726,069	—	—	—	—	—	—	—	—	—	—	—	—	
HAMBURG - - -	1,050,300	—	—	—	—	—	—	—	—	—	—	—	—	
LEIPZIG - - -	676,289	—	—	—	—	—	—	—	—	—	—	—	—	
MUNICH - - -	600,000	—	—	—	—	—	—	—	—	—	—	—	—	
DRESDEN - - -	576,639	—	—	—	—	—	—	—	—	—	—	—	—	
COLOGNE - - -	642,917	—	—	—	—	—	—	—	—	—	—	—	—	
BRESLAU - - -	493,393	—	—	—	—	—	—	—	—	—	—	—	—	
FRANKFORT ON MAIN.	470,124	—	—	—	—	—	—	—	—	—	—	—	—	
VIENNA - - -	2,293,540	—	—	—	—	—	—	—	—	—	—	—	—	
PRAGUE - - -	456,721	—	—	—	—	—	—	—	—	—	—	—	—	
BUDAPEST - - -	1,031,256	—	—	—	—	—	—	—	—	—	—	—	—	
TRIESTE - - -	152,740	—	—	—	—	—	—	—	—	—	—	—	—	
BUCAREST - - -	—	—	—	—	—	—	—	—	—	—	—	—	—	
NEW YORK - -	5,872,143	—	—	—	—	—	—	—	—	—	—	—	—	
CHICAGO - - -	2,596,681	-	7,208	-	11·1	0·02	—	0·01	0·01	0·07	0·18	—	—	
NEW ORLEANS - -	384,000	—	—	—	—	—	—	—	—	—	—	—	—	
RIO DE JANEIRO -	955,702	—	—	—	—	—	—	—	—	—	—	—	—	
CAIRO :—														
Egyptians - -	673,000	—	—	—	—	—	—	—	—	—	—	—	—	
Foreigners - -	76,000	—	—	—	—	—	—	—	—	—	—	—	—	
ALEXANDRIA :—														
Egyptians - -	330,000	—	—	—	—	—	—	—	—	—	—	—	—	
Foreigners - -	81,000	—	—	—	—	—	—	—	—	—	—	—	—	

* The death-rates in this column relate to all ages for Christiania and to *children under 1 year of age* for Copenhagen and Stockholm.

† The figures for London refer to the civilian population only.

England and Wales—Causes of Death at
Different Age-Periods in the Quarter
ended 31st December, 1917.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
1-59	All Causes -	M 58,448	3,054	1,625	1,463	1,792	7,934	2,337	1,041	749	544	12,605	1,473
	-	F 54,288	2,396	1,182	1,125	1,562	6,265	2,197	1,052	781	602	10,897	1,401
	I. General Diseases.	M 16,309	89	183	239	482	993	933	499	396	298	3,119	726
	-	F 16,962	59	169	184	444	856	896	550	415	316	3,033	755
1	Enteric fever -	M 141	—	—	—	—	—	—	—	1	1	2	5
	-	F 122	—	—	—	—	—	1	—	1	1	3	3
2	Typhus -	M —	—	—	—	—	—	—	—	—	—	—	—
	-	F —	—	—	—	—	—	—	—	—	—	—	—
3	Relapsing fever -	M 1	—	—	—	—	—	—	—	—	—	—	—
	-	F —	—	—	—	—	—	—	—	—	—	—	—
	A. Relapsing fever.	M —	—	—	—	—	—	—	—	—	—	—	—
	-	F —	—	—	—	—	—	—	—	—	—	—	—
	B. Mediterranean fever.	M 1	—	—	—	—	—	—	—	—	—	—	—
	-	F —	—	—	—	—	—	—	—	—	—	—	—
4	Malaria -	M 50	—	—	—	—	—	—	—	—	—	—	—
	-	F 2	—	—	—	—	—	—	—	—	—	—	—
5	Small-pox -	M —	—	—	—	—	—	—	—	—	—	—	—
	-	F —	—	—	—	—	—	—	—	—	—	—	—
6	Measles -	M 1,061	2	1	18	159	180	403	194	106	67	950	100
	-	F 955	2	5	4	112	123	337	201	130	79	870	78
7	Scarlet fever -	M 122	—	1	—	6	7	18	13	19	20	77	29
	-	F 122	—	—	—	2	2	17	10	17	10	56	38
8	Whooping cough -	M 593	7	47	67	124	245	190	71	43	20	569	23
	-	F 809	7	57	60	151	275	264	115	62	49	765	38
9	Diphtheria, Croup -	M 717	2	3	3	24	32	59	83	114	109	397	255
	-	F 742	—	—	2	14	16	54	73	98	97	338	312
	A. Diphtheria -	M 714	2	3	2	24	31	59	83	114	107	394	255
	-	F 737	—	—	2	13	15	52	72	98	97	334	311
	B. Membranous laryngitis.	M 1	—	—	1	—	1	—	—	—	—	1	—
	-	F —	—	—	—	—	—	—	—	—	—	—	—
	C. Croup -	M 2	—	—	—	—	—	—	—	—	2	2	—
	-	F 5	—	—	—	1	1	2	1	—	—	4	1
10	Influenza -	M 415	—	5	7	4	16	3	4	2	3	28	7
	-	F 373	2	—	3	7	12	4	1	4	5	26	5
11	Miliary fever -	M —	—	—	—	—	—	—	—	—	—	—	—
	-	F —	—	—	—	—	—	—	—	—	—	—	—
12	Asiatic cholera -	M —	—	—	—	—	—	—	—	—	—	—	—
	-	F —	—	—	—	—	—	—	—	—	—	—	—
13	Cholera nostras -	M —	—	—	—	—	—	—	—	—	—	—	—
	-	F 1	—	—	—	—	—	—	—	—	—	—	—
14	Dysentery -	M 125	—	—	—	—	—	1	—	—	—	1	1
	-	F 94	—	—	—	1	1	—	—	1	—	2	1
15	Plague -	M —	—	—	—	—	—	—	—	—	—	—	—
	-	F —	—	—	—	—	—	—	—	—	—	—	—
16	Yellow fever -	M —	—	—	—	—	—	—	—	—	—	—	—
	-	F —	—	—	—	—	—	—	—	—	—	—	—
17	Leprosy -	M —	—	—	—	—	—	—	—	—	—	—	—
	-	F —	—	—	—	—	—	—	—	—	—	—	—

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.										
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.
18	Erysipelas - - { M	66	2	3	3	—	8	1	—	—	—	9
	F	69	—	4	3	3	10	1	2	—	—	13
19	Other epidemic diseases. { M	28	—	—	1	5	6	5	1	4	1	17
	F	16	—	—	1	5	6	6	1	—	—	13
	A. Mumps - - { M	7	—	—	1	—	1	2	1	1	1	6
	F	1	—	—	—	—	—	—	—	—	—	—
	B. German measles. { M	9	—	—	—	3	3	2	—	2	—	7
	F	8	—	—	1	2	3	3	1	—	—	7
	C. Varicella - { M	5	—	—	—	2	2	1	—	1	—	4
	F	7	—	—	—	3	3	3	—	—	—	6
	D. Other diseases included under 19. { M	7	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—
20	Pyæmia, Septicæmia. { M	79	3	—	—	1	4	1	—	1	—	6
	F	38	1	2	1	—	4	2	2	—	—	8
	A. Pyæmia - { M	8	—	—	—	—	—	1	—	—	—	1
	F	4	1	1	—	—	2	—	—	—	—	2
	B. Septicæmia - { M	70	2	—	—	1	3	—	—	1	—	4
	F	33	—	1	—	—	1	2	2	—	—	5
	C. Vaccinia - { M	1	1	—	—	—	1	—	—	—	—	1
	F	1	—	—	1	—	1	—	—	—	—	1
21	Glanders - - { M	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—
22	Anthrax (Splenic Fever). { M	3	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	—
23	Rabies - - - { M	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—
24	Tetanus - - - { M	34	2	—	—	—	2	—	—	—	—	2
	F	9	—	—	—	—	—	—	—	—	—	—
25	Mycoses - - - { M	4	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	—	—	—	—
	A. Actinomycosis { M	2	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	—
	B. Other mycoses { M	2	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	—
26	Pellagra - - - { M	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	—	—	—	—	—
27	Beri-beri - - - { M	1	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—
28	Pulmonary tuberculosis (not acute). { M	4,892	—	2	6	12	20	27	19	11	11	88
	F	4,028	1	3	5	8	17	24	13	11	12	77
	A. Pulmonary tuberculosis. { M	3,662	—	1	5	12	18	24	17	10	10	79
	F	2,931	1	3	5	5	14	21	13	9	6	63
	B. Phthisis (not defined as tuberculous). { M	1,230	—	1	1	—	2	3	2	1	1	9
	F	1,097	—	—	—	3	3	3	—	2	6	14

PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1917—*continued.*

AGES AT DEATH.															International List Nos.
15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.	
5 2	1 —	3 1	4 3	2 5	1 4	2 5	9 2	4 6	1 7	6 5	9 4	4 6	2 2	1 2	{ 18
— —	2 —	1 —	1 —	1 —	1 —	— —	1 —	— —	— —	— 1	— —	— —	— —	— —	{ 19
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	{ A
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{ B
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{ C
— —	2 —	1 —	1 —	1 —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	{ D
6 —	1 2	4 1	2 3	4 1	5 3	6 2	10 3	5 2	2 3	10 1	5 1	3 3	1 2	— —	{ 20
1 —	— —	— —	— —	— —	1 —	— 1	2 1	1 —	— —	2 —	— —	— —	— —	— —	{ A
5 —	1 2	4 1	2 3	4 1	4 3	6 1	8 2	4 2	2 3	8 1	5 1	3 3	1 2	— —	{ B
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{ C
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{ 21
— —	1 —	— —	— 1	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	{ 22
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{ 23
6 1	2 —	1 1	2 —	3 1	1 1	3 —	1 2	2 1	1 —	1 1	1 —	— —	— —	— 1	{ 24
— —	— 1	— —	— —	— —	— —	— —	— 1	1 —	1 —	1 —	— —	— —	1 —	— —	{ 25
— —	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	1 —	— —	— —	— —	— —	{ A
— —	— —	— —	— —	— —	— —	— —	— 1	— —	1 —	— —	— —	— —	1 —	— —	{ B
— —	— —	— —	— —	— 1	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	{ 26
— —	— —	— —	— —	— —	— —	— —	— 1	1 —	— —	— —	— —	— —	— —	— —	{ 27
287 497	424 543	518 557	512 424	637 424	529 387	544 275	425 208	322 165	260 93	145 88	62 42	22 16	2 3	— 1	{ 28
217 363	318 399	360 401	379 309	474 317	408 261	411 194	316 158	239 119	196 66	106 69	48 32	19 12	2 2	— 1	{ A
70 134	106 144	158 156	133 115	163 107	121 126	133 81	109 50	83 46	64 27	39 19	14 10	3 4	— 1	— —	{ B

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFER

International List Nos.	Causes of Death.	AGES AT DEATH.										
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.
29	Acute phthisis, { Acute miliary tuberculosis	M 351	—	—	3	5	8	12	3	1	2	26
		F 380	—	1	4	4	9	6	6	4	6	31
	A. Acute phthisis {	M 288	—	—	1	2	3	5	2	1	—	11
		F 303	—	—	2	1	3	—	1	2	3	9
	B. Acute miliary tuberculosis. {	M 63	—	—	2	3	5	7	1	—	2	15
		F 77	—	1	2	3	6	6	5	2	3	22
28 & 29	<i>Pulmonary tuber- culosis (acute and chronic).</i> {	M 5,243	—	2	9	17	28	39	22	12	13	114
		F 4,408	1	4	9	12	26	30	19	15	18	108
30	Tuberculous meningitis. {	M 504	—	3	27	52	82	72	48	45	28	275
		F 473	—	3	22	57	82	75	45	51	25	278
31	Tuberculosis of peritoneum and intestines. {	M 396	—	19	33	41	93	72	29	18	18	230
		F 371	1	12	25	30	68	48	36	15	10	177
	A. Tabes mesenterica. {	M 58	—	7	9	15	31	15	4	2	—	52
		F 43	1	3	6	11	21	8	3	1	2	35
	B. Other peri- toneal and intestinal tubercle. {	M 338	—	12	24	26	62	57	25	16	18	178
		F 328	—	9	19	19	47	40	33	14	8	142
32	Tuberculosis of spinal column {	M 91	—	—	—	1	1	1	1	1	—	4
		F 77	—	—	—	—	—	—	1	1	2	4
33	Tuberculosis of joints. {	M 76	—	1	—	1	2	—	—	—	—	2
		F 41	—	—	—	—	—	—	3	—	1	4
34	Tuberculosis of other organs. {	M 92	—	—	—	1	1	3	1	3	—	8
		F 99	—	2	1	1	4	2	3	—	2	11
	A. Lupus - - {	M 7	—	—	—	—	—	—	—	—	—	—
		F 10	—	—	—	—	—	—	—	—	—	—
	B. Scrofula - - {	M —	—	—	—	—	—	—	—	—	—	—
		F 4	—	1	—	—	1	—	—	—	—	1
	C. Other tuber- culosis in- cluded under 34. {	M 85	—	—	—	1	1	3	1	3	—	8
		F 85	—	1	1	1	3	2	3	—	2	10
35	Disseminated tuberculosis. {	M 275	—	5	9	14	28	20	10	8	7	73
		F 246	—	7	4	8	19	14	11	12	6	62
28- 35	<i>Tuberculosis (all forms).</i> {	M 6,677	—	30	78	127	235	207	111	87	66	706
		F 5,715	2	28	61	108	199	169	118	94	64	644
36	Rickets, Softening of bones. {	M 87	1	4	12	10	27	28	11	7	4	77
		F 95	—	5	8	16	29	26	16	4	4	79
	A. Rickets - - {	M 82	1	4	12	10	27	28	11	7	4	77
		F 82	—	5	8	16	29	26	16	4	4	79
	B. Other forms of bone soften- ing. {	M 5	—	—	—	—	—	—	—	—	—	—
		F 13	—	—	—	—	—	—	—	—	—	—
37	Syphilis - - - {	M 311	58	78	47	17	200	6	5	—	—	211
		F 233	43	64	40	18	165	10	4	—	3	182

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

AGE-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1917—continued.

AGES AT DEATH.																	International List Nos.
	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	—	—	1	—	—	—	—	—	1	1	1	—	—	—	—	{	38
—	—	3	—	3	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	{	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	1	—	—	—	—	—	—	1	1	—	—	—	—	{	B
—	—	3	—	3	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
1	2	—	—	3	3	27	32	60	102	105	89	62	29	26	10	{	39
—	—	—	1	4	1	4	6	8	10	13	14	13	17	5	3		
2	2	2	5	14	35	72	121	170	293	276	303	253	142	44	15	{	40
—	1	3	11	10	35	66	91	155	231	267	267	239	185	59	17		
—	1	3	7	11	14	38	65	94	138	175	158	171	86	37	12	{	41
1	—	—	8	12	18	45	67	95	136	164	162	164	114	57	24		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	42
1	1	—	9	43	89	115	193	181	203	141	143	108	72	17	8		
—	—	—	—	—	—	1	1	2	—	1	3	3	1	1	—	{	43
—	—	—	3	18	47	91	165	139	144	140	126	129	89	41	26		
—	—	—	2	3	1	5	8	11	14	16	30	24	30	11	10	{	44
—	—	1	—	—	1	1	4	4	7	12	6	13	15	10	10		
4	6	13	18	14	25	45	58	106	141	155	149	113	66	33	12	{	45
1	10	5	5	14	36	38	47	59	60	81	80	58	39	19	9		
7	17	18	32	45	78	188	285	443	688	728	732	626	354	152	59	{	39-45
3	12	9	37	101	227	360	573	641	791	818	798	724	531	203	97		
—	—	1	1	1	—	1	3	—	2	6	2	4	1	—	—	{	46
—	—	—	—	1	1	—	1	2	1	2	—	2	2	—	2		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	{	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	1	1	1	—	1	3	—	2	5	2	4	—	—	—	{	C
—	—	—	—	1	1	—	1	2	1	2	—	2	2	—	2		
24	24	5	10	11	17	10	12	5	4	5	2	3	1	1	—	{	47
37	21	18	14	13	15	10	7	10	3	6	3	4	1	2	—		
—	1	—	2	1	2	6	9	10	17	37	35	31	29	12	8	{	48
—	—	—	4	3	3	8	11	20	26	37	51	56	52	25	12		
—	—	—	1	—	—	2	1	—	6	9	9	9	9	3	2	{	A
—	—	—	1	—	—	2	—	3	1	7	4	16	9	8	8		
—	1	—	1	1	2	2	5	9	4	22	21	15	17	5	4	{	B
—	—	—	3	3	3	5	11	17	25	28	47	37	42	16	4		
—	—	—	—	—	—	2	3	1	7	6	5	7	3	4	2	{	C
—	—	—	—	—	—	1	—	—	—	2	—	3	1	1	—		

ENGLAND AND WALES—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
49	Scurvy - - - { M F	8 4	— 1	1 —	— —	1 2	2 2	— —	— —	1 —	— —	3 2	1 1
50	Diabetes - - - { M F	464 478	— —	— —	— —	1 —	1 —	— —	— —	— —	1 —	2 —	4 4
51	Exophthalmic goitre. { M F	9 103	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
52	Addison's disease - { M F	25 22	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
53	Leucocythæmia, Lymphadenoma. { M F	99 83	— —	— —	— —	— —	— —	3 1	1 —	5 —	— —	9 1	10 7
	A. Leucocythæ- mia (Leuchæ- mia). { M F	50 53	— —	— —	— —	— —	— —	3 1	1 —	5 —	— —	9 1	5 3
	B. Lymphade- noma. { M F	49 30	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	3 2
54	Anæmia, Chlorosis { M F	220 344	— 1	1 1	— —	1 —	2 2	3 —	1 —	1 —	— 2	7 4	1 4
55	Other general diseases. { M F	64 47	5 —	— —	3 1	2 4	10 5	4 —	2 4	1 2	— —	17 11	7 2
	A. Diabetes insipidus. { M F	6 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Purpura - { M F	36 34	3 —	— —	3 1	2 3	8 4	2 —	— 2	1 —	— —	11 6	2 2
	C. Hæmophilia - { M F	15 6	2 —	— —	— —	— 1	2 1	1 —	2 —	— 1	— —	5 2	2 —
	D. Other diseases included under 55. { M F	7 5	— —	— —	— —	— —	— —	1 —	— 2	— 1	— —	1 3	1 —
56	Alcoholism (acute or chronic). { M F	27 13	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
57	Chronic lead poisoning. { M F	8 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Occupational lead poison- ing. { M F	8 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Non-occupa- tional lead poisoning. { M F	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
58	Other chronic occu- pational poison- ings. { M F	1 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
59	Other chronic poisonings. { M F	2 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
60- 76	II. Diseases of the Nervous System and of the Organs of Special Sense. { M F	6,505 6,026	244 170	191 130	176 111	162 151	773 562	182 157	64 52	32 49	34 29	1,085 849	11 8
60	Encephalitis - - { M F	40 23	1 —	— 1	— —	— —	1 1	— —	1 —	— 1	1 1	3 3	— —

AGE-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1917—continued.1

AGES AT DEATH.																International List Nos.	
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	1	—	1	1	—	1	—	—	—	—	—	—	—	—	—	{	49
—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
14	14	20	20	22	29	28	27	33	47	47	73	43	31	9	1	{	50
15	14	19	19	24	18	28	22	30	56	58	87	49	26	9	—		
1	—	—	—	2	2	—	2	—	—	—	1	1	—	—	—	{	51
1	8	3	8	6	13	17	16	11	7	5	6	2	—	—	—		
1	—	1	—	2	4	2	4	1	3	2	2	1	1	1	—	{	52
1	—	—	3	1	1	2	1	5	4	2	2	—	—	—	—		
4	5	9	2	11	4	6	3	11	11	2	6	4	—	2	—	{	53
3	5	7	4	5	6	9	5	4	8	5	7	3	2	2	—		
3	4	5	1	3	2	1	3	4	7	—	2	1	—	—	—	{	A
1	3	3	3	3	5	6	4	3	5	4	3	1	2	1	—		
1	1	4	1	8	2	5	—	7	4	2	4	3	—	2	—	{	B
2	2	4	1	2	1	3	1	1	3	1	4	2	—	1	—		
5	2	—	3	6	14	11	29	30	29	32	24	14	11	1	1	{	54
5	8	8	10	16	14	29	38	43	44	32	53	21	11	4	—		
7	2	3	2	1	4	6	2	1	2	1	6	1	2	—	—	{	55
6	2	3	1	1	2	1	1	3	2	5	1	—	5	1	—		
—	—	—	—	1	—	—	—	—	1	—	3	1	—	—	—	{	A
—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—		
5	—	—	2	—	4	3	1	—	—	1	3	—	2	—	—	{	B
4	2	3	1	—	1	—	1	2	1	4	1	—	5	1	—		
2	2	2	—	—	—	1	1	—	—	—	—	—	—	—	—	{	C
1	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—		
—	—	1	—	—	—	2	—	1	1	—	—	—	—	—	—	{	D
1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—		
—	—	—	1	3	2	5	4	2	4	1	2	1	2	—	—	{	56
—	—	—	—	—	1	—	3	3	4	—	—	—	—	1	1		
—	—	—	—	—	1	—	1	3	—	2	1	—	—	—	—	{	57
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	1	—	1	3	—	2	1	—	—	—	—	{	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	B
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	{	58
—	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	{	59
—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—		
96	127	107	120	165	249	288	364	416	502	552	724	672	511	296	120	{	60-76
75	76	80	83	120	139	189	281	343	469	539	633	746	709	399	215		
3	3	3	5	—	4	2	4	4	2	—	3	2	—	—	—	{	60
—	3	2	1	3	—	2	2	1	1	—	1	—	1	—	1		

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

GE-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1917—continued.

AGES AT DEATH.																International List Nos.	
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
24 26	40 20	21 16	16 13	13 7	9 7	11 7	4 13	3 5	3 3	3 —	2 2	3 1	1 7	3 3	1 1	}	61
6 8	23 3	9 4	10 2	7 3	1 —	3 —	2 1	— —	— 1	— —	— —	— —	— —	— —	— —		
— —	— 2	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	B
18 18	17 15	11 12	6 11	6 4	8 7	8 7	2 12	3 5	3 2	3 —	2 2	3 1	1 7	3 3	1 1		
— —	— —	— —	— —	6 —	8 1	14 3	29 3	37 3	30 3	32 6	21 2	3 1	4 3	— —	— —		
5 1	8 11	6 4	7 7	12 8	13 21	19 19	35 26	26 25	43 36	44 23	42 36	42 37	23 24	11 3	2 5	}	63
1 —	2 2	3 2	— 2	1 —	2 4	4 3	7 3	6 4	13 10	17 9	23 18	25 16	16 14	9 2	2 2		
4 1	6 9	3 2	7 5	11 8	11 17	15 16	28 23	20 21	30 26	27 14	19 18	17 21	7 10	2 1	— 3	}	B
3 2	4 3	4 7	7 9	11 25	31 34	55 64	104 131	167 204	276 318	309 407	487 474	492 562	393 527	226 318	89 168		
— —	1 —	— 1	— 2	— 3	3 4	4 6	14 27	31 54	48 68	66 74	101 101	98 112	77 104	50 57	18 30	}	A
— —	1 1	— —	— —	— —	— —	— —	1 1	— —	1 2	— 1	4 2	3 1	2 4	— 5	— 1		
1 —	1 —	— —	2 —	— —	1 —	1 —	— —	— —	— 1	1 —	— —	— 1	— 3	1 —	— —	}	C
— —	— —	— —	— —	— —	1 —	— —	— —	2 1	3 1	7 2	8 10	7 11	8 9	5 2	3 3		
2 2	1 2	4 6	5 7	11 22	26 30	50 58	89 103	134 149	224 246	235 330	374 361	384 437	306 407	170 254	68 134	}	E
— —	— 1	— —	— —	2 —	2 —	4 2	3 5	7 4	12 9	20 12	26 14	27 26	20 31	20 23	10 8		
1 2	2 1	1 1	— —	2 1	5 4	3 6	11 9	21 17	24 22	42 24	58 45	66 82	41 83	21 38	12 23	}	66
— 1	1 1	1 1	— —	2 1	2 4	3 5	9 6	20 12	20 19	33 23	47 37	52 70	33 67	16 33	9 19		
— —	1 —	— —	— —	— —	2 —	— 1	1 1	— 3	1 1	3 —	4 3	4 5	1 3	2 2	2 2	}	B
1 1	— —	— —	— —	— —	1 —	— —	1 2	1 2	3 2	6 1	7 5	10 7	7 13	3 3	1 2		
2 —	4 —	3 —	15 4	50 14	94 13	99 20	97 15	56 10	43 3	27 4	5 2	5 4	— 1	2 —	— 1	}	67
— —	— —	6 4	10 3	7 7	8 7	13 13	9 18	16 25	14 21	27 14	25 19	6 10	8 7	1 2	2 1		

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
84	Dis. of the lymphatic system (Lymphangitis, &c.)	M 29	2	5	4	3	14	2	1	1	—	18	2
		F 28	2	6	5	4	17	2	—	—	—	19	1
	A. Status lymphaticus.	M 19	2	5	4	3	14	1	1	1	—	17	1
		F 15	—	5	5	2	12	1	—	—	—	13	1
	B. Other diseases of the lymphatic system.	M 10	—	—	—	—	—	1	—	—	—	1	1
		F 13	2	1	—	2	5	1	—	—	—	6	—
	Hæmorrhage, other dis. of the circulatory system.	M 46	—	—	—	—	—	1	—	—	—	1	1
		F 46	—	—	—	1	1	—	—	1	—	2	—
85	A. Functional disease of the heart.	M 32	—	—	—	—	—	—	—	—	—	—	—
		F 33	—	—	—	1	1	—	—	—	—	1	—
	B. Epistaxis	M 2	—	—	—	—	—	—	—	—	—	—	1
		F 4	—	—	—	—	—	—	—	1	—	1	—
	C. Other diseases included under 85.	M 12	—	—	—	—	—	1	—	—	—	1	—
		F 9	—	—	—	—	—	—	—	—	—	—	—
	IV.—Diseases of the Respiratory System.	M 9,807	135	332	383	614	1,464	753	292	169	103	2,781	261
		F 8,375	98	242	316	513	1,169	727	304	193	116	2,509	189
86	Diseases of the nasal fossæ.	M 8	1	—	1	—	2	—	—	—	—	2	2
		F 4	—	1	—	—	1	—	—	—	—	1	1
87	Diseases of the larynx.	M 146	1	3	3	4	11	25	13	20	18	87	45
		F 129	4	3	5	9	21	19	11	22	16	89	24
	A. Laryngismus stridulus.	M 19	—	—	—	1	1	3	1	3	2	10	9
		F 29	3	2	4	3	12	3	1	6	4	26	3
	B. Laryngitis	M 121	1	2	2	3	8	22	12	17	14	73	36
		F 98	1	1	1	5	8	16	10	16	12	62	21
	C. Other diseases of larynx.	M 6	—	1	1	—	2	—	—	—	2	4	—
		F 2	—	—	—	1	1	—	—	—	—	1	—
88	Diseases of the thyroid body	M 14	—	—	—	—	—	—	1	—	—	1	—
		F 47	—	—	—	—	—	—	—	—	—	—	—
89 & 90	Bronchitis	M 4,233	70	185	186	186	627	170	53	30	14	894	40
		F 4,171	47	137	133	160	477	177	61	37	21	773	26
	A. Bronchiectasis, Bronchial catarrh, &c.	M 106	5	4	5	1	15	1	—	1	2	19	3
		F 71	1	3	3	3	10	2	2	—	—	14	—
	B. Other bronchitis.	M 4,127	65	181	181	185	612	169	53	29	12	875	37
		F 4,100	46	134	130	157	467	175	59	37	21	759	26
	Broncho-pneumonia.	M 1,856	40	102	141	307	590	409	137	65	41	1,242	68
		F 1,710	30	77	134	265	506	412	150	93	42	1,203	65
92	Pneumonia, lobar and undefined	M 2,756	15	35	46	110	206	139	81	48	28	502	99
		F 1,761	10	20	39	70	139	109	70	35	32	385	63
	A. Lobar pneumonia	M 1,224	3	8	11	27	49	39	26	16	12	142	43
		F 755	—	7	4	14	25	30	23	13	16	107	31
	B. Pneumonia (type not stated).	M 1,532	12	27	35	83	157	100	55	32	16	360	56
		F 1,006	10	13	35	56	114	79	47	22	16	278	32

AGE-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1917—*continued.*

AGES AT DEATH.																International List Nos.	
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.		
—	3	1	—	1	—	—	—	—	2	—	—	1	—	1	—	{	84
—	—	—	—	—	2	—	1	—	—	—	1	1	2	—	1		
—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	A
—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
—	2	1	—	1	—	—	—	—	2	—	—	1	—	1	—	{	B
—	—	—	—	—	1	—	1	—	—	—	1	1	2	—	1		
—	—	—	—	1	3	1	1	4	7	6	7	6	4	3	1	{	85
—	1	—	1	—	1	2	4	3	2	5	4	5	11	3	2		
—	—	—	—	1	2	—	1	2	4	5	5	5	3	3	1	{	A
—	—	—	1	—	1	—	4	2	1	4	1	5	9	2	2		
—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	{	B
—	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—		
—	—	—	—	—	—	1	—	2	3	1	2	1	1	—	—	{	C
—	—	—	—	—	—	1	—	1	1	1	3	—	2	—	—		
90 63	115 72	89 96	135 107	191 131	273 151	374 197	446 237	527 254	573 355	763 519	882 707	865 841	737 888	440 575	265 484	{	86-98
1 1	— —	— —	— —	— —	— —	— —	1 —	1 —	— —	1 —	— 1	— —	— —	— —	— —		
1 4	— 1	1 1	— —	— 1	2 —	2 —	1 1	1 3	1 1	— 1	2 2	2 —	— 1	1 —	— —	{	87
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
1 4	— 1	1 1	— —	— 1	2 —	2 —	1 1	1 3	1 —	— 1	1 2	2 —	— 1	— —	— —	{	B
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	1 —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— 1	— —	{	C
2 —	2 4	1 —	— —	— 3	— 1	— 2	— 4	2 3	2 3	1 7	3 4	— 8	— 7	— 1	— —		
5 6	5 15	13 11	18 25	31 21	34 35	74 47	105 71	189 107	242 181	391 300	520 425	588 591	538 674	336 460	210 403	{	89 & 90
1 2	— 3	1 3	2 1	5 3	3 2	3 2	4 3	8 —	2 2	14 —	9 7	9 8	13 6	3 6	7 9		
4 4	5 12	12 8	16 24	26 18	31 33	71 45	101 68	181 107	240 179	377 300	511 418	579 583	525 668	333 454	203 394	{	B
14 7	12 6	5 13	17 9	16 15	20 16	37 12	43 22	41 20	49 32	58 47	74 58	64 60	49 58	27 42	20 25		
57 43	82 40	57 59	80 58	122 70	172 81	211 105	233 101	233 90	204 106	222 120	192 164	148 127	90 90	37 35	15 24	{	92
30 22	36 21	30 31	51 31	68 35	93 46	126 48	109 53	118 47	99 61	98 49	72 68	58 53	32 32	16 11	3 9		
27 21	46 19	27 28	29 27	54 35	79 35	85 57	124 48	115 43	105 45	124 71	120 96	90 74	58 58	21 24	12 15	{	B

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.													
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—		
93	Pleurisy - - {	M	182	1	—	—	1	4	4	3	—	12	2		
		F	141	—	—	1	3	4	6	7	1	2	20	6	
	A. Empyema - {	M	58	—	—	—	—	—	4	3	3	—	10	1	
		F	36	—	—	—	1	1	3	6	1	1	12	4	
	B. Other pleurisy {	M	124	1	—	—	—	1	—	1	—	—	2	1	
		F	105	—	—	1	2	3	3	1	—	1	8	2	
94	Pulmonary conges- tion, Pulmonary apoplexy. {	M	171	6	6	5	6	23	6	3	2	2	36	2	
		F	162	6	4	3	6	19	3	4	3	—	29	3	
	A. Pulmonary apoplexy and infarction. {	M	1	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	—	—	—	—	—	—	1	
	B. Pulmonary œdema and congestion. {	M	159	6	6	4	6	22	6	3	2	2	35	2	
		F	133	6	4	3	6	19	3	4	3	—	29	2	
	C. Hypostatic pneumonia. {	M	10	—	—	—	—	—	—	—	—	—	—	—	
		F	28	—	—	—	—	—	—	—	—	—	—	—	
	D. Collapse of lung (three months and over). {	M	1	—	—	1	—	1	—	—	—	—	1	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	
	95	Gangrene of the lung. {	M	21	—	—	—	—	—	—	—	—	—	—	1
			F	14	—	—	—	—	—	—	—	—	—	—	—
	96	Asthma - - - {	M	277	1	—	—	—	1	—	—	1	—	2	1
			F	188	—	—	—	—	—	—	1	2	2	5	1
97	Pulmonary emphysema. {	M	51	—	—	—	—	—	—	—	—	—	—	1	
		F	20	—	—	1	—	1	1	—	—	—	2	—	
98	Other diseases of the respiratory system. {	M	92	—	1	1	1	3	—	—	—	3	—		
		F	28	1	—	—	—	1	—	—	—	1	2	—	
	A. Fibroid disease of lung. {	M	53	—	—	—	—	—	—	—	—	—	—	—	
		F	8	—	—	—	—	—	—	—	—	—	—	—	
	B. Other diseases included under 98. {	M	39	—	1	1	1	3	—	—	—	—	3	—	
		F	20	1	—	—	—	1	—	—	—	1	2	—	
99- 118	V. Diseases of the Digestive System. {	M	4,144	125	352	411	388	1,276	302	81	51	45	1,755	119	
		F	3,834	78	243	310	325	956	275	78	35	40	1,384	132	
99	Diseases of the mouth and annexa. {	M	50	8	2	1	2	13	5	4	2	1	25	2	
		F	37	3	3	2	1	9	—	—	1	1	11	3	
	A. Diseases of the teeth and gums. {	M	33	2	2	1	—	5	4	3	1	1	14	1	
		F	27	2	1	1	1	5	—	—	—	1	6	3	
	B. Thrush, Aphthous stomatitis. {	M	9	6	—	—	2	8	1	—	—	—	9	—	
		F	3	1	2	—	—	3	—	—	—	—	3	—	
	C. Parotitis - {	M	3	—	—	—	—	—	—	1	—	—	1	1	
		F	2	—	—	—	—	—	—	—	—	—	—	—	
	D. Other diseases of mouth and annexa. {	M	5	—	—	—	—	—	—	—	1	—	1	—	
		F	5	—	—	1	—	1	—	—	1	—	2	—	

AGE-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1917—continued.

AGES AT DEATH.																International List Nos.
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.	
8 1	6 6	6 4	9 8	7 6	10 7	14 10	19 10	16 7	14 6	21 10	13 12	11 12	6 8	7 4	1 4	{ 93
5 —	2 3	3 3	5 1	6 1	5 2	5 4	5 2	3 2	2 1	4 1	— —	— —	1 —	1 —	— —	
3 1	4 3	3 1	4 7	1 5	5 5	9 6	14 8	13 5	12 5	17 9	13 12	11 12	5 8	6 4	1 4	{ B
1 —	2 —	2 1	1 1	2 2	4 1	3 2	9 4	7 7	10 3	8 5	16 7	16 18	21 34	17 20	14 25	
— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	{ A
1 —	2 —	2 1	1 1	2 2	4 1	3 2	9 4	6 6	10 3	7 5	14 7	15 13	19 28	14 12	13 17	
— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	1 —	2 —	1 5	2 6	3 8	1 8	{ C
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— 1	— —	— —	1 2	1 4	3 1	1 —	1 3	— 2	5 1	3 —	1 —	1 —	1 —	1 —	1 —	{ 95
— —	3 —	3 4	8 3	7 9	19 8	19 17	20 18	30 14	30 18	33 24	43 28	23 18	24 12	10 8	2 1	
— —	— —	1 2	— —	1 —	— —	2 —	4 1	— —	8 3	9 —	10 3	4 2	7 2	2 3	2 2	{ 97
1 —	3 —	— 1	1 1	4 —	9 1	11 2	10 2	7 1	8 1	16 5	8 3	8 5	1 2	2 2	— —	
— —	— —	— —	1 —	2 —	5 —	6 —	7 1	4 1	4 —	13 3	6 —	5 2	— —	— 1	— —	{ A
1 —	3 —	— 1	— 1	2 —	4 1	5 2	3 1	3 —	4 1	3 2	2 3	3 3	1 2	2 1	— —	
80 86	81 60	64 74	74 73	95 86	112 107	128 145	174 149	226 177	239 217	231 219	249 262	229 233	153 232	83 120	52 78	{ 99— 118
1 1	— 3	— —	1 3	1 2	1 1	2 1	2 2	1 2	5 1	4 2	1 3	1 1	1 1	1 —	1 —	
1 1	— 2	— —	1 3	— 1	1 1	2 1	2 2	1 1	4 1	4 2	1 3	1 —	— —	— —	— —	{ A
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{ B
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	1 —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— 1	{ C
— —	— —	— —	— —	1 1	— —	— —	— —	— —	1 —	— —	— —	— —	1 1	1 —	— —	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
100	Diseases of the pharynx, Tonsil- litis.	M 76	4	1	—	3	8	4	6	8	3	29	15
		F 86	1	—	1	2	4	4	2	2	6	18	35
	A. Tonsillitis	M 55	—	1	—	2	3	3	5	8	3	22	12
		F 67	—	—	—	2	2	2	1	2	5	12	31
	B. Ludwig's angina.	M 5	—	—	—	—	—	—	—	—	—	—	1
		F 2	—	—	—	—	—	—	—	—	—	—	—
	C. Other diseases of the pha- ryn timer .	M 16	4	—	—	1	5	1	1	—	—	7	2
		F 17	1	—	1	—	2	2	1	—	1	6	4
	Diseases of the œsophagus.	M 7	—	—	—	—	—	—	—	—	—	—	—
		F 7	—	—	—	—	—	—	—	—	—	—	—
102	Perforating ulcer of stomach.	M 244	—	—	—	—	—	—	—	—	—	—	1
		F 252	—	—	—	—	—	—	—	—	—	—	—
103	Other diseases of the stomach.	M 430	27	77	45	31	180	22	8	2	3	215	11
		F 439	17	43	34	32	126	17	8	4	6	161	19
	A. Inflammation of stomach	M 375	25	75	44	30	174	21	8	1	3	207	10
		F 370	16	42	31	30	119	17	7	4	6	153	16
	B. Other diseases included under 103.	M 55	2	2	1	1	6	1	—	1	—	8	1
		F 69	1	1	3	2	7	—	1	—	—	8	3
104 & 105	Diarrhœa and enteritis	M 1,790	71	264	335	314	984	250	52	22	20	1,328	25
		F 1,555	53	191	261	275	780	248	61	19	19	1,127	17
	A. Infective enteritis.	M 405	6	68	101	96	271	81	14	9	4	379	7
		F 336	4	40	79	88	211	80	14	5	4	314	3
	B. Diarrhœa—not returned as infective.	M 391	8	74	78	73	233	58	5	3	3	302	6
		F 392	19	51	63	74	207	60	20	1	8	296	1
	C. Enteritis—not returned as infective.	M 365	15	45	59	53	172	44	10	4	7	237	7
		F 326	7	37	44	34	122	47	10	4	5	188	3
	D. Gastro-enteri- tis—not re- turned as in- fective.	M 438	33	66	91	85	275	61	23	6	6	371	5
		F 398	21	57	68	77	223	60	17	9	2	311	9
106	E. Dyspepsia— under 2 years.	M 32	6	11	5	5	27	5	—	—	—	32	—
		F 16	2	5	6	2	15	1	—	—	—	16	—
	F. Colic	M 11	2	—	1	—	3	1	—	—	—	4	—
		F 6	—	1	1	—	2	—	—	—	—	2	—
	G. Ulceration of intestines.	M 33	—	—	—	2	2	—	—	—	—	2	—
		F 40	—	—	—	—	—	—	—	—	—	—	1
	H. Duodenal ulcer.	M 115	1	—	—	—	1	—	—	—	—	1	—
		F 41	—	—	—	—	—	—	—	—	—	—	—
	Ankylostomiasis	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
107	Other intestinal parasites.	M —	—	—	—	—	—	—	—	—	—	—	—
		F 1	—	—	—	—	—	—	—	—	1	1	—
108	Appendicitis	M 329	1	1	—	1	3	1	4	3	8	19	45
		F 269	—	—	—	—	—	2	2	3	4	11	41

AGE-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1917—*continued.*

AGES AT DEATH.																International List Nos.		
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.			
8 6	5 2	2 5	2 2	3 1	3 —	1 2	2 2	— 3	— 1	2 2	3 2	1 2	— 2	— 1	— —	}	100	
8 5	4 2	1 4	2 1	2 1	1 —	1 2	— —	— 3	— 1	— 1	1 2	1 —	— 2	— —	— —		}	A
— —	— —	— —	— 1	— —	1 —	— —	2 1	— —	— —	1 —	— —	— —	— —	— —	— —			}
— 1	1 —	1 1	— —	1 —	1 —	— —	— 1	— —	— —	1 1	2 —	— 2	— —	— 1	— —	}		
— —	— —	— —	1 —	— —	— 1	— 1	— —	1 —	1 2	3 1	— —	— 1	1 —	— —	— 1		}	
1 4	4 9	4 12	13 21	20 20	25 28	22 30	35 16	36 20	29 30	10 18	22 19	10 14	4 9	6 2	— —			}
5 5	2 1	2 4	3 5	7 6	4 11	11 11	12 15	14 11	20 21	16 23	26 28	27 29	30 34	17 37	8 18	}		
5 4	1 1	2 4	1 5	5 6	3 10	11 7	7 9	10 6	13 16	11 19	20 22	23 23	22 27	16 29	8 13		}	
— 1	1 —	— —	2 —	2 —	1 1	— 4	5 6	4 5	7 5	5 4	6 6	4 6	8 7	1 8	— 5			}
5 10	6 6	12 12	13 12	25 17	18 12	23 25	24 25	37 30	39 26	49 34	42 43	64 53	36 55	28 25	16 26	}		
1 1	1 —	— 2	— 1	1 —	1 —	1 1	2 —	2 2	1 —	2 1	1 2	2 2	1 4	1 1	2 2		}	
— —	1 —	1 —	— —	— —	— —	1 2	1 7	1 2	2 7	9 5	13 14	16 18	18 14	11 13	9 13			}
2 1	— 2	5 3	5 5	6 8	6 2	8 6	6 9	6 8	14 10	14 13	10 14	21 21	8 21	7 6	3 6	}		
2 6	— 1	1 1	— 1	1 3	2 1	1 4	3 5	5 7	6 3	5 9	9 5	12 10	6 12	8 5	1 5		}	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —			}
— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	2 1	1 1	1 1	1 1	— —	— 1	}		
— 2	2 2	2 3	5 4	4 3	1 5	2 5	1 2	2 4	2 2	4 3	2 3	2 1	1 —	1 —	— —		}	
— —	2 1	3 3	3 1	13 3	8 4	10 7	11 2	20 7	14 4	13 2	6 4	10 —	1 3	— —	— —			}
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		}	
48 42	52 30	28 24	22 12	14 15	19 18	10 14	18 14	24 13	11 6	8 5	4 8	5 8	1 4	1 1	— 3			}

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
109	Hernia, Intestinal obstruction. { M F	593 627	12 3	6 5	26 10	29 11	73 29	17 2	4 3	8 3	5 1	107 38	9 5
	A. Hernia - - { M F	257 314	8 1	2 2	6 —	3 —	19 3	7 —	3 —	2 —	1 —	32 3	1 —
	B. Intestinal obstruction. { M F	336 313	4 2	4 3	20 10	26 11	54 26	10 2	1 3	6 3	4 1	75 35	8 5
110	Other diseases of the intestines. { M F	64 61	1 —	— —	— 1	5 3	6 4	2 —	— —	— —	1 1	9 5	— 1
111	Acute yellow atrophy of the liver. { M F	10 11	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 2
112	Hydatid of liver - - { M F	2 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
113	Cirrhosis of the liver { M F	329 185	— —	— —	1 —	— —	1 —	— —	— —	— —	1 —	2 —	1 1
	A. Cirrhosis of the liver not ret'd alcoholic. { M F	310 170	— —	— —	1 —	— —	1 —	— —	— —	— —	1 —	2 —	1 1
	B. Cirrhosis of the liver ret'd as alcoholic. { M F	11 7	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	C. Dis. formerly classed to "Other dis. of liver and gall bladder." { M F	8 8	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
114	Biliary calculi - { M F	47 124	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
115	Other diseases of the liver. { M F	96 90	— —	— —	2 1	2 —	4 1	1 1	2 1	4 1	2 1	13 5	3 1
116	Diseases of the spleen. { M F	1 4	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Infraction of spleen. { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Other diseases of the spleen. { M F	1 4	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
117	Peritonitis (cause unstated). { M F	45 68	1 1	1 1	1 —	— 1	3 3	— 1	1 1	1 2	1 —	6 7	6 7
118	Other diseases of the digestive system. { M F	31 17	— —	— —	— —	1 —	1 —	— —	— —	1 —	— —	2 —	— —
	A. Abdominal abscess, Sub-phrenic abscs. { M F	10 1	— —	— —	— —	— —	— —	— —	— —	1 —	— —	1 —	— —
	B. Other diseases included under 118. { M F	21 16	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	1 —	— —
119-133	VI. Non-Vene-real Diseases of the Genito-Urinary System and Annexa. { M F	2,821 1,831	1 1	4 4	1 —	4 3	10 8	17 20	14 15	10 9	9 9	60 61	31 21
119	Acute Nephritis - { M F	286 194	1 1	3 2	— —	4 2	8 5	15 19	10 12	9 8	8 7	50 51	26 18

AGE-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1917—*continued.*

AGES AT DEATH.

0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.	International List Nos.
9 5 1 — 8 5 — 1 — — — 1 2 — 																

AGE-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1917—continued.

AGES AT DEATH.																International List Nos.
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.	
9 11	14 13	23 27	27 29	36 36	75 59	92 71	128 111	167 118	168 143	226 148	228 162	173 134	112 111	54 51	24 28	{ 120
7 6	7 12	18 20	19 20	30 27	56 49	73 58	106 97	147 94	147 133	199 126	207 147	150 122	99 97	46 45	21 21	{ A
2 5	7 1	5 7	8 9	6 9	19 10	19 13	22 14	20 24	21 10	27 22	21 15	23 12	13 14	8 6	3 7	{ B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ 121
1	1	2 1	6 2	3 5	6 3	4 4	5 3	11 4	6 1	5 3	10 1	6 4	8 1	3 1	—	{ 122
—	1	—	2 —	1 2	—	—	1 —	—	2 —	1 —	—	—	—	—	—	{ A
—	—	—	—	—	1 —	1 —	—	—	1 2	—	—	—	1 —	—	—	{ B
—	—	—	—	—	1 —	—	1 —	—	—	—	1 —	1 —	2 —	—	—	{ C
1	—	2 1	4 2	2 3	4 3	3 3	3 3	11 2	3 1	4 3	9 —	5 4	5 —	3 —	—	{ D
—	1 —	—	1 2	3 —	3 2	5 1	1 4	4 1	4 1	6 —	4 1	3 1	3 1	2 1	1 3	{ 123
—	—	2 —	2 —	2 —	1 2	— 3	6 2	14 2	23 4	26 2	41 7	43 14	48 10	37 6	19 2	{ 124
—	—	—	—	3 —	4 —	6 —	15 —	11 —	17 1	11 —	18 —	13 —	4 1	1 —	—	{ 125
—	—	—	—	—	1 —	1 —	—	1 —	—	—	2 —	—	—	—	—	{ A
—	—	—	—	3 —	3 —	5 —	15 —	10 —	17 1	11 —	16 —	13 —	4 1	1 —	—	{ B
—	—	—	—	—	—	1 —	3 —	5 —	20 —	49 —	71 —	124 —	116 —	52 —	32 —	{ 126
—	—	—	—	—	1 —	—	1 —	1 —	2 —	2 —	—	—	—	1 —	—	{ 127
—	1 —	2 —	1 —	—	2 —	1 —	—	—	2 —	—	—	—	—	—	—	{ 128
—	—	2 —	1 —	—	1 —	—	—	—	1 —	—	—	—	—	—	—	{ A
—	1 —	—	—	—	1 —	1 —	—	—	1 —	—	—	—	—	—	—	{ B
—	—	—	—	5 —	8 —	16 —	26 —	10 —	4 —	4 —	6 —	4 —	6 —	—	1 —	129

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

AGE-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1917—continued.

AGES AT DEATH.																International List Nos.	
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	130
—	—	—	3	4	6	5	5	4	2	—	1	2	1	1	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	A
—	—	—	—	—	—	1	2	1	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	B
—	—	—	3	4	6	4	3	3	2	—	1	2	1	1	—		
—	—	1	2	3	3	6	8	6	8	12	6	8	3	5	1	{	131
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	1	6	13	12	8	2	2	—	2	2	3	1	—	—	—	{	132
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	1	6	13	12	7	2	2	—	2	2	3	1	—	—	—	{	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	133
—	—	—	—	—	1	1	1	1	—	—	—	2	—	—	—		
—	15	103	149	149	128	63	7	—	—	—	—	—	—	—	—	{	134- 141
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	1	6	11	13	19	6	1	—	—	—	—	—	—	—	—	{	134
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	1	2	3	7	11	3	1	—	—	—	—	—	—	—	—	{	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	3	5	4	1	—	—	—	—	—	—	—	—	—	{	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	1	2	—	—	1	—	—	—	—	—	—	—	—	—	{	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	1	3	1	2	—	—	—	—	—	—	—	—	—	—	{	D
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	2	—	—	2	1	—	—	—	—	—	—	—	—	—	{	E
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	1	11	12	22	20	14	1	—	—	—	—	—	—	—	—	{	135
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	6	18	17	17	10	—	—	—	—	—	—	—	—	—	{	136
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	3	48	71	57	29	13	2	—	—	—	—	—	—	—	—	{	137
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.												
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	
138	Puerperal albumin- uria and convul- sions.	M F	— 129	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	A. Puerperal ne- phritis and uræmia.	M F	— 26	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	B. Puerperal albuminuria and Bright's disease.	M F	— 11	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	C. Puerperal convulsions.	M F	— 92	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
139	Puerperal phlegma- sia alba dolens, embolism and sudden death.	M F	— 51	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	A. Puerperal phlegmasia alba dolens, and phlebitis.	M F	— 10	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	B. Puerperal em- bolism and sudden death.	M F	— 41	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
140	Puerperal insanity	M F	— 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
141	Puerperal diseases of the breast.	M F	— 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
142- 145	VIII. Diseases of the Skin and of the Cellular Tissue.	M F	365 333	25 17	12 11	4 4	8 12	49 44	10 7	4 4	1 2	2 1	66 58	7 2
142	Gangrene	M F	138 137	— 2	— —	— —	— 1	— 3	1 2	1 1	1 1	1 —	4 7	1 —
	A. Senile gangrene.	M F	111 115	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Noma, Gan- grene of mouth.	M F	6 11	— —	— —	— —	— —	— —	1 1	— 1	1 1	1 —	3 3	1 —
	C. Noma pudendi	M F	6 2	— 1	— —	— —	— —	— 1	— —	— —	— —	— —	— 1	— —
	D. Other gan- grene.	M F	15 9	— 1	— —	— —	— 1	— 2	— 1	1 —	— —	— —	1 3	— —
143	Carbuncle, Boil	M F	46 22	— —	— —	— —	— 1	— 1	— 1	— —	— —	— —	— 2	— —
144	Phlegmon, Acute abscess.	M F	87 53	5 —	4 3	2 3	3 5	14 11	6 2	2 —	— 1	— —	22 14	4 1
	A. Phlegmon	M F	59 32	4 —	2 3	— —	2 1	8 4	1 1	1 —	— —	— —	10 5	3 1
	B. Acute Abscess	M F	28 21	1 —	2 —	2 3	1 4	6 7	5 1	1 —	— 1	— —	12 9	1 —

AGE-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1917—continued.

AGES AT DEATH.																International List Nos.
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	138
—	10	27	22	26	31	12	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	1	2	5	7	6	4	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	—	1	3	1	6	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	C
—	9	24	14	18	19	8	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	139
—	—	4	13	13	11	8	2	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	—	—	3	4	2	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	—	4	13	10	7	6	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	140
—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141
—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	
3	7	8	13	9	5	9	10	19	12	27	31	46	50	31	12	142- 145
3	2	3	1	7	8	10	12	17	18	15	32	46	44	31	24	
—	—	1	1	—	1	1	3	7	3	8	16	30	34	19	9	142
—	1	—	1	1	1	1	2	2	4	5	15	30	26	20	21	
—	—	—	—	—	—	—	—	—	2	6	15	29	31	19	9	A
—	—	—	—	—	—	—	—	—	2	4	15	29	25	20	20	
—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	B
—	—	—	1	—	1	1	1	1	—	—	—	—	1	1	1	
—	—	—	—	—	—	—	1	1	—	1	—	1	2	—	—	C
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	—	1	1	2	6	1	1	1	—	—	—	—	D
—	1	—	—	—	—	—	1	1	2	1	—	—	—	—	—	
1	2	4	3	4	2	5	3	4	1	8	2	4	2	1	—	143
—	—	2	—	1	—	1	1	4	4	—	3	1	3	—	—	
2	5	2	8	4	2	2	3	5	4	7	4	5	4	3	1	144
3	—	1	—	2	5	5	4	2	4	2	1	4	—	4	1	
1	5	2	5	3	2	1	2	4	2	6	4	3	4	2	—	A
2	—	—	—	1	3	5	2	1	3	2	1	2	—	3	1	
1	—	—	3	1	—	1	1	1	2	1	—	2	—	1	1	B
1	—	1	—	1	2	—	2	1	1	—	—	2	—	1	—	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.												
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	
145	Diseases of the integumentary system.	M 94 F 121	20 15	8 8	2 1	5 5	35 29	3 2	1 3	— —	1 1	40 35	2 1	
	A. Ulcer, Bed sore	M 33 F 58	— —	— —	— —	— 2	— 2	— —	— —	— —	— —	— 2	— —	
	B. Eczema -	M 23 F 15	7 3	4 6	2 1	3 1	16 11	1 —	— —	— —	— —	17 11	— —	
	C. Pemphigus -	M 12 F 7	8 7	1 —	— —	— —	9 7	2 —	— —	— —	— —	11 7	— —	
	D. Other Dis. of the integumentary system.	M 26 F 41	5 5	3 2	— —	2 2	10 9	— 2	1 3	— —	1 1	12 15	2 1	
146-149	IX. Diseases of the Bones and of the Organs of Locomotion.	M 115 F 72	— 1	— —	— —	1 1	1 2	2 —	2 —	1 1	1 2	7 5	18 9	
146	Diseases of the bones	M 86 F 41	— 1	— —	— —	1 1	1 2	2 —	2 —	1 1	1 2	7 5	17 7	
147	Diseases of the joints.	M 22 F 22	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 2	
148	Amputations -	M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
149	Other diseases of locomotor system.	M 7 F 9	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	X. Malformations.													
150	Congenital malformations.	M 388 F 360	203 183	79 61	29 32	28 24	339 300	15 14	4 3	6 6	4 3	368 326	10 12	
	A. Congenital hydrocephalus.	M 31 F 27	4 3	4 5	4 2	7 5	19 15	5 1	— 2	2 1	3 1	29 20	1 3	
	B. Phimosi s	M 8 F —	3 —	2 —	— —	2 —	7 —	1 —	— —	— —	— —	8 —	— —	
	C. Congenital malformation of heart.	M 157 F 143	91 71	31 21	6 12	7 10	135 114	3 6	2 —	2 —	— 2	142 122	7 7	
	D. Other congenital malformations.	M 192 F 190	105 109	42 35	19 18	12 9	178 171	6 7	2 1	2 5	1 —	189 184	2 2	
151-153	XI. Diseases of Early Infancy.	M 2,851 F 2,234	2,175 1,749	432 282	186 142	58 61	2,851 2,234	— —	— —	— —	— —	2,851 2,234	— —	
151	Premature birth, Infantile debility, Icterus and Sclerema.	M 2,551 F 1,986	1,890 1,510	417 273	186 142	58 61	2,551 1,986	— —	— —	— —	— —	2,551 1,986	— —	
	A. Premature birth.	M 1,570 F 1,287	1,389 1,149	159 107	17 29	5 2	1,570 1,287	— —	— —	— —	— —	1,570 1,287	— —	
	B. Infantile atrophy, debility and marasmus.	M 898 F 643	444 326	237 153	166 108	51 56	898 643	— —	— —	— —	— —	898 643	— —	
	C. Icterus neonatorum.	M 61 F 37	53 31	8 5	— 1	— —	61 37	— —	— —	— —	— —	61 37	— —	
	D. Sclerema and œdema neonatorum.	M 4 F 1	2 —	2 1	— —	— —	4 1	— —	— —	— —	— —	4 1	— —	
	E. Want of breast milk.	M 18 F 18	2 4	11 7	3 4	2 3	18 18	— —	— —	— —	— —	18 18	— —	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.												
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	
152	Other diseases peculiar to early infancy.	M 281 F 203	268 194	13 9	— —	— —	281 203	— —	— —	— —	— —	281 203	— —	
	A. Diseases of umbilicus, &c.	M 27 F 31	26 28	1 3	— —	— —	27 31	— —	— —	— —	— —	27 31	— —	
	B. Atelectasis -	M 142 F 105	131 100	11 5	— —	— —	142 105	— —	— —	— —	— —	142 105	— —	
	C. Injuries at birth.	M 109 F 66	108 65	1 1	— —	— —	109 66	— —	— —	— —	— —	109 66	— —	
	D. Cyanosis neonatorum.	M 3 F 1	3 1	— —	— —	— —	3 1	— —	— —	— —	— —	3 1	— —	
153	Lack of care -	M 19 F 45	17 45	2 —	— —	— —	19 45	— —	— —	— —	— —	19 45	— —	
	XII.—Old Age.													
154	Old age -	M 2,971 F 3,989	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	A. Senile dementia.	M 159 F 199	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
	B. Senile decay -	M 2,812 F 3,790	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
155-186	XIII.—Affections produced by External Causes.	M 3,969 F 1,508	48 33	34 32	24 15	37 17	143 97	79 54	66 36	77 66	43 80	408 333	149 153	
155	Suicide by poison -	M 23 F 21	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
156	Suicide by asphyxia	M 23 F 28	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
157	Suicide by hanging or strangulation.	M 85 F 24	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
158	Suicide by drowning	M 60 F 63	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
159	Suicide by firearms	M 39 F 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
160	Suicide by cutting or piercing instruments.	M 101 F 16	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
161	Suicide by jumping from high place.	M 9 F 11	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
162	Suicide by crushing	M 25 F 5	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
163	Other suicides -	M 4 F 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
155-163	Suicide -	M 369 F 172	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
164	Poisoning by food -	M 6 F 6	— —	— —	— —	— —	— —	— 1	— —	2 1	— —	2 2	1 —	
165	Other acute poisonings.	M 16 F 9	— —	— 1	— —	— —	— 1	1 1	2 1	1 —	1 —	5 3	— —	
166	Conflagration -	M 14 F 17	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— 1	— —	
167	Burns (conflagration excepted).	M 262 F 473	2 —	2 —	— —	17 9	21 9	60 37	51 26	36 51	20 67	188 190	23 120	

AGE-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1917—continued.

AGES AT DEATH.																International List Nos.	
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ 152	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		{ A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ B	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		{ C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ D	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		{ 153
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	1	8	45	149	561	852	739	616	{ 154	
—	—	—	—	—	—	—	—	4	5	39	142	561	990	1083	1165		
—	—	—	—	—	—	—	—	—	3	13	28	41	43	15	16		{ A
—	—	—	—	—	—	—	—	2	2	9	22	41	58	32	33		
—	—	—	—	—	—	—	—	1	5	32	121	520	809	724	600		
—	—	—	—	—	—	—	—	2	3	30	120	520	932	1051	1132		
18	307	432	376	346	295	253	234	247	208	183	167	113	61	49	23	{ 155— 186	
74	52	55	58	49	49	57	67	47	57	63	77	85	94	68	70		
—	1	—	1	2	2	5	3	2	2	—	1	2	2	—	—	{ 155	
—	—	2	4	1	2	4	2	2	4	—	—	—	—	—	—		
—	2	—	—	3	1	4	2	1	4	—	3	2	1	—	—	{ 156	
1	—	2	3	3	3	4	4	3	1	3	—	—	1	—	—		
—	—	1	3	8	8	11	10	10	8	9	10	5	—	2	—	{ 157	
—	—	1	1	—	2	3	6	1	4	2	1	2	1	—	—		
—	2	1	2	1	4	5	11	12	7	5	6	3	1	—	—	{ 158	
—	1	6	7	9	4	9	10	2	7	4	4	—	—	—	—		
—	5	3	4	7	2	5	2	2	3	4	2	—	—	—	—	{ 159	
—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—		
—	1	3	3	10	13	15	16	16	8	5	7	—	2	2	—	{ 160	
—	—	—	—	1	4	—	5	—	1	4	—	1	—	—	—		
—	—	—	1	—	1	—	2	1	—	1	—	2	—	—	1	{ 161	
—	1	—	2	2	—	1	2	—	—	1	—	1	1	—	—		
—	1	1	—	3	4	1	7	3	1	2	2	—	—	—	—	{ 162	
—	1	—	—	—	—	3	—	—	—	—	1	—	—	—	—		
—	—	—	—	1	—	1	1	—	—	1	—	—	—	—	—	{ 163	
—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—		
—	12	9	14	35	35	47	54	47	33	27	31	14	6	4	1	{ 155— 163	
1	4	12	18	16	15	24	29	9	17	14	6	4	3	—	—		
—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	{ 164	
—	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—		
—	1	4	—	—	—	—	—	1	3	1	—	—	—	1	—	{ 165	
—	—	—	—	—	—	—	—	1	1	—	—	1	—	1	—		
—	—	2	4	1	4	—	1	—	—	—	—	2	—	—	—	{ 166	
—	—	—	—	2	—	1	1	5	1	—	2	3	1	—	—		
5	8	1	2	1	3	1	5	5	5	1	1	5	4	4	—	{ 167	
31	17	8	9	2	5	4	11	1	7	5	11	16	14	13	9		

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
188	Syncope, Sudden death. {	M	31	—	—	—	—	1	—	—	—	1	—
		F	21	—	—	—	—	—	—	—	—	—	1
	A. Syncope (aged 1 year and under 70 years). {	M	31	—	—	—	—	1	—	—	—	1	—
		F	21	—	—	—	—	—	—	—	—	—	1
	B. Sudden death (not otherwise defined). {	M	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—
189	Ill-defined causes - {	M	282	7	1	4	3	15	31	10	1	57	4
		F	243	5	2	5	3	15	37	8	—	63	3
	A. Heart failure (aged 1 year and under 70). {	M	160	—	—	—	—	—	—	—	—	—	1
		F	143	—	—	—	—	—	—	1	—	1	—
	B. Atrophy, debility, marasmus (aged 1 year and under 70). {	M	50	—	—	—	—	30	9	1	—	40	—
		F	47	—	—	—	—	34	7	—	1	42	1
	C. Teething - {	M	4	—	—	1	2	3	1	—	—	4	—
		F	4	—	—	—	2	2	—	—	—	4	—
	D. Pyrexia - - {	M	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—
	E. Other ill-defined deaths. {	M	35	3	1	2	6	—	1	—	—	7	2
		F	38	2	—	4	6	1	—	—	2	9	2
	F. Cause not specified. {	M	33	4	—	1	6	—	—	—	—	6	1
		F	11	3	2	1	7	—	—	—	—	7	—

AGE-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1917—*continued.*

AGES AT DEATH.																International List Nos.	
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.		
2 —	1 —	1 —	— —	1 —	— —	3 3	3 —	3 —	2 6	7 6	7 5	— —	— —	— —	— —	{	188
2 —	1 —	1 —	— —	1 —	— —	3 3	3 —	3 —	2 6	7 6	7 5	— —	— —	— —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{	B
3 5	5 2	— —	5 1	5 6	5 8	12 6	17 12	26 19	29 26	47 37	51 40	6 3	3 6	6 6	1 —		
1 2	3 1	— —	4 1	3 6	3 7	9 4	11 12	15 17	23 24	40 31	47 37	— —	— —	— —	— —	{	A
2 1	1 —	— —	1 —	— —	— —	— —	— —	2 —	2 1	2 2	— —	— —	— —	— —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{	C
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{	D
2 —	1 —	— —	— —	— —	1 1	1 1	1 —	2 2	1 1	3 4	3 3	6 1	2 6	5 5	1 —		
— —	1 —	— —	— —	2 —	1 —	2 1	5 —	7 —	3 —	2 —	1 —	— 2	1 —	1 1	— —	{	E
— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— 1	— —		

LONDON:
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S
STATIONERY OFFICE

BY EYRE AND SPOTTISWOODE, LIMITED,
PRINTERS TO THE KING'S MOST EXCELLENT MAJESTY.

1918.

QUARTERLY RETURN
OF
MARRIAGES, BIRTHS, AND DEATHS
REGISTERED IN
ENGLAND AND WALES
AND IN THE REGISTRATION COUNTIES;
AND OF BIRTHS, DEATHS, AND NOTIFIED CASES OF INFECTIOUS DISEASE
IN CERTAIN LARGE TOWNS.

Published by Authority of the Registrar-General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND TO BE PURCHASED FROM H.M. STATIONERY OFFICE,
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.2; 37, PETER STREET, MANCHESTER;
AND 1, ST. ANDREW'S CRESCENT, CARDIFF.

No. 280.]

[Price 1s.

Marriages—*July, August, September, 1918, and Year 1918.*

Births and Deaths—*October, November, December, 1918, and Year 1918.*

*General Register Office, Somerset House,
31st January, 1919.*

The figures in this publication are tabulated mainly from statistical Returns furnished by the local Registrars, and may not be found to correspond exactly with the authoritative figures for the whole year to be published later in the Annual Report. *With this issue of the Quarterly Return, tables relating to the year 1918 and a table of the deaths (by sex, age, and cause) in England and Wales during the first quarter of the year 1918 is incorporated. Similar tables for subsequent quarters will be published from time to time as available in future issues of this Return. A list of changes in the boundaries of administrative areas during the six months ended 31st December, 1918, is also included.*

ENGLAND AND WALES.

The figures in this Quarterly Return are based upon the BIRTHS and DEATHS registered in the 1,938 registration sub-districts of England and Wales in the three months ended 31st December, 1918; and the MARRIAGES in 16,091 churches or chapels, in 17,232 registered places of worship unconnected with the Established Church, and in 634 Superintendent Registrars' Offices, in the three months ended 30th September, 1918.

The births registered during the three months ended 31st December, 1918, numbered 161,775 and the deaths 241,218; the

number of persons married during the three months ended 30th September, 1918, was 157,950.

Marriages.

The number of persons married during the *third* quarter of 1918 showed an increase of 23,710 over the number in the preceding quarter, and was 18,672 greater than that in the *third* quarter of 1917. The number of persons married during the *third* quarter of 1918 corresponds to an annual rate of 16·7 per 1,000 total population in 1917.

Births.

The births registered in the *fourth* quarter of 1918 were 6,676 fewer than in the preceding quarter, but 8,104 more than in the *fourth* quarter of 1917.

Of the 161,775 births, 10,367 (or 1,647 more than the number in the corresponding quarter of 1917) were illegitimate; the distribution of the illegitimate births among the several registration counties is shown in Table IVa.

The births of males numbered 83,095 and those of females 78,680. Male births were in proportion to female births as 1,056 to 1,000, the average proportion in the ten preceding fourth quarters being 1,043.

The 161,775 births registered during the quarter correspond to an annual rate of 17·1 per 1,000 total population in 1917.

Natural Increase of Population.

Last quarter, for the first time since the establishment of civil registration, the registered deaths exceeded the births, the natural decrease of population by excess of deaths over births being 79,443, against natural increases by excess of births over deaths of 46,452, 46,977, and 40,930 in the fourth quarters of 1915, 1916, and 1917, respectively.

Deaths.

The deaths registered in England and Wales last quarter were 127,000 more than in the preceding quarter, and 128,477 more than in the fourth quarter of 1917.

The 241,218 registered deaths included 119,959 of males and 121,259 of females.

The civilian deaths registered during the quarter correspond to a rate of 26·8 per 1,000 civilian population in 1917. The highest death-rate recorded in England and Wales as a whole in any previous fourth quarter was 25·5 per 1,000 in 1846. In the first quarter of 1855 the death-rate reached 29·0, and in the third quarter of 1849, during the cholera epidemic, it reached 30·5 per 1,000. Influenza was stated to be either a primary or a contributory cause of death in no fewer than 98,998, or 41 per cent. of the total deaths registered last quarter. This number is far in excess of all previous records.

Infant Mortality.

Infant mortality, measured by the proportion of deaths under one year of age to registered births, was equal to 109 per 1,000, being 2 per 1,000 below the average in the ten preceding fourth quarters.

Urban Mortality.

Table III. shows the birth-rates, the death-rates from all causes, from the principal epidemic diseases, and from violence, and the

infant mortality, together with the proportion of inquest cases, of uncertified deaths, and of deaths in public institutions among the civilian population during the last five quarters in the 96 great towns, in the 148 smaller towns, and in the whole of England and Wales. The numbers of deaths from influenza last quarter in the registration counties and the several 244 towns are shown in Tables IV., V., and VII., and the death-rates in the 96 great towns in Table VI.

The highest death-rates per 1,000 from the several epidemic diseases among the 96 great towns last quarter, as shown by Table VI., were as follows:—from *enteric fever*, 0·09 in Gillingham and in Birkenhead, 0·12 in Bootle, 0·23 in Bury, 0·28 in Tynemouth, and 0·29 in Wigan; from *measles*, 0·27 in Manchester, 0·33 in Ipswich, 0·41 in Walsall, and 0·52 in Wolverhampton; from *scarlet fever*, 0·18 in Liverpool and in St. Helens, 0·23 in Bury, 0·28 in Stockton-on-Tees, 0·29 in Warrington, and 0·84 in Birkenhead; from *whooping-cough*, 0·30 in Halifax, 0·32 in Stoke-on-Trent, 0·34 in Bristol, 0·35 in Warrington, 0·39 in Dudley, 0·42 in Wakefield and 0·64 in Blackburn; and from *diphtheria*, 0·39 in Birkenhead, Liverpool, and Bury, 0·41 in West Ham, 0·46 in Dewsbury, 0·66 in St. Helens, and 0·68 in Oxford; and from *influenza*, 16·0 in South Shields, 16·1 in Sunderland, 16·5 in Sheffield, 16·6 in Barnsley, 17·2 in Rotherham, 17·7 in West Bromwich, and 18·6 in Nottingham. The highest death-rates per 1,000 births from *diarrhoea and enteritis* among children under 2 years of age were 19·02 in South Shields, 19·23 in Barnsley, 19·50 in Gateshead, 19·89 in West Hartlepool, 20·41 in Middlesbrough, 21·94 in York, 22·44 in Dudley, and 24·84 in Preston.

UNITED KINGDOM.

In the United Kingdom 215,737 *births* and 144,806 *deaths* were registered in the three months ended 30th September, 1918. The natural increase of population was, therefore, 70,931. The number of *persons married* in the United Kingdom during the quarter was 188,404.

For facts, in detail, concerning Scotland and Ireland reference should be made to the Quarterly Returns of the Registrars-General of those parts of the United Kingdom.

COLONIAL AND FOREIGN CITIES.

The Registrar-General has been favoured with returns of vital statistics by the authorities of certain Colonial and Foreign Cities. From these a summary has been constructed for the 13 weeks ended 28th December, 1918 (Table XIII). A column showing the death-rate from influenza has been inserted in this table.

RETURNS OF NOTIFIED CASES OF INFECTIOUS DISEASE.

At the request of the Local Government Board, and of the London County Council, and on their responsibility with respect to accuracy, tables have been inserted, in continuation of those published in previous returns, showing the numbers of cases of infectious sickness among the civilian population notified, under Act of Parliament, to the Sanitary Authorities of certain of the largest towns in England and Wales, during the 13 weeks ended 28th December, 1918 (*see* pages 20–25); and in the two following tables these numbers have been reduced to rates per 1,000 of the several estimated civilian populations (*see* pages 26–31).

METEOROLOGY.**October.*


Very generally the month was dull, damp, unsettled and sunless. In many parts of the country rainfall was excessive, but on the average it was moderate; owing, however, to the wet fogs and mists which, especially during the latter half of the month, were frequent the ground never had a chance to dry. Winds blew mainly from points between South and West, and although there were one or two very cold nights, the temperature as a whole was very uniform. Thunderstorms and hail were experienced at many stations on the 6th, 7th and 8th, the hail being especially frequent at some Lancashire stations on those dates.

Temperature.†—The temperature record of the month was comparatively uneventful, and very generally the monthly means differed but little from the normal, the departures from the latter ranging from $-0.5a$ in England South-West and East to $+0.2a$ in England North-East. For the individual stations the highest reading was $292a$ at Alnwick Castle, Geldeston, Skegness, Wakefield and York on the 10th; and the lowest $270a$ at Mayfield (Staffs), Porton (Salisbury Plain) and Wokingham on the 1st, at Garforth on the 24th, and at Raunds on the 26th.

Precipitation.—In all districts the total monthly rainfall was below the normal, the shortage ranging from 48 mm. in England South-West to 8 mm. in England North-West. At many of the stations in the South and West there was a large deficit of rain, amounting to 70 mm. at Bournemouth where the total was only 48 mm.

Sunshine.—The sunshine was below the normal in all districts, the deficiency varying from 1.07 hour per day in England East to 0.24 hour in England North-West. Of the individual stations the sunniest was Penzance with a total of 124 hours, the least sunny being Hull with 42 hours.

Temperature
Scales.

*November.*

During the greater part of its career the month was true to type and very generally was damp, misty and foggy. Its opening days were very mild and unsettled, and there was also a mild spell during the closing days. The intervening period was cold and foggy, and on many occasions, especially round about the 20th, there was sharp frost; while on several nights the ground frosts

* Furnished by the Director of the Meteorological Office. For further information the reader is referred to the Monthly Weather Report (Price 6d., post free 7d.) and other publications of the Meteorological Office. Maps illustrating the distribution of rainfall, pressure, temperature and sunshine are given in the Monthly Weather Report. The normal values for each month, mostly based on 35 years' observations, are shown by tables and maps in "Monthly Normals of Temperature, Rainfall and Sunshine." (M.O. 214a, IV., 1915, Price 2s. 6d.)

† Temperature is given on the Absolute Centigrade Scale. To the nearest degree $255a = 0^{\circ} F.$, $273a = 32^{\circ} F.$, $280a = 45^{\circ} F.$, $300a = 81^{\circ} F.$, and $310a = 99^{\circ} F.$

were severe. As in October, the preponderating winds were from the South and West, and there was a marked absence of winds from a northerly quarter, conditions which proved unfavourable for snow, sleet and hail, which were rarely reported.

Temperature.—There was a deficiency of warmth in all districts, although the defect was nowhere very large, the latter ranging from 0·3a in England East to 0·8a in the Midland Counties and in the North-East and North-West. Very generally the highest readings of the month were recorded on the 1st or 2nd, maxima as high as 289a being registered at a number of stations. Commonly the lowest temperature occurred about the 18th to 20th, the ground frosts about this time being very severe. A notable feature was the high minima recorded in places on the 2nd, the reading at Portsmouth and Worthing, for instance, on this day being 286a. Some very low maxima also were recorded, 271a occurring at Scaleby (near Carlisle) on the 18th, and 274a at Mayfield (Staffs.) on the 20th.

Precipitation.—The rainfall of the month was deficient in all districts, the shortage amounting to 34 mm. in England North-West and to 14 mm. in England East. The wettest district was the South-West, where the aggregate for the month was 81 mm., the driest being the North-East with 35 mm.

Sunshine.—In all Districts the mean daily amount of sunshine was above the normal. The sunniest District was the South-West, with 2·63 hour (+0·49 hr.), and the least sunny the North-East with 2·01 hour (+0·14 hr.). At the individual stations the total sunny hours ranged from 16 at Manchester to 95 at Salcombe and Cheltenham.

December.

Like that of the two months which preceded it, the weather of the last month of the year was largely dominated by South-Westerly and Westerly winds, and very generally the month was mild, rainy, and unsettled, but there was a welcome break at Christmas. A marked feature was the abnormal frequency of the rain, which at some stations fell on every day of the month; while twenty-eight or twenty-nine days were recorded at an unusually large number of places. The total quantity of rain at some of the northern stations exceeded that recorded in any previous December. A further outstanding feature of the month was the abnormally high temperature for the time of year recorded over the country generally, and in this respect also all previous records for December were exceeded at many stations.

Temperature.—Temperature was above the normal in all districts, the excess varying from 2·8a in the Midland Counties to 1·8a in England North-East. The highest reading recorded was 290a at Hawarden Bridge on the 4th, and the lowest 267a at Garforth on the 22nd and at Wokingham on the 26th (Boxing Day). At Richmond (Kew Observatory) the highest reading during the month was 287a on the 3rd, and was the highest temperature recorded in December at this station during forty-seven years.

Precipitation.—In the various districts the largest monthly total was 148 mm. in the South-West, and the smallest 61 mm. in

the South-East. In the latter there was a shortage of 18 mm., but in the North-West, where the total was 146 mm., there was an excess of 51 mm. At Stonyhurst the normal was exceeded by 146 mm., while at Blundellsands and Southport it was the wettest December during more than forty years. On the 19th there was a heavy fall of snow in North Wales, in East Cheshire, and in the Peak District, and on the 23rd in parts of Yorkshire.

Sunshine.—The mean daily amount of sunshine ranged from 1·34 hour in England South-West to 0·91 hour in England North-West. In all districts there was a deficiency, ranging from 0·06 in the North-East to 0·36 hour in the South-East. At some of the large towns the total sunshine was especially deficient, Bradford, for instance, having only three hours, Manchester seven, and Burnley ten, compared with 64 hours at Torquay and 62 hours at Salcombe.

THE QUARTER.

A deficiency of warmth in November was balanced by an excess in December, and October was about normal, with the result that in all districts the temperature of the Quarter as a whole differed but little from normal. All districts, however, had a slight excess, which ranged from 0·4a in England North-East to 0·7a in the Midlands and in England South-East. Except in England North-West, where there was an excess of 12 mm., every district had a deficient rainfall, the shortage varying from 73 mm. in the South-East to 15 mm. in the East. In England North-West and South-West the mean daily amount of sunshine was exactly normal, but in all other districts there was a very slight deficiency, which varied from 0·4 hour per day in the South-East to 0·2 hour in the Midlands.

SUMMARY, 1918.

The Summary relating to the year 1918, giving the principal Tables published up to 1912 in the "Annual Summary," will be found on pages 34 to 55 of this publication, the Tables being numbered XIV. to XXI.

ENGLAND AND WALES.

According to the quarterly returns furnished by local registrars 662,773 births and 611,991 deaths were registered in England and Wales in the year 1918. The natural increase of population, by excess of births over deaths, was, therefore, 50,782, the average annual increase in the preceding five years having been 287,664. The number of persons married during the year was 573,614.

The marriage-rate in England and Wales during the year 1918 was 15·3 per 1,000, the birth-rate 17·7 per 1,000, and the death-rate 17·6 per 1,000. Infant mortality was 97 per 1,000 registered births.

The birth-rate is the lowest on record.

A statement of the birth-rate and an analysis of the mortality during the year in England and Wales, London, and the groups of towns is given in Table XV.

TABLES.

TABLE I.—**Marriages, Births, and Deaths** registered in **England and Wales** in the Years **1908-1918**, and in each Quarter of those Years.

YEAR - - -	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.*	1918.*
Marriages - - -	264,940	260,544	267,721	274,943	283,834	286,583	294,401	360,885	279,846	258,360	286,807
Births - - -	940,383	914,472	896,962	881,138	872,737	881,890	879,096	814,614	785,520	668,340	662,773
Deaths - - -	520,456	518,003	483,247	527,810	486,939	504,975	516,742	562,253	508,217	498,955	611,991
MARRIAGES.											
Quarter ended the last day of											
March - - -	47,548	45,094	56,432	44,808	44,737	60,926	51,046	55,472	67,952	50,675	65,658
June - - -	73,502	71,829	61,036	75,656	74,619	65,904	81,312	97,220	74,550	63,763	67,120
September - - -	73,785	73,843	76,545	77,873	83,505	83,636	82,048	102,671	67,477	69,639	78,975
December - - -	70,105	69,778	73,708	76,606	80,973	76,117	79,995	105,522	69,867	74,283	75,054
BIRTHS.											
March - - -	240,112	228,787	221,684	223,585	222,600	216,629	217,414	221,523	194,965	178,725	162,308
June - - -	243,834	237,220	234,825	225,774	218,070	227,470	226,152	213,109	209,006	173,418	170,239
September - - -	237,229	228,840	227,146	222,506	219,232	225,501	227,238	196,501	198,307	162,526	168,451
December - - -	219,208	219,625	213,307	209,273	212,835	212,290	208,292	183,481	183,242	153,671	161,775
DEATHS.											
March - - -	156,328	160,506	136,400	143,128	144,642	146,541	146,193	177,243	142,983	163,919	138,005
June - - -	121,052	125,233	115,671	119,966	115,777	121,743	124,128	138,575	126,534	127,704	118,550
September - - -	113,929	104,786	104,149	140,949	101,680	113,446	115,535	109,406	102,435	94,591	114,218
December - - -	129,147	127,478	127,027	123,767	124,840	123,245	130,886	137,029	136,265	112,741	241,218

* Provisional.

TABLE II.—**Annual Rate** per 1,000, of **Persons Married**, of **Births**, and of **Deaths**, in the Years **1908-1917**, and in each Quarter of those years.

Estimated Population of England and Wales in thousands, in the middle of each Year* - - -	35,059	35,424	35,792	36,190	36,382	36,606	36,961	35,359*	34,500*	33,711*
YEAR - - -	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.	1916.	1917.
Persons married - -	15·1	14·7	15·0	15·2	15·6	15·7	15·9	19·4†	14·9†	13·8†
Births - - -	26·7	25·8	25·1	24·3	23·9	24·1	23·8	21·9†	20·9†	17·8†
Deaths - - -	14·8	14·6	13·5	14·6	13·3	13·8	14·0	15·7*	14·4*	14·4*
PERSONS MARRIED.										
Quarter ended the last day of										
March - - -	10·9	10·3	12·8	10·0	9·9	13·5	11·2	12·1†	14·5†	10·9†
June - - -	16·8	16·3	13·7	16·8	16·5	14·4	17·6	20·9†	15·9†	13·6†
September - - -	16·7	16·5	17·0	17·1	18·2	18·1	17·6	21·9†	14·3†	14·7†
December - - -	15·9	15·6	16·3	16·8	17·7	16·5	17·2	22·5†	14·8†	15·7†
BIRTHS.										
March - - -	27·5	26·2	25·1	25·1	24·5	24·0	23·9	24·1†	20·8†	19·3†
June - - -	27·9	26·9	26·3	25·0	24·0	24·9	24·5	22·9†	22·3†	18·5†
September - - -	26·8	25·6	25·2	24·4	23·9	24·4	24·4	20·9†	21·0†	17·2†
December - - -	24·8	24·6	23·6	22·9	23·2	23·0	22·4	19·5†	19·4†	16·2†
DEATHS.										
March - - -	17·9	18·4	15·5	16·0	15·9	16·2	16·0	20·1*	16·4*	19·3*
June - - -	13·8	14·2	13·0	13·3	12·8	13·3	13·5	15·4*	14·4*	14·8*
September - - -	12·9	11·7	11·5	15·5	11·1	12·3	12·4	12·1*	11·4*	10·9*
December - - -	14·6	14·3	14·1	13·6	13·6	13·4	14·0	15·1*	15·3*	13·0*

* Civilians only.

† Based upon total populations specially estimated for this purpose.

TABLE III.—**Birth-rate, Civilian Death-rate and Analysis of Mortality** during the last Five Quarters.

(Provisional figures. Populations estimated to the middle of 1917 have been used for the purposes of this Table.)

	QUARTER.	ANNUAL BIRTH- RATE PER 1,000 TOTAL POPULA- TION.	ANNUAL DEATH-RATE PER 1,000 CIVILIAN POPULATION.								DEATH-RATE PER 1000 BIRTHS.				PERCENTAGE OF TOTAL DEATHS.*			
			All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Violence.	Diarrhoea and Enteritis (under 2 Years).	Total deaths under one Year.	Deaths in Public Institutions.	Certified Causes.	Inquest Cases.	Uncertified Causes of Death.		
ENGLAND AND WALES	1917. Fourth	16.2	13.0	0.03	-	0.23	0.03	0.16	0.17	0.51	14.31	93	26.5	91.2	7.3	1.5		
	1918. First	17.5	16.3	0.03	-	0.47	0.03	0.46	0.18	0.58	5.84	113	25.6	92.0	6.6	1.4		
	Second	18.2	13.7	0.03	0.00	0.46	0.02	0.39	0.12	0.45	5.05	83	26.7	92.2	6.4	1.4		
	Third	17.8	12.9	0.03	0.06	0.13	0.02	0.19	0.10	0.46	24.00	84	25.0	92.1	6.4	1.5		
	Fourth	17.1	26.8	0.02	-	0.08	0.04	0.10	0.15	0.44	8.88	109	22.0	94.9	3.8	1.3		
96 GREAT TOWNS (Census Populations exceeding 50,000).	1917. Fourth	16.4	13.2	0.02	-	0.26	0.03	0.19	0.17	0.49	18.87	104	32.3	91.3	7.8	0.9		
	1918. First	18.0	17.1	0.02	-	0.60	0.04	0.62	0.20	0.61	7.76	124	30.5	91.9	7.3	0.8		
	Second	18.0	14.0	0.02	-	0.60	0.03	0.48	0.13	0.44	6.18	89	31.8	92.7	6.5	0.8		
	Third	17.5	13.3	0.02	0.00	0.15	0.03	0.19	0.11	0.40	31.79	94	29.4	92.7	6.4	0.9		
	Fourth	17.0	27.5	0.02	-	0.08	0.05	0.08	0.16	0.47	12.13	115	24.8	94.9	4.3	0.8		
148 SMALLER TOWNS (Census Populations, 20,000-50,000).	1917. Fourth	16.4	11.6	0.04	-	0.29	0.02	0.15	0.19	0.42	12.03	87	17.8	92.4	5.7	1.9		
	1918. First	17.6	14.6	0.04	-	0.43	0.02	0.35	0.20	0.40	4.70	108	17.8	93.7	4.6	1.7		
	Second	18.6	12.4	0.03	-	0.40	0.02	0.38	0.12	0.39	4.63	83	18.2	93.6	4.8	1.6		
	Third	18.2	12.1	0.04	-	0.10	0.02	0.19	0.09	0.34	21.51	82	15.2	94.0	4.4	1.6		
	Fourth	17.4	24.9	0.03	-	0.05	0.03	0.08	0.17	0.37	7.78	106	12.6	95.9	2.7	1.4		

* Non-civilians are included in these figures for England and Wales but not for other areas.

TABLE IV.—**England and Wales and Registration Counties.**—**MARRIAGES** registered in the Quarter ended 30th September, 1918 :
BIRTHS and DEATHS registered in the Quarter ended 31st December, 1918.

NOTE.—The Registration or Union Counties consist of groups of Registration Districts which are generally co-extensive with Poor Law Unions of the same names. The differences between Registration Counties and Administrative Counties are shown in Table 7 of Vol. II. of the Census Report, 1911 (Cd. 6259). The numbers of marriages, births, and deaths are the numbers actually registered in each case.

REGISTRATION COUNTIES.	MAR- RIAGES in Quarter ended 30th Sept., 1918.	BIRTHS in Quarter ended 31st Dec., 1918.	DEATHS in Quarter ended 31st Dec., 1918.	The DEATHS registered include										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	REGISTRATION COUNTIES.	
				Deaths of		Deaths from												
				Infants under 1 Year of age.	Persons aged 15 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Influenza.					Violence.
England and Wales	78,975	161,775	241,218	17,673	49,642	211	-	702	328	845	1,286	1,436	98,998	5,822	9,074	53,170	3,053	England and Wales.
LONDON*	-	18,031	30,699	2,214	6,460	15	-	75	52	44	206	310	12,112	926	1,657	12,450	41	LONDON.*
SURREY	-	3,405	5,804	254	1,287	5	-	7	1	7	31	21	2,445	154	259	2,042	12	SURREY.
KENT	-	4,375	7,207	377	1,433	6	-	7	8	8	48	19	3,300	241	223	2,031	138	KENT.
SUSSEX	-	2,348	4,131	174	1,039	1	-	2	1	11	19	10	1,740	100	160	951	14	SUSSEX.
HAMPSHIRE	-	4,031	6,454	332	1,156	3	-	22	3	15	17	20	2,468	250	219	2,251	78	HAMPSHIRE.
BERKSHIRE	-	1,150	1,984	107	520	1	-	1	2	10	6	8	830	51	80	450	42	BERKSHIRE.
MIDDLESEX	-	4,561	6,885	403	1,639	6	-	7	5	26	37	25	3,275	130	259	1,629	6	MIDDLESEX.
HERTFORDSHIRE	-	578	1,905	81	484	2	-	9	-	6	13	1	908	36	42	636	35	HERTFORDSHIRE.
BUCKINGHAMSHIRE	-	733	1,404	62	327	1	-	-	-	2	6	4	671	29	31	313	28	BUCKINGHAMSHIRE.
OXFORDSHIRE	-	664	1,336	50	326	1	-	-	-	10	14	3	678	35	46	239	20	OXFORDSHIRE.
NORTHAMPTONSHIRE	-	1,352	2,174	125	498	-	-	13	2	15	16	1	884	40	51	275	64	NORTHAMPTONSHIRE.
HUNTINGDONSHIRE	-	175	308	17	73	-	-	5	-	9	-	-	148	3	5	52	11	HUNTINGDONSHIRE.
BEDFORDSHIRE	-	820	1,337	83	337	-	-	-	2	6	8	4	611	10	21	252	34	BEDFORDSHIRE.
CAMBRIDGESHIRE	-	839	1,410	71	356	1	-	7	-	3	-	5	624	17	31	310	23	CAMBRIDGESHIRE.
ESSEX	-	5,480	8,850	520	1,742	7	-	15	5	14	58	36	4,071	135	214	1,928	148	ESSEX.
SUFFOLK	-	1,696	2,306	132	600	2	-	10	1	19	7	5	929	63	81	416	46	SUFFOLK.
NORFOLK	-	2,055	3,202	207	903	5	-	3	1	37	9	11	1,286	78	133	624	46	NORFOLK.
WILTSHIRE	-	1,119	1,948	92	419	2	-	1	1	3	8	5	720	79	61	652	40	WILTSHIRE.
DORSETSHIRE	-	850	1,412	64	350	3	-	4	-	2	4	1	564	26	30	443	21	DORSETSHIRE.
DEVONSHIRE	-	2,697	4,290	232	1,077	4	-	9	14	8	11	10	1,618	98	169	922	44	DEVONSHIRE.
CORNWALL	-	1,136	1,680	83	520	3	-	1	-	7	21	3	529	38	89	145	12	CORNWALL.
SOMERSETSHIRE	-	1,655	2,716	138	810	2	-	1	-	8	9	2	1,028	38	102	415	19	SOMERSETSHIRE.
GLOUCESTERSHIRE	-	1,547	4,490	290	1,029	1	-	-	1	32	19	21	1,890	98	202	954	37	GLOUCESTERSHIRE.
HEREFORDSHIRE	-	226	635	53	177	1	-	-	-	3	2	2	248	9	18	113	10	HEREFORDSHIRE.
SHROPSHIRE	-	449	1,841	107	469	-	-	-	1	7	8	1	761	75	49	375	50	SHROPSHIRE.
STAFFORDSHIRE	-	3,014	10,393	966	1,787	3	-	44	2	72	41	69	4,523	183	353	1,699	113	STAFFORDSHIRE.
WORCESTERSHIRE	-	629	2,257	144	544	-	-	5	-	4	14	11	1,004	43	58	390	53	WORCESTERSHIRE.
WARWICKSHIRE	-	3,204	8,036	430	1,560	-	-	25	6	22	49	54	9,267	929	249	1,430	173	WARWICKSHIRE.

REGISTRATION COUNTIES.	REGISTRATION COUNTIES.	Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.					
		Deaths of		Deaths from															
		Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.				Violence.				
LEICESTERSHIRE	-	1,013	1,863	3,554	199	694	-	-	7	4	16	13	17	1,724	71	93	503	48	LEICESTERSHIRE.
RUTLANDSHIRE	-	27	63	176	8	42	-	-	-	-	2	-	-	97	5	5	3	-	RUTLANDSHIRE.
LINCOLNSHIRE	-	1,176	2,869	4,115	311	905	2	-	3	2	11	21	18	1,913	82	108	513	94	LINCOLNSHIRE.
NOTTINGHAMSHIRE	-	1,459	3,624	5,880	469	1,061	4	-	25	3	18	28	21	2,857	110	107	824	161	NOTTINGHAMSHIRE.
DERBYSHIRE	-	1,077	2,690	3,550	296	735	7	-	3	1	9	10	26	1,600	49	113	472	115	DERBYSHIRE.
CHESHIRE	-	1,838	3,826	6,019	388	1,196	4	-	8	33	20	28	25	2,479	154	269	1,232	28	CHESHIRE.
LANCASHIRE	-	10,249	21,049	30,324	2,399	5,852	53	-	139	77	85	201	236	10,638	679	1009	6,618	488	LANCASHIRE.
WEST RIDING	-	6,265	13,889	22,094	1,852	4,145	13	-	113	19	56	90	139	9,274	521	1051	3,502	103	WEST RIDING.
EAST RIDING (WITH YORK).	-	1,034	2,346	3,931	311	818	5	-	-	2	19	12	13	1,666	81	179	907	31	EAST RIDING (WITH YORK).
NORTH RIDING	-	852	2,218	3,095	275	563	6	-	19	4	6	34	24	1,241	69	113	373	25	NORTH RIDING.
DURHAM	-	3,020	8,947	10,185	1,137	1,598	9	-	49	43	52	40	101	4,290	195	239	1,079	301	DURHAM.
NORTHUMBERLAND	-	1,579	4,087	4,661	454	814	11	-	22	4	24	36	41	1,762	112	200	690	75	NORTHUMBERLAND.
CUMBERLAND	-	509	1,382	1,678	150	500	3	-	2	1	4	12	9	688	44	54	152	34	CUMBERLAND.
WESTMORLAND	-	87	224	372	18	104	1	-	-	1	-	4	-	155	5	11	26	4	WESTMORLAND.
MONMOUTHSHIRE	-	889	2,575	2,269	293	385	5	-	-	4	29	7	29	800	75	85	266	23	MONMOUTHSHIRE.
GLAMORGANSHIRE	-	2,149	6,621	6,507	665	974	9	-	8	11	48	39	52	2,486	203	332	853	15	GLAMORGANSHIRE.
CARMARTHENSHIRE	-	263	883	993	104	168	1	-	-	1	4	9	12	398	36	42	64	10	CARMARTHENSHIRE.
PEMBROKESHIRE	-	185	415	548	46	125	-	-	21	-	8	-	4	156	66	41	48	47	PEMBROKESHIRE.
CARDIGANSHIRE	-	100	314	488	36	149	1	-	-	-	2	-	1	196	6	12	26	12	CARDIGANSHIRE.
BRECKNOCKSHIRE	-	88	289	337	32	86	-	-	-	2	9	2	-	116	5	10	37	8	BRECKNOCKSHIRE.
RADNORSHIRE	-	25	55	74	3	22	-	-	-	-	-	-	-	33	-	1	3	1	RADNORSHIRE.
MONTGOMERYSHIRE	-	73	254	344	21	97	-	-	-	-	-	1	-	147	4	12	19	6	MONTGOMERYSHIRE.
FLINTSHIRE	-	107	371	432	35	83	-	-	-	2	8	2	1	207	9	13	21	3	FLINTSHIRE.
DENBIGHSHIRE	-	260	743	963	68	207	2	-	2	4	5	6	4	320	8	12	273	10	DENBIGHSHIRE.
MERIONETHSHIRE	-	73	195	290	17	87	-	-	-	-	-	5	-	97	8	11	5	13	MERIONETHSHIRE.
CARNARVONSHIRE	-	224	482	1,031	54	233	-	-	8	2	-	3	-	446	8	50	53	32	CARNARVONSHIRE.
ANGLESEY	-	53	164	214	15	68	-	-	-	-	-	2	1	60	10	10	12	8	ANGLESEY.

TABLE IVa. - **England and Wales and Registration Counties.**—
ILLEGITIMATE BIRTHS registered in the Quarter ended 31st December of the
 Years 1917 and 1918.

REGISTRATION COUNTIES.	Illegitimate Births registered during the Quarter ended		REGISTRATION COUNTIES.	Illegitimate Births registered during the Quarter ended	
	31st Dec., 1917.	31st Dec., 1918.		31st Dec., 1917.	31st Dec., 1918.
England and Wales.	8,720	10,367	Leicestershire - - -	80	115
London - - - -	1,331	1,450	Rutlandshire - - -	2	7
Surrey - - - -	212	209	Lincolnshire - - -	166	251
Kent - - - -	264	318	Nottinghamshire - -	188	265
Sussex - - - -	209	183	Derbyshire - - -	134	158
Hampshire - - -	223	283	Cheshire - - - -	209	203
Berkshire - - -	71	80	Lancashire - - - -	1,115	1,267
Middlesex - - -	196	222	Yorkshire (West Riding) -	775	882
Hertfordshire - -	63	53	Yorkshire (East Riding with York).	133	185
Buckinghamshire -	39	66	Yorkshire (North Riding)	106	174
Oxfordshire - - -	34	63	Durham - - - -	372	507
Northamptonshire -	64	97	Northumberland - - -	207	238
Huntingdonshire -	11	16	Cumberland - - - -	117	84
Bedfordshire - -	53	62	Westmorland - - -	9	17
Cambridgeshire -	48	58	Monmouthshire - - -	80	95
Essex - - - -	223	241	Glamorganshire - - -	237	242
Suffolk - - - -	103	158	Cardiganshire - - -	18	21
Norfolk - - - -	152	227	Pembrokeshire - - -	18	22
Wiltshire - - - -	83	80	Brecknockshire - - -	13	16
Dorsetshire - - -	64	69	Radnorshire - - -	4	3
Devonshire - - -	173	214	Montgomeryshire - - -	25	29
Cornwall - - - -	73	65	Flintshire - - - -	5	22
Somersetshire - -	78	80	Denbighshire - - -	53	66
Gloucestershire -	147	165	Merionethshire - - -	18	22
Herefordshire - -	36	39	Carnarvonshire - - -	31	58
Shropshire - - -	58	89	Anglesey - - - -	19	16
Staffordshire - -	253	382			
Worcestershire - -	46	68			
Warwickshire - -	244	325			

the civilian population only; those in London have been corrected as far as possible (1) by excluding deaths of all non-residents, and (2) by including the deaths of London residents occurring in the Metropolitan Outer Ring or in Metropolitan Public Institutions situated outside the County. (See also Table XII.) The deaths in the other towns have been corrected as far as possible, (1) by the exclusion of all deaths of non-residents and (2) by the inclusion of deaths of residents in certain outlying public institutions. With regard to the Outer Ring and its constituent areas, however, correction is more complete, a distribution of all transferable deaths occurring in any part of Greater London having been made.

ESTIMATED		BIRTHS	DEATHS.	Deaths of										Deaths from							Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	MEAN TEMPERATURE (Degrees Fahr.).	RAIN-FALL (Milli-metres).	TOWNS.
TOWNS.	CIVILIAN POPULATION MID. 1917.			Deaths of									Deaths from													
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Influenza.	Violence.												
96 Towns	16,545,401	78,004	113,552	9,003	22,787	73	-	331	209	330	668	946	45,375	1,934	4,919	28,205	874	45.8	209	96 Towns.						
LONDON	4,026,901	17,644	29,337	2,073	6,473	20	-	73	48	41	192	295	11,663	531	1,559	11,616	44	46.1†	135†	LONDON.						
CROYDON	167,681	653	1,009	51	246	-	-	-	-	-	9	6	487	19	53	223	-	44.7§	182§	CROYDON.						
WIMBLEDON	53,536	183	274	13	66	-	-	-	-	-	2	2	131	4	17	32	-	-	55	WIMBLEDON.						
EALING	64,128	238	357	25	90	-	-	-	-	-	3	2	150	7	12	84	-	-	-	EALING.						
ACTON	58,507	213	350	21	69	-	-	-	-	3	-	2	173	7	15	95	-	-	-	ACTON.						
WILLESDEN	157,005	584	966	73	171	2	-	4	2	1	10	3	475	7	31	318	-	-	-	WILLESDEN.						
HORNSEY	82,442	244	425	22	97	-	-	2	2	-	2	3	201	4	12	79	-	-	-	HORNSEY.						
TOTTENHAM	135,173	562	815	48	154	-	-	-	2	1	9	2	409	13	43	236	-	46.7	128	TOTTENHAM.						
EDMONTON	61,940	313	409	32	76	-	-	1	-	1	2	2	200	7	21	80	-	-	-	EDMONTON.						
ENFIELD	57,192	245	297	19	63	1	-	1	-	1	-	2	135	6	9	58	1	45.4	55	ENFIELD.						
WEST HAM	271,934	1,497	2,275	176	391	3	-	1	2	2	28	18	943	38	87	554	1	-	-	WEST HAM.						
EAST HAM	131,008	528	872	49	124	-	-	6	1	2	3	7	446	11	35	182	1	-	-	EAST HAM.						
LEYTON	112,452	416	747	31	137	-	-	1	-	-	9	2	335	8	20	202	-	-	-	LEYTON.						
WALTHAMSTOW	119,307	502	762	53	108	1	-	-	1	-	8	3	382	7	21	170	7	-	-	WALTHAMSTOW.						
ILFORD	75,130	230	395	17	76	-	-	1	-	-	-	1	228	1	2	44	8	-	-	ILFORD.						
GILLINGHAM	44,074	249	267	23	55	1	-	-	-	-	-	-	102	4	6	49	3	-	-	GILLINGHAM.						
HASTINGS	48,439	156	371	15	111	1	-	2	-	1	2	1	129	4	18	81	1	47.9	181	HASTINGS.						
EASTBOURNE	44,842	147	205	14	61	-	-	-	-	1	-	-	74	4	8	39	-	48.2	194	EASTBOURNE.						
BRIGHTON	113,635	491	806	36	192	-	-	-	-	8	4	4	335	9	40	172	2	47.9	155	BRIGHTON.						
PORTSMOUTH	198,527	1,116	1,328	97	282	-	-	-	1	5	5	4	629	20	47	237	14	48.3	144	PORTSMOUTH.						
BOURNEMOUTH	70,327	223	318	15	115	-	-	-	-	-	-	2	80	7	18	47	-	47.4	192	BOURNEMOUTH.						
SOUTHAMPTON	115,345	603	719	54	130	2	-	-	-	1	5	6	300	10	32	189	1	47.2	177	SOUTHAMPTON.						
READING	82,475	376	512	26	133	-	-	-	-	1	1	3	210	5	13	102	1	45.2	113	READING.						
OXFORD	53,101	168	376	20	78	-	-	-	-	2	9	2	206	5	14	44	-	45.5	153	OXFORD.						
NORTHAMPTON	82,471	339	545	32	127	-	-	-	-	3	1	-	173	5	11	80	7	-	-	NORTHAMPTON.						
CAMBRIDGE	52,282	205	331	18	84	-	-	1	-	-	-	-	118	8	15	52	-	45.1	135	CAMBRIDGE.						

* The values for Mean Temperature and Rainfall relate to the calendar quarter.

† These values refer to the Royal Observatory, Greenwich.

‡ These towns are included within the Metropolitan Outer Ring.
§ Observations made at Addington Hills.

TABLE V. (continued).—96 Great Towns, &c.—Population, Births and Deaths in the 13 Weeks ended 28th December, 1918.

TOWNS.	ESTIMATED CIVILIAN POPULATION MID. 1917.	BIRTHS.	DEATHS.	The DEATHS registered include													MEAN TEMPERATURE (De- grees Fabr.). *	RAIN- FALL. (Milli- metres) *	TOWNS.	
				Deaths of		Deaths from									Inquest Cases.	Deaths in Public Institutions.				Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Influenza.	Violence.							
SOUTHEND ON SEA .	71,919	235	383	26	100	-	-	1	1	1	3	146	8	7	57	17	118	SOUTHEND ON SEA.		
IPSWICH .	72,800	320	446	23	112	-	-	6	4	1	1	183	7	18	76	-	174	IPSWICH.		
GREAT YARMOUTH .	45,516	270	325	18	103	-	-	-	3	-	2	140	6	15	65	-	161	GREAT YARMOUTH.		
NORWICH .	109,877	495	805	57	212	-	-	3	1	1	4	346	21	43	177	-	228	NORWICH.		
SWINDON .	51,516	217	303	19	57	-	-	1	-	-	-	125	-	5	33	-	-	SWINDON.		
EXETER .	51,631	244	374	11	95	-	-	3	1	1	1	144	2	24	56	-	-	EXETER.		
PLYMOUTH .	179,375	994	1,158	105	245	-	-	-	1	1	4	409	16	58	183	-	310	PLYMOUTH.		
BATH .	58,799	208	368	19	129	-	-	-	-	-	2	134	7	25	108	-	170	BATH.		
BRISTOL† .	334,814	1,450	2,244	176	505	-	-	-	1	28	6	933	37	121	478	-	228†	BRISTOL.†		
GLOUCESTER .	55,026	220	331	20	74	-	-	-	-	-	1	148	5	8	54	9	-	GLOUCESTER.		
STOKE ON TRENT .	215,116	1,266	1,591	193	223	-	-	-	1	17	14	660	32	71	247	22	-	STOKE ON TRENT.		
WOLVERHAMPTON .	93,037	511	784	60	139	-	-	12	4	2	2	347	7	30	131	-	-	WOLVERHAMPTON.		
WALSALL .	87,957	511	728	59	141	-	-	9	2	-	-	297	15	31	123	-	-	WALSALL.		
WEST BROMWICH .	67,221	403	549	51	90	-	-	-	2	2	1	296	9	12	69	23	-	WEST BROMWICH.		
DUDLEY .	52,049	312	408	49	69	-	-	1	5	2	7	111	2	5	56	7	-	DUDLEY.		
BIRMINGHAM .	870,211	3,911	4,746	377	961	-	-	22	4	7	31	1,796	99	124	1,025	128	154	BIRMINGHAM.		
SMETHWICK .	69,788	353	404	34	79	-	-	-	1	-	2	176	5	18	41	1	-	SMETHWICK.		
COVENTRY .	128,098	592	890	74	149	-	-	-	1	3	7	447	7	27	189	4	148	COVENTRY.		
LEICESTER .	212,433	728	1,637	82	334	-	-	-	4	11	5	821	21	51	299	22	-	LEICESTER.		
LINCOLN .	58,617	305	378	21	89	-	-	-	-	1	5	171	3	4	42	5	156	LINCOLN.		
GRIMSBY .	67,014	394	498	59	95	-	-	-	-	2	1	179	2	16	63	2	-	GRIMSBY.		
NOTTINGHAM .	236,853	1,012	2,280	151	466	-	-	1	1	6	15	1,097	22	33	417	62	151	NOTTINGHAM.		
DERBY .	119,191	611	751	71	169	1	-	1	-	-	1	337	6	52	206	-	-	DERBY.		

* The values for Mean Temperature and Rainfall relate to the calendar quarter.
† The extension of the City of Bristol on 1st October 1918 will not be taken into account until next quarter.

† Observations made at Clifton

TOWNS.	ESTIMATED CIVILIAN POPULATION, Mid. 1917.	BIRTHS.	DEATHS.	The DEATHS registered include											MEAN TEMPERATURE (Degrees Fahr.). *	RAIN- FALL (Milli- metres) *	TOWNS.		
				Deaths of		Deaths from								Inquest Cases.				Deaths in Public Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Influenza.						
STOCKPORT	111,922	479	836	47	213	-	-	1	1	-	3	6	299	18	41	150	-	STOCKPORT.	
BIRKENHEAD	133,819	725	1,077	90	162	3	-	3	28	3	13	3	410	21	49	263	10	248†	BIRKENHEAD.
WALLASEY	84,209	311	414	31	79	-	-	-	2	1	-	-	184	5	9	84	2	-	WALLASEY.
LIVERPOOL	716,140	3,933	5,069	493	838	1	-	34	33	10	70	71	1,277	107	195	1,732	107	-	LIVERPOOL.
BOOTLE	68,871	407	543	58	86	2	-	-	2	4	3	4	207	7	7	101	12	273†	BOOTLE.
ST. HELENS	90,582	523	654	75	75	-	-	-	4	-	15	7	256	6	7	178	23	-	ST. HELENS.
SOUTHPORT	60,747	190	394	14	126	1	-	-	1	-	2	1	155	2	3	46	9	45·1	SOUTHPORT.
WIGAN	83,110	447	500	55	80	6	-	-	-	-	2	7	181	8	18	59	-	-	WIGAN.
WARRINGTON	68,554	403	455	38	63	-	-	1	5	6	5	4	207	9	12	92	11	-	WARRINGTON.
BOLTON	163,411	648	866	79	242	1	-	-	-	2	7	11	275	7	34	100	1	44·5	BOLTON
BURY	51,851	188	325	19	89	3	-	-	3	2	5	1	103	9	11	55	4	-	BURY.
MANCHESTER	660,143	3,238	4,170	354	792	1	-	45	5	3	11	30	1,671	70	169	1,018	29	46·0	MANCHESTER.
SALFORD	211,373	1,029	1,178	87	211	3	-	6	6	1	5	17	408	17	46	270	5	-	SALFORD.
OLDHAM	133,721	482	1,005	62	205	1	-	7	1	1	2	5	356	22	51	175	-	-	OLDHAM.
ROCHDALE	84,561	318	566	42	148	-	-	-	-	-	2	4	217	12	26	132	12	-	ROCHDALE.
BURNLEY	93,779	377	533	42	103	-	-	-	-	5	2	2	188	9	38	79	-	43·9	BURNLEY.
BLACKBURN	113,315	393	729	40	157	-	-	2	2	18	1	4	266	12	28	93	4	-	BLACKBURN.
PRESTON	106,747	483	749	63	156	-	-	-	-	6	5	12	300	13	15	92	15	44·7§	PRESTON.
BLACKPOOL	64,775	220	352	17	110	-	-	-	-	1	2	2	106	1	1	53	11	45·3	BLACKPOOL.
BARROW IN FURNESS	78,675	509	449	62	67	-	-	-	1	1	-	1	195	10	12	58	15	-	BARROW IN FURNESS.
HUDDERSFIELD	105,818	398	499	45	146	1	-	1	-	2	3	2	113	10	30	91	4	44·2	HUDDERSFIELD.
HALIFAX	92,775	324	652	44	155	-	-	-	-	7	3	3	219	10	41	140	4	-	HALIFAX.
BRADFORD	266,338	912	1,643	131	390	-	-	6	1	2	9	11	601	33	122	343	-	44·1	BRADFORD.
LEEDS	417,051	1,826	3,120	273	620	1	-	15	5	8	15	24	1,186	90	218	643	-	-	LEEDS.
DEWSBURY	52,244	241	373	26	69	1	-	1	-	1	6	-	153	5	13	37	-	-	DEWSBURY.
WAKEFIELD	47,830	217	275	15	55	-	-	-	-	5	4	2	92	4	14	48	-	44·3	WAKEFIELD.
BARNLEY	47,943	312	395	47	62	-	-	-	-	-	-	6	199	10	19	38	-	-	BARNLEY.

* The values for Mean Temperature and Rainfall relate to the calendar quarter.

† These values refer to Blundellsands.

‡ These values refer to Bidston Observatory.

§ These values refer to Hutton.

TABLE V. (continued).—96 Great Towns, &c.—Population, Births and Deaths in the 13 Weeks ended 28th December, 1918.

TOWNS.	ESTIMATED CIVILIAN POPULATION, Mid. 1917.	BIRTHS.	DEATHS.	The DEATHS registered include										MEAN TEMPERATURE (De- grees Fabr.) *	RAIN- FALL (Milli- metres). *	TOWNS.		
				Deaths of		Deaths from						Violence.	Inquest Cases.				Deaths in Public Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.							
SHEFFIELD	469,293	2,563	4,159	368	609	1	-	25	6	1	10	33	1,929	49	153	774	6	SHEFFIELD.
ROTHERHAM	64,685	369	526	37	82	-	-	3	2	-	2	4	277	9	22	57	6	ROTHERHAM.
YORK	78,492	319	524	41	121	1	-	-	-	-	1	7	200	13	31	129	-	YORK.
HULL	246,357	1,306	2,143	194	392	2	-	-	2	16	8	10	893	36	97	372	24	HULL.
MIDDLESBROUGH	119,251	784	884	113	102	1	-	4	3	2	6	16	276	17	34	100	6	MIDDLESBROUGH.
DARLINGTON	60,482	340	303	37	49	-	-	-	1	1	3	4	118	8	8	39	10	DARLINGTON.
STOCKTON ON TEES	57,048	401	432	42	66	1	-	1	4	-	1	6	180	7	7	44	14	STOCKTON ON TEES.
WEST HARTLEPOOL	62,034	352	496	48	88	-	-	-	2	-	3	7	213	10	19	57	6	WEST HARTLEPOOL.
SUNDERLAND	141,765	969	1,319	166	196	1	-	6	1	3	2	12	569	17	48	149	19	SUNDERLAND.
SOUTH SHIELDS	106,500	736	918	103	128	-	-	-	1	-	-	14	426	11	11	96	40	SOUTH SHIELDS.
GATESHEAD	119,134	718	765	93	137	-	-	1	2	3	6	14	202	12	13	125	35	GATESHEAD.
NEWCASTLE ON TYNE	266,551	1,668	1,538	157	281	1	-	13	1	10	3	19	537	25	82	246	7	NEWCASTLE ON TYNE.
TYNEMOUTH	57,591	350	401	42	68	4	-	1	-	3	-	3	144	9	10	57	11	TYNEMOUTH.
CARLISLE	53,064	238	256	21	57	-	-	-	-	-	1	3	81	7	11	45	10	CARLISLE.
NEWPORT (MON.)	82,709	428	359	56	72	-	-	-	-	6	-	4	103	6	9	67	-	NEWPORT (MON.).
CARDIFF	169,440	884	1,141	101	171	3	-	-	3	6	4	11	440	23	79	143	-	CARDIFF.
RHONDDA	154,386	1,014	740	94	89	-	-	-	3	9	3	6	301	23	30	62	5	RHONDDA.
MERTHYR TYDFIL	74,508	413	396	48	65	-	-	-	2	4	3	6	134	8	11	78	4	MERTHYR TYDFIL.
ABERDARE	51,317	296	306	31	49	-	-	3	-	3	1	1	100	10	12	25	-	ABERDARE.
SWANSEA	111,776	586	676	54	121	-	-	-	1	1	4	5	271	17	46	110	-	SWANSEA. §
GREATER LONDON	6,726,753	28,481	45,682	3,108	9,708	30	-	96	62	75	325	391	19,255	781	2,171	15,320	66	GREATER LONDON.
OUTER RING	2,699,852	10,837	16,345	1,035	3,235	10	-	23	14	34	133	96	7,598	250	612	3,704	22	OUTER RING.
14 GREAT TOWNS IN OUTER RING.	1,547,435	6,408	9,953	630	1,868	7	-	17	10	11	85	55	4,695	139	378	2,357	18	14 GREAT TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,152,417	4,429	6,392	405	1,367	3	-	6	4	23	48	41	2,903	111	234	1,347	4	REMAINDER OF OUTER RING.
EDINBURGH†	333,200	1,254	1,990	165	511	1	-	1	15	31	18	12	677	45	?	?	?	EDINBURGH.†
GLASGOW†	1,114,100	5,772	6,736	853	1,141	6	-	4	8	85	63	62	1,834	146	?	?	?	GLASGOW.†
DUBLIN (Registra- tion Area).‡	399,000	2,229	3,401	386	552	7	-	3	6	11	13	54	1,102	44	37	1,169	67	DUBLIN (Registra- tion Area).‡
BELFAST†	393,000	2,154	2,909	318	384	2	-	1	6	2	6	34	?	33	54	760	33	BELFAST.†

* The values for Mean Temperature and Rainfall relate to the calendar quarter.
† The populations are total populations and refer to the middle of 1918. Deaths are corrected throughout by deduction of deaths of non-residents domiciled in Scotland and by addition of deaths of
a Phoenix Park.
b Fitzwilliam Square.

NOTE.—The rates in this table are based upon the figures shown in Table V.

TOWNS.	ANNUAL DEATH-RATE PER 1000 CIVILIAN POPULATION, 1917.										DEATH-RATE PER 1000 BIRTHS.		PERCENTAGE of Total Deaths.			TOWNS.
	Deaths from										Diar- rhea and Enter- itis (under 2 years).	Total Deaths under one year.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
	All Causes.															
	13 Weeks ended :—															
	29th Dec., 1917.	28th Dec., 1918.														
96 Towns	13·2	27·5	0·02	—	0·08	0·05	0·08	0·16	11·0	0·47	12·13	115	4·3	24·8	0·8	96 Towns.
LONDON	15·4	29·2	0·02	—	0·07	0·05	0·04	0·19	11·6	0·53	16·72	117	5·3	39·6	0·2	LONDON.
(CROYDON	12·8	24·1	—	—	—	—	—	0·22	11·6	0·45	9·19	78	5·3	22·1	—	(CROYDON.
WIMBLEDON	9·9	20·5	—	—	—	—	—	0·15	9·8	0·30	10·93	71	6·2	11·7	—	WIMBLEDON.
EALING	10·4	22·3	—	—	—	—	—	0·19	9·4	0·44	8·40	105	3·4	23·5	—	EALING.
ACTON	11·3	24·0	—	—	—	—	—	—	11·9	0·48	9·39	99	4·3	27·1	—	ACTON.
WILLESDEN	10·6	24·7	0·05	—	0·10	0·05	0·03	0·26	12·1	0·18	5·14	125	3·2	32·9	—	WILLESDEN.
HORNSEY	10·5	20·7	—	—	0·10	0·10	—	0·10	9·8	0·19	12·30	90	2·8	18·6	—	HORNSEY.
TOTTENHAM	12·2	24·2	—	—	—	0·06	0·03	0·27	12·1	0·39	3·56	85	5·3	29·0	—	TOTTENHAM.
EDMONTON	10·0	26·5	—	—	0·06	—	0·06	0·13	13·0	0·45	6·39	102	5·1	19·6	—	EDMONTON.
ENFIELD	10·2	20·8	0·07	—	0·07	—	0·07	—	9·5	0·42	8·16	78	3·0	19·5	0·3	ENFIELD.
WEST HAM	12·9	33·6	0·04	—	0·01	0·03	0·03	0·41	13·9	0·56	12·02	118	3·8	24·4	0·0	WEST HAM.
EAST HAM	9·7	26·7	—	—	0·18	0·03	0·06	0·09	13·7	0·34	13·26	93	4·0	20·9	0·1	EAST HAM.
LEYTON	11·1	26·6	—	—	0·04	—	—	0·32	11·9	0·29	4·81	75	2·7	27·0	—	LEYTON.
WALTHAMSTOW	10·5	25·6	0·03	—	—	0·03	—	0·27	12·8	0·24	5·98	106	2·8	22·3	0·9	WALTHAMSTOW.
ILFORD	9·5	21·1	—	—	0·05	—	—	—	12·2	0·05	4·35	74	0·5	11·1	2·0	ILFORD.
GILLINGHAM	12·2	24·3	0·09	—	—	—	—	—	9·3	0·36	—	92	2·2	18·4	1·1	GILLINGHAM.
HASTINGS	15·4	30·7	0·08	—	0·17	—	0·08	0·17	10·7	0·33	6·41	96	4·9	21·8	0·3	HASTINGS.
EASTBOURNE	10·1	18·3	—	—	—	—	—	—	6·6	0·36	—	95	3·9	19·0	—	EASTBOURNE.
BRIGHTON	17·5	28·5	—	—	—	—	—	0·14	11·8	0·32	8·15	73	5·0	21·3	0·2	BRIGHTON.
PORTSMOUTH	13·3	26·8	—	—	—	0·02	0·10	0·10	12·7	0·40	3·58	87	3·5	17·8	1·1	PORTSMOUTH.
BOURNEMOUTH	12·4	18·1	—	—	—	—	—	—	4·6	0·40	8·97	67	5·7	14·8	—	BOURNEMOUTH.
SOUTHAMPTON	12·4	25·0	0·07	—	—	—	—	0·17	10·4	0·35	9·95	90	4·5	26·3	0·1	SOUTHAMPTON.
READING	13·5	24·9	—	—	—	—	—	0·05	10·2	0·24	7·98	69	2·5	19·9	0·2	READING.
OXFORD	9·4	28·4	—	—	—	—	—	0·15	15·6	0·38	11·90	119	3·7	11·7	—	OXFORD.
NORTHAMPTON	10·2	26·5	—	—	—	—	—	0·15	8·4	0·24	—	94	2·0	14·7	1·3	NORTHAMPTON.
CAMBRIDGE	12·8	25·4	—	—	0·08	—	—	—	9·1	0·61	—	88	4·5	15·7	—	CAMBRIDGE.

* The birth-rates are based upon total populations estimated for this purpose.

† These towns are included within the Metropolitan Outer Ring.

‡ Revised rates.

TABLE VI. (continued).—96 Great Towns, &c.—Birth-rate, Civilian Death-rate and Analysis of Mortality in the 13 Weeks ended 28th December, 1918.

TOWNS.	ANNUAL BIRTH RATE PER 1000 TOTAL POPULATION, 1917.*	ANNUAL DEATH-RATE PER 1000 CIVILIAN POPULATION, 1917.										PERCENTAGE of Total Deaths.			REGISTRATION TOWNS.
		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
		All Causes.													
		13 Weeks ended :—													
		24th Dec. 1917.†	28th Dec., 1918.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Influenza.	Violence.				
SOUTHEND ON SEA.	11.8	11.0	21.4	-	-	0.06	0.06	0.06	8.1	0.45	111	1.8	14.9	4.4	SOUTHEND ON SEA.
IPSWICH	15.8	13.3	24.6	-	0.33	-	0.22	0.06	10.1	0.39	72	4.0	17.0	-	IPSWICH.
GREAT YARMOUTH	21.3	12.8	28.6	-	-	-	0.26	-	12.3	0.53	67	4.6	20.0	-	GREAT YARMOUTH.
NORWICH	16.2	14.1	29.4	-	0.11	0.04	0.04	0.18	12.6	0.77	115	5.3	22.0	-	NORWICH.
SWINDON	15.2	10.4	23.6	-	0.08	-	-	0.16	9.7	-	88	1.7	10.9	-	SWINDON.
EXETER	17.0	14.9	29.1	-	0.23	-	0.08	0.16	11.2	0.16	45	6.4	15.0	-	EXETER.
PLYMOUTH	19.9	13.5	25.9	-	-	0.02	0.02	0.09	9.1	0.36	106	5.0	15.8	-	PLYMOUTH.
BATH	12.7	11.5	25.1	-	-	-	-	0.14	9.1	0.48	91	6.8	29.3	-	BATH.
BRISTOL	15.6	11.5	26.9	-	-	0.01	0.34	0.07	11.2	0.44	121	5.4	21.3	-	BRISTOL.
GLOUCESTER	14.4	10.8	24.1	-	-	-	-	0.07	10.8	0.36	91	2.4	16.3	2.7	GLOUCESTER.
STOKE ON TRENT	21.2	13.1	29.7	-	-	0.02	0.32	0.26	12.3	0.60	152	4.5	15.5	1.4	STOKE ON TRENT.
WOLVERHAMPTON	19.8	11.2	33.8	-	0.52	-	0.17	0.09	15.0	0.30	117	3.8	16.7	-	WOLVERHAMPTON.
WALSALL	20.9	12.6	33.2	0.05	0.41	-	0.09	-	13.5	0.68	115	4.3	16.9	-	WALSALL.
WEST BROMWICH	21.6	12.6	32.8	-	-	-	0.12	0.06	17.7	0.54	127	2.2	12.6	4.2	WEST BROMWICH.
DUDLEY	21.6	11.9	31.4	-	0.08	-	0.39	-	8.6	0.15	157	1.2	13.7	1.7	DUDLEY.
BIRMINGHAM	16.2	11.0	21.9	-	0.10	0.02	0.03	0.14	8.3	0.46	96	2.6	21.6	2.7	BIRMINGHAM.
SMETHWICK	18.2	9.8	23.2	-	-	0.06	-	0.11	10.1	0.29	96	4.5	10.1	0.2	SMETHWICK.
COVENTRY.	16.6	10.1	27.9	-	-	0.03	0.09	0.22	14.0	0.22	125	3.0	21.2	0.4	COVENTRY.
LEICESTER	12.3	13.4	30.9	-	-	0.08	0.21	0.09	15.5	0.40	113	3.1	18.3	1.3	LEICESTER.
LINCOLN	18.7	13.1	25.9	-	-	-	0.07	0.34	11.7	0.21	69	1.1	11.1	1.3	LINCOLN.
GRIMSBY	21.2	12.1	29.8	-	-	-	0.12	0.06	10.7	0.12	150	3.2	12.7	0.4	GRIMSBY.
NOTTINGHAM	15.4	14.1	38.6	-	0.02	0.02	0.10	0.25	18.6	0.37	149	1.4	18.3	2.7	NOTTINGHAM.
DERBY	18.4	10.4	25.3	0.03	0.03	-	-	0.03	11.3	0.20	116	6.9	27.4	-	DERBY.

+ Revised rates

13 Weeks ended 28th December, 1918.

TOWNS.	ANNUAL DEATH-RATE PER 1000 CIVILIAN POPULATION, 1917.										DEATH-RATE PER 1000 BIRTHS.			PERCENTAGE of Total Deaths.			TOWNS.		
	ANNUAL BIRTH-RATE PER 1000 TOTAL POPULATION, 1917.*	Deaths from										Diar- rhea and Ente- ritis (under 2 years).	Total Deaths under one year.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.			
		All Causes.																	
		13 Weeks ended :—																	
		26th Dec., 1917.†																	
28th Dec., 1918.																			
STOCKPORT	15.4	11.8	30.0	-	-	0.04	-	0.11	10.7	0.65	12.53	98	4.9	17.9	-	STOCKPORT.			
BIRKENHEAD	19.5	11.7	32.3	0.09	-	0.09	0.84	0.39	12.3	0.63	4.14	124	4.5	24.4	0.9	BIRKENHEAD.			
WALLASEY	18.3	10.1	19.7	-	-	-	0.10	0.05	8.8	0.24	-	100	2.2	20.3	0.5	WALLASEY.			
LIVERPOOL	20.0	16.6	28.4	0.01	-	0.19	0.18	0.39	7.2	0.60	17.83	124	3.8	34.2	2.1	LIVERPOOL.			
BOOTLE	21.3	15.1	31.6	0.12	-	-	0.12	0.23	12.1	0.41	9.83	143	1.3	18.6	2.2	BOOTLE.			
ST. HELENS	20.8	14.7	29.0	-	-	-	0.18	0.66	11.3	0.27	13.38	143	1.1	27.2	3.5	ST. HELENS.			
SOUTHPORT	11.3	11.8	26.0	0.07	-	-	0.07	0.13	10.2	0.13	5.26	74	0.8	11.7	2.3	SOUTHPORT.			
WIGAN	19.4	14.1	24.1	0.29	-	-	-	0.10	8.7	0.39	15.66	123	3.6	11.8	-	WIGAN.			
WARRINGTON	21.2	9.1	26.6	-	-	0.06	0.29	0.29	12.1	0.53	9.93	94	2.6	20.2	2.4	WARRINGTON.			
BOLTON	14.3	10.9	21.3	0.02	-	-	-	0.17	6.7	0.17	16.98	122	3.9	11.5	0.1	BOLTON.			
BURY	13.0	10.8	25.1	0.23	-	-	0.23	0.15	8.0	0.70	5.32	101	3.4	16.9	1.2	BURY.			
MANCHESTER	17.6	12.9	25.3	0.01	-	0.27	0.03	0.02	10.2	0.43	9.26	109	4.1	24.4	0.7	MANCHESTER.			
SALFORD	17.5	11.3	22.4	0.06	-	0.11	0.11	0.02	7.7	0.32	16.52	85	3.9	22.9	0.4	SALFORD.			
OLDHAM	13.0	14.2	30.1	0.03	-	0.21	0.03	0.03	10.7	0.66	10.37	129	5.1	17.4	-	OLDHAM.			
ROCHDALE	13.5	12.8	26.8	-	-	-	-	-	10.3	0.57	12.58	132	4.6	23.3	2.1	ROCHDALE.			
BURNLEY	14.5	14.2	22.8	-	-	-	-	0.09	8.0	0.38	5.31	111	7.1	14.8	-	BURNLEY.			
BLACKBURN	12.5	12.5	25.8	-	-	0.07	0.07	0.04	9.4	0.42	10.18	102	3.8	12.8	0.5	BLACKBURN.			
PRESTON	16.3	12.2	28.1	-	-	-	-	0.23	11.3	0.49	24.84	130	2.0	12.3	2.0	PRESTON.			
BLACKPOOL	12.2	11.6	21.8	-	-	-	-	0.06	6.6	0.06	9.09	77	0.3	15.1	3.1	BLACKPOOL.			
BARROW IN FURNESS	23.3	9.7	22.9	-	-	-	0.05	0.05	9.9	0.51	1.96	122	2.7	12.9	3.3	BARROW IN FURNESS.			
HUDDERSFIELD	13.5	11.9	18.9	0.04	-	0.04	-	0.08	4.3	0.38	5.03	113	6.0	18.2	0.8	HUDDERSFIELD.			
HALIFAX	12.6	13.2	28.2	-	-	-	-	0.30	9.5	0.43	9.26	136	6.3	21.5	0.6	HALIFAX.			
BRADFORD	12.3	12.7	24.7	-	-	0.09	0.02	0.03	9.1	0.50	12.66	144	7.4	20.9	-	BRADFORD.			
LEEDS	15.8	14.7	30.0	0.01	-	0.14	0.05	0.08	11.4	0.87	13.14	150	7.0	20.6	-	LEEDS.			
DEWSBURY	16.6	15.3	28.6	0.08	-	0.08	-	0.08	11.7	0.38	-	108	3.5	9.9	-	DEWSBURY.			
WAKEFIELD	16.3	14.5	23.1	-	-	-	-	0.42	7.7	0.24	9.22	69	5.1	17.5	-	WAKEFIELD.			
BARNSELEY	23.4	13.6	33.0	-	-	-	-	-	16.6	0.84	19.23	151	4.8	9.6	-	BARNSELEY.			

* See note * on first page of table.

† Revised rates.

TABLE VI. (continued).--96 Great Towns, &c.--Birth-rate, Civilian Death-rate and Analysis of Mortality in the 13 Weeks ended 28th December, 1918.

TOWNS.	ANNUAL BIRTH-RATE PER 1000 TOTAL POPULATION, 1917.*	ANNUAL DEATH-RATE PER 1000 CIVILIAN POPULATION, 1917.										DEATH-RATE PER 1000 BIRTHS.		PERCENTAGE of Total Deaths.			TOWNS.
		Deaths from										Diar- rhoea and Enter- itis (under 2 years).	Total Deaths under one year.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
		All Causes.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Influenza.	Violence.						
		13 Weeks ended :— 29th Dec., 1917.†	28th Dec., 1918.														
SHEFFIELD	19.7	13.2	35.5	0.01	—	0.21	0.05	0.01	0.09	16.5	0.42	12.88	144	3.7	18.6	0.1	SHEFFIELD.
ROTHERHAM	20.5	12.0	32.6	—	—	0.19	0.12	—	0.12	17.2	0.56	10.84	100	4.2	10.8	1.1	ROTHERHAM.
YORK	14.6	11.7	26.8	0.05	—	—	—	—	0.05	10.2	0.66	21.94	129	5.9	24.6	—	YORK.
HULL	19.1	14.2	34.9	0.03	—	—	0.03	0.26	0.13	14.5	0.59	7.66	149	4.5	17.4	1.1	HULL.
MIDDLESBROUGH	23.7	15.7	29.7	0.03	—	0.13	0.10	0.07	0.20	9.3	0.57	20.41	144	3.8	11.3	0.7	MIDDLESBROUGH.
DARLINGTON	20.2	12.5	20.1	—	—	—	0.07	0.07	0.20	7.8	0.53	11.76	109	2.6	12.9	3.3	DARLINGTON.
STOCKTON ON TEES	25.3	20.7	30.4	0.07	—	0.07	0.28	—	0.07	12.7	0.49	14.96	105	1.6	10.2	3.2	STOCKTON ON TEES.
WEST HARTLEPOOL	20.4	12.9	32.1	—	—	—	0.13	—	0.19	13.8	0.65	19.89	136	3.8	11.5	1.2	WEST HARTLEPOOL.
SUNDERLAND	24.6	15.4	37.3	0.03	—	0.17	0.03	0.08	0.06	16.1	0.48	12.38	171	3.5	10.7	1.4	SUNDERLAND.
SOUTH SHIELDS	24.9	15.9	34.6	—	—	—	0.04	—	—	16.0	0.41	19.02	140	1.2	10.5	4.4	SOUTH SHIELDS.
GATESHEAD	21.7	16.2	25.8	—	—	0.03	0.07	0.10	0.20	6.8	0.40	19.50	130	1.7	16.3	4.6	GATESHEAD.
NEWCASTLE ON TYNE	22.5	13.8	23.1	0.02	—	0.20	0.02	0.15	0.05	8.1	0.38	11.39	94	5.3	16.0	0.5	NEWCASTLE ON TYNE.
TYNEMOUTH	21.9	13.0	27.9	0.28	—	0.07	—	0.21	—	10.0	0.63	8.57	120	2.5	14.2	2.7	TYNEMOUTH.
CARLISLE	16.1	12.1	19.3	—	—	—	—	—	0.08	6.1	0.53	12.61	88	4.3	17.6	3.9	CARLISLE.
NEWPORT (MON.)	18.6	11.1	17.4	—	—	—	—	0.29	—	5.0	0.29	9.35	131	2.5	18.7	—	NEWPORT (MON.).
CARDIFF	18.8	12.7	27.0	0.07	—	—	0.07	0.14	0.09	10.4	0.54	12.44	114	6.9	12.5	—	CARDIFF.
RHONDDA	23.6	10.2	19.2	—	—	—	0.08	0.23	0.08	7.8	0.60	5.92	93	4.1	8.4	0.7	RHONDDA.
MERTHYR TYDFIL	19.9	13.0	21.3	—	—	—	0.11	0.22	0.16	7.2	0.43	14.53	116	2.8	19.7	1.0	MERTHYR TYDFIL.
ABERDARE	20.8	10.8	23.9	—	—	0.23	—	0.23	0.08	7.8	0.78	3.38	105	3.9	8.2	—	ABERDARE.
SWANSEA	18.9	12.1	24.3	—	—	—	0.04	0.04	0.14	9.7	0.61	8.53	92	6.8	16.3	—	SWANSEA.
GREATER LONDON	15.2	13.0	27.2	0.02	—	0.06	0.04	0.04	0.19	11.5	0.47	13.73	109	4.8	33.5	0.1	GREATER LONDON.
OUTER RING	14.4	10.8	24.3	0.01	—	0.03	0.02	0.05	0.20	11.3	0.37	8.86	96	3.7	22.7	0.1	OUTER RING.
14 GREAT TOWNS IN OUTER RING.	14.9	11.2	25.8	0.02	—	0.04	0.03	0.03	0.22	12.2	0.36	8.58	98	3.8	23.7	0.2	14 GREAT TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	13.8	10.3	22.2	0.01	—	0.02	0.01	0.08	0.17	10.1	0.39	9.26	91	3.7	21.1	0.1	REMAINDER OF OUTER RING.
EDINBURGH	14.9	12.5	23.7	0.01	—	0.01	0.18	0.37	0.21	8.1	0.54	9.57	132	2.1	?	?	EDINBURGH.
GLASGOW	20.6	12.6	24.0	0.02	—	0.01	0.03	0.30	0.22	6.5	0.52	10.74	148	?	?	?	GLASGOW.
DUBLIN (Registration Area)	22.3	16.2	34.1	0.07	—	0.03	0.06	0.11	0.13	11.1	0.44	24.23	173	1.1	34.4	2.0	DUBLIN (Registra- tion Area).
BELFAST	21.9	13.6	29.6	0.02	—	0.01	0.06	0.02	0.06	?	0.34	15.78	148	1.9	26.1	1.1	BELFAST.

deaths relate to the civilian population only, and have been corrected as far as possible, (1) by the exclusion of all deaths of non-residents, and (2) by the inclusion of deaths of residents in certain outlying institutions. With regard to towns in the Outer Ring, however, correction is more complete, a distribution of all transferable deaths occurring in any part of Greater London having been made.

TOWNS.		ESTIMATED CIVILIAN POPULATION, MID. 1917.	BIRTHS. DEATHS.		Deaths of		Deaths from										Deaths under 1 Year to 1000 Births.		TOWNS.	
					Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
148 Towns	-	4,390,429	21,471	27,585	2,276	5,602	34	-	55	28	93	185	167	11,863	413	754	3,478	394	106	148 Towns.
SURREY.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	SURREY.
Barnes.*	-	32,495	118	163	15	43	-	-	-	-	-	1	3	73	5	8	30	-	127	Barnes.*
Guildford	-	22,606	95	121	2	31	-	-	-	-	1	-	1	64	6	8	20	-	21	Guildford.
Kingston on Thames*	-	35,608	145	229	15	47	-	-	-	-	-	8	4	94	2	14	65	-	103	Kingston on Thames.*
Mitcham*	-	30,189	153	223	16	30	-	-	1	-	-	2	1	117	3	7	42	-	105	Mitcham.*
Reigate	-	23,680	85	136	6	46	-	-	-	1	2	1	-	60	3	12	23	-	71	Reigate.
Richmond*	-	33,359	109	185	9	40	-	-	-	-	1	1	-	74	3	6	47	-	83	Richmond.*
Sutton*	-	19,502	77	76	8	17	-	-	-	-	-	1	-	14	-	7	14	-	104	Sutton.*
Woking	-	22,771	98	95	6	21	-	-	-	-	-	-	-	28	-	2	10	-	61	Woking.
KENT.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	KENT.
Beckenham*	-	30,612	85	141	6	38	-	-	-	1	-	-	2	57	1	1	22	-	71	Beckenham.*
Bromley*	-	31,882	139	160	9	53	-	-	-	-	-	5	1	55	2	3	51	-	65	Bromley.*
Canterbury	-	21,627	112	155	3	42	-	-	-	-	-	-	-	70	3	2	30	-	27	Canterbury.
Chatham	-	36,422	215	352	16	75	1	-	-	2	-	-	1	175	5	7	94	16	74	Chatham.
Dartford	-	21,007	98	162	8	20	-	-	1	-	-	6	1	99	2	2	27	1	82	Dartford.
Dover	-	35,685	180	199	15	34	-	-	-	-	-	7	1	83	4	4	34	9	83	Dover.
Erith*	-	33,129	143	177	18	26	-	-	4	-	-	1	-	63	3	6	28	-	126	Erith.*
Folkestone	-	31,856	133	144	10	34	-	-	-	-	-	-	1	71	6	4	15	9	75	Folkestone.
Gravesend	-	26,832	137	158	14	35	-	-	-	-	2	1	1	54	3	8	30	4	102	Gravesend.
Maidstone	-	30,796	117	322	18	44	-	-	-	-	-	1	-	155	3	7	40	8	154	Maidstone.
Margate	-	19,412	63	122	4	33	-	-	-	1	1	2	-	58	1	-	18	1	63	Margate.
Penge (Surrey Reg. Co.)*	-	21,474	108	112	7	33	-	-	-	-	-	1	1	51	-	3	39	-	65	Penge (Surrey Reg. Co.)*.
Ramsgate	-	21,362	100	153	9	47	-	-	-	-	-	-	2	55	-	1	29	7	90	Ramsgate.
Rochester	-	28,896	162	216	22	50	-	-	-	-	-	-	-	99	2	3	48	7	136	Rochester.
Tunbridge Wells	-	30,751	121	228	10	73	-	-	-	-	2	-	-	101	4	4	32	1	83	Tunbridge Wells.
SUSSEX EAST.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	SUSSEX EAST.
Hove	-	39,622	140	215	3	77	-	-	-	-	-	1	-	92	2	3	42	-	21	Hove.
SUSSEX WEST.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	SUSSEX WEST.
Worthing	-	27,662	99	166	8	52	-	-	-	-	-	-	-	63	-	2	19	-	81	Worthing.
SOUTHAMPTON.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	SOUTHAMPTON.
Aldershot (Surrey Reg. Co.).	-	20,391	138	93	5	20	-	-	-	-	-	-	1	41	-	1	19	1	36	Aldershot (Surrey Reg. Co.).
Gosport and Alverstoke	-	27,762	163	155	21	32	-	-	-	1	1	2	2	41	3	5	19	1	129	Gosport and Alverstoke.
Winchester	-	20,152	99	135	8	43	-	-	-	-	-	-	-	29	-	2	51	-	81	Winchester.
MIDDLESEX.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	MIDDLESEX.
Chiswick*	-	38,712	139	253	15	48	-	-	-	-	3	1	2	106	5	11	64	-	108	Chiswick.*
Finchley*	-	42,969	142	235	10	59	-	-	-	-	-	4	1	116	3	7	27	-	70	Finchley.*
Hendon*	-	51,689	155	233	14	50	-	-	-	-	-	-	2	123	4	8	40	-	90	Hendon.*
Heston and Isleworth*	-	38,683	184	271	22	66	-	-	-	1	-	4	3	106	3	6	63	-	120	Heston and Isleworth.*
Southall Norwood*	-	26,556	108	143	4	31	-	-	-	-	-	1	1	68	3	4	26	-	37	Southall Norwood.*

* These towns are included within the Metropolitan Outer Ring.

TABLE VII. (continued).—One hundred and forty-eight Smaller Towns.—Population, Births and Deaths in the QUARTER ended 31st December, 1918.

The DEATHS registered in the Quarter include																			
TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1917.	BIRTHS. DEATHS.		Deaths from										Deaths of		Deaths under 1 Year to 1000 Births.	TOWNS.		
				Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Influenza.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.				
																		Infants under 1 Year of Age.	Persons aged 65 Years and upwards.
MIDDLESEX—continued.																			
Southgate.*	37,107	99	155	4	30	-	-	-	-	-	-	1	76	4	10	31	-	40	MIDDLESEX—continued.
Twickenham.*	35,764	150	207	22	34	-	-	1	-	-	-	-	102	4	11	44	-	147	Southgate.*
Wood Green.*	46,645	187	266	13	63	-	-	-	-	-	-	1	135	3	8	35	-	70	Twickenham.*
HERTFORDSHIRE.																			Wood Green.*
St. Albans	24,208	103	139	13	29	-	-	-	-	-	1	-	72	1	3	27	5	126	HERTFORDSHIRE.
Watford	40,650	126	219	7	49	-	-	-	-	-	3	-	124	1	4	46	6	56	St. Albans.
BUCKINGHAMSHIRE.																			Watford.
Chepping Wycombe	19,627	87	113	8	26	-	-	-	-	-	-	1	56	1	2	4	3	92	BUCKINGHAMSHIRE.
NORTHAMPTONSHIRE.																			Chepping Wycombe.
Kettering	27,370	100	129	6	26	-	-	-	-	-	2	-	27	4	4	14	5	60	NORTHAMPTONSHIRE.
SOKE OF PETERBOROUGH.																			Kettering.
Peterborough	34,920	144	200	12	55	-	-	-	-	-	7	-	75	3	3	21	10	83	SOKE OF PETERBOROUGH.
BEDFORDSHIRE.																			Peterborough.
Bedford	37,663	149	240	21	63	-	-	-	-	2	2	-	100	2	4	44	4	141	BEDFORDSHIRE.
Luton	54,208	230	287	19	66	-	-	-	-	1	3	2	126	-	3	42	5	83	Bedford.
Essex.																			Luton.
Barking Town*	32,394	182	263	25	24	2	-	-	-	1	3	1	163	2	5	49	-	137	Essex.
Colchester	36,991	172	226	15	61	-	-	-	-	-	-	1	93	2	3	57	6	87	Barking Town.*
SUFFOLK EAST.																			Colchester.
Lowestoft	30,223	183	167	13	36	1	-	-	-	7	-	1	64	1	3	13	7	71	SUFFOLK EAST.
NORFOLK.																			Lowestoft.
King's Lynn	17,520	60	172	9	40	-	-	-	-	6	-	-	80	2	9	26	5	150	NORFOLK.
WILTSHIRE.																			King's Lynn.
Salisbury	20,394	99	114	6	31	-	-	-	-	-	-	-	39	2	2	23	2	61	WILTSHIRE.
DORSETSHIRE.																			Salisbury.
Poole	37,978	167	219	18	50	1	-	-	-	-	1	-	87	3	4	32	-	108	DORSETSHIRE.
Weymouth and Melcombe Regis.	21,388	113	105	10	27	-	-	-	-	-	-	-	37	5	3	30	1	88	Poole.
DEVONSHIRE.																			Weymouth and Melcombe Regis.
Torquay	30,685	123	224	8	87	-	-	-	-	-	-	-	70	1	6	31	3	65	DEVONSHIRE.
SOMERSETSHIRE.																			Torquay.
Taunton										1			99	5	7	19	2	15	SOMERSETSHIRE.

The DEATHS registered in the Quarter include

TOWNS.		ESTIMATED CIVILIAN POPULATION, MID. 1917.	BIRTHS. DEATHS.		Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Deaths under 1 Year to 1000 Births.	TOWNS.
			Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Influenza.	Violence.						
GLoucestershire. Cheltenham	-	41,181	141	326	8	86	-	-	-	2	5	1	154	-	4	65	4	57	GLoucestershire. Cheltenham.
HEREfordshire. Hereford	-	23,246	112	130	16	30	-	-	-	-	-	-	39	1	5	29	-	143	HEREfordshire. Hereford.
SHROpshire. Shrewsbury	-	27,386	130	184	14	47	-	-	-	1	1	-	90	1	4	20	3	108	SHROpshire. Shrewsbury.
STAFFORDshire. Bilston	-	24,728	178	202	20	25	-	-	-	-	-	-	102	2	6	19	-	112	STAFFORDshire. Bilston.
Burton upon Trent.	-	42,311	188	374	20	84	-	-	1	3	2	2	204	2	5	76	5	106	Burton upon Trent.
Cannock	-	28,785	191	239	31	33	-	-	-	-	2	1	92	3	4	7	5	162	Cannock.
Coseley	-	21,897	124	180	28	36	1	-	-	1	-	2	67	2	13	9	-	226	Coseley.
Newcastle under Lyme	-	18,532	98	115	18	28	-	-	-	2	-	4	41	1	2	23	-	184	Newcastle under Lyme.
Rowley Regis	-	36,505	231	211	17	49	-	-	-	-	-	-	109	3	5	12	-	74	Rowley Regis.
Stafford	-	24,376	124	121	13	27	1	-	-	-	2	3	37	-	2	18	3	105	Stafford.
Tipton	-	31,630	218	270	34	47	-	-	-	4	-	1	136	2	7	22	2	156	Tipton.
Wednesbury	-	29,759	191	273	35	34	-	-	-	2	1	-	146	2	8	16	2	183	Wednesbury.
Wolstanton United	-	27,704	135	160	15	32	-	-	-	-	1	1	72	4	5	6	3	111	Wolstanton United.
WORcestershire. Kidderminster	-	23,508	107	238	11	59	-	-	-	-	3	2	128	4	5	49	8	103	WORcestershire. Kidderminster.
Oldbury (Staffs. Reg. Co.)	-	34,884	187	213	17	38	-	-	-	-	-	2	103	1	1	8	6	91	Oldbury (Staffs. Reg. Co.).
Worcester	-	44,744	199	304	14	71	-	-	-	-	4	3	140	-	9	48	3	70	Worcester.
WARWICKshire. Nuneaton	-	37,681	232	261	28	29	-	-	-	-	1	1	130	4	7	14	3	121	WARWICKshire. Nuneaton.
Royal Leamington Spa	-	25,654	95	225	11	67	-	-	1	-	-	-	94	3	17	49	-	116	Royal Leamington Spa.
Rugby	-	22,675	92	145	9	16	-	-	-	-	1	-	88	2	2	16	4	98	Rugby.
Sutton Coldfield (Staffs. Reg. Co.)	-	19,265	93	96	3	22	-	-	-	-	-	-	44	2	2	7	2	32	Sutton Coldfield (Staffs. Reg. Co.).
LEICEstershire. Loughborough	-	22,967	115	170	7	27	-	-	-	-	-	-	94	1	5	15	1	61	LEICEstershire. Loughborough.
LINCOLNshire (Kesteven). Grantham	-	20,388	123	146	9	25	-	-	-	-	-	-	81	2	2	6	-	73	LINCOLNshire (Kesteven). Grantham.
LINCOLNshire (Lindsey). Cleethorpe with Thrunscoc.	-	22,285	112	122	11	22	-	-	-	-	2	2	52	5	6	8	1	98	LINCOLNshire (Lindsey). Cleethorpe with Thrunscoc.
Gainsborough	-	19,092	104	196	10	42	-	-	-	-	4	1	107	1	1	21	3	96	Gainsborough.
NOTTINGHAMshire. Mansfield	-	40,936	282	274	31	32	-	-	1	-	-	3	126	5	5	23	5	110	NOTTINGHAMshire. Mansfield.
Sutton in Ashfield	-	22,329	145	199	20	27	-	-	-	-	-	-	103	1	1	11	5	138	Sutton in Ashfield.
Worksop	-	20,209	117	191	12	21	-	-	-	-	-	-	112	6	6	12	4	103	Worksop.

TABLE VII. (*continued*).--**One hundred and forty-eight Smaller Towns, Births and Deaths** in the QUARTER ended 31st December, 1918.

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1917.	BIRTHS. DEATHS.		Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Deaths under 1 Year to 1000 Births.	TOWNS.
		BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Influenza.	Violence.						
DERBYSHIRE. Chesterfield. Glossop. Ilkeston (Notts. Reg. Co.)	36,706 19,329 29,597	238 64 192	333 80 211	22 5 21	54 23 35	2 1	- - -	- - -	- - -	1 - 2	- - 1	4 - 2	167 23 126	5 - 6	48 10 7	18 - 10	92 78 109	DERBYSHIRE. Chesterfield. Glossop. Ilkeston (Notts. Reg. Co.).		
CHESHIRE. Chester. Crewe. Hyde. Macclesfield. Stalybridge (Lancs. Reg. Co.).	37,262 43,256 30,828 29,634 23,464	187 174 126 99 112	215 267 254 210 163	19 20 22 6 21	33 53 46 60 30	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - 1	2 - - - -	69 122 99 68 52	4 5 4 4 2	48 25 14 12 10	- - - - -	102 115 175 61 188	CHESHIRE. Chester. Crewe. Hyde. Macclesfield. Stalybridge (Lancs. Reg. Co.).		
LANCASHIRE. Accrington. Ashton in Makerfield. Ashton under Lyne. Bacup. Chadderton. Chorley. Colne. Darwen. Eccles. Farnworth. Heywood. Hindley. Ince in Makerfield. Lancaster. Leigh. Middleton. Nelson. Radcliffe. Rawtenstall. Stretford. Swinton and Pendlebury. Waterloo with Seaforth. Widnes.	40,694 21,101 39,173 19,235 26,298 27,328 22,312 34,278 40,247 24,759 23,579 22,251 20,871 36,707 42,189 25,539 36,538 23,054 26,032 40,682 28,188 27,746 31,368	160 144 180 67 89 102 78 95 154 121 92 137 120 121 186 212 93 100 83 89 143 132 126 200	166 127 253 61 195 243 150 294 196 117 155 120 121 261 242 141 155 101 97 188 174 127 198	11 9 21 5 11 17 11 12 10 12 18 18 26 36 9 9 6 5 10 13 7 18	51 17 36 20 35 42 43 61 41 26 34 18 20 46 43 37 37 27 53 30 26 27	- 1 - - - 1 - - - 3 - - - 1 - - - 1 - 1 2 - -	- - - 4 1 3 - - - - - - - - - 4 - - 4 - - - -	- -	- - 1 1 - - 1 1 - - - - - - - - - - - - - - -	5 1 - - - 6 - - - 1 1 - - 3 6 - - - - - - - - - -	27 64 84 8 97 95 69 150 26 65 29 25 93 47 42 17 22 79 75 45 72	4 4 4 - - 3 - 9 3 1 1 4 3 4 5 9 3 1 2 2 - 5 1 4	15 11 28 8 16 22 12 17 30 14 11 6 7 30 34 14 15 7 16 15 18 25	2 2 5 3 2 5 4 9 3 3 1 2 4 1 8 1 5 7	69 63 117 75 124 167 141 126 65 83 130 131 140 170 97 90 72 56 70 98 56 90	LANCASHIRE. Accrington. Ashton in Makerfield. Ashton under Lyne. Bacup. Chadderton. Chorley. Colne. Darwen. Eccles. Farnworth. Heywood. Hindley. Ince in Makerfield. Lancaster. Leigh. Middleton. Nelson. Radcliffe. Rawtenstall. Stretford. Swinton and Pendlebury. Waterloo with Seaforth. Widnes.				
YORKSHIRE (WEST RIDING). Batley. Brighouse. Castleford. Doncaster.	33,801 19,332 24,256 48,187	159 74 133 230	213 103 146 302	23 6 13 20	60 32 25 59	- - - -	- 1 - -	- 2 - -	- - - -	1 - - -	1 2 2 2	1 - 2 -	83 35 59 157	- 2 2 4	16 8 8 25	- - - 7	145 81 98 87	YORKSHIRE (WEST RIDING). Batley. Brighouse. Castleford. Doncaster.		

The DEATHS registered in the Quarter include

TOWNS.	ESTIMATED CIVILIAN POPULATION, MID. 1917.	BIRTHS	DEATHS.	Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Deaths under 1 Year to 1000 Births.	TOWNS.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Influenza.	Violence.				
YORKSHIRE (WEST RIDING)— <i>cont.</i>																		YORKSHIRE (WEST RIDING)— <i>cont.</i>
Keighley.	40,575	154	288	11	65	-	-	-	-	-	-	1	136	3	6	30	6	71
Morley.	22,567	104	123	8	28	-	-	-	-	1	4	-	45	1	4	4	-	77
Shipley.	26,377	79	223	15	53	-	-	-	-	-	2	1	84	7	12	22	2	190
Spennorth.	29,816	116	189	19	41	-	-	1	-	-	1	2	82	4	5	10	-	164
Todmorden.	23,862	66	140	2	50	1	-	-	-	-	-	1	40	6	9	24	1	30
YORKSHIRE (NORTH RIDING).																		YORKSHIRE (NORTH RIDING).
Eston.	28,909	222	161	28	13	1	-	7	-	1	2	4	59	3	3	8	-	126
Scarborough.	28,410	99	224	10	72	-	-	-	-	-	7	-	69	5	15	41	-	101
DURHAM.																		DURHAM.
Blaydon.	30,870	231	203	38	24	-	-	-	7	4	1	2	73	3	3	12	2	165
Felling.	24,532	148	182	21	42	-	-	-	-	-	-	4	78	2	4	20	6	142
Hartlepool.	18,195	142	157	17	23	-	-	-	5	-	-	-	71	3	4	14	6	120
Hebburn.	23,660	195	227	32	18	-	-	1	-	-	2	3	133	1	1	13	5	164
Jarrow.	35,460	282	321	45	46	-	-	-	-	1	-	1	168	6	7	20	7	160
Stanley.	22,538	155	131	20	17	-	-	-	-	1	-	1	59	-	-	4	1	129
NORTHUMBERLAND.																		NORTHUMBERLAND.
Ashington.	26,281	187	127	14	17	4	-	-	-	3	-	-	39	-	-	8	5	75
Bedlingtonshire.	23,667	141	131	14	25	-	-	-	-	-	1	3	54	3	3	-	5	99
Blyth.	28,505	183	167	23	24	1	-	-	-	-	1	2	70	3	3	7	2	126
Wallsend.	43,358	309	373	45	38	-	-	5	1	2	5	3	204	1	2	25	1	146
CUMBERLAND.																		CUMBERLAND.
Workington.	25,232	170	151	21	24	-	-	-	-	-	6	2	47	7	7	8	1	124
MONMOUTHSHIRE.																		MONMOUTHSHIRE.
Abersychan.	25,274	168	125	25	20	-	-	-	-	-	-	2	39	4	3	10	4	149
Aberthillery.	37,032	275	220	30	14	1	-	-	-	1	1	5	112	3	3	4	-	109
Bedwellty.	28,016	188	115	21	13	-	-	-	1	-	1	2	37	2	2	5	2	112
Ebbw Vale.	34,073	220	139	20	25	-	-	-	1	1	1	1	31	13	13	13	-	91
Tredegarr.	22,879	171	109	25	18	-	-	-	-	1	-	4	31	4	4	5	1	146
GLAMORGANSHIRE.																		GLAMORGANSHIRE.
Barry.	33,403	185	169	20	28	1	-	-	-	4	-	2	49	4	4	21	-	108
Caerphilly.	33,859	205	148	29	19	-	-	-	1	-	2	-	50	5	5	11	-	141
Gelligaer.	39,211	242	173	30	15	-	-	1	-	2	-	7	81	3	3	15	1	124
Maesteg.	27,454	199	95	13	12	-	-	-	-	-	6	3	24	5	5	8	-	65
Mountain Ash.	41,341	251	200	27	19	2	-	-	-	2	1	-	82	3	7	11	1	108
Ogmore and Garw.	28,515	182	234	29	25	-	-	-	-	5	1	3	138	8	6	4	3	159
Pontypridd.	41,651	275	236	23	37	-	-	1	-	-	1	-	113	-	10	23	-	84
CARMARTHENSHIRE.																		CARMARTHENSHIRE.
Llanelli.	34,905	187	211	24	35	-	-	-	-	-	-	5	92	3	3	13	2	128

TABLE VIII.—NUMBER of CASES of INFECTIOUS DISEASE among the CIVILIAN POPULATION notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 28th December, 1918.*

TOWNS.	Estimated Civilian Population, Mid. 1917.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Puerperal Fever.
Great Towns.											
LONDON - - - -	4,026,901	4,774	81	-	-	1	2,175	1,998	-	498	21
CROYDON - - - -	167,681	171	-	-	-	-	124	40	-	7	-
WIMBLEDON - - -	53,536	51	1	-	-	-	23	24	-	1	2
EALING - - - - -	64,128	34	-	-	-	-	25	6	-	2	1
ACTON - - - - -	58,507	31	-	-	-	-	15	14	-	2	-
WILLESDEN - - -	157,005	152	3	-	-	-	49	81	-	17	2
HORNSEY - - - -	82,442	59	-	-	-	-	30	19	-	10	-
TOTTENHAM - - -	135,173	168	-	-	-	-	73	83	-	12	-
EDMONTON - - - -	61,940	49	2	-	-	-	24	12	-	11	-
ENFIELD - - - -	57,192	25	2	-	-	-	13	4	-	6	-
WEST HAM - - - -	271,934	377	13	-	-	-	128	176	-	59	1
EAST HAM - - - -	131,008	158	-	-	-	-	75	73	-	10	-
LEYTON - - - - -	112,452	87	2	-	-	-	31	50	-	3	1
WALTHAMSTOW - -	119,307	101	1	-	-	-	39	51	-	10	-
ILFORD - - - - -	75,130	87	1	-	-	-	36	40	-	9	1
GILLINGHAM - - -	44,074	49	1	-	-	-	28	16	-	4	-
HASTINGS - - - -	48,439	20	-	-	-	-	7	9	-	4	-
EASTBOURNE - - -	44,842	13	-	-	-	-	4	6	-	1	2
BRIGHTON - - - -	113,635	100	1	-	-	-	26	59	-	14	-
PORTSMOUTH† - -	198,527	164	4	-	-	-	87	67	-	5	1
BOURNEMOUTH - -	70,327	20	-	-	-	-	8	10	-	1	1
SOUTHAMPTON - -	115,345	46	6	-	-	-	12	24	-	4	-
READING - - - - -	82,475	56	-	-	-	-	21	24	-	10	1
OXFORD - - - - -	53,101	63	2	-	-	-	-	58	-	1	2
NORTHAMPTON - -	82,471	35	2	-	-	-	11	13	-	7	2
CAMBRIDGE - - - -	52,282	22	2	-	-	-	6	6	-	7	1
SOUTHEND ON SEA -	71,919	46	-	-	-	-	27	11	-	7	1
IPSWICH - - - - -	72,800	47	1	-	-	-	3	39	-	4	-
GREAT YARMOUTH -	45,516	10	-	-	-	-	4	3	-	2	1
NORWICH - - - - -	109,877	77	3	-	-	-	26	43	-	4	1
SWINDON - - - - -	51,516	56	-	-	-	-	27	26	-	3	-
EXETER - - - - -	51,631	21	2	-	-	-	4	7	-	8	-
PLYMOUTH - - - -	179,375	153	1	-	-	-	111	31	-	9	1
BATH - - - - -	58,799	31	-	-	-	-	12	14	-	5	-
BRISTOL ‡ - - - -	334,814	228	4	-	-	-	85	93	-	44	2
GLOUCESTER - - -	55,026	18	-	-	-	-	3	13	-	2	-
STOKE ON TRENT - -	215,116	211	3	-	-	-	62	125	-	19	2
WOLVERHAMPTON -	93,037	33	-	-	-	-	11	14	-	6	2
WALSALL - - - - -	87,957	81	1	-	-	-	54	7	-	16	3
WEST BROMWICH - -	67,221	6	-	-	-	-	3	2	-	1	-
DUDLEY - - - - -	52,049	5	-	-	-	-	1	-	-	3	1
BIRMINGHAM - - -	870,211	509	9	-	-	-	248	164	-	79	9
SMETHWICK - - - -	69,788	40	-	-	-	-	18	19	-	1	2
COVENTRY - - - -	128,098	69	2	-	-	-	24	29	-	13	1
LEICESTER - - - -	212,433	324	1	-	-	-	262	39	-	22	-
LINCOLN - - - - -	58,617	66	-	-	-	-	40	24	-	2	-
GRIMSBY - - - - -	67,014	62	4	-	-	-	41	12	-	4	1
NOTTINGHAM - - -	236,853	136	1	-	-	-	34	83	-	16	2
DERBY - - - - -	119,191	95	2	-	1	-	34	35	-	19	4
STOCKPORT - - - -	111,922	74	2	-	-	-	51	15	-	6	-
BIRKENHEAD - - -	133,819	480	6	-	-	-	419	39	-	13	3
WALLASEY - - - -	84,209	123	1	-	-	-	113	6	-	2	1
LIVERPOOL - - - -	716,140	1,361	9	-	-	-	712	486	-	150	4
BOOTLE - - - - -	68,871	99	2	-	-	-	57	30	-	10	-
ST. HELENS - - - -	90,582	260	1	-	-	-	112	128	-	16	3
SOUTHPORT - - - -	60,747	49	4	-	1	-	14	22	-	7	1
WIGAN - - - - -	83,110	97	13	-	-	-	67	4	-	10	3
WARRINGTON - - -	68,554	153	1	-	-	-	10	30	-	9	4
BOLTON - - - - -	163,411	84	7	-	-	-	28	30	-	18	1
BURY - - - - -	51,851	55	1	-	-	-	9	39	-	6	-
MANCHESTER - - -	660,143	411	12	-	-	-	182	129	-	69	19
SALFORD - - - - -	211,373	124	9	-	-	-	49	42	-	20	4

* The figures in this table, excepting those for London, which are derived from Table IX., are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

† The figures for Southsea District of Portsmouth are—total population (1911), 25,380; enteric fever, nil; typhus, nil; continued fever, nil; small-pox, nil; scarlet fever, 7; diphtheria (including membranous croup), 5; erysipelas, nil; and puerperal fever, nil.

‡ Including figures for the extended area from 1st October 1918.

TABLE VIII. (*continued*).—NUMBER of CASES of INFECTIOUS DISEASE among the CIVILIAN POPULATION notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 28th December, 1918.*

TOWNS.	Estimated Civilian Population, Mid. 1917.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Puerperal Fever.
OLDHAM - - - -	133,721	53	2	-	-	-	25	10	-	15	1
ROCHDALE - - - -	84,561	68	-	-	1	-	11	39	-	16	1
BURNLEY - - - -	93,779	37	1	-	-	-	7	17	-	12	-
BLACKBURN - - - -	113,315	88	1	-	-	-	57	15	-	14	1
PRESTON - - - -	106,747	62	2	-	-	-	9	39	-	11	1
BLACKPOOL - - - -	64,775	32	3	-	-	-	7	19	-	2	1
BARROW IN FURNESS - -	78,675	42	2	-	-	-	21	7	-	12	-
HUDDERSFIELD - - - -	105,818	71	4	-	-	-	29	29	-	9	-
HALIFAX - - - -	92,775	47	2	-	-	-	14	28	-	3	-
BRADFORD - - - -	266,338	126	6	-	-	-	44	57	-	16	3
LEEDS - - - -	417,051	381	8	-	-	-	187	142	-	39	5
DEWSBURY - - - -	52,244	61	1	-	-	-	37	21	-	1	1
WAKEFIELD - - - -	47,830	19	2	-	-	-	5	10	-	2	-
BARNSELY - - - -	47,943	14	-	-	-	-	4	7	-	2	1
SHEFFIELD - - - -	469,293	531	6	-	-	-	315	132	-	72	6
ROTHERHAM - - - -	64,685	37	-	-	-	-	22	7	-	7	1
YORK - - - -	78,492	24	2	-	-	-	6	9	-	6	1
HULL - - - -	246,357	144	3	-	-	-	55	64	-	21	1
MIDDLESBROUGH - - - -	119,251	119	4	-	-	-	56	52	-	7	-
DARLINGTON - - - -	60,482	73	1	-	-	-	38	27	-	7	-
STOCKTON ON TEES - - - -	57,048	85	13	-	-	-	55	15	-	2	-
WEST HARTLEPOOL - - - -	62,034	74	-	-	-	-	60	9	-	4	1
SUNDERLAND - - - -	141,765	126	1	-	-	-	92	17	-	16	-
SOUTH SHIELDS - - - -	106,500	37	10	-	-	-	16	6	-	5	-
GATESHEAD - - - -	119,134	49	-	-	-	-	28	17	-	4	-
NEWCASTLE ON TYNE - - -	266,551	215	3	-	-	-	126	52	-	30	4
TYNEMOUTH - - - -	57,591	33	8	-	-	-	11	6	-	8	-
CARLISLE - - - -	53,064	27	-	-	-	-	11	10	-	6	-
NEWPORT (MON.) - - - -	82,709	32	-	-	-	-	20	5	-	7	-
CARDIFF - - - -	169,440	209	2	-	-	-	143	51	-	12	1
RHONDDA - - - -	154,388	121	4	-	-	-	64	42	-	11	-
MERTHYR TYDFIL - - - -	74,508	90	-	-	-	-	70	16	-	3	1
ABERDARE - - - -	51,317	33	2	-	-	-	19	9	-	3	-
SWANSEA† - - - -	111,776	63	-	-	-	-	8	41	-	12	2
Smaller Towns.											
SURREY—											
BARNES - - - -	32,495	14	-	-	-	-	3	10	-	1	-
GUILDFORD - - - -	22,606	2	-	-	-	-	1	1	-	-	-
KINGSTON ON THAMES - - -	35,608	55	-	-	-	-	16	35	-	4	-
MITCHAM - - - -	30,189	37	-	-	-	-	15	18	-	4	-
REIGATE - - - -	23,680	21	-	-	-	-	10	10	-	-	1
RICHLMOND - - - -	33,359	13	-	-	-	-	7	3	-	2	1
SUTTON - - - -	19,502	22	-	-	-	-	16	4	-	2	-
WOKING - - - -	22,771	11	6	-	-	-	4	1	-	-	-
KENT—											
BECKENHAM - - - -	30,612	23	-	-	-	-	8	11	-	4	-
BROMLEY - - - -	31,882	57	-	-	-	-	12	41	-	2	2
CANTERBURY - - - -	21,627	12	-	-	-	-	1	9	-	2	-
CHATHAM - - - -	36,422	29	3	-	-	-	19	5	-	2	-
DARTFORD - - - -	21,007	42	1	-	-	-	8	32	-	-	1
DOVER - - - -	35,685	25	-	-	-	-	1	22	-	1	1
ERITH - - - -	33,129	28	-	-	-	-	22	6	-	-	-
FOLKESTONE - - - -	31,856	14	1	-	-	-	8	3	-	2	-
GRAVESEND - - - -	26,832	13	-	-	-	-	2	9	-	2	-
MAIDSTONE - - - -	30,796	9	1	-	-	-	1	7	-	-	-
MARGATE - - - -	19,412	61	1	-	-	-	34	14	-	12	-
PENGE (Surrey Reg. Co.) - -	21,474	10	-	-	-	-	5	3	-	1	1
RAMSGATE - - - -	21,362	8	-	-	-	-	-	8	-	-	-
ROCHESTER - - - -	28,896	25	1	-	-	-	10	11	-	3	-
TUNBRIDGE WELLS - - - -	30,751	21	2	-	-	-	10	6	-	3	-

* The figures in this table, excepting those for London, which are derived from Table IX, are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

† Including figures for the extended area from 9th November 1918.

TABLE VIII. (*continued*).—NUMBER of CASES of INFECTIOUS DISEASE among the CIVILIAN POPULATION notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 28th December, 1918.*

TOWNS.	Estimated Civilian Population, Mid. 1917	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Puerperal Fever.
SUSSEX EAST—											
HOVE - - - - -	39,622	17	-	-	-	-	9	5	-	3	-
SUSSEX WEST—											
WORTHING - - - - -	27,662	15	-	-	-	-	5	10	-	-	-
SOUTHAMPTON—											
ALDRSHOT (Surrey Reg. Co.).	20,391	1	-	-	-	-	1	-	-	-	-
GOSPORT AND ALVERSTOKE	27,762	18	-	-	-	-	11	6	-	1	-
WINCHESTER - - - - -	20,152	8	1	-	-	-	5	2	-	-	-
MIDDLESEX—											
CHISWICK - - - - -	38,712	13	-	-	-	-	7	5	-	-	1
FINCHLEY - - - - -	42,969	42	-	-	-	-	15	21	-	6	-
HENDON - - - - -	51,689	26	1	-	-	-	11	10	-	4	-
HESTON AND ISLEWORTH -	38,683	44	-	-	-	-	28	16	-	-	-
SOUTHALL NORWOOD -	26,556	31	7	-	-	-	14	9	-	1	-
SOUTHGATE - - - - -	37,107	24	1	-	-	-	15	6	-	2	-
TWICKENHAM - - - - -	35,764	19	-	-	-	-	8	9	-	2	-
WOOD GREEN - - - - -	46,645	39	-	-	-	-	15	19	-	5	-
HERTFORDSHIRE—											
ST. ALBANS - - - - -	24,208	2	-	-	-	-	1	1	-	-	-
WATFORD - - - - -	40,650	23	-	-	-	-	6	15	-	2	-
BUCKINGHAMSHIRE—											
CHEPPING WYCOMBE -	19,627	14	-	-	-	-	4	10	-	-	-
NORTHAMPTONSHIRE—											
KETTERING - - - - -	27,370	34	-	-	-	-	7	24	-	3	-
SOKE OF PETERBOROUGH—											
PETERBOROUGH - - - - -	34,920	35	1	-	-	-	16	17	-	1	-
BEDFORDSHIRE—											
BEDFORD - - - - -	37,663	41	-	-	-	-	26	9	-	6	-
LUTON - - - - -	54,208	22	-	-	-	-	3	18	-	1	-
ESSEX—											
BARKING TOWN - - - - -	32,394	45	3	-	-	-	11	20	-	10	1
COLCHESTER - - - - -	36,991	17	5	-	-	-	5	6	-	1	-
SUFFOLK EAST—											
LOWESTOFT - - - - -	30,223	15	3	-	-	-	5	1	-	6	-
NORFOLK—											
KING'S LYNN - - - - -	17,520	10	3	-	-	-	5	2	-	-	-
WILTSHIRE—											
SALISBURY - - - - -	20,394	1	-	-	-	-	1	-	-	-	-
DORSETSHIRE—											
POOLE - - - - -	37,978	36	4	-	-	-	14	16	-	1	1
WEYMOUTH AND MELCOMBE REGIS.	21,388	1	-	-	-	-	-	-	-	1	-
DEVONSHIRE—											
TORQUAY - - - - -	30,685	12	-	-	-	-	5	5	-	-	2
SOMERSETSHIRE—											
TAUNTON - - - - -	19,247	4	-	-	-	-	-	-	-	4	-
WESTON SUPER MARE -	21,222	2	1	-	-	-	1	-	-	-	-
GLOUCESTERSHIRE—											
CHELTENHAM - - - - -	41,181	46	-	-	-	-	5	41	-	-	-
HEREFORDSHIRE—											
HEREFORD - - - - -	23,246	8	1	-	-	-	3	-	-	3	1

* The figures in this table, excepting those for London, which are derived from Table IX, are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

TABLE VIII. (*continued*).—NUMBER of CASES of INFECTIOUS DISEASE among the CIVILIAN POPULATION notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 28th December, 1918.*

TOWNS.	Estimated Civilian Population, Mid. 1917.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Puerperal Fever.
SHROPSHIRE—											
SHREWSBURY - - -	27,386	31	-	-	-	-	9	20	-	2	-
STAFFORDSHIRE—											
BILSTON - - - -	24,728	5	-	-	-	-	3	1	-	1	-
BURTON UPON TRENT -	42,311	21	-	-	-	-	18	3	-	-	-
CANNOCK - - - -	28,785	21	-	-	-	-	5	7	-	9	-
COSELEY - - - -	21,897	7	1	-	-	-	3	1	-	2	-
NEWCASTLE UNDER LYME	18,532	7	-	-	-	-	2	4	-	1	-
ROWLEY REGIS - - -	36,505	7	-	-	-	-	2	1	-	4	-
STAFFORD - - - -	24,376	25	-	-	-	-	5	18	-	2	-
TIPTON - - - -	31,630	5	1	-	-	-	3	-	-	1	-
WEDNESBURY - - -	29,759	12	-	-	-	-	8	1	-	3	-
WOLSTANTON UNITED -	27,704	11	-	-	-	-	3	4	-	4	-
WORCESTERSHIRE—											
KIDDERMINSTER - -	23,508	8	-	-	-	-	-	6	-	2	-
OLDBURY (Staffordshire Reg. Co.).	34,884	12	-	-	-	-	4	6	-	2	-
WORCESTER - - -	44,744	19	-	-	-	-	1	16	-	2	-
WARWICKSHIRE—											
NUNEATON - - - -	37,681	8	-	-	-	-	4	2	-	1	1
ROYAL LEAMINGTON SPA -	25,654	6	-	-	-	-	4	1	-	-	1
RUGBY - - - -	22,675	17	-	-	-	-	6	9	-	1	1
SUTTON COLDFIELD (Staffs. Reg. Co.).	19,265	2	-	-	-	-	1	1	-	-	-
LEICESTERSHIRE—											
LOUGHBOROUGH - -	22,967	8	-	-	-	-	3	5	-	-	-
LINCOLNSHIRE											
(KESTEVEN)—											
GRANTHAM - - - -	20,388	7	1	-	-	-	4	-	-	2	-
LINCOLNSHIRE											
(LINDSEY)—											
CLEETHORPE WITH	22,285	32	-	-	-	-	19	12	-	1	-
THRUNSCOE.											
GAINSBOROUGH - - -	19,092	20	-	-	-	-	14	5	-	1	-
NOTTINGHAMSHIRE—											
MANSFIELD - - - -	40,936	13	-	-	-	-	5	4	-	4	-
SUTTON IN ASHFIELD -	22,329	20	9	-	-	-	6	4	-	1	-
WORKSOP - - - -	20,209	12	-	-	-	-	7	3	-	2	-
DERBYSHIRE—											
CHESTERFIELD - - -	36,706	17	2	-	-	-	5	2	-	6	2
GLOSSOP - - - -	19,329	6	-	-	-	-	5	-	-	1	-
ILKESTON (Nottinghamshire Reg. Co.).	29,597	14	4	-	-	-	2	8	-	-	-
CHESHIRE—											
CHESTER - - - -	37,262	26	1	-	-	-	20	5	-	-	-
CREWE - - - -	43,256	25	1	-	-	-	6	18	-	-	-
HYDE - - - -	30,828	8	-	-	-	-	2	1	-	5	-
MACCLESFIELD - - -	29,634	9	1	-	-	-	2	2	-	4	-
STALYBRIDGE (Lancashire Reg. Co.).	23,464	7	-	-	-	-	3	2	-	-	2
LANCASHIRE—											
ACCINGTON - - - -	40,694	26	-	-	-	-	2	7	-	16	1
ASHTON IN MAKERFIELD -	21,101	20	1	-	-	-	10	7	-	2	-
ASHTON UNDER LYNE -	39,173	15	-	-	-	-	11	2	-	2	-
BACUP - - - -	19,235	12	-	-	-	-	5	-	-	7	-
CHADDERTON - - -	26,298	24	1	-	-	-	13	5	-	5	-
CHORLEY - - - -	27,328	19	1	-	-	-	-	16	-	2	-
COLNE - - - -	22,312	27	-	-	-	-	6	17	-	4	-
DARWEN - - - -	34,278	6	-	-	-	-	2	2	-	1	1
ECCLES - - - -	40,247	46	2	-	-	-	29	12	-	3	-
FARNWORTH - - - -	24,759	7	-	-	-	-	5	2	-	-	-

* The figures in this table, excepting those for London, which are derived from Table IX. are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

TABLE VIII. (continued).--NUMBER of CASES of INFECTIOUS DISEASE among the CIVILIAN POPULATION notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 28th December, 1918.*

TOWNS.	Estimated Civilian Population, Mid. 1917.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
LANCASHIRE—cont.											
HEYWOOD - - -	23,579	33	1	-	-	-	2	23	-	7	-
HINDLEY - - -	22,251	12	1	-	-	-	5	2	-	1	3
INCE IN MAKERFIELD - - -	20,871	4	2	-	-	-	2	-	-	-	-
LANCASTER - - -	36,707	14	2	-	-	-	5	5	-	2	-
LEIGH - - -	42,189	26	1	-	-	-	2	16	-	7	-
MIDDLETON - - -	25,539	13	-	-	-	-	3	6	-	4	-
NELSON - - -	36,538	22	-	-	-	-	7	10	-	5	-
RADCLIFFE - - -	23,054	22	2	-	-	-	15	5	-	-	-
RAWTENSTALL - - -	26,032	5	-	-	-	-	1	2	-	2	-
STRETFORD - - -	40,682	19	1	-	-	-	10	5	-	3	-
SWINTON AND PENDLEBURY.	28,188	19	3	-	-	-	4	5	-	7	-
WATERLOO WITH SEAFORTH.	27,746	34	1	-	-	-	20	10	-	3	-
WIDNES - - -	31,368	14	-	-	-	-	5	7	-	2	-
YORKSHIRE (WEST RIDING)—											
BATLEY - - -	33,801	25	6	-	-	-	14	3	-	2	-
BRIGHOUSE - - -	19,332	22	-	-	-	-	14	5	-	3	-
CASTLEFORD - - -	24,256	5	1	-	-	-	2	2	-	-	-
DONCASTER - - -	48,187	26	-	-	-	-	13	7	-	6	-
GOOLE - - -	16,397	39	2	-	-	-	9	26	-	2	-
HARROGATE - - -	30,722	20	-	-	-	-	6	13	-	1	-
KEIGHLEY - - -	40,575	7	-	-	-	-	2	5	-	-	-
MORLEY - - -	22,567	30	-	-	-	-	13	13	-	2	2
SHIPLEY - - -	26,377	3	1	-	-	-	1	1	-	-	-
SPENBOROUGH - - -	29,816	7	-	-	-	-	1	5	-	1	-
TODMORDEN - - -	23,862	13	2	-	-	-	8	1	-	2	-
YORKSHIRE (NORTH RIDING)—											
ESTON - - -	28,909	21	1	-	1	-	5	12	-	2	-
SCARBOROUGH - - -	28,410	57	-	-	-	-	9	47	-	1	-
DURHAM—											
BLAYDON - - -	30,870	61	-	-	-	-	56	1	-	4	-
FELLING - - -	24,532	5	-	-	-	-	3	-	-	2	-
HARTLEPOOL - - -	18,195	99	-	-	-	-	94	1	-	4	-
HEBBURN - - -	23,660	17	-	-	-	-	8	3	-	5	1
JARROW - - -	35,460	19	1	-	-	-	11	2	-	5	-
STANLEY - - -	22,538	34	-	-	-	-	13	18	-	3	-
NORTHUMBERLAND—											
ASHINGTON - - -	26,281	44	18	-	-	-	13	9	-	4	-
BEDLINGTONSHIRE - - -	23,667	11	3	-	-	-	2	4	-	2	-
BLYTH - - -	28,505	8	-	-	-	-	2	2	-	4	-
WALLSEND - - -	43,358	39	2	-	-	-	22	10	-	5	-
CUMBERLAND—											
WORKINGTON - - -	25,282	31	-	-	-	-	16	15	-	-	-
MONMOUTHSHIRE—											
ABERSYCHAN - - -	25,274	8	-	-	-	-	5	1	-	1	1
ABERTILLERY - - -	37,032	32	1	-	-	-	22	5	-	4	-
BEDWELLY - - -	28,016	19	-	-	-	-	16	3	-	-	-
EBBW VALE - - -	34,073	18	-	-	-	-	15	-	-	3	-
TREDEGAR - - -	22,879	26	-	-	-	-	12	12	-	1	1
GLAMORGANSHIRE—											
BARRY - - -	33,403	36	1	-	-	-	14	14	-	7	-
CAERPHILLY - - -	33,859	42	2	-	-	-	26	11	-	2	1
GELLIGAER - - -	39,211	10	-	-	-	-	6	3	-	1	-
MAESTEG - - -	27,454	61	-	-	-	-	20	41	-	-	-
MOUNTAIN ASH - - -	41,341	33	12	-	-	-	8	11	-	2	-
OGMORE AND GARW - - -	28,515	10	1	-	-	-	5	1	-	2	1
PONTYPRIDD - - -	41,651	11	-	-	-	-	4	3	-	4	-
CARMARTHENSHIRE—											
LLANELLY - - -	34,905	7	-	-	-	-	7	-	-	-	-

* The figures in this table, excepting those for London, which are derived from Table IX., are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

TABLE IX. -NUMBER of CASES of INFECTIOUS DISEASE among the CIVILIAN POPULATION notified in the several BOROUGHs of the ADMINISTRATIVE COUNTY of LONDON during the 13 Weeks ended 28th December, 1918.*

BOROUGHs.	Estimated Civilian Population, Mid. 1917.	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Anthrax.	Glanders.	Ophthalmia Neonatorum.	Poliomyelitis.	
WEST.																	
Paddington - -	122,507	137	3	-	-	-	66	53	-	9	1	-	-	1	4	-	
St. Pancras - -	151,535	127	7	-	-	-	55	47	-	10	2	1	-	-	5	-	
St. James's - -	114,952	117	4	-	-	-	61	38	-	6	3	-	-	-	5	-	
St. Marylebone - -	145,186	170	5	-	-	-	76	66	-	13	2	2	-	-	5	1	
St. George's - -	57,368	39	-	-	-	-	16	15	-	6	-	-	-	-	2	-	
City of Westminster	122,046	64	7	-	-	-	21	20	-	6	-	-	-	-	8	2	
NORTH.																	
St. Marylebone - -	92,796	61	1	-	-	-	17	31	-	8	-	-	-	-	4	-	
St. Pancras - -	75,649	41	3	-	-	-	11	19	-	6	1	-	-	-	1	-	
St. George's - -	186,600	243	4	-	-	-	96	106	-	30	1	1	-	-	4	1	
St. James's - -	297,102	295	6	-	-	-	133	110	-	32	4	1	-	-	5	4	
St. George's - -	47,426	54	-	-	-	-	16	36	-	2	-	-	-	-	-	-	
St. Pancras - -	196,698	363	5	-	-	-	110	214	-	31	-	1	-	-	1	1	
CENTRAL.																	
St. George's - -	35,303	31	1	-	-	1	3	22	-	3	-	-	-	-	-	1	
St. Pancras - -	68,011	51	-	-	-	-	22	19	-	9	1	-	-	-	-	-	
City of London	16,138	10	-	-	-	-	3	6	-	1	-	-	-	-	-	-	
EAST.																	
St. George's - -	89,675	115	1	-	-	-	67	29	-	15	-	3	-	-	-	-	
St. Pancras - -	107,362	279	5	-	-	-	160	80	-	33	-	-	-	-	1	-	
St. George's - -	232,010	398	1	-	-	-	162	184	-	43	5	-	-	-	2	1	
St. Pancras - -	143,443	210	2	-	-	-	93	74	-	25	1	1	-	-	12	2	
SOUTH.																	
St. George's - -	167,936	403	-	-	-	-	228	115	-	45	-	3	-	-	12	-	
St. Pancras - -	107,635	199	1	-	-	-	83	87	-	20	-	-	2	-	5	1	
St. George's - -	272,038	336	3	-	-	-	188	111	-	23	2	2	-	-	7	-	
St. Pancras - -	150,023	117	-	-	-	-	49	46	-	14	1	1	-	-	6	-	
St. George's - -	300,787	291	2	-	-	-	136	114	-	29	1	3	-	-	6	-	
St. Pancras - -	239,461	287	4	-	-	-	97	139	-	42	-	1	-	-	4	-	
St. George's - -	103,527	122	6	-	-	-	50	47	-	13	1	-	-	-	5	-	
St. Pancras - -	90,440	99	5	-	-	-	38	43	-	4	1	-	-	-	8	-	
St. George's - -	161,405	137	-	-	-	-	59	59	-	11	3	1	-	-	4	-	
St. Pancras - -	131,942	145	3	-	-	-	57	68	-	9	1	-	-	-	7	-	
Port of London	-	4	2	-	-	-	2	-	-	-	-	-	-	-	-	-	
ADMINISTRATIVE COUNTY OF LONDON -		4,026,901	4,945	81	-	-	1	2,175	1,998	-	498	31	21	2	1	123	14
AGES.																	
Ages 0-1 - - -	- - -	199	-	-	-	-	16	38	-	13	6	-	-	-	123	3	
" 1-5 - - -	- - -	1,177	1	-	-	-	555	592	-	18	5	-	-	-	-	6	
" 5- - - -	- - -	1,881	13	-	-	-	1,031	801	-	28	4	-	-	-	-	4	
" 10- - - -	- - -	716	3	-	-	-	368	300	-	42	2	-	-	-	-	1	
" 15- - - -	- - -	269	24	-	-	-	102	117	-	19	6	1	-	-	-	-	
" 20- - - -	- - -	145	12	-	-	-	50	54	-	20	2	7	-	-	-	-	
" 25- - - -	- - -	166	14	-	-	-	39	57	-	40	5	10	-	1	-	-	
" 35- - - -	- - -	121	7	-	-	-	10	24	-	76	1	2	1	-	-	-	
" 45- - - -	- - -	126	5	-	-	-	4	13	-	103	-	1	-	-	-	-	
" 55- - - -	- - -	76	2	-	-	1	-	1	-	71	-	-	1	-	-	-	
" 65- - - -	- - -	56	-	-	-	-	-	1	-	55	-	-	-	-	-	-	
" 75 and upwards	- - -	13	-	-	-	-	-	-	-	13	-	-	-	-	-	-	
Age not stated	- - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of Public Health (London) Act, 1891.

TABLE X.—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 28th December, 1918.

(Civilian Population only.)

TOWNS.	Total Cases.	Annual Rate per 1000 Civilian Population, Mid. 1917.								
		Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
LONDON - - - -	4·76	0·08	-	-	0·00	2·17	1·99	-	0·50	0·02
243 Provincial Towns - -	3·36	0·09	-	0·00	-	1·65	1·20	-	0·38	0·04
95 Great Towns - - -	3·54	0·08	-	0·00	-	1·80	1·22	-	0·40	0·04
148 Smaller Towns - - -	2·80	0·13	-	0·00	-	1·21	1·11	-	0·32	0·03
Great Towns.										
CROYDON - - - -	4·10	-	-	-	-	2·97	0·96	-	0·17	-
WIMBLEDON - - - -	3·81	0·07	-	-	-	1·72	1·80	-	0·07	0·15
EALING - - - -	2·13	-	-	-	-	1·56	0·38	-	0·13	0·06
ACTON - - - -	2·13	-	-	-	-	1·03	0·96	-	0·14	-
WILLESDEN - - - -	3·88	0·08	-	-	-	1·25	2·07	-	0·43	0·05
HORNSEY - - - -	2·87	-	-	-	-	1·46	0·92	-	0·49	-
TOTTENHAM - - - -	4·99	-	-	-	-	2·17	2·46	-	0·36	-
EDMONTON - - - -	3·17	0·13	-	-	-	1·55	0·78	-	0·71	-
ENFIELD - - - -	1·75	0·14	-	-	-	0·91	0·28	-	0·42	-
WEST HAM - - - -	5·56	0·19	-	-	-	1·89	2·60	-	0·87	0·01
EAST HAM - - - -	4·85	-	-	-	-	2·30	2·24	-	0·31	-
LEYTON - - - -	3·11	0·07	-	-	-	1·11	1·78	-	0·11	0·04
WALTHAMSTOW - - - -	3·39	0·03	-	-	-	1·31	1·71	-	0·34	-
ILFORD - - - -	4·64	0·05	-	-	-	1·92	2·14	-	0·48	0·05
GILLINGHAM - - - -	4·46	0·09	-	-	-	2·55	1·46	-	0·36	-
HASTINGS - - - -	1·66	-	-	-	-	0·58	0·75	-	0·33	-
EASTBOURNE - - - -	1·17	-	-	-	-	0·36	0·54	-	0·09	0·18
BRIGHTON - - - -	3·53	0·04	-	-	-	0·92	2·08	-	0·49	-
PORTSMOUTH - - - -	3·31	0·08	-	-	-	1·76	1·35	-	0·10	0·02
BOURNEMOUTH - - - -	1·15	-	-	-	-	0·46	0·57	-	0·06	0·06
SOUTHAMPTON - - - -	1·60	0·21	-	-	-	0·42	0·83	-	0·14	-
READING - - - -	2·73	-	-	-	-	1·02	1·17	-	0·49	0·05
OXFORD - - - -	4·76	0·15	-	-	-	-	4·38	-	0·08	0·15
NORTHAMPTON - - - -	1·70	0·10	-	-	-	0·53	0·63	-	0·34	0·10
CAMBRIDGE - - - -	1·69	0·15	-	-	-	0·46	0·46	-	0·54	0·08
SOUTHEND ON SEA - - - -	2·57	-	-	-	-	1·51	0·61	-	0·39	0·06
IPSWICH - - - -	2·60	0·06	-	-	-	0·17	2·15	-	0·22	-
GREAT YARMOUTH - - - -	0·88	-	-	-	-	0·35	0·26	-	0·18	0·09
NORWICH - - - -	2·82	0·11	-	-	-	0·95	1·57	-	0·15	0·04
SWINDON - - - -	4·35	-	-	-	-	2·10	2·02	-	0·23	-
EXETER - - - -	1·63	0·16	-	-	-	0·31	0·54	-	0·62	-
PLYMOUTH - - - -	3·41	0·02	-	-	-	2·48	0·69	-	0·20	0·02
BATH - - - -	2·12	-	-	-	-	0·82	0·96	-	0·34	-
BRISTOL* - - - -	2·73	0·05	-	-	-	1·02	1·11	-	0·53	0·02
GLOUCESTER - - - -	1·32	-	-	-	-	0·22	0·95	-	0·15	-
STOKE ON TRENT - - - -	3·94	0·06	-	-	-	1·16	2·33	-	0·35	0·04
WOLVERHAMPTON - - - -	1·42	-	-	-	-	0·47	0·60	-	0·26	0·09
WALSALL - - - -	3·70	0·05	-	-	-	2·46	0·32	-	0·73	0·14
WEST BROMWICH - - - -	0·36	-	-	-	-	0·18	0·12	-	0·06	-
DUDLEY - - - -	0·39	-	-	-	-	0·08	-	-	0·23	0·08
BIRMINGHAM - - - -	2·34	0·04	-	-	-	1·14	0·76	-	0·36	0·04
SMETHWICK - - - -	2·29	-	-	-	-	1·03	1·09	-	0·06	0·11
COVENTRY - - - -	2·16	0·06	-	-	-	0·75	0·91	-	0·41	0·03
LEICESTER - - - -	6·13	0·02	-	-	-	4·95	0·74	-	0·42	-
LINCOLN - - - -	4·52	-	-	-	-	2·74	1·64	-	0·14	-
GRIMSBY - - - -	3·71	0·24	-	-	-	2·45	0·72	-	0·24	0·06
NOTTINGHAM - - - -	2·31	0·02	-	-	-	0·58	1·41	-	0·27	0·03
DERBY - - - -	3·19	0·07	-	0·03	-	1·14	1·18	-	0·64	0·13
STOCKPORT - - - -	2·66	0·07	-	-	-	1·83	0·54	-	0·22	-
BIRKENHEAD - - - -	14·39	0·18	-	-	-	12·56	1·17	-	0·39	0·09
WALLASEY - - - -	5·86	0·05	-	-	-	5·38	0·28	-	0·10	0·05
LIVERPOOL - - - -	7·62	0·05	-	-	-	3·99	2·72	-	0·84	0·02
BOOTLE - - - -	5·77	0·12	-	-	-	3·32	1·75	-	0·58	-
ST. HELENS - - - -	11·51	0·04	-	-	-	4·96	5·67	-	0·71	0·13
SOUTHPORT - - - -	3·23	0·26	-	0·07	-	0·92	1·45	-	0·46	0·07
WIGAN - - - -	4·67	0·63	-	-	-	3·23	0·19	-	0·48	0·14
WARRINGTON - - - -	8·96	0·06	-	-	-	6·38	1·76	-	0·53	0·23
BOLTON - - - -	2·06	0·17	-	-	-	0·69	0·74	-	0·44	0·02
BURY - - - -	4·26	0·08	-	-	-	0·70	3·02	-	0·46	-
MANCHESTER - - - -	2·50	0·07	-	-	-	1·11	0·78	-	0·42	0·12
SALFORD - - - -	2·37	0·18	-	-	-	0·93	0·80	-	0·38	0·08

* See note to Table VIII. Allowance has been made in calculating the above rates.

TABLE X. (*continued*).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 28th December, 1918.

(Civilian Population only.)

TOWNS.	Annual Rate per 1000 Civilian Population, Mid. 1917.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
OLDHAM	1·59	0·06	-	-	-	0·75	0·30	-	0·45	0·03
ROCHDALE	3·23	-	-	0·05	-	0·52	1·85	-	0·76	0·05
BURNLEY	1·58	0·04	-	-	-	0·30	0·73	-	0·51	-
BLACKBURN	3·13	0·04	-	-	-	2·02	0·53	-	0·50	0·04
PRESTON	2·34	0·08	-	-	-	0·34	1·47	-	0·41	0·04
BLACKPOOL	1·98	0·19	-	-	-	0·43	1·18	-	0·12	0·06
BARROW IN FURNESS	2·14	0·10	-	-	-	1·07	0·36	-	0·61	-
HUDDERSFIELD	2·69	0·15	-	-	-	1·10	1·10	-	0·34	-
HALIFAX	2·04	0·09	-	-	-	0·61	1·21	-	0·13	-
BRADFORD	1·89	0·09	-	-	-	0·66	0·86	-	0·24	0·04
LEEDS	3·68	0·08	-	-	-	1·80	1·37	-	0·38	0·05
DEWSBURY	4·69	0·08	-	-	-	2·84	1·61	-	0·08	0·08
WAKEFIELD	1·60	0·17	-	-	-	0·42	0·84	-	0·17	-
BARNLEY	1·17	-	-	-	-	0·33	0·59	-	0·17	0·08
SHEFFIELD	4·54	0·05	-	-	-	2·69	1·13	-	0·62	0·05
ROTHERHAM	2·28	-	-	-	-	1·36	0·43	-	0·43	0·06
YORK	1·23	0·10	-	-	-	0·31	0·46	-	0·31	0·05
HULL	2·35	0·05	-	-	-	0·90	1·04	-	0·34	0·02
MIDDLESBROUGH	4·00	0·13	-	-	-	1·88	1·75	-	0·24	-
DARLINGTON	4·84	0·07	-	-	-	2·52	1·79	-	0·46	-
STOCKTON ON TEES	5·97	0·91	-	-	-	3·87	1·05	-	0·14	-
WEST HARTLEPOOL	4·78	-	-	-	-	3·88	0·58	-	0·26	0·06
SUNDERLAND	3·56	0·03	-	-	-	2·60	0·48	-	0·45	-
SOUTH SHIELDS	1·40	0·38	-	-	-	0·60	0·23	-	0·19	-
GATESHEAD	1·64	-	-	-	-	0·94	0·57	-	0·13	-
NEWCASTLE ON TYNE	3·24	0·05	-	-	-	1·90	0·78	-	0·45	0·06
TYNEMOUTH	2·31	0·56	-	-	-	0·77	0·42	-	0·56	-
CARLISLE	2·04	-	-	-	-	0·83	0·76	-	0·45	-
NEWPORT (MON.)	1·55	-	-	-	-	0·97	0·24	-	0·34	-
CARDIFF	4·95	0·05	-	-	-	3·39	1·21	-	0·28	0·02
RHONDDA	3·14	0·10	-	-	-	1·66	1·09	-	0·29	-
MERTHYR TYDFIL	4·84	-	-	-	-	3·77	0·86	-	0·16	0·05
ABERDARE	2·58	0·16	-	-	-	1·49	0·70	-	0·23	-
SWANSEA*	1·95	-	-	-	-	0·25	1·27	-	0·37	0·06
Smaller Towns.										
SURREY—										
BARNES	1·72	-	-	-	-	0·37	1·23	-	0·12	-
GUILDFORD	0·34	-	-	-	-	0·17	0·17	-	-	-
KINGSTON ON THAMES	6·20	-	-	-	-	1·81	3·94	-	0·45	-
MITCHAM	4·91	-	-	-	-	1·99	2·39	-	0·53	-
REIGATE	3·55	-	-	-	-	1·69	1·69	-	-	0·17
RICHMOND	1·56	-	-	-	-	0·84	0·36	-	0·24	0·12
SUTTON	4·52	-	-	-	-	3·29	0·82	-	0·41	-
WOKING	1·94	1·06	-	-	-	0·70	0·18	-	-	-
KENT—										
BECKENHAM	3·01	-	-	-	-	1·05	1·44	-	0·52	-
BROMLEY	7·17	-	-	-	-	1·51	5·16	-	0·25	0·25
CANTERBURY	2·23	-	-	-	-	0·19	1·67	-	0·37	-
CHATHAM	3·19	0·33	-	-	-	2·09	0·55	-	0·22	-
DARTFORD	8·02	0·19	-	-	-	1·53	6·11	-	-	0·19
DOVER	2·80	-	-	-	-	0·11	2·47	-	0·11	0·11
ERITH	3·39	-	-	-	-	2·66	0·73	-	-	-
FOLKESTONE	1·77	0·13	-	-	-	1·01	0·38	-	0·25	-
GRAVESEND	1·95	-	-	-	-	0·30	1·35	-	0·30	-
MAIDSTONE	1·17	0·13	-	-	-	0·13	0·91	-	-	-
MARGATE	12·60	0·21	-	-	-	7·02	2·89	-	2·48	-
PENGE (Surrey Reg. Co.)	1·87	-	-	-	-	0·93	0·56	-	0·19	0·19
RAMSGATE	1·51	-	-	-	-	-	1·51	-	-	-
ROCHESTER	3·48	0·14	-	-	-	1·39	1·53	-	0·42	-
TUNBRIDGE WELLS	2·73	0·26	-	-	-	1·30	0·78	-	0·39	-

* See note to Table VIII. Allowance has been made in calculating the above rates.

TABLE X. (*continued*).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 28th December, 1918.

(Civilian Population only.)

TOWNS.	Annual Rate per 1000 Civilian Population, Mid. 1917.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Puerperal Fever.
SUSSEX EAST—										
HOVE - - - -	1·72	-	-	-	-	0·91	0·51	-	0·30	-
SUSSEX WEST—										
WORTHING - - -	2·17	-	-	-	-	0·72	1·45	-	-	-
SOUTHAMPTON—										
ALDERSHOT (Surrey Reg. Co.).	0·20	-	-	-	-	0·20	-	-	-	-
GOSPORT & ALVERSTOKE -	2·60	-	-	-	-	1·59	0·87	-	0·14	-
WINCHESTER - - -	1·60	0·20	-	-	-	1·00	0·40	-	-	-
MIDDLESEX—										
CHISWICK - - - -	1·35	-	-	-	-	0·73	0·52	-	-	0·10
FINCHLEY - - - -	3·92	-	-	-	-	1·40	1·96	-	0·56	-
HENDON - - - -	2·02	0·08	-	-	-	0·85	0·78	-	0·31	-
HESTON & ISLEWORTH -	4·56	-	-	-	-	2·90	1·66	-	-	-
SOUTHALL NORWOOD -	4·68	1·06	-	-	-	2·11	1·36	-	0·15	-
SOUTHGATE - - -	2·60	0·11	-	-	-	1·62	0·65	-	0·22	-
TWICKENHAM - - -	2·13	-	-	-	-	0·90	1·01	-	0·22	-
WOOD GREEN - - -	3·35	-	-	-	-	1·29	1·63	-	0·43	-
HERTFORDSHIRE—										
ST. ALBANS - - -	0·34	-	-	-	-	0·17	0·17	-	-	-
WATFORD - - - -	2·27	-	-	-	-	0·59	1·48	-	0·20	-
BUCKINGHAMSHIRE—										
CHEPPING WYCOMBE -	2·86	-	-	-	-	0·82	2·04	-	-	-
NORTHAMPTONSHIRE—										
KETTERING - - -	4·99	-	-	-	-	1·03	3·52	-	0·44	-
SOKE OF PETERBOROUGH—										
PETERBOROUGH - -	4·01	0·11	-	-	-	1·84	1·95	-	0·11	-
BEDFORDSHIRE—										
BEDFORD - - - -	4·37	-	-	-	-	2·77	0·96	-	0·64	-
LUTON - - - -	1·62	-	-	-	-	0·22	1·33	-	0·07	-
ESSEX—										
BARKING TOWN - -	5·57	0·37	-	-	-	1·36	2·48	-	1·24	0·12
COLCHESTER - - -	1·84	0·54	-	-	-	0·54	0·65	-	0·11	-
SUFFOLK EAST—										
LOWESTOFT - - -	1·99	0·40	-	-	-	0·66	0·13	-	0·80	-
NORFOLK—										
KING'S LYNN - - -	2·29	0·69	-	-	-	1·14	0·46	-	-	-
WILTSHIRE—										
SALISBURY - - - -	0·20	-	-	-	-	0·20	-	-	-	-
DORSETSHIRE—										
POOLE - - - -	3·81	0·42	-	-	-	1·48	1·69	-	0·11	0·11
WEYMOUTH AND MELCOMBE REGIS.	0·19	-	-	-	-	-	-	-	0·19	-
DEVONSHIRE—										
TORQUAY - - - -	1·56	-	-	-	-	0·65	0·65	-	-	0·26
SOMERSETSHIRE—										
TAUNTON - - - -	0·83	-	-	-	-	-	-	-	0·83	-
WESTON SUPER MARE -	0·38	0·19	-	-	-	0·19	-	-	-	-
GLOUCESTERSHIRE—										
CHELTENHAM - - -	4·48	-	-	-	-	0·49	3·99	-	-	-
HEREFORDSHIRE—										
HEREFORD - - - -	1·38	0·17	-	-	-	0·52	-	-	0·52	0·17

TABLE X. (*continued*).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 28th December, 1918.

(Civilian Population only.)

TOWNS.	Annual Rate per 1000 Civilian Population, Mid. 1917.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
SHROPSHIRE—										
SHREWSBURY - - -	4·54	-	-	-	-	1·32	2·93	-	0·29	-
STAFFORDSHIRE—										
BILSTON - - - -	0·81	-	-	-	-	0·49	0·16	-	0·16	-
BURTON UPON TRENT - -	1·99	-	-	-	-	1·71	0·28	-	-	-
CANNOCK - - - -	2·93	-	-	-	-	0·70	0·98	-	1·25	-
COSELEY - - - -	1·23	0·18	-	-	-	0·55	0·18	-	0·37	-
NEWCASTLE UNDER LYME	1·52	-	-	-	-	0·43	0·87	-	0·22	-
ROWLEY REGIS - - -	0·77	-	-	-	-	0·22	0·11	-	0·44	-
STAFFORD - - - -	4·11	-	-	-	-	0·82	2·96	-	0·33	-
TIPTON - - - -	0·64	0·13	-	-	-	0·38	-	-	0·13	-
WEDNESBURY - - -	1·61	-	-	-	-	1·08	0·13	-	0·40	-
WOLSTANTON UNITED -	1·59	-	-	-	-	0·43	0·58	-	0·58	-
WORCESTERSHIRE—										
KIDDERMINSTER - -	1·36	-	-	-	-	-	1·02	-	0·34	-
OLDBURY (Staffs. Reg. Co.)	1·38	-	-	-	-	0·46	0·69	-	0·23	-
WORCESTER - - - -	1·71	-	-	-	-	0·09	1·43	-	0·19	-
WARWICKSHIRE—										
NUNEATON - - - -	0·86	-	-	-	-	0·43	0·21	-	0·11	0·11
ROYAL LEAMINGTON SPA	0·95	-	-	-	-	0·63	0·16	-	-	0·16
RUGBY - - - -	3·01	-	-	-	-	1·06	1·59	-	0·18	0·18
SUTTON COLDFIELD (Staffs. Reg. Co.).	0·42	-	-	-	-	0·21	0·21	-	-	-
LEICESTERSHIRE—										
LOUGHBOROUGH - -	1·39	-	-	-	-	0·52	0·87	-	-	-
LINCOLNSHIRE (KESTEVEN)—										
GRANTHAM - - - -	1·38	0·20	-	-	-	0·79	-	-	0·39	-
LINCOLNSHIRE (LINDSEY)—										
CLEETHORPE WITH THRUNSCOE.	5·76	-	-	-	-	3·42	2·16	-	0·18	-
GAINSBOROUGH - -	4·20	-	-	-	-	2·94	1·05	-	0·21	-
NOTTINGHAMSHIRE—										
MANSFIELD - - - -	1·27	-	-	-	-	0·49	0·39	-	0·39	-
SUTTON IN ASHFIELD -	3·60	1·62	-	-	-	1·08	0·72	-	0·18	-
WORKSOP - - - -	2·39	-	-	-	-	1·39	0·60	-	0·40	-
DERBYSHIRE—										
CHESTERFIELD - - -	1·87	0·22	-	-	-	0·55	0·22	-	0·66	0·22
GLOSSOP - - - -	1·25	-	-	-	-	1·04	-	-	0·21	-
ILKESTON (Notts. Reg. Co.)	1·89	0·54	-	-	-	0·27	1·08	-	-	-
CHESHIRE—										
CHESTER - - - -	2·80	0·11	-	-	-	2·15	0·54	-	-	-
CREWE - - - -	2·32	0·09	-	-	-	0·56	1·67	-	-	-
HYDE - - - -	1·04	-	-	-	-	0·26	0·13	-	0·65	-
MACCLESFIELD - - -	1·22	0·14	-	-	-	0·27	0·27	-	0·54	-
STALYBRIDGE (Lancs. Reg. Co.).	1·19	-	-	-	-	0·51	0·34	-	-	0·34
LANCASHIRE—										
ACCRINGTON - - -	2·57	-	-	-	-	0·20	0·69	-	1·58	0·10
ASHTON IN MAKERFIELD	3·80	0·19	-	-	-	1·90	1·33	-	0·38	-
ASHTON UNDER LYNE -	1·53	-	-	-	-	1·13	0·20	-	0·20	-
BACUP - - - -	2·50	-	-	-	-	1·04	-	-	1·46	-
CHADDERTON - - -	3·65	0·15	-	-	-	1·98	0·76	-	0·76	-
CHORLEY - - - -	2·79	0·15	-	-	-	-	2·35	-	0·29	-
COLNE - - - -	4·86	-	-	-	-	1·08	3·06	-	0·72	-
DARWEN - - - -	0·70	-	-	-	-	0·23	0·23	-	0·12	0·12
ECCLES - - - -	4·59	0·20	-	-	-	2·89	1·20	-	0·30	-
FARNWORTH - - -	1·13	-	-	-	-	0·81	0·32	-	-	-

TABLE X. (*continued*).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 28th December, 1918.

(Civilian Population only.)

TOWNS.	Annual Rate per 1000 Civilian Population, Mid. 1917.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
LANCASHIRE—<i>cont.</i>										
HEYWOOD -	5·61	0·17	-	-	-	0·34	3·91	-	1·19	-
HINDLEY -	2·16	0·18	-	-	-	0·90	0·36	-	0·18	0·54
INCE IN MAKERFIELD -	0·76	0·38	-	-	-	0·38	-	-	-	-
LANCASTER -	1·54	0·22	-	-	-	0·55	0·55	-	0·22	-
LEIGH -	2·48	0·10	-	-	-	0·19	1·52	-	0·67	-
MIDDLETON -	2·04	-	-	-	-	0·47	0·94	-	0·63	-
NELSON -	2·42	-	-	-	-	0·77	1·10	-	0·55	-
RADCLIFFE -	3·83	0·35	-	-	-	2·61	0·87	-	-	-
RAWTENSTALL -	0·77	-	-	-	-	0·15	0·31	-	0·31	-
STRETFORD -	1·88	0·10	-	-	-	0·99	0·49	-	0·30	-
SWINTON AND	2·71	0·43	-	-	-	0·57	0·71	-	1·00	-
PENDLEBURY.										
WATERLOO WITH	4·91	0·14	-	-	-	2·89	1·45	-	0·43	-
SEAFORTH.										
WIDNES -	1·80	-	-	-	-	0·64	0·90	-	0·26	-
YORKSHIRE										
(WEST RIDING)—										
BATLEY -	2·97	0·71	-	-	-	1·66	0·36	-	0·24	-
BRIGHOUSE -	4·56	-	-	-	-	2·90	1·04	-	0·62	-
CASTLEFORD -	0·83	0·17	-	-	-	0·33	0·33	-	-	-
DONCASTER -	2·16	-	-	-	-	1·08	0·58	-	0·50	-
GOOLE -	9·54	0·49	-	-	-	2·20	6·36	-	0·49	-
HARROGATE -	2·61	-	-	-	-	0·78	1·70	-	0·13	-
KEIGHLEY -	0·69	-	-	-	-	0·20	0·49	-	-	-
MORLEY -	5·34	-	-	-	-	2·31	2·31	-	0·36	0·36
SHIPLEY -	0·45	0·15	-	-	-	0·15	0·15	-	-	-
SPENBOROUGH -	0·93	-	-	-	-	0·13	0·67	-	0·13	-
TODMORDEN -	2·19	0·34	-	-	-	1·34	0·17	-	0·34	-
YORKSHIRE										
(NORTH RIDING)—										
ESTON -	2·91	0·14	-	0·14	-	0·69	1·66	-	0·28	-
SCARBOROUGH -	8·05	-	-	-	-	1·27	6·64	-	0·14	-
DURHAM—										
BLAYDON -	7·93	-	-	-	-	7·28	0·13	-	0·52	-
FELLING -	0·82	-	-	-	-	0·49	-	-	0·33	-
HARTLEPOOL -	21·82	-	-	-	-	20·72	0·22	-	0·88	-
HEBBURN -	2·89	-	-	-	-	1·36	0·51	-	0·85	0·17
JARROW -	2·15	0·11	-	-	-	1·24	0·23	-	0·57	-
STANLEY -	6·04	-	-	-	-	2·31	3·20	-	0·53	-
NORTHUMBERLAND—										
ASHINGTON -	6·71	2·75	-	-	-	1·98	1·37	-	0·61	-
BEDLINGTONSHIRE -	1·87	0·51	-	-	-	0·34	0·68	-	0·34	-
BLYTH -	1·12	-	-	-	-	0·28	0·28	-	0·56	-
WALLSEND -	3·62	0·19	-	-	-	2·04	0·93	-	0·46	-
CUMBERLAND—										
WORKINGTON -	4·92	-	-	-	-	2·54	2·38	-	-	-
MONMOUTHSHIRE—										
ABERSYCHAN -	1·27	-	-	-	-	0·79	0·16	-	0·16	0·16
ABERTILLERY -	3·46	0·11	-	-	-	2·38	0·54	-	0·43	-
BEDWELLY -	2·72	-	-	-	-	2·29	0·43	-	-	-
EBBW VALE -	2·12	-	-	-	-	1·77	-	-	0·35	-
TREDEGAR -	4·56	-	-	-	-	2·10	2·10	-	0·18	0·18
GLAMORGANSHIRE—										
BARRY -	4·32	0·12	-	-	-	1·68	1·68	-	0·84	-
CAERPHILLY -	4·98	0·24	-	-	-	3·08	1·30	-	0·24	0·12
GELLIGAER -	1·02	-	-	-	-	0·61	0·31	-	0·10	-
MAESTEG -	8·91	-	-	-	-	2·92	5·99	-	-	-
MOUNTAIN ASH -	3·22	1·18	-	-	-	0·78	1·07	-	0·19	-
OGMORE AND GARW -	1·40	0·14	-	-	-	0·70	0·14	-	0·28	0·14
PONTYPRIDD -	1·07	-	-	-	-	0·39	0·29	-	0·39	-
CARMARTHENSHIRE—										
LLANELLY -	0·80	-	-	-	-	0·80	-	-	-	-

TABLE XI.--PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE notified in the several BOROUGHs of the ADMINISTRATIVE COUNTY of LONDON during the 13 Weeks ended 28th December, 1918.

(Civilian Population only.)

BOROUGHs.	Annual Rate per 1000 Civilian Population, Mid. 1917.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Puerperal Fever.
ADMINISTRATIVE COUNTY OF LONDON }	4.76	0.08	-	-	0.00	2.17	1.99	-	0.50	0.02
WEST.										
Paddington - - -	4.29	0.10	-	-	-	2.16	1.74	-	0.29	-
Kensington - - -	3.18	0.19	-	-	-	1.46	1.24	-	0.26	0.03
Hammersmith - - -	3.81	0.14	-	-	-	2.13	1.33	-	0.21	-
Fulham - - -	4.48	0.14	-	-	-	2.10	1.82	-	0.36	0.06
Chelsea - - -	2.59	-	-	-	-	1.12	1.05	-	0.42	-
City of Westminster -	1.78	0.23	-	-	-	0.69	0.66	-	0.20	-
NORTH.										
St. Marylebone - - -	2.46	0.04	-	-	-	0.73	1.34	-	0.35	-
Hampstead - - -	2.07	0.16	-	-	-	0.58	1.01	-	0.32	-
St. Pancras - - -	5.09	0.09	-	-	-	2.06	2.28	-	0.64	0.02
Islington - - -	3.81	0.08	-	-	-	1.80	1.49	-	0.43	0.01
Stoke Newington - - -	4.56	-	-	-	-	1.35	3.04	-	0.17	-
Hackney - - -	7.36	0.10	-	-	-	2.24	4.37	-	0.63	0.02
CENTRAL.										
Holborn - - -	3.40	0.11	-	-	0.11	0.34	2.50	-	0.34	-
Finsbury - - -	2.95	-	-	-	-	1.30	1.12	-	0.53	-
City of London - - -	2.49	-	-	-	-	0.75	1.49	-	0.25	-
EAST.										
Shoreditch - - -	5.14	0.04	-	-	-	3.00	1.30	-	0.67	0.13
Bethnal Green - - -	10.39	0.19	-	-	-	5.98	2.99	-	1.23	-
Stepney - - -	6.74	0.02	-	-	-	2.80	3.18	-	0.74	-
Poplar - - -	5.46	0.06	-	-	-	2.60	2.07	-	0.70	0.03
SOUTH.										
Southwark - - -	9.34	-	-	-	-	5.45	2.75	-	1.07	0.07
Bermondsey - - -	7.12	0.04	-	-	-	3.09	3.24	-	0.75	-
Lambeth - - -	4.82	0.04	-	-	-	2.77	1.64	-	0.34	0.03
Battersea - - -	2.94	-	-	-	-	1.31	1.23	-	0.37	0.03
Wandsworth - - -	3.79	0.03	-	-	-	1.81	1.52	-	0.39	0.04
Camberwell - - -	4.74	0.07	-	-	-	1.62	2.33	-	0.70	0.02
Deptford - - -	4.49	0.23	-	-	-	1.94	1.82	-	0.50	-
Greenwich - - -	4.00	0.22	-	-	-	1.69	1.91	-	0.18	-
Lewisham - - -	3.23	-	-	-	-	1.47	1.47	-	0.27	0.02
Woolwich - - -	4.16	0.09	-	-	-	1.73	2.07	-	0.27	-
Port of London - - -	?	?	-	-	-	?	-	-	-	-

TABLE XII.—COUNTY OF LONDON.—**Births, Deaths, and Death-Rates** in **London**, and in the **Metropolitan Boroughs** during the 13 weeks ended **28th December, 1918**. (The births in this table are those actually registered in the several Metropolitan Boroughs. The deaths relate to the civilian population only and are, so far as concerns London as a whole, corrected to the extent indicated at the head of Table V. As between individual boroughs, however, correction is complete.)

BOROUGH.	Estimated Civilian Population, Mid. 1917.	Births.	Deaths from										Deaths of Infants under 1 Year of Age.	ANNUAL DEATH-RATES PER 1000 CIVILIAN POPULATION, MID. 1917.							RATE PER 1000 BIRTHS.	
			All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Pulmonary Tuberculosis.	All Causes.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Pulmonary Tuberculosis.	Diarrhoea and Enteritis (under 2 Years).	Total deaths under 1 Year.
County of London -	4,026,901	17,644	29,337	20	-	73	48	41	192	295	2,000	2,073	0.02	-	0.07	0.05	0.04	0.19	1.99	16.72	117	
WEST.																						
PADDINGTON -	122,507	443	853	1	-	1	1	1	4	6	41	60	0.03	-	0.03	0.03	0.03	0.13	1.34	13.54	135	
KENSINGTON -	151,535	574	1,112	-	-	4	2	3	6	13	55	69	-	-	0.11	0.05	0.08	0.16	1.46	22.65	120	
HAMMERSMITH -	114,952	442	741	2	-	9	-	1	2	7	54	54	0.07	-	0.31	-	0.03	0.07	1.88	15.84	122	
FULHAM -	145,186	637	1,050	2	-	2	-	1	4	13	59	83	0.06	-	0.06	-	0.03	0.11	1.63	20.41	130	
CHELSEA -	57,368	193	422	1	-	3	-	-	2	-	23	17	0.07	-	0.21	-	0.14	1.61	-	-	88	
CITY OF WESTMINSTER -	122,046	262	802	-	-	1	-	-	1	10	49	46	-	-	0.03	-	0.03	0.03	1.61	38.17	176	
NORTH.																						
ST. MARYLEBONE -	92,796	820	680	-	-	6	-	-	3	12	51	38	-	-	0.26	-	-	0.13	2.20	14.63	46	
HAMPSTEAD -	75,649	188	359	1	-	-	2	-	2	-	16	10	0.05	-	-	0.11	-	0.11	0.85	-	53	
ST. PANCRAS -	186,600	807	1,603	2	-	14	3	1	9	13	137	100	0.03	-	0.30	0.06	0.02	0.19	2.94	16.11	124	
ISLINGTON -	297,102	1,162	2,210	-	-	3	3	5	7	26	141	175	0.03	-	0.04	0.04	0.07	0.09	1.90	22.38	151	
STOKE NEWINGTON -	47,426	164	326	1	-	-	-	-	10	2	17	17	0.08	-	-	-	0.85	1.44	12.20	104	103	
HACKNEY -	196,598	950	1,498	-	-	-	4	4	32	10	94	98	-	-	-	0.08	0.08	0.65	1.92	10.53	103	
CENTRAL.																						
HOLBORN -	35,303	80	334	2	-	-	-	3	1	3	26	24	0.23	-	-	-	0.34	0.11	2.95	37.50	300	
FINSBURY -	68,011	497	567	-	-	1	-	-	-	3	44	28	-	-	0.06	-	-	-	2.59	6.04	56	
CITY OF LONDON -	16,138	84	113	-	-	-	-	-	-	1	9	5	-	-	-	-	-	-	2.24	11.90	60	
EAST.																						
SHOREDITCH -	89,675	432	713	-	-	1	-	-	1	14	59	61	-	-	0.04	-	0.04	2.64	32.41	141	141	
BETHNAL GREEN -	107,362	463	855	-	-	-	7	1	6	13	91	60	-	-	-	0.26	0.22	3.40	28.08	130	130	
STEPNEY -	232,010	1,181	1,800	1	-	3	-	2	9	27	165	136	0.02	-	0.05	-	0.16	2.85	22.86	115	115	
POPLAR -	143,443	684	1,235	-	-	1	2	-	8	13	87	88	-	-	0.03	0.06	0.22	2.43	19.01	129	129	
SOUTH.																						
SOUTHWARK -	167,936	738	1,383	1	-	1	7	2	16	12	102	107	0.02	-	0.02	0.17	0.05	0.38	2.44	16.26	145	
BERMONDSEY -	107,635	592	879	-	-	1	1	3	5	9	56	73	-	-	0.04	0.04	0.11	0.19	2.09	15.20	123	
LAMBETH -	272,038	1,541	1,880	1	-	2	5	2	16	17	115	120	0.01	-	0.03	0.07	0.03	0.24	1.70	11.03	78	
BATTERSEA -	150,023	608	1,217	-	-	4	3	1	6	10	70	80	-	-	0.11	0.08	0.03	0.16	1.87	16.45	132	
WANDSWORTH -	300,787	1,076	1,817	1	-	3	1	2	9	16	111	137	0.01	-	0.04	0.01	0.03	0.12	1.43	14.87	127	
CAMBERWELL -	239,461	1,050	1,723	-	-	6	3	6	9	18	119	129	-	-	0.10	0.05	0.10	0.15	1.99	17.14	123	
DEPTFORD -	103,527	478	724	-	-	-	1	-	5	6	54	67	-	-	-	0.04	-	0.19	2.09	12.55	140	
GREENWICH -	90,440	420	680	2	-	1	-	-	5	9	46	64	0.09	-	0.04	-	-	0.22	2.04	21.43	152	
LEWISHAM -	161,405	541	875	1	-	3	2	2	6	4	55	47	0.02	-	0.07	0.05	-	0.15	1.37	7.38	87	
											54	80	0.03	-	0.03	0.03	-	0.24	1.64	14.90	149	

TABLE XIII.—**Births and Deaths in the Fourth Quarter (13 Weeks) of 1918** in certain **Colonial and Foreign Cities.**

CITIES.	POPULATION (enumerated estimated).	BIRTHS. (Excluding Stillborn.)	DEATHS.	ANNUAL RATE per 1000 Persons living.									RATE per 1000 Births.	
				Births.	Deaths from								Diarrhoea and Enteri- tis (under 2 Years).*	Total Deaths under 1 Yr.
					All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping- Cough.	Diphtheria and Croup.	Influenza.		
ONT [†] - -	4,026,901	17,644	29,337	15·8	29·2	0·02	-	0·07	0·05	0·04	0·19	11·62	16·72	117
UTTA - -	896,067	—	11,464 [‡]	—	51·3	?	0·03	?	?	?	?	15·98	?	?
AY - -	979,445	5,743	21,433 [‡]	23·5	87·8	0·07	0·03	0·08	-	0·00	0·00§	12·63	78·88	643
AS - -	518,660	5,031	13,498 [‡]	38·9	104·4	0·03	0·46	0·18	?	0·32	0·02§	25·96	179·49	474
- - -	2,847,229	7,858	18,231	11·1	25·7	0·06	0·00	-	0·01	0·04	0·04	8·37	30·41	123
SELS - -	—	—	—	—	—	—	—	—	—	—	—	—	—	—
ERP - -	307,258	—	—	—	—	—	—	—	—	—	—	—	—	—
ERDAM - -	643,841	3,052	4,051	19·0	25·2	0·43	-	0·04	0·04	0·11	0·14	7·16	6·83	90
NHAGEN - -	539,000	2,851	2,921	21·2	21·7	0·01	-	-	0·04	0·09	0·13	0·97	4·21	76
HOLM - -	413,163	1,359	2,650	13·2	25·7	0·05	-	-	0·08	0·05	0·24	12·18	2·21	73
ENBURG - -	196,943	—	1,355	—	27·6	0·49	-	-	0·14	0·14	0·51	14·56	?	?
TIANIA - -	259,627	1,199	1,362	18·5	21·0	0·03	-	-	0·11	-	0·37	?	9·17	95
OGRAD - -	—	—	—	—	—	-	-	-	-	-	-	-	-	-
OW - -	—	—	—	—	—	-	-	-	-	-	-	-	-	-
IN - - -	1,705,215	5,022	10,941	11·8	25·7	0·04	?	0·01	0·04	0·10	0·24	1·51	21·70	113
BURG (12 wks.)	1,050,300	2,263	6,871	9·4	28·4	0·09	?	0·01	0·12	0·17	0·63	?	19·00	142
IG - - -	676,289	1,768	4,044	10·5	24·0	0·09	?	0·01	0·02	0·07	0·36	?	29·41	169
CH - - -	600,000	—	—	—	—	-	-	-	-	-	-	-	-	-
DEN - - -	573,409	1,545	3,486	10·8	24·4	0·01	?	0·01	0·03	0·06	0·20	?	14·24	133
NE (12 wks.)	639,258	2,207	4,684	15·0	31·8	0·05	?	0·01	0·09	0·31	0·59	?	29·90	186
LAU (12 „)	493,393	1,764	4,833	15·5	42·6	0·05	?	0·03	0·11	0·33	0·56	?	9·32	226
KFORT ON N (12 wks.).	470,124	1,091	1,828	10·1	16·9	0·01	?	-	0·01	0·02	0·27	?	22·91	118
IA - - -	2,312,274	5,042	17,547	8·7	30·4	0·18	?	0·04	0·10	0·08	0·09	6·73	39·67	177
UE - - -	456,721	—	—	—	—	-	-	-	-	-	-	-	-	-
PEST - - -	1,031,256	—	—	—	—	-	-	-	-	-	-	-	-	-
TE - - -	152,740	—	—	—	—	-	-	-	-	-	-	-	-	-
REST - - -	—	—	—	—	—	-	-	-	-	-	-	-	-	-
YORK - - -	5,872,143	—	—	—	—	-	-	-	-	-	-	-	-	-
GO - - -	2,596,681	—	18,687	—	28·9	0·01	-	0·02	0·01	0·04	0·32	10·20	?	?
ORLEANS - -	384,000	—	4,083	—	42·6	0·11	-	0·01	-	0·09	0·02	16·90	?	?
(3 months) E JANEIRO - -	—	—	—	—	—	-	-	-	-	-	-	-	-	-
ptians - - -	—	—	—	—	—	-	-	-	-	-	-	-	-	-
igners - - -	—	—	—	—	—	-	-	-	-	-	-	-	-	-
ANDRIA :—	—	—	—	—	—	-	-	-	-	-	-	-	-	-
ptians - - -	—	—	—	—	—	-	-	-	-	-	-	-	-	-
igners - - -	—	—	—	—	—	-	-	-	-	-	-	-	-	-

the death-rates in this column relate to all ages for Bombay, Madras, and Christiania and to children under 1 year of age in Copenhagen, Stockholm, Gothenburg, and the German and Austrian cities.
 the figures for London refer to the civilian population only.
 including 2 deaths from Plague in Calcutta, 13 in Bombay, and 17 in Madras, and from Asiatic Cholera 377 deaths in Calcutta, Bombay, and 209 in Madras.
 excluding deaths from Croup.

TABLE XIV.—**ENGLAND and WALES.—Marriages,**

The numbers of Marriages, Births, and Deaths in this Table are provisional, and will be found to differ General. The numbers of Births and Deaths in London are those actually registered during the

Registration Divisions and Counties.*	Marri- ages.	Births.	Deaths.		
			Total.	Infants under 1 Year of Age.	Persons aged 65 Years and upwards.
ENGLAND and WALES - - -	286,807	662,773	611,991	64,468	162,980
I. LONDON - - - - -	42,875	72,963	76,193	7,965	19,932
1. LONDON - - - - -	42,875	72,963	76,193	7,965	19,932
II. SOUTH EASTERN DIVISION -	32,190	62,754	63,343	4,378	19,263
2. SURREY - - - - -	7,593	14,072	14,922	927	4,482
3. KENT - - - - -	8,516	17,353	17,046	1,274	4,872
4. SUSSEX - - - - -	5,626	9,764	10,670	656	3,837
5. HAMPSHIRE - - - - -	7,945	16,696	15,874	1,171	4,358
6. BERKSHIRE - - - - -	2,510	4,869	4,831	350	1,714
III. SOUTH MIDLAND DIVISION -	20,508	41,462	39,819	2,976	12,973
7. MIDDLESEX - - - - -	9,547	18,661	16,440	1,386	4,948
8. HERTFORDSHIRE - - - - -	2,018	4,212	4,650	258	1,565
9. BUCKINGHAMSHIRE - - - - -	1,350	3,020	3,106	193	1,057
10. OXFORDSHIRE - - - - -	1,446	2,656	3,081	155	1,121
11. NORTHAMPTONSHIRE - - - - -	2,697	5,449	5,289	416	1,696
12. HUNTINGDONSHIRE - - - - -	277	726	721	58	275
13. BEDFORDSHIRE - - - - -	1,615	3,315	3,229	258	1,101
14. CAMBRIDGESHIRE - - - - -	1,558	3,423	3,303	252	1,210
IV. EASTERN DIVISION - - -	16,926	36,753	34,483	2,964	10,548
15. ESSEX - - - - -	10,724	22,183	20,678	1,781	5,584
16. SUFFOLK - - - - -	2,858	6,647	5,830	502	2,111
17. NORFOLK - - - - -	3,344	7,923	7,975	681	2,853
V. SOUTH WESTERN DIVISION -	14,773	29,689	31,965	2,127	11,343
18. WILTSHIRE - - - - -	2,229	4,544	4,818	319	1,430
19. DORSETSHIRE - - - - -	1,780	3,457	3,407	227	1,237
20. DEVONSHIRE - - - - -	5,363	10,307	11,703	812	3,989
21. CORNWALL - - - - -	2,084	4,606	5,054	341	1,999
22. SOMERSETSHIRE - - - - -	3,317	6,775	6,983	428	2,688
VI. WEST MIDLAND DIVISION -	32,064	79,967	67,099	7,453	17,730
23. GLOUCESTERSHIRE - - - - -	5,507	10,757	10,905	896	3,361
24. HEREFORDSHIRE - - - - -	795	1,772	1,736	151	682
25. SHROPSHIRE - - - - -	1,718	4,555	4,310	342	1,436
26. STAFFORDSHIRE - - - - -	10,720	30,677	24,588	3,103	5,533
27. WORCESTERSHIRE - - - - -	2,330	5,802	5,408	446	1,750
28. WARWICKSHIRE - - - - -	10,994	26,404	20,152	2,515	4,968

* The Registration or Union Counties consist of groups of Registration Districts which are generally being by this arrangement included in the Welsh Division. The differences between Registration Counties

Births, and Deaths registered in the Year 1918 (Calendar Year).

slightly from the revised figures to be hereafter presented to Parliament in the 81st Annual Report of the Registrar General for the Calendar Year, and differ from those shown in Tables XVI., XVIII., XIX., and XXI. (see note to Table XVI.).

The DEATHS in the Year are stated by the Registrars to include											Registration Divisions and Counties.
Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Violence.				
928	2	9,590	992	9,593	4,660	7,286	22,396	33,012	148,662	8,244	ENGLAND and WALES.
56	-	1,618	123	1,671	659	1,192	3,330	5,779	34,501	112	I. LONDON.
56	-	1,618	123	1,671	659	1,192	3,330	5,779	34,501	112	1. LONDON.
100	-	687	54	525	478	391	2,997	3,581	19,693	711	II. SOUTH EASTERN DIVISION.
21	-	177	18	156	101	89	544	895	5,714	35	2. SURREY.
27	-	155	16	115	162	102	991	880	5,144	344	3. KENT.
11	-	57	4	72	72	50	435	632	2,513	51	4. SUSSEX.
34	-	264	12	124	113	119	859	898	5,092	186	5. HAMPSHIRE.
7	-	34	4	58	30	31	168	276	1,230	95	6. BERKSHIRE.
44	-	373	34	446	328	264	1,207	1,834	9,880	514	III. SOUTH MIDLAND DIVISION.
25	-	186	14	249	142	170	505	927	4,486	25	7. MIDDLESEX.
4	-	30	2	35	28	9	156	193	1,648	81	8. HERTFORDSHIRE.
1	-	4	-	20	13	15	94	109	686	69	9. BUCKINGHAMSHIRE.
3	-	45	1	16	34	13	109	137	689	40	10. OXFORDSHIRE.
4	-	49	10	64	58	17	159	195	783	140	11. NORTHAMPTONSHIRE.
-	-	9	-	13	1	4	29	31	118	32	12. HUNTINGDONSHIRE.
1	-	25	4	19	39	19	68	104	736	69	13. BEDFORDSHIRE.
6	-	25	3	30	13	17	87	138	734	58	14. CAMBRIDGESHIRE.
42	-	597	17	433	235	281	1,156	1,574	8,318	656	IV. EASTERN DIVISION.
26	-	304	8	265	169	222	595	800	5,564	426	15. ESSEX.
7	-	77	3	74	24	27	229	303	1,120	131	16. SUFFOLK.
9	-	216	6	94	42	32	332	471	1,634	99	17. NORFOLK.
64	-	273	46	267	174	110	1,309	1,766	6,859	412	V. SOUTH WESTERN DIVISION.
17	-	90	8	27	36	15	323	265	1,535	148	18. WILTSHIRE.
11	-	12	2	32	16	8	127	128	853	56	19. DORSETSHIRE.
12	-	114	32	86	46	56	407	628	2,599	111	20. DEVONSHIRE.
18	-	34	1	56	48	17	251	379	566	44	21. CORNWALL.
6	-	23	3	66	28	14	201	366	1,306	53	22. SOMERSETSHIRE.
49	-	799	61	875	530	805	2,276	3,225	14,507	1,982	VI. WEST MIDLAND DIVISION.
20	-	233	6	101	69	105	403	707	2,651	56	23. GLOUCESTERSHIRE.
1	-	14	1	24	4	7	39	72	317	34	24. HEREFORDSHIRE.
6	-	23	3	58	23	6	225	211	817	131	25. SHROPSHIRE.
16	-	388	29	330	186	294	690	1,191	4,568	271	26. STAFFORDSHIRE.
1	-	38	2	34	35	28	184	234	1,158	99	27. WORCESTERSHIRE.
5	-	103	20	328	213	365	735	810	4,996	491	28. WARWICKSHIRE.

extensive with the Poor Law Unions. The Counties are grouped in Registration Divisions, the County of Monmouth and Administrative Counties are shown in Table 7 of Vol. II. of the Census Report, 1911 (Cd. 6259).

TABLE XIV.—(cont.)—ENGLAND and WALES.—

Registration Divisions and Counties.	Marri- ages.	Births.	Total.	Deaths.	
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.
VII. NORTH MIDLAND DIVISION -	18,124	44,931	39,588	4,338	10,601
29. LEICESTERSHIRE - - -	3,699	7,655	7,946	706	2,147
30. RUTLANDSHIRE - - -	112	268	317	18	119
31. LINCOLNSHIRE - - -	4,525	11,287	9,714	1,020	2,951
32. NOTTINGHAMSHIRE - - -	5,614	14,819	13,010	1,587	3,097
33. DERBYSHIRE - - -	4,174	10,902	8,601	1,007	2,287
VIII. NORTH WESTERN DIVISION -	41,928	102,133	99,826	11,005	23,368
34. CHESHIRE - - - -	6,212	15,750	14,843	1,459	3,941
35. LANCASHIRE - - - -	35,716	86,383	84,983	9,546	19,427
IX. YORKSHIRE DIVISION - -	30,513	76,362	74,884	9,041	17,843
36. WEST RIDING - - - -	23,233	57,907	57,214	6,934	13,320
37. EAST RIDING (with YORK) -	3,974	9,308	9,517	1,040	2,478
38. NORTH RIDING - - -	3,306	9,147	8,153	1,067	2,045
X. NORTHERN DIVISION - -	19,877	59,016	45,177	6,808	9,912
39. DURHAM - - - -	11,462	35,803	26,944	4,408	5,274
40. NORTHUMBERLAND - - -	5,962	16,592	12,784	1,760	2,831
41. CUMBERLAND - - - -	2,109	5,790	4,490	585	1,414
42. WESTMORLAND - - - -	344	831	959	55	393
XI. WELSH DIVISION - - -	17,029	56,743	39,614	5,413	9,467
43. MONMOUTHSHIRE - - -	3,164	11,136	6,496	1,068	1,298
44. GLAMORGANSHIRE - - -	8,250	23,590	18,147	2,815	3,316
45. CARMARTHENSHIRE - - -	1,027	3,799	2,641	358	660
46. PEMBROKESHIRE - - -	648	1,711	1,346	152	417
47. CARDIGANSHIRE - - -	432	1,238	1,377	105	593
48. BRECKNOCKSHIRE - - -	375	1,160	898	94	286
49. RADNORSHIRE - - - -	99	276	251	17	118
50. MONTGOMERYSHIRE - - -	312	1,036	962	78	383
51. FLINTSHIRE - - - -	413	1,497	1,034	105	310
52. DENBIGHSHIRE - - - -	979	2,835	2,386	304	654
53. MERIONETHSHIRE - - -	290	888	862	82	328
54. CARNARVONSHIRE - - -	798	1,914	2,575	173	859
55. ANGLESEY - - - -	242	663	639	62	245

Marriages, Births, and Deaths registered in the Year 1918.

The DEATHS in the Year are stated by the Registrars to include											Registration Divisions and Counties.
Deaths from								Inquest Cases.	Deaths in Public Insti- tutions.	Uncertified Causes of Death.	
Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Violence.				
68	-	399	32	542	266	381	1,501	1,723	6,325	1,055	VII. NORTH MIDLAND DIV
12	-	116	7	87	50	60	219	312	1,437	125	29. LEICESTERSHIRE.
-	-	1	-	3	-	-	10	13	13	3	30. RUTLANDSHIRE.
21	-	85	5	99	56	91	448	438	1,284	286	31. LINCOLNSHIRE.
21	-	129	9	223	97	153	425	501	2,214	295	32. NOTTINGHAMSHIRE.
14	-	68	11	130	63	77	399	459	1,377	346	33. DERBYSHIRE.
184	-	1,306	369	1,900	880	1,296	3,082	4,746	23,588	1,486	VIII. NORTH WESTERN DIVISION
14	-	132	66	226	114	151	464	829	3,191	59	34. CHESHIRE.
170	-	1,174	303	1,674	766	1,145	2,618	3,917	20,397	1,427	35. LANCASHIRE.
141	-	2,227	80	1,334	504	1,051	2,427	4,470	14,032	434	IX. YORKSHIRE DIVISION.
99	-	1,900	68	1,080	362	791	1,844	3,407	10,685	300	36. WEST RIDING.
27	-	278	6	107	48	116	292	593	2,283	61	37. EAST RIDING (with YORK).
15	-	49	6	147	94	144	291	470	1,064	73	38. NORTH RIDING.
105	1	521	114	876	321	1,021	1,487	2,072	6,085	1,320	X. NORTHERN DIVISION.
45	-	373	93	569	185	759	837	1,062	3,271	970	39. DURHAM.
54	1	86	16	225	94	208	461	774	2,229	217	40. NORTHUMBERLAND.
4	-	58	3	68	36	54	162	202	497	114	41. CUMBERLAND.
2	-	4	2	14	6	-	27	34	88	19	42. WESTMORLAND.
75	1	790	62	724	285	494	1,624	2,242	4,874	462	XI. WELSH DIVISION.
20	-	195	9	117	24	104	299	355	946	55	43. MONMOUTHSHIRE.
36	1	520	31	402	161	302	802	1,218	2,507	40	44. GLAMORGANSHIRE.
2	-	-	2	48	24	36	99	129	237	39	45. CARMARTHENSHIRE.
1	-	31	1	26	4	12	118	93	106	87	46. PEMBROKESHIRE.
2	-	2	1	7	4	3	28	43	58	36	47. CARDIGANSHIRE.
-	-	7	2	19	7	3	12	27	117	19	48. BRECKNOCKSHIRE.
-	-	-	-	1	-	-	3	7	18	7	49. RADNORSHIRE.
1	-	-	-	16	7	-	26	45	73	20	50. MONTGOMERYSHIRE.
-	-	11	2	11	9	2	37	57	63	13	51. FLINTSHIRE.
8	-	7	9	44	21	21	72	85	515	42	52. DENBIGHSHIRE.
-	-	3	1	6	9	1	32	38	29	24	53. MERIONETHSHIRE.
3	-	14	3	26	13	4	63	114	175	65	54. CARNARVONSHIRE.
2	-	-	1	1	2	6	33	31	30	15	55. ANGLESEY.

TABLE XIVa.—**England and Wales and Registration Counties.**—
ILLEGITIMATE BIRTHS registered in the Years 1917 and 1918.

REGISTRATION COUNTY.	Illegitimate Births registered during the Years		REGISTRATION COUNTY.	Illegitimate Births registered during the Years	
	1917.	1918.		1917.	1918.
England and Wales.	37,022	41,153	Leicestershire - -	402	425
			Rutlandshire - - -	13	23
			Lincolnshire - - -	713	803
London - - -	5,579	5,832	Nottinghamshire - -	869	1,054
			Derbyshire - - -	493	596
Surrey - - - -	868	931			
Kent - - - -	1,122	1,265	Cheshire - - - -	769	845
Sussex - - - -	805	911	Lancashire - - - -	4,524	5,054
Hampshire - - -	1,038	1,201			
Berkshire - - -	315	365			
Middlesex - - -	860	942	Yorkshire (West Riding)	3,243	3,552
Hertfordshire -	251	233	Yorkshire (East Riding with York).	609	722
Buckinghamshire -	148	202	Yorkshire (North Riding)	478	628
Oxfordshire - -	160	197			
Northamptonshire -	332	355			
Huntingdonshire -	49	59			
Bedfordshire - -	226	246	Durham - - - -	1,579	1,864
Cambridgeshire -	197	243	Northumberland - -	842	934
			Cumberland - - -	389	385
Essex - - - -	1,081	1,066	Westmorland - - -	63	61
Suffolk - - - -	508	623			
Norfolk - - - -	688	766			
			Monmouthshire - -	336	412
Wiltshire - - -	275	351	Glamorganshire - -	975	1,078
Dorsetshire - - -	241	257	Carmarthenshire - -	137	131
Devonshire - - -	686	735	Pembrokeshire - -	83	95
Cornwall - - -	263	268	Cardiganshire - -	66	83
Somersetshire - -	316	334	Brecknockshire - -	46	66
			Radnorshire - - -	14	19
Gloucestershire -	563	637	Montgomeryshire -	93	84
Herefordshire - -	122	164	Flintshire - - -	64	74
Shropshire - - -	290	335	Denbighshire - - -	202	219
Staffordshire - -	1,266	1,485	Merionethshire - -	91	81
Worcestershire -	266	295	Carnarvonshire - -	169	196
Warwickshire - -	1,172	1,308	Anglesey - - - -	73	63

TABLE XV.—**Birth-rate, Death-rate, and Analysis of Mortality during the Year 1918.**

(Provisional figures. Populations estimated to the middle of 1918 have been used for the purposes of this Table.)

	BIRTH-RATE PER 1,000 TOTAL POPULA- TION.	ANNUAL DEATH-RATE PER 1,000 CIVILIAN POPULATION.									RATE PER 1,000 BIRTHS.		PERCENTAGE OF TOTAL DEATHS.*			
		All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping- cough.	Diphtheria.	Violence.	Diarrhoea and Enteritis (under 2 Years).	Total Deaths under One Year.	Deaths in Public Institutions.	Certified Causes.	Inquest Cases.	Uncertified Causes of Death.	
England and Wales	17.7	17.6	0.03	0.00	0.28	0.03	0.29	0.14	0.49	10.99	97	24.3	93.3	5.4	1.3	
96 Great Towns, including London (Census Populations exceeding 50,000).	17.6	18.2	0.02	0.00	0.36	0.04	0.34	0.15	0.49	14.46	106	28.4	93.4	5.8	0.8	
148 Smaller Towns (Census Populations 20,000—50,000).	17.9	16.1	0.03	—	0.25	0.02	0.25	0.14	0.38	9.73	94	15.4	94.5	3.9	1.6	
London	16.1	18.9	0.02	—	0.42	0.03	0.43	0.17	0.56	15.67	107	45.0	92.5	7.3	0.2	

* Non-civilians are included in these figures for England and Wales but not for other areas.

TABLE XVI.—96 Great Towns.—Population; Births, Deaths, and Meteorology in the 52 Weeks ended 28th December, 1918.

NOTE.—The 96 Great Towns are those with populations exceeding 50,000 persons at the Census of 1911. The births shown in this table are those registered in the several towns without correction, except in the case of London. The births in London relate to the calendar year and have been corrected by the transference of those occurring in lying-in institutions. The deaths relate to the civilian population only; those in London have been corrected as far as possible (1) by excluding deaths of all non-residents, and (2) by including the deaths of London residents occurring in the Metropolitan Outer Ring or in Metropolitan Public Institutions situated outside the County. (See Table XIX.) The deaths in the other towns have been corrected, as far as possible (1) by the exclusion of all deaths of non-residents, and (2) by the inclusion of deaths of residents in certain outlying public institutions. With regard to the Outer Ring and its constituent areas, however, correction is more complete, a distribution of all transferable deaths occurring in any part of Greater London having been made.

TOWNS.	ESTIMATED CIVILIAN POPULATION 1917.	BIRTHS.	DEATHS.	The DEATHS registered include													MEAN TEMPERATURE (De- grees Fahr.). *	RAIN- FALL (Milli- metres). *	TOWNS.
				Deaths of		Deaths from							Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.				
		Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria	Diarrhoea and Enteritis (under 2 years).	Violence.								
96 Towns	16,545,401	322,707	296,695	34,311	73,697	322	1	5,903	630	5,636	2,459	4,666	7,933	17,321	84,247	2,422	96 Towns.		
LONDON	4,026,901	70,976	74,623	7,609	20,346	79	-	1,651	118	1,688	654	1,112	2,191	5,430	33,595	115	LONDON.		
(CROYDON	167,681	2,617	2,538	203	831	3	-	27	7	35	23	20	60	190	658	-	(CROYDON.		
WIMBLEDON	53,536	777	725	55	239	1	-	4	-	12	7	11	21	64	150	-	WIMBLEDON.		
EALING	64,128	982	879	73	305	1	-	9	2	10	5	11	21	41	217	-	EALING.		
ACTON	58,507	932	846	78	222	3	-	7	-	14	2	12	32	55	262	-	ACTON.		
WILLESDEN	157,005	2,512	2,249	263	555	3	-	17	3	40	27	30	48	115	809	1	WILLESDEN.		
HORNSEY	82,442	996	1,060	65	373	-	-	6	2	13	8	9	27	56	232	-	HORNSEY.		
TOTTENHAM	135,173	2,327	2,007	205	478	1	-	31	4	21	29	31	43	145	630	-	TOTTENHAM.		
EDMONTON	61,940	1,248	888	96	221	2	-	7	-	14	5	13	22	68	245	-	EDMONTON.		
ENFIELD	57,192	946	739	66	221	3	-	2	-	12	-	6	18	34	173	2	ENFIELD.		
WEST HAM	271,934	6,101	5,434	691	1,101	6	-	180	3	108	80	142	165	330	1,604	9	WEST HAM.		
EAST HAM	131,008	2,206	1,917	153	453	1	-	27	2	18	17	21	60	96	481	14	EAST HAM.		
LEYTON	112,452	1,687	1,692	153	442	1	-	21	-	14	17	19	44	73	501	8	LEYTON.		
WALTHAMSTOW	119,307	1,980	1,755	170	403	2	-	19	2	32	15	7	39	85	500	15	WALTHAMSTOW.		
ILFORD	75,130	996	910	73	261	3	-	3	-	11	7	6	18	24	143	13	ILFORD.		
GILLINGHAM	44,074	1,056	652	71	181	2	-	3	1	8	1	6	15	19	135	8	GILLINGHAM.		
HASTINGS	48,439	827	969	58	390	2	-	14	-	9	4	2	28	59	208	2	HASTINGS.		
EASTBOURNE	44,842	674	577	50	212	-	-	7	1	8	3	1	15	28	113	3	EASTBOURNE.		
BRIGHTON	113,635	2,082	2,088	141	700	1	-	12	2	16	16	16	46	139	572	3	BRIGHTON.		
PORTSMOUTH	198,527	4,778	3,450	356	969	5	-	52	4	43	48	40	84	197	831	28	PORTSMOUTH.		
BOURNEMOUTH	70,327	1,089	1,002	51	445	-	-	14	1	7	2	4	27	69	144	-	BOURNEMOUTH.		
SOUTHAMPTON	115,345	2,524	1,987	235	517	6	-	52	1	17	19	41	48	116	593	1	SOUTHAMPTON.		
READING	82,475	1,579	1,245	113	421	-	-	10	1	11	13	18	25	64	266	2	READING.		
OXFORD	53,101	692	808	45	251	2	-	22	-	3	13	5	11	32	130	-	OXFORD.		
NORTHAMPTON	82,471	1,318	1,334	122	398	-	-	2	1	15	12	6	20	41	235	14	NORTHAMPTON.		
CAMBRIDGE	52,282	808	746	51	273	1	-	2	-	11	6	1	21	39	139	3	CAMBRIDGE.		

* The values for Mean Temperature and Rainfall relate to the calendar year.

† These towns are included within the Metropolitan Outer Ring.

TOWNS.	ESTIMATED CIVILIAN POPULATION 1917.	BIRTHS. DEATHS.		The DEATHS registered include												MEAN TEMPERATURE (De- grees Fahr.). *	RAIN- FALL (Milli- metres). *	TOWNS.	
		Deaths of	Deaths from	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Violence.	Inquest cases.	Deaths in Public Institutions.	Uncertified Causes of Death.					
															Infants under 1 Year of Age.				Persons aged 65 Years and upwards.
SOUTHEND ON SEA.	71,919	881	924	61	318	-	-	2	1	9	3	7	15	19	154	49	50.9	553	SOUTHEND ON SEA.
IPSWICH.	72,800	1,392	1,128	114	354	-	-	18	1	17	5	8	32	74	235	-	49.0	657	IPSWICH.
GREAT YARMOUTH.	45,516	958	921	92	323	-	-	40	-	9	5	9	27	59	187	-	49.0	631	GREAT YARMOUTH.
NORWICH.	109,877	1,910	2,080	202	631	1	-	161	2	21	16	11	63	126	473	-	49.5	734	NORWICH.
SWINDON.	51,516	916	750	76	180	-	-	32	-	4	7	3	19	33	91	-	-	-	SWINDON.
EXETER.	51,631	878	913	54	320	-	-	4	-	2	3	5	22	69	157	1	-	-	EXETER.
PLYMOUTH.	179,375	3,919	3,284	366	917	4	-	59	6	58	15	41	76	220	562	-	51.6	951	PLYMOUTH.
BATH.	58,799	815	1,005	63	446	-	-	2	-	17	3	3	30	70	283	-	50.7	803	BATH.
BRISTOL†.	334,814	6,104	5,604	562	1,592	8	-	207	6	70	33	74	140	411	1,344	-	51.2†	1,056†	BRISTOL†.
GLOUCESTER.	55,026	870	764	67	225	3	-	-	-	5	8	6	19	27	179	14	-	-	GLOUCESTER.
STOKE ON TRENT.	215,116	5,217	4,167	583	742	5	-	149	7	35	61	48	112	240	738	54	-	-	STOKE ON TRENT.
WOLVERHAMPTON.	93,037	2,081	1,665	204	393	-	-	13	5	15	5	20	31	89	344	-	-	-	WOLVERHAMPTON.
WALSALL.	87,957	2,029	1,759	224	383	2	-	23	-	49	12	29	46	101	318	3	-	-	WALSALL.
WEST BROMWICH.	67,221	1,657	1,277	184	280	-	-	1	-	16	6	20	27	40	216	35	-	-	WEST BROMWICH.
DUDLEY.	52,049	1,338	1,016	166	218	-	-	9	-	10	1	26	18	31	155	16	-	-	DUDLEY.
BIRMINGHAM.	870,211	17,387	12,955	1,663	3,140	2	-	67	12	267	156	298	365	431	3,507	411	49.2	681	BIRMINGHAM.
SMETHWICK.	69,788	1,508	994	155	215	-	-	2	1	9	8	19	31	53	139	5	-	-	SMETHWICK.
COVENTRY.	128,098	2,798	1,928	254	409	1	-	10	4	11	19	23	36	82	435	8	49.6	641	COVENTRY.
LEICESTER.	212,433	3,296	3,811	349	1,031	2	-	65	6	37	14	38	74	172	853	58	-	-	LEICESTER.
LINCOLN.	58,617	1,195	892	88	269	-	-	26	-	12	8	6	15	21	112	11	49.3	535	LINCOLN.
GRIMSBY.	67,014	1,610	1,261	208	303	2	-	7	1	15	4	43	16	51	193	12	-	-	GRIMSBY.
NOTTINGHAM.	236,853	4,224	4,947	514	1,261	4	-	31	3	67	49	60	103	180	1,134	83	48.9	558	NOTTINGHAM.
DERBY.	119,191	2,331	1,875	213	543	1	-	8	1	20	15	18	46	158	579	-	-	-	DERBY.

* The values for Mean Temperature and Rainfall relate to the calendar year.

† The extension of the City of Bristol on 1st October 1918 will not be taken into account until next year.
‡ Observations made at Clifton.

TABLE XVI. (continued).—96 Great Towns.—Population; Births, Deaths, and Meteorology in the 52 Weeks ended 28th December, 1918.

TOWNS.	ESTIMATED CIVILIAN POPULATION 1917.	BIRTHS.	DEATHS.	The DEATHS registered include													MEAN TEMPERATURE (De- grees Fahr.). *	RAIN- FALL. (Milli- metres). *	TOWNS.
				Deaths of		Deaths from							Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.				
				Infants under 1 Year of Age.	Persons Aged 65 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Violence.							
																Enteric Fever.			
STOCKPORT	-	111,922	1,780	2,049	200	568	1	-	14	3	28	11	20	37	93	398	4	-	STOCKPORT.
BIRKENHEAD	-	133,819	3,163	2,572	340	543	4	-	38	49	52	36	55	59	137	649	14	49.6†	BIRKENHEAD.
WALLASEY	-	84,209	1,362	1,105	120	308	1	-	11	6	32	4	11	24	47	234	3	-	WALLASEY.
LIVERPOOL	-	716,140	17,169	15,013	2,108	2,823	15	-	404	130	357	226	366	406	749	5,543	330	-	LIVERPOOL.
BOOTLE	-	68,871	1,764	1,372	206	240	3	-	8	22	25	19	42	29	32	316	36	49.9†	BOOTLE.
ST. HELENS	-	90,582	2,398	1,872	308	280	-	-	29	24	24	94	37	50	53	557	50	-	ST. HELENS.
SOUTHPORT	-	60,747	771	1,018	47	424	2	-	4	1	4	4	7	13	16	143	29	49.2	SOUTHPORT.
WIGAN	-	83,110	1,867	1,526	234	293	8	-	17	4	38	8	47	42	91	202	-	-	WIGAN.
WARRINGTON	-	68,554	1,615	1,224	161	203	2	-	3	9	51	10	15	38	42	251	30	-	WARRINGTON.
BOLTON	-	163,411	2,724	2,754	289	754	4	-	1	2	85	28	32	62	152	416	6	48.6	BOLTON.
BURY	-	51,851	725	958	79	286	3	-	12	6	6	16	5	24	45	176	12	-	BURY.
MANCHESTER	-	660,143	13,186	11,824	1,368	2,673	8	-	165	22	328	56	124	309	605	3,403	95	50.3	MANCHESTER.
SALFORD	-	211,373	4,141	3,606	450	812	11	-	18	18	75	11	70	89	208	921	10	-	SALFORD.
OLDHAM	-	133,721	2,047	2,755	241	615	7	-	34	6	71	11	11	53	162	553	-	-	OLDHAM.
ROCHDALE	-	84,561	1,261	1,667	151	467	2	-	33	-	12	3	15	39	80	365	32	-	ROCHDALE.
BURNLEY	-	93,779	1,451	1,673	187	392	1	-	40	1	24	8	16	38	110	290	-	47.6	BURNLEY.
BLACKBURN	-	113,315	1,550	2,125	192	550	3	-	41	2	30	12	16	56	112	382	16	-	BLACKBURN.
PRESTON	-	106,747	1,939	1,925	220	493	4	-	2	-	34	13	28	43	59	283	57	48.6§	PRESTON.
BLACKPOOL	-	64,775	750	1,038	82	337	1	-	17	-	9	5	5	19	24	157	35	49.3	BLACKPOOL.
BARROW IN FURNESS	-	78,675	2,117	1,145	210	216	-	-	24	2	17	2	10	37	40	191	35	-	BARROW IN FURNESS.
HUDDERSFIELD	-	105,818	1,575	1,719	155	483	3	-	22	2	21	9	9	65	127	328	20	48.3	HUDDERSFIELD.
HALIFAX	-	92,775	1,320	1,805	161	534	3	-	48	-	21	19	17	40	103	383	13	-	HALIFAX.
BRADFORD	-	266,338	3,909	4,834	482	1,341	1	-	110	1	85	42	41	123	404	1,165	9	47.8	BRADFORD.
LEEDS	-	417,051	7,600	8,403	978	1,986	5	-	420	19	125	44	133	282	625	1,968	1	-	LEEDS.
DEWSBURY	-	52,244	913	918	100	238	1	-	6	-	9	8	7	23	49	117	-	-	DEWSBURY.
WAKEFIELD	-	47,830	897	845	78	190	3	-	54	2	6	5	9	17	54	158	1	48.9	WAKEFIELD.
BARNSELEY	-	47,943	1,286	1,343	203	210	1	-	233	-	17	6	34	34	71	151	2	-	BARNSELEY.

* The values for Mean Temperature and Rainfall relate to the calendar year.
† These values refer to Blundellsands.

‡ These values refer to Bidston Observatory.
§ These values refer to Hutton.

TOWNS.	ESTIMATED CIVILIAN POPULATION 1917.	BIRTHS.	DEATHS.	Deaths of		Deaths from							Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	MEAN TEMPERATURE (De- grees Fahr.) *	RAIN- FALL (Milli- metres). *	TOWNS.	
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).							Violence.
SHEFFIELD	469,293	10,787	5,599	1,377	1,809	7	-	52	22	286	42	173	225	510	2,250	12	49.1	828	SHEFFIELD.
ROTHERHAM	64,685	1,650	1,296	215	250	3	-	17	2	33	5	61	40	61	189	14	-	-	ROTHERHAM.
YORK	78,492	1,367	1,301	130	386	5	-	14	1	14	1	15	41	85	340	-	49.1	646	YORK.
HULL	246,357	5,350	5,283	667	1,164	14	-	253	4	69	30	91	146	310	1,099	53	49.2	611	HULL.
MIDDLESBROUGH	119,251	3,317	2,608	489	402	2	-	12	4	60	23	95	67	138	358	31	-	-	MIDDLESBROUGH.
DARLINGTON	60,482	1,325	968	149	231	-	-	3	2	15	12	23	29	37	152	39	-	-	DARLINGTON.
STOCKTON ON TEES	57,048	1,471	1,178	150	235	2	-	37	5	22	8	40	32	47	145	19	-	-	STOCKTON ON TEES.
WEST HARTLEPOOL	62,034	1,531	1,428	252	290	1	-	54	3	35	7	65	45	68	166	20	-	-	WEST HARTLEPOOL.
SUNDERLAND	141,765	3,778	3,434	493	686	1	-	87	9	72	4	62	95	195	575	69	-	-	SUNDERLAND.
SOUTH SHIELDS	106,500	2,979	2,321	361	437	1	-	-	2	52	9	62	53	56	321	108	-	-	SOUTH SHIELDS.
GATESHEAD	119,134	3,126	2,274	389	434	3	-	12	5	65	19	92	49	58	385	115	-	-	GATESHEAD.
NEWCASTLE ON TYNE	266,551	6,555	4,617	693	995	2	1	31	10	115	23	78	120	357	862	15	-	-	NEWCASTLE ON TYNE.
TYNEMOUTH	57,591	1,505	1,102	165	242	5	-	5	-	14	-	20	30	38	179	33	47.5	554	TYNEMOUTH.
CARLISLE	53,064	1,043	818	131	227	-	-	7	-	32	3	10	22	40	122	29	-	-	CARLISLE.
NEWPORT (MON.)	82,709	1,803	1,119	163	251	2	-	26	-	23	1	12	42	68	238	4	51.3	1,146	NEWPORT (MON.)
CARDIFF	169,440	3,785	2,931	380	595	7	-	76	4	28	25	81	81	249	429	-	49.9	1,289	CARDIFF.
RHONDDA	154,388	4,347	2,274	443	327	4	-	89	4	38	9	49	105	124	165	11	-	-	RHONDDA.
MERTHYR TYDFIL	74,508	1,917	1,315	212	228	1	-	73	6	64	12	22	40	52	234	7	-	-	MERTHYR TYDFIL.
ABERDARE	51,317	1,315	903	162	166	1	-	44	1	25	8	7	52	55	62	1	-	-	ABERDARE.
SWANSEA†	111,776	2,452	1,798	232	382	1	-	66	4	23	19	21	56	117	322	1	51.3	1,442	SWANSEA.†
GREATER LONDON	6,726,753	115,953	113,919	11,321	31,225	121	-	2,187	155	2,264	1031	1,611	3,238	7,639	44,054	211	-	-	GREATER LONDON.
OUTER RING	2,699,852	44,977	39,296	3,712	10,879	42	-	536	37	576	377	499	1,047	2,209	10,459	96	-	-	OUTER RING.
14 GREAT TOWNS IN OUTER RING.	1,547,435	26,307	23,639	2,344	6,105	30	-	360	25	354	242	338	618	1,376	6,605	62	-	-	14 GREAT TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,152,417	18,670	15,657	1,368	4,774	12	-	176	12	222	135	161	429	833	3,854	34	-	-	REMAINDER OF OUTER RING.
EDINBURGH‡	333,200	4,829	5,090	454	1,618	1	-	10	27	44	61	40	153	-	-	?	47.1	615	EDINBURGH.‡
GLASGOW‡	1,114,100	23,523	18,364	2,660	3,775	29	-	369	25	413	189	349	571	-	-	?	47.5	1,051	GLASGOW.‡
DUBLIN (Registra- tion Area).§	399,000	9,763	9,397	1,343	1,939	26	-	97	13	191	33	304	139	142	3,474	217	{ 48.5 ^a 50.6 ^b	{ 747 ^a 681 ^b	DUBLIN (Registra- tion Area).§
BELFAST§	393,000	9,282	8,920	1,339	1,448	25	-	111	12	317	30	175	152	236	2,193	101	49.1	955	BELFAST.§

* The values for Mean Temperature and Rainfall relate to the calendar year.

† The populations are total populations and refer to the middle of 1918. Deaths are corrected throughout by deduction of deaths of non-residents domiciled in Scotland, and by addition of deaths of residents registered elsewhere in Scotland. Births are similarly corrected. Both births and deaths relate to the calendar year.

§ Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively. The populations are total populations and refer to the middle of 1917.

a Phoenix Park.

b Fitzwilliam Square.

TABLE XVII.—One hundred and forty-eight Smaller Towns.—Population ; Births and Deaths in the YEAR 1918.

NOTE.—The 148 Smaller Towns are those with populations of 20,000 but not exceeding 50,000 at the Census of 1911. The births here shown are those actually registered in the several towns. The deaths relate to the civilian population only, and have been corrected as far as possible (1) by the exclusion of all deaths of non-residents, and (2) by the inclusion of deaths of residents in certain outlying institutions. With regard to towns in the Outer Ring, however, correction is more complete, a distribution of all transferable deaths occurring in any part of Greater London having been made.

TOWNS.		BIRTHS.		DEATHS.		Deaths of		Deaths from								Inquest Cases.		Deaths in Public Institutions.		Uncertified Causes of Death.		TOWNS.	

THE DEATHS REGISTERED IN THE YEAR 1917.																		
TOWNS.	ESTIMATED CIVILIAN POPULATION, 1917.	BIRTHS.		DEATHS.		Deaths of		Deaths from							Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
						Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).				
MIDDLESEX—continued. Southgate.* Twickenham.* Wood Green.*	37,107 35,764 46,645	388 539 683	364 508 585	13 63 39	125 114 188	— — —	— 6 6	1 1 —	3 7 6	2 — 5	2 7 4	13 17 11	26 37 26	86 145 110	— — —	MIDDLESEX—continued. Southgate.* Twickenham.* Wood Green.*		
HERTFORDSHIRE. St. Albans Watford	24,208 40,650	371 596	338 553	29 41	115 173	— 1	5 —	— —	4 —	7 5	2 3	8 9	12 19	78 147	10 12	HERTFORDSHIRE. St. Albans. Watford.		
BUCKINGHAMSHIRE. Chepping Wycombe	19,627	359	277	28	87	—	—	—	2	4	5	5	10	20	11	BUCKINGHAMSHIRE. Chepping Wycombe.		
NORTHAMPTONSHIRE. Kettering	27,370	404	339	23	96	—	10	—	7	9	2	12	13	50	12	NORTHAMPTONSHIRE. Kettering.		
SOKE OF PETERBOROUGH. Peterborough	34,920	621	527	47	181	—	4	3	1	9	1	10	10	59	20	SOKE OF PETERBOROUGH. Peterborough.		
BEDFORDSHIRE. Bedford Luton	37,663 54,208	617 984	569 702	59 85	185 204	— —	11 3	2 —	7 3	7 10	2 11	8 10	19 14	118 146	7 15	BEDFORDSHIRE. Bedford. Luton.		
ESSEX. Barking Town.* Colchester	32,394 36,991	713 720	533 572	60 39	85 195	3 1	— —	— —	17 4	5 1	4 1	14 10	21 13	115 153	3 10	ESSEX. Barking Town.* Colchester.		
SUFFOLK EAST. Lowestoft	30,223	739	490	66	135	3	—	—	25	3	3	7	13	61	15	SUFFOLK EAST. Lowestoft.		
NORFOLK. King's Lynn	17,529	309	350	33	112	—	3	1	9	—	—	6	14	75	11	NORFOLK. King's Lynn.		
WILTSHIRE. Salisbury	20,394	425	290	27	103	—	—	—	3	—	1	3	4	78	6	WILTSHIRE. Salisbury.		
DORSETSHIRE. Poole Weymouth and Melcombe Regis.	37,978 21,388	665 486	548 299	53 33	199 110	3 —	— —	— —	8 2	6 —	2 1	12 13	17 9	95 73	3 2	DORSETSHIRE. Poole. Weymouth and Melcombe Regis.		
DEVONSHIRE. Torquay	30,685	407	590	31	260	—	—	—	2	4	1	5	10	118	4	DEVONSHIRE. Torquay.		
SOMERSETSHIRE. Taunton Weston super Mare	19,247 21,222	289 265	318 344	14 16	107 130	1 —	— —	— —	3 2	1 —	— 1	9 8	14 24	71 49	6 —	SOMERSETSHIRE. Taunton. Weston super Mare.		

* These towns are included within the Metropolitan Outer Ring.

TABLE XVII. (continued).—One hundred and forty-eight Smaller Towns.—Population; Births and Deaths in the Year 1918.

The DEATHS registered in the Year include																
TOWNS.	ESTIMATED CIVILIAN POPULATION, 1917.	BIRTHS.	DEATHS.	Deaths of		Deaths from							Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).				Violence.
GLoucestershire. Cheltenham.	41,181	579	752	37	297	1	-	11	-	4	8	3	7	13	176	6
HEREFORDSHIRE. Hereford.	23,246	389	353	35	112	-	-	5	-	1	-	2	10	23	77	2
SHROPSHIRE. Shrewsbury.	27,386	528	440	41	143	-	-	4	1	13	4	-	12	20	51	9
STAFFORDSHIRE. Bilston.	24,728	675	478	70	95	-	-	-	-	15	-	1	5	21	58	-
Burton upon Trent.	42,311	793	810	77	209	-	-	16	5	15	4	4	8	20	163	17
Cannock.	28,785	859	586	104	110	-	-	28	-	7	14	6	15	24	36	10
Coseley.	21,897	595	369	71	98	2	-	-	-	6	2	6	11	26	22	2
Newcastle under Lyme.	18,532	442	309	42	94	-	-	6	-	8	1	10	3	10	48	1
Rowley Regis.	36,505	944	528	77	125	1	-	3	1	15	1	4	8	14	34	-
Stafford.	24,376	464	376	47	99	2	-	15	-	-	13	12	10	21	62	3
Tipton.	31,630	869	601	86	133	1	-	5	-	7	2	7	14	27	58	3
Wednesbury.	29,759	781	560	82	110	-	-	2	-	5	1	1	8	20	54	2
Wolstanton United.	27,704	605	388	61	97	-	-	6	-	1	6	3	9	13	31	11
WORCESTERSHIRE. Kidderminster.	23,508	407	455	27	150	-	-	4	-	-	5	2	11	13	120	11
Oldbury (Staffs. Reg. Co.).	34,884	803	534	87	112	-	-	7	-	6	2	22	8	13	35	18
Worcester.	44,744	792	779	49	266	1	-	-	1	2	5	6	17	43	175	10
WARWICKSHIRE. Nuneaton.	37,681	897	584	88	106	-	-	14	5	4	11	4	16	24	59	6
Royal Leamington Spa.	25,654	429	485	33	178	1	-	-	-	2	1	-	10	37	110	1
Rugby.	22,675	407	302	35	71	-	-	-	1	4	2	3	7	11	55	5
Sutton Coldfield (Staffs. Reg. Co.).	19,265	351	249	24	76	-	-	-	-	6	-	3	5	8	25	5
LEICESTERSHIRE. Loughborough.	22,967	398	372	32	85	-	-	1	-	2	1	2	9	18	46	3
LINCOLNSHIRE (Kesteven). Grantham.	20,388	485	326	39	85	-	-	-	-	10	2	-	11	11	31	6
LINCOLNSHIRE (Lindsey). Cleethorpe with Thruscoe.	22,285	497	292	39	64	-	-	6	-	2	2	4	9	18	20	4
Gainsborough.	19,092	386	374	37	123	-	-	-	1	3	7	7	5	5	41	5
NOTTINGHAMSHIRE. Mansfield.	40,936	1,095	676	129	115	-	-	7	-	14	2	6	17	16	90	18
Sutton in Ashfield.	22,329	563	380	60	67	7	-	4	-	3	3	2	4	5	24	16
Worksop.	20,209	472	407	46	85	-	-	2	-	14	-	6	21	21	46	7

TOWNS.	ESTIMATED CIVILIAN POPULATION, 1917.	BIRTHS.	DEATHS.	Deaths of		Deaths from							Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measels.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Violence.			
DERBYSHIRE.																
Chesterfield.	36,706	909	706	86	144	2	-	11	-	9	4	8	11	130	33	DERBYSHIRE.
Glossop.	19,329	271	293	18	108	2	-	-	-	1	1	3	3	36	4	Chesterfield.
Ilkeston (Notts. Reg. Co.)	29,597	719	459	65	93	1	-	4	-	3	2	9	15	35	18	Glossop.
CHESHIRE.																Ilkeston (Notts. Reg. Co.).
Chester.	37,262	738	624	66	143	1	-	6	-	11	2	6	17	160	12	CHESHIRE.
Crewe.	43,256	768	670	79	173	-	-	5	-	12	13	6	14	79	-	Chester.
Hyde.	30,828	485	581	53	152	-	-	5	-	3	2	1	12	53	-	Crewe.
Macclesfield.	29,634	423	581	47	211	1	-	1	-	8	1	2	11	139	-	Hyde.
Stalybridge (Lancs. Reg. Co.)	23,464	404	451	57	123	1	-	-	-	9	7	1	6	55	-	Macclesfield.
LANCASHIRE.																Stalybridge (Lancs. Reg. Co.).
Accrington.	40,694	608	567	56	182	-	-	2	1	6	8	3	16	70	6	LANCASHIRE.
Ashton in Makerfield.	21,101	555	356	59	54	2	-	24	1	18	3	7	8	38	6	Accrington.
Ashton under Lyne.	39,173	733	772	86	203	-	-	8	1	13	5	5	14	150	20	Ashton in Makerfield.
Bacup.	19,235	272	360	37	110	-	-	6	-	17	-	1	3	42	5	Ashton under Lyne.
Chadderton.	26,298	437	477	48	102	-	-	2	-	11	1	4	4	54	6	Bacup.
Chorley.	27,328	451	545	48	128	-	-	6	-	4	7	6	7	62	8	Chadderton.
Colne.	22,312	278	350	23	114	1	-	4	-	4	9	1	3	38	7	Chorley.
Darwen.	34,278	346	675	24	196	2	-	8	2	3	3	1	23	86	14	Colne.
Eccles.	40,247	657	550	45	147	1	-	4	-	10	3	7	8	104	17	Darwen.
Farnworth.	24,759	555	381	55	87	3	-	-	-	17	1	11	7	35	6	Eccles.
Heywood.	23,579	371	469	39	131	1	-	-	-	3	4	3	4	54	12	Farnworth.
Hindley.	22,251	562	392	74	73	2	-	-	1	14	3	5	13	24	13	Heywood.
Ince in Makerfield.	20,871	583	407	63	67	3	-	5	-	13	6	9	10	31	12	Hindley.
Lancaster.	36,707	693	663	95	160	-	-	3	-	11	-	12	11	90	17	Ince in Makerfield.
Leigh.	42,189	930	722	132	148	3	-	3	-	26	15	21	28	108	17	Lancaster.
Middleton.	25,539	366	413	29	105	2	-	13	-	5	-	4	9	57	8	Leigh.
Nelson.	36,538	380	482	30	147	-	-	9	-	2	4	3	9	50	10	Middleton.
Radcliffe.	23,054	360	346	41	99	1	-	2	-	3	2	2	4	47	8	Nelson.
Rawtenstall.	26,032	360	414	35	121	1	-	6	-	9	1	2	13	39	4	Radcliffe.
Stretford.	40,682	564	515	36	168	2	-	2	-	5	6	4	7	54	24	Rawtenstall.
Swinton and Pendlebury.	28,188	500	431	51	103	2	-	1	-	5	5	4	6	48	5	Stretford.
Waterloo with Seaforth.	27,746	557	394	46	105	-	-	10	-	5	1	3	2	63	13	Swinton and Pendlebury.
Widnes.	31,368	836	582	97	92	1	-	26	-	7	3	9	20	74	18	Waterloo with Seaforth.
YORKSHIRE (WEST RIDING).																Widnes.
Batley.	33,801	610	627	74	190	3	-	13	1	5	4	5	13	87	-	YORKSHIRE
Brighouse.	19,332	305	344	32	103	-	-	3	-	15	2	-	8	33	4	(WEST RIDING).
Castleford.	24,256	607	352	57	67	2	-	1	-	-	-	11	10	27	-	Batley.
Doncaster.	48,187	1,019	773	100	190	1	-	3	-	8	15	6	16	27	19	Brighouse.
Goole.	16,397	428	394	31	91	-	-	37	1	10	13	2	9	60	-	Castleford.
Harrogate.	30,722	383	445	39	141	-	-	5	-	4	4	-	1	74	-	Doncaster.

TABLE XVII. (continued).—One hundred and forty-eight Smaller Towns.—Population ; Births and Deaths in the Year 1918.

TOWNS.		BIRTHS.		DEATHS.		Deaths of		Deaths from								Inquest Cases.		Deaths in Public Institutions.		Uncertified Causes of Death.		TOWNS.	
						Persons aged 65 Years and upwards.																	
						Infants under 1 Year of Age.																	
						Small-pox.																	

(For definition of deaths taken to represent London deaths, see Note * to Table XVI.)

Fifty-two Weeks ended 28th December 1918.

Quarter ended

CAUSES OF DEATH.

Mar. 30
(13
weeks.)

June 29
(13
weeks.)

Sept. 28
(13
weeks.)

Dec. 28
(13
weeks.)

CAUSES OF DEATH.	Dec. 28 (13 weeks.)				TOTAL AT ALL AGES.	Under 15.												
	Mar. 30 (13 weeks.)	June 29 (13 weeks.)	Sept. 28 (13 weeks.)	Dec. 28 (13 weeks.)		7,609	3,946	4,307	2,284	1,508	2,307	2,616	6,738	6,102	7,927	8,933	10,743	9,603
ALL CAUSES	18,676	14,230	12,380	29,337	74,623	1	-	-	3	3	8	13	26	9	9	6	1	-
Enteric Fever	-	20	18	20	79	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	196	73	1,651	277	699	563	103	1	3	3	-	1	-	-	1	-
Measles	-	680	25	48	1,118	4	12	56	33	2	3	3	2	3	-	-	-	-
Scarlet Fever	-	20	186	41	1,688	499	624	490	71	2	-	1	-	1	-	-	-	-
Whooping Cough	-	144	104	192	1,654	40	98	269	190	43	2	4	6	-	1	-	1	-
Diphtheria	-	3	-	3	11	1	4	5	1	-	-	-	-	-	-	-	-	-
Croup	-	172	987	11,663	12,926	252	376	865	654	501	912	1,137	3,217	1,576	1,316	904	854	362
Influenza	-	20	17	22	102	19	1	1	1	4	1	1	1	5	14	19	21	14
Erysipelas	-	105	45	47	324	4	9	3	4	-	2	6	36	42	69	80	51	18
Other Epidemic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Præmia and Septicæmia	-	15	12	14	60	6	3	5	2	1	3	2	11	5	6	8	4	4
Tetanus	-	4	3	5	13	1	-	1	1	2	1	-	1	1	3	2	-	-
Tuberculosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary Tuberculosis	-	1,751	1,528	2,000	6,803	36	58	97	131	163	570	620	1,306	1,476	1,232	771	287	56
Tuberculous Meningitis	-	189	159	109	664	90	120	197	139	58	27	11	8	8	4	1	1	4
Abdominal Tuberculosis	-	55	63	60	235	35	36	42	22	25	18	6	12	12	14	6	4	3
Tuberculosis of the Spine	-	28	15	34	100	1	1	7	7	16	16	9	6	9	9	11	5	3
Tuberculosis of the Joints	-	15	10	18	57	1	1	2	2	4	10	3	4	5	8	9	5	3
Tuberculosis of Other Organs	-	22	17	13	66	3	2	8	2	1	3	7	6	4	11	9	4	6
Disseminated Tuberculosis	-	54	49	45	205	18	15	42	23	19	16	13	16	11	13	8	6	5
Veneral Diseases	-	86	62	79	301	189	8	6	-	-	3	4	13	23	21	24	9	1
Cancer	-	1,326	1,273	1,284	5,102	2	3	4	4	7	13	8	91	397	1,057	1,418	1,421	677
Tumour, situation undefined	-	13	11	15	51	-	-	-	1	1	-	1	3	6	18	8	10	3
Rheumatic Fever	-	44	33	50	161	1	1	-	20	33	24	10	16	17	16	10	3	2
Diabetes	-	101	84	82	346	-	-	8	2	5	6	13	30	25	46	84	80	54
Anæmia, Leucocythæmia	-	50	38	77	215	4	3	1	6	11	5	5	20	21	42	61	31	5
Other General Diseases	-	147	95	98	464	59	33	26	9	4	4	9	15	23	36	62	109	75
Alcoholism	-	1	3	2	6	-	-	-	-	-	-	-	-	2	4	-	-	-
Chronic Poisonings	-	-	-	2	5	-	-	-	-	-	-	-	-	1	1	2	1	-
Simple Meningitis	-	123	64	73	370	99	48	71	37	33	24	7	9	14	14	8	6	619
Cerebral Haorrhage, Apoplexy	-	597	428	551	2,133	1	-	-	5	3	1	4	27	64	245	453	711	28
Softening of Brain	-	33	22	28	105	-	-	-	-	-	-	-	6	6	21	20	24	81
Paralysis, without specified cause	-	69	41	66	221	-	-	1	-	1	1	1	-	7	15	48	66	24
Epilepsy	-	150	56	85	415	1	1	4	13	16	25	29	73	70	48	66	45	24
"Convulsions" (not Puerperal)	-	105	58	68	315	260	34	18	-	3	29	-	-	215	-	224	-	77
Other Diseases of Nervous System	-	370	218	315	1,239	22	11	29	33	31	29	28	79	215	284	224	177	-

TABLE XVIII. (continued).—London.—Deaths from Different Causes in each Quarter of 1918, and in several Groups of Ages during the 52 Weeks of 1918.

CAUSES OF DEATH.	Quarter ended				Fifty-two Weeks ended 28th December 1918.													
	Mar. 30 (13 weeks.)	June 29 (13 weeks.)	Sept. 28 (13 weeks.)	Dec. 28 (13 weeks.)	TOTAL AT ALL AGES.	Under 1 Year.	1 and under 2.	2 and under 5.	5 and under 10.	10 and under 15.	15 and under 20.	20 and under 25.	25 and under 35.	35 and under 45.	45 and under 55.	55 and under 65.	65 and under 75.	75 and up- wards.
Pericarditis - - - - -	20	11	13	16	60	1	6	3	3	9	6	-	2	3	8	7	10	2
Acute Endocarditis - - - -	52	54	45	48	199	1	3	5	6	13	13	25	29	32	42	24	5	1
Organic Disease of Heart - -	1,864	1,472	1,326	1,977	6,639	2	2	9	38	70	123	129	316	474	803	1,261	1,916	1,496
Embolism and Thrombosis (including Cerebral). - - - - -	98	67	53	84	302	1	1	-	1	1	-	2	5	13	25	57	98	98
Other Diseases of Circulatory System -	496	454	324	536	1,810	24	4	8	7	6	3	3	12	37	165	303	559	679
Diseases of the Larynx - - - -	25	10	6	19	60	9	9	18	11	1	1	1	-	-	7	1	1	1
Bronchitis - - - - -	2,084	929	523	2,050	5,586	492	200	100	25	11	7	25	72	163	468	872	1,439	1,652
Broncho-Pneumonia - - - -	1,254	606	330	1,490	3,680	922	917	695	162	46	34	36	128	97	136	125	215	167
Lobar Pneumonia - - - - -	433	315	277	661	1,686	63	52	71	56	45	71	115	274	199	250	218	184	88
Pneumonia (type not distinguished) -	561	359	326	1,232	2,478	204	204	242	120	66	100	106	305	240	270	246	240	135
Pleurisy - - - - -	50	54	34	45	183	2	7	15	6	5	8	12	15	15	29	25	32	12
Pulmonary Congestion, Pulmonary Apoplexy. - - - - -	46	31	22	44	143	13	4	7	2	1	2	-	5	3	15	13	31	47
Other Diseases of Respiratory System -	122	70	64	149	405	2	2	3	5	5	3	3	30	41	83	101	88	39
Diseases of the Pharynx, Tonsillitis -	22	10	9	11	52	8	4	7	12	4	3	1	4	1	3	2	3	-
Diseases of Stomach - - - -	175	125	98	103	501	53	14	7	1	4	4	9	36	71	93	94	56	59
Diarrhoea and Enteritis - - -	321	216	597	378	1,512	962	150	51	13	4	5	8	17	34	60	50	73	85
Appendicitis and Typhlitis - -	60	53	68	72	253	1	-	16	28	43	30	16	31	17	33	27	7	4
Hernia and Intestinal Obstruction -	226	171	137	134	668	66	15	6	14	9	3	7	16	47	81	137	156	111
Cirrhosis of Liver - - - - -	70	61	67	70	268	1	1	1	2	2	2	-	7	32	62	80	63	15
Other Diseases of Liver - - - -	45	42	40	27	154	3	1	2	2	1	1	1	6	13	24	36	29	35
Peritonitis (cause unknown). - -	14	13	12	20	59	5	-	2	3	4	4	1	9	7	6	6	9	3
Other Diseases of Digestive System -	42	31	30	26	129	12	7	9	1	2	2	4	6	7	16	23	25	15
Acute Nephritis - - - - -	49	29	35	34	147	6	5	15	22	10	12	5	10	8	21	19	8	6
Chronic Bright's Disease - - -	414	356	253	373	1,396	-	-	1	6	17	11	18	67	125	259	359	342	191
Urinary Calculi - - - - -	5	13	6	11	35	-	-	-	-	-	-	1	4	6	10	5	2	7
Uterine Tumour (non-cancerous). -	6	11	3	12	32	-	-	-	-	-	-	-	6	7	14	3	2	-
Ovarian Tumour - - - - -	9	6	7	8	30	-	-	-	-	-	-	1	3	4	2	10	7	3
Other Diseases of Genito-urinary System.	152	103	136	148	539	8	2	4	1	1	-	5	31	32	41	101	154	159
Puerperal Fever, &c. - - - -	33	22	16	17	88	-	-	-	-	-	2	22	34	29	1	-	-	-
Other Causes incident to Childbirth -	32	28	20	34	114	-	-	-	-	-	8	19	41	46	-	-	-	-

TABLE XVIII. (continued).—**Deaths from Different Causes in each Quarter of 1918 and in several Groups of Ages during the 52 Weeks of 1918.**

CAUSES OF DEATH.	Quarter ended				TOTAL AT ALL AGES.	Under 1 Year.	1 and 2.	2 and 5.	5 and 10.	10 and 15.	15 and 20.	20 and 25.	25 and 35.	35 and 45.	45 and 55.	55 and 65.	65 and 75.	75 and up- wards.
	Mar. 30 (13 weeks.)	June 29 (13 weeks.)	Sept. 28 (13 weeks.)	Dec. 28 (13 weeks.)														
Diseases of Skin and Cellular Tissue -	115	99	61	89	364	42	1	11	4	-	3	2	4	14	25	55	93	110
Diseases of Locomotor System -	26	28	23	32	109	2	4	8	11	10	9	3	4	9	13	11	14	11
Congenital Malformations -	85	73	69	79	306	255	21	11	1	6	4	3	2	2	1	-	-	-
Premature Birth -	311	273	315	403	1,302	1,302	-	-	-	-	-	-	-	-	-	-	-	-
Debility, Atrophy, Marasmus (Infants)	176	147	161	227	711	711	-	-	-	-	-	-	-	-	-	-	-	-
Old Age -	865	634	453	734	2,686	-	-	-	-	-	-	-	-	-	1	57	618	2,010
ACCIDENT.																		
Poisons or Poisonous Vapours -	7	10	8	2	27	-	1	3	2	1	2	2	1	5	4	2	3	1
Conflagration -	-	2	-	15	17	-	-	2	1	-	-	2	4	6	1	1	-	-
Burns and Scalds -	108	46	24	54	232	16	33	67	39	12	7	5	2	6	6	10	9	20
Drowning -	25	49	57	20	151	1	-	8	41	12	7	6	13	19	16	14	10	4
Suffocation in bed -	41	22	14	18	95	93	2	-	-	-	-	-	-	-	-	-	-	-
Other Deaths by Accident -	469	283	256	308	1,326	53	25	54	101	78	62	36	80	109	138	175	195	200
Total Deaths from Accident -	650	422	359	417	1,848	163	61	134	184	103	78	51	100	145	185	202	217	225
Included in above are deaths in connection with:—																		
Railways -	11	13	5	15	44	-	-	1	-	-	3	2	4	4	14	8	7	1
Vehicles and Horses -	132	80	101	110	423	1	6	25	71	51	27	8	15	33	41	51	63	31
Ships, Boats, Docks -	1	5	5	4	15	-	-	-	-	-	1	1	-	3	3	5	1	1
Building Operations -	7	4	4	5	20	-	-	-	-	-	-	-	2	1	7	6	4	-
VIOLENCE OTHER THAN ACCIDENTAL.																		
Homicide -	6	4	8	9	27	9	-	-	-	1	2	2	6	4	-	1	1	1
Suicide -	79	68	62	105	314	-	-	-	-	-	7	13	46	58	85	62	30	13
Execution -	2	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-	-	-
Other Specified Diseases -	119	123	95	109	446	335	10	14	16	13	14	7	11	5	8	5	5	3
Un-defined Causes -	28	24	21	22	95	3	38	10	2	2	2	2	3	3	4	13	13	-

TABLE XIX.—**LONDON** and the **METROPOLITAN BOROUGHES**.—**Births and Deaths of Persons** belonging to **London** and the **Metropolitan Boroughs** during the **52 Weeks** ended **28th December, 1918**.*

BOROUGHES.	ESTIMATED CIVILIAN POPULATION, 1917.	Births.†	Deaths from									Deaths under 1 year of Age.
			All Causes.	Enteric Fever.	Small-pox	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	4,026,901	70,976	74,623	79	-	1,651	118	1,688	654	1,112	6,803	7,609
West.												
PADDINGTON - - -	122,507	2,029	2,192	1	-	40	1	51	20	24	133	233
KENSINGTON - - -	151,535	2,459	2,674	-	-	13	7	36	11	43	193	224
HAMMERSMITH - - -	114,952	2,014	1,946	3	-	44	2	28	6	32	177	208
FULHAM - - - -	145,186	2,672	2,455	4	-	46	4	58	12	60	204	287
CHELSEA - - - -	57,368	825	1,080	1	-	14	-	11	5	8	84	72
CITY OF WESTMINSTER -	122,046	1,450	2,023	2	-	10	2	27	10	23	187	157
North.												
ST. MARYLEBONE - - -	92,796	1,375	1,772	2	-	12	-	26	10	38	163	151
HAMPSTEAD - - - -	75,649	895	965	3	-	-	3	15	6	7	67	62
ST. PANCRAS - - - -	186,600	3,326	3,864	5	-	70	7	88	32	47	406	338
ISLINGTON - - - -	297,102	5,230	5,766	7	-	113	9	150	42	69	514	571
STOKE NEWINGTON - - -	47,426	636	795	3	-	8	-	4	18	7	61	59
HACKNEY - - - -	196,598	3,266	3,641	8	-	43	6	57	50	62	333	363
Central.												
HOLBORN - - - -	35,303	497	820	3	-	6	-	13	5	10	95	73
FINSBURY - - - -	68,011	1,324	1,569	-	-	44	3	53	10	15	152	147
CITY OF LONDON - - -	16,138	101	289	-	-	3	-	1	1	4	25	17
East.												
SHOREDITCH - - - -	89,675	1,787	2,122	1	-	82	-	95	12	61	217	295
BETHNAL GREEN - - -	107,362	2,225	2,477	2	-	175	9	150	26	39	269	291
STEPNEY - - - -	232,010	4,810	4,771	6	-	147	5	94	57	83	578	538
POPLAR - - - -	143,443	3,161	3,146	1	-	150	3	67	31	49	282	344
South.												
SOUTHWARK - - - -	167,936	3,450	3,757	1	-	145	14	129	41	47	387	429
BERMONDSEY - - - -	107,635	2,445	2,401	-	-	73	3	87	23	36	184	330
LAMBETH - - - -	272,038	4,737	4,972	5	-	131	13	88	49	70	443	460
BATTERSEA - - - -	150,023	2,700	2,767	-	-	57	4	59	22	42	215	266
WANDSWORTH - - - -	300,787	4,439	4,349	5	-	44	3	57	34	76	366	415
CAMBERWELL - - - -	239,461	4,244	4,224	4	-	85	5	86	36	61	386	428
DEPTFORD - - - -	103,527	2,174	1,809	2	-	20	3	53	12	21	178	209
GREENWICH - - - -	90,440	1,800	1,710	4	-	45	1	45	16	30	148	209
LEWISHAM - - - -	161,405	2,357	2,196	4	-	10	7	31	33	20	163	167
WOOLWICH - - - -	131,942	2,548	2,071	2	-	21	4	29	24	33	193	266

* For the purpose of this table births in lying-in institutions, whether in London or elsewhere in England and Wales, have been transferred to the parents' area of residence where this differed from that in which the birth took place. The deaths relate to the civilian population only. They have been corrected as far as possible (1) by excluding deaths of all non-residents, and (2) by including the deaths of London residents in Greater London and in certain Metropolitan Institutions outside Greater London.

† The births are those registered in the calendar year.

TABLE XX.—METEOROLOGICAL TABLE for LONDON, 1918.

(Deduced from Observations at Greenwich, under the Superintendence of the Astronomer Royal.)

1918.	Baro- meter.	Air Temperature.					Hygrometer.				Bright Sunshine.			
		Mean of		Mean of A and B.	Difference from Normal.†	Absolute Maximum and Minimum.			Mean of Observations at 9 a.m. and 9 p.m.			Daily Mean.	Difference from Normal.†	Per cent. of Possible.
						Maximum.	Day of Month.	Minimum.						
		A	B	° F.	° F.	° F.	° F.	Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	hrs.	hrs.	%
January	-	44·8	34·6	39·7	+1·2	56	19	19	87	2·25	+1·01	27		
February	-	49·3	37·9	43·6	+3·8	59	21	18	86	2·83	+0·79	29		
March	-	52·1	35·3	43·7	+1·2	67	27	9	81	4·37	+0·97	37		
April	-	52·2	38·2	45·2	-2·4	66	32	3	87	2·64	-2·38	19		
May	-	66·7	46·0	56·4	+2·4	83	39	3	78	·05	+0·58	45		
June	-	69·6	46·4	58·0	-1·9	80	37	17	68	7·48	+0·78	45		
July	-	72·6	52·7	62·6	-0·9	82	47	28	77	6·06	-0·44	38		
August	-	72·7	53·2	62·9	+0·3	90	46	25	77	5·85	-0·35	40		
September	-	64·6	48·6	56·6	-1·4	73	38	29	79	5·40	+0·45	43		
October	-	56·7	42·4	49·6	-0·6	64	31	18	88	2·50	-0·62	23		
November	-	49·3	37·0	43·2	-0·8	59	29	22	90	2·31	+0·59	26		
December	-	49·8	41·1	45·4	+5·2	60	29	26	90	0·83	-0·23	11		
Year	-	58·4	42·8	50·6	+0·5	90	19	-	82	4·14	+0·09	34		

* The hours of observation are 9 a.m. and 9 p.m. local time.
+ The normals used are obtained from observations extending over 35 years (1881-1915).
Pressure is expressed in millibars (1000 mb. = 29·531 mercury-inches). Wind Force.—The Summary is obtained from the records of a cup anemograph having 5 in. cups and 15 in. arms. The factor used is 3. Winds above 43 miles per hour are reckoned as gales and winds between 21 and 43 miles per hour as moderate or strong winds. Direction is not tabulated when the speed of the wind is less than 5 miles per hour, and winds of less than that velocity are counted as calm.

TABLE XX.—continued.

1918.	Cloud.	Rain and other forms of Precipitation.			Weather.										Wind.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
		Precipitation.			Number of days of										Number of Observations at 9 a.m., 3 p.m., and 9 p.m.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
		Total Fall.	Difference from Normal.	Most in a Day.	Precipitation (0.2 mm. and above).	Precipitation (1 mm. and above).	Snow.	Hail.	Thunderstorm.	Persistently Clear.	Generally Clear.†	Generally Overcast.†	Persistently Overcast.	Fog.	Gale.	Force.	Direction.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			

† A day is reckoned as "generally clear" if the average of the estimates of the fraction of sky covered by cloud at 9 a.m., 3 p.m., and 9 p.m. is less than .2, and as "generally overcast" if the average is greater than .8. Days persistently cloudless and days persistently overcast refer to the period midnight to midnight.

TABLE XXI.—**Births and Deaths in London and in certain Colonial and Foreign Cities, 1918.**

Note.—The figures in this table are compiled from the weekly returns.

CITIES.	POPULATION (estimated).*	BIRTHS. (Excluding Stillborn.)	DEATHS.	PRINCIPAL EPIDEMIC DISEASES.							
				Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Diarrhoea and Enteritis (under 2 Years).	
LONDON† - -	4,026,901	70,976	74,623	79	-	1,651	118	1,688	665	1,112	
CALCUTTA - -	896,067	—	31,010	?	541	?	?	?	?	?	
BOMBAY - -	979,445	21,647	57,788	125	1,021	479	-	10	5¶	1,766‡	
MADRAS - -	518,660	19,729	30,936	28	266	84	?	132	8¶	2,744‡	
PARIS - - -	2,847,229	30,426	49,936	149	21	250	31	298	130	955	
BRUSSELS - -	—	—	—	-	-	-	-	-	-	-	
ANTWERP - -	307,258	—	—	-	-	-	-	-	-	-	
AMSTERDAM - -	643,502	13,628	10,136	122	-	192	25	169	77	94	
COPENHAGEN - -	539,000	11,663	7,509	11	-	22	11	25	44	84§	
STOCKHOLM - -	413,163	5,950	6,447	14	-	-	23	36	69	18§	
GOTHENBURG - -	196,943	—	3,119	67	-	-	10	26	73	15§	
CHRISTIANIA - - (51 wks.)	259,627	5,109	3,716	12	-	1	14	23	38	61‡	
ST. PETROGRAD - -	—	—	—	-	-	-	-	-	-	-	
MOSCOW - - -	—	—	—	-	-	-	-	-	-	-	
BERLIN - - -	1,726,069	19,752	33,092	52	?	121	57	185	286	370§	
HAMBURG (51 wks.)	1,050,300	9,461	21,784	68	?	90	67	165	473	167§	
LEIPZIG (51 wks.) -	676,289	6,301	10,742	41	?	30	13	44	154	184§	
MUNICH - - -	600,000	—	—	-	-	-	-	-	-	-	
DRESDEN - - -	576,639	5,912	10,275	9	?	40	11	30	85	98§	
COLOGNE - - -	642,917	—	—	-	-	-	-	-	-	-	
BRESLAU (51 wks.) -	493,393	7,199	14,212	26	?	73	57	123	153	291§	
FRANKFORT ON MAIN.	470,124	—	—	-	-	-	-	-	-	-	
VIENNA - - -	2,293,540	18,514	50,730	239	?	200	222	206	235	581§	
PRAGUE - - -	456,721	—	—	-	-	-	-	-	-	-	
BUDAPEST - - -	1,031,256	—	—	-	-	-	-	-	-	-	
TRIESTE - - -	152,740	—	—	-	-	-	-	-	-	-	
BUCAREST - - -	—	—	—	-	-	-	-	-	-	-	
NEW YORK - - -	5,872,143	—	—	-	-	-	-	-	-	-	
CHICAGO - - -	2,596,681	—	44,259	37	4	60	47	186	725	2,992	
NEW ORLEANS - -	384,000	—	9,969	77	-	22	-	74	18	240	
RIO DE JANEIRO -	—	—	—	-	-	-	-	-	-	-	
CAIRO:—											
Egyptians - -	—	—	—	-	-	-	-	-	-	-	
Foreigners - -	—	—	—	-	-	-	-	-	-	-	
ALEXANDRIA:—											
Egyptians - -	—	—	—	-	-	-	-	-	-	-	
Foreigners - -	—	—	—	-	-	-	-	-	-	-	

* These populations relate, as far as possible, to the middle of the year. They differ in some cases from those in Table XIII.

† The figures for London refer to the civilian population only.

‡ All ages.

§ Under 1 year.

|| Including 211 deaths from plague in Calcutta, 1,108 in Bombay, 22 in Madras, and 8 in New Orleans, and from Asiatic Cholera 1,517 deaths in Calcutta, 1,347 in Bombay, 479 in Madra, and 1 in Stockholm.

¶ Excluding deaths from Croup.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

PERIODS IN THE QUARTER ENDED 31ST MARCH, 1918.

AGES AT DEATH.															International List Nos.
15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
1,712 1,449	1,752 1,500	1,711 1,585	1,981 1,707	2,501 2,017	2,821 2,258	3,421 2,525	3,950 3,070	4,430 3,517	5,054 4,255	5,767 5,248	5,740 5,735	5,022 5,878	3,079 4,114	1,828 3,304	All Causes. 1-59
703 917	835 896	770 811	876 818	1,103 912	1,133 1,002	1,312 1,039	1,345 1,170	1,305 1,239	1,295 1,221	1,212 1,226	924 1,021	560 735	211 334	91 193	
10 22	13 15	11 10	10 12	16 7	10 8	6 7	5 10	5 10	5 3	5 1	1 —	1 2	— 1	— —	1
—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	2
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	3	2	3	5	3	4	3	—	—	—	—	—	—	—	4
—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	5
18 6	26 5	7 4	3 4	4 —	— 3	— —	— —	1 —	— —	— 1	— —	— —	— —	— —	6
9 8	2 3	1 2	1 5	— 3	2 —	— 1	— —	— —	— —	1 —	— —	— —	— —	— —	7
—	—	—	—	—	—	—	—	1	1	—	—	1	—	—	8
—	—	1	—	—	1	—	—	1	—	1	1	—	—	—	9
10 16	7 5	4 4	2 2	1 1	1 2	— 2	— 2	— —	— —	— —	— —	— —	— —	— —	A
10 16	7 5	4 4	2 2	1 1	1 2	— 2	— 2	— —	1 —	— —	— —	— —	— —	— —	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10
18 18	15 17	15 11	16 24	35 30	40 36	60 23	76 41	68 50	102 63	90 86	79 109	59 85	34 53	23 36	11
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	14
—	13 1	7 3	15 7	16 8	14 15	23 18	23 14	22 21	18 10	16 16	19 6	4 6	1 1	— 1	15
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	16
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	17

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
18	Erysipelas - -	M 119	5	5	—	4	14	1	—	—	—	15	1
		F 104	2	7	2	3	14	1	—	—	—	15	1
19	Other epidemic diseases.	M 37	—	1	3	4	8	9	—	1	1	19	4
		F 34	—	1	3	8	12	7	1	4	3	27	5
	A. Mumps - -	M 4	—	—	—	—	—	1	—	—	1	2	1
		F 9	—	—	—	1	1	1	—	2	1	5	2
	B. German measles.	M 20	—	1	3	—	4	3	—	1	—	8	1
		F 12	—	—	1	1	2	4	1	2	2	11	1
	C. Varicella -	M 11	—	—	—	4	4	5	—	—	—	9	2
		F 12	—	1	2	5	8	2	—	—	—	10	2
	D. Other diseases included under 19.	M 2	—	—	—	—	—	—	—	—	—	—	—
		F 1	—	—	—	1	1	—	—	—	—	1	—
20	Pyæmia, Septicæmia.	M 84	3	1	—	1	5	1	—	—	1	7	6
		F 40	1	1	2	2	6	1	1	1	—	9	—
	A. Pyæmia -	M 18	1	—	—	—	1	—	—	—	1	2	1
		F 10	1	1	—	1	3	1	1	1	—	6	—
	B. Septicæmia -	M 66	2	1	—	1	4	1	—	—	—	5	5
		F 30	—	—	2	1	3	—	—	—	—	3	—
	C. Vaccinia -	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
21	Glanders - -	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
22	Anthrax (Splenic Fever).	M 3	—	—	—	—	—	—	—	—	—	—	—
		F 1	—	—	—	—	—	—	—	—	—	—	—
23	Rabies - - -	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
24	Tetanus - - -	M 20	—	—	—	—	—	—	1	1	—	2	—
		F 9	—	1	—	—	1	—	—	—	1	2	—
25	Mycoses - - -	M 4	—	—	—	—	—	—	—	—	—	—	—
		F 2	—	—	—	—	—	—	—	—	—	—	—
	A. Actinomycosis	M 4	—	—	—	—	—	—	—	—	—	—	—
		F 1	—	—	—	—	—	—	—	—	—	—	—
	B. Other mycoses	M —	—	—	—	—	—	—	—	—	—	—	—
		F 1	—	—	—	—	—	—	—	—	—	—	—
26	Pellagra - - -	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
27	Beri-beri - - -	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
28	Pulmonary tuber- culosis (not acute).	M 5,753	—	1	2	16	19	31	27	15	13	105	66
		F 4,557	—	1	5	12	18	25	16	14	14	87	92
	A. Pulmonary tuberculosis.	M 4,340	—	1	1	16	18	27	23	12	12	92	55
		F 3,331	—	1	5	10	16	25	15	12	13	81	74
	B. Phthisis (not defined as tuberculous).	M 1,413	—	—	1	—	1	4	4	3	1	13	11
		F 1,226	—	—	—	2	2	—	1	2	1	6	18

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1918—*continued.*

AGES AT DEATH.																International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.	
2 2	4 2	2 5	3 2	6 5	7 5	3 3	4 8	12 6	10 9	11 8	10 9	12 5	9 6	6 10	2 3	{ 18
—	1	5	4	1	1	1	—	1	—	—	—	—	—	—	—	{ 19
1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	{ A
1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	{ B
—	—	4	4	1	1	1	—	—	—	—	—	—	—	—	—	{ C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ D
—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	{ 20
2 2	6 —	5 2	5 1	2 1	4 1	5 4	6 2	11 1	6 3	4 5	5 2	4 2	4 5	2 —	—	{ A
1	3	—	3	2	2	1 1	—	—	2	1	1	1	—	—	—	{ B
1 2	3 —	5 2	2 1	— 1	2 1	4 3	6 2	11 1	6 1	3 5	4 2	3 2	4 4	2 —	—	{ C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ 21
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ 22
—	1	—	—	—	1	—	1	—	—	—	1	—	—	—	—	{ 23
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ 24
1	3 1	1 1	—	1 —	— 1	1 1	1 —	3 —	4 —	2 —	2 1	—	—	—	—	{ 25
—	—	1	—	—	1	—	1	—	1	—	1	—	—	—	—	{ A
—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	{ B
—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	{ 26
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ 27
93 222	339 537	530 603	536 574	593 521	726 479	692 425	673 321	504 240	401 162	246 129	152 90	58 48	29 20	7 5	3 2	{ 28
75 164	261 395	404 426	390 408	446 373	544 350	523 307	504 234	377 179	296 119	173 94	128 74	45 38	20 12	5 1	2 2	{ A
18 58	78 142	126 177	146 166	147 148	182 129	169 118	169 87	127 61	105 43	73 35	24 16	13 10	9 8	2 4	1 —	{ B

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.													
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—		
29	Acute phthisis, Acute miliary tuberculosis.	M	509	—	4	1	9	14	14	12	10	5	55	32	
		F	484	—	1	1	4	6	11	10	4	6	37	29	
	A. Acute phthisis	M	402	—	2	1	5	8	3	3	5	2	21	11	
		F	401	—	—	—	3	3	5	5	2	1	16	17	
	B. Acute miliary tuberculosis.	M	107	—	2	—	4	6	11	9	5	3	34	21	
		F	83	—	1	1	1	3	6	5	2	5	21	12	
28 & 29	Pulmonary tuber- culosis (acute and chronic).	M	6,262	—	5	3	25	33	45	39	25	18	160	98	
		F	5,041	—	2	6	16	24	36	26	18	20	124	121	
30	Tuberculous meningitis.	M	636	2	7	24	53	86	103	66	53	35	343	122	
		F	601	—	1	18	59	78	91	47	45	29	290	129	
31	Tuberculosis of peritoneum and intestines.	M	432	3	17	21	31	72	53	46	24	16	211	37	
		F	374	1	7	12	23	43	40	27	17	10	137	38	
	A. Tabes mesenterica.	M	52	1	6	8	9	24	10	9	—	3	46	3	
		F	28	—	1	4	3	8	4	6	—	—	18	5	
	B. Other peri- toneal and intestinal tubercle.	M	380	2	11	13	22	48	43	37	24	13	165	34	
		F	346	1	6	8	20	35	36	21	17	10	119	33	
32	Tuberculosis of spinal column	M	121	—	—	—	2	2	1	—	1	5	9	10	
		F	86	—	—	—	—	—	1	1	—	2	4	9	
33	Tuberculosis of joints.	M	69	—	—	—	—	—	1	1	—	1	3	8	
		F	36	—	—	—	—	—	3	—	1	—	4	1	
34	Tuberculosis of other organs.	M	93	—	1	—	3	4	2	3	1	—	10	2	
		F	104	—	—	3	1	4	2	1	—	1	8	4	
	A. Lupus - -	M	2	—	—	—	—	—	—	—	—	—	—	—	
		F	12	—	—	—	—	—	—	—	—	—	—	—	
	B. Scrofula - -	M	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	
	C. Other tuber- culosis in- cluded under 34.	M	91	—	1	—	3	4	2	3	1	—	10	2	
		F	92	—	—	3	1	4	2	1	—	1	8	4	
	35	Disseminated tuberculosis.	M	330	—	2	4	15	21	21	14	14	7	77	35
			F	304	2	3	4	12	21	15	13	13	5	67	31
28- 35	Tuberculosis (all forms).	M	7,943	5	32	52	129	218	226	169	118	82	813	312	
		F	6,546	3	13	43	111	170	188	115	94	67	634	333	
36	Rickets, Softening of bones.	M	133	—	8	7	31	46	45	12	12	4	119	4	
		F	133	—	5	7	20	32	43	25	13	5	118	5	
	A. Rickets - -	M	127	—	8	7	31	46	45	12	12	4	119	4	
		F	125	—	5	7	20	32	43	25	13	5	118	4	
	B. Other forms of bone soften- ing.	M	6	—	—	—	—	—	—	—	—	—	—	—	
		F	8	—	—	—	—	—	—	—	—	—	—	1	
37	Syphilis - -	M	323	53	73	29	25	180	17	6	1	1	205	—	
		F	207	37	48	32	14	131	13	2	3	—	149	—	

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1918—continued.

AGES AT DEATH.																International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.	
21 55	57 83	50 71	38 42	45 45	63 36	48 24	37 27	27 16	17 8	11 5	6 3	1 3	1 —	— —	— —	{ 29
13 42	48 73	42 65	34 36	36 42	55 36	48 21	33 24	27 13	15 7	11 4	6 2	1 3	1 —	— —	— —	
8 13	9 10	8 6	4 6	9 3	8 —	— 3	4 3	— 3	2 1	— 1	— 1	— —	— —	— —	— —	{ B
114 277	396 620	580 674	574 616	638 566	789 515	740 449	710 348	531 256	418 170	257 134	158 93	59 51	30 20	7 5	3 2	{ 28 & 29
67 73	39 34	14 27	12 16	15 9	7 5	7 8	6 4	3 3	1 3	— —	— —	— —	— —	— —	— —	
48 35	37 43	24 22	10 23	10 13	14 14	5 11	8 10	9 7	6 7	6 7	1 5	5 2	1 —	— —	— —	{ 31
2 3	1 1	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
46 32	36 42	24 21	10 23	10 13	14 14	5 11	8 10	9 7	6 7	6 7	1 5	5 2	1 —	— —	— —	{ B
17 10	9 8	9 7	10 6	13 5	8 1	8 7	10 5	5 5	5 5	6 4	1 3	— 3	— 2	1 2	— —	
6 2	14 5	7 3	5 1	1 —	4 —	3 1	3 3	4 5	2 5	2 2	4 1	1 1	— 1	1 1	1 —	{ 33
3 2	8 11	7 7	6 7	9 7	5 2	5 4	9 6	7 7	4 8	6 9	5 9	5 6	1 5	1 —	— 2	
— —	1 —	— —	— 1	— —	— —	— 1	1 —	— —	— 1	— 2	— 3	— 2	— 1	— —	— 1	{ A
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
3 2	7 11	7 7	6 6	9 7	5 2	5 3	8 6	7 7	4 7	6 7	5 6	5 4	1 4	1 —	— 1	{ C
35 39	36 23	25 26	19 19	30 14	14 22	15 20	12 7	13 11	10 10	3 8	3 3	1 2	— 1	2 1	— —	
290 438	539 744	666 766	636 688	716 614	841 559	783 500	758 383	572 294	446 208	280 164	172 114	71 65	32 29	12 9	4 4	{ 28-35
1 —	3 1	— 1	2 1	1 1	1 —	— 1	1 —	— 1	— —	— 1	— 2	1 1	— —	— —	— —	
1 —	1 1	— 1	— 1	1 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	{ A
— —	2 —	— —	2 —	— 1	1 —	— 1	1 —	— 1	— —	— 1	— 2	— 1	— —	— —	— —	
— —	6 6	8 3	6 6	9 4	17 11	15 6	14 7	10 5	15 7	13 1	3 1	1 1	1 —	— —	— —	{ 37
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1918—continued.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	1	2	1	—	—	—	—	—	—	—	1	—	—	—	—	{	38
—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	1	2	1	—	—	—	—	—	—	—	1	—	—	—	—	{	B
—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	2	1	1	—	2	24	58	85	99	86	94	78	55	16	5	{	39
2	—	—	1	1	4	2	9	14	10	9	13	12	10	5	1		
1	1	3	5	13	36	55	127	207	233	265	297	235	119	42	13	{	40
—	2	2	5	9	33	61	72	142	194	233	276	230	166	70	30		
1	1	2	3	5	17	34	57	90	118	153	160	152	103	32	12	{	41
—	—	1	2	18	30	55	75	92	120	185	179	177	126	43	27		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	42
1	3	2	5	15	68	117	160	198	211	141	126	84	58	22	10		
—	—	1	—	—	—	—	2	—	1	2	1	1	1	—	—	{	43
—	—	—	6	16	44	72	113	139	140	117	114	85	72	38	34		
1	—	—	—	4	2	4	12	12	13	19	16	22	19	15	11	{	44
—	—	1	—	—	3	2	3	2	11	10	12	14	17	11	8		
5	13	17	13	20	18	58	80	111	132	156	172	120	68	24	5	{	45
5	14	2	10	13	20	24	42	58	73	83	67	76	42	25	13		
8	17	24	22	42	75	175	336	505	596	681	740	608	365	129	46	{	39-45
8	19	8	29	72	202	333	474	645	759	778	787	678	491	214	123		
1	—	—	1	1	2	—	2	3	3	3	1	4	1	2	—	{	46
—	—	—	—	—	2	—	1	2	1	3	4	3	—	—	—		
—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	{	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	{	B
—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—		
1	—	—	—	—	2	—	2	3	3	3	1	3	1	2	—	{	C
—	—	—	—	—	2	—	1	2	1	3	4	2	—	—	—		
40	30	13	14	9	17	15	17	19	9	8	4	1	1	—	—	{	47
41	37	21	5	14	14	10	10	14	18	8	7	3	4	—	1		
—	—	2	—	—	4	4	8	19	25	28	35	47	38	10	10	{	48
—	2	1	—	2	5	15	21	30	33	54	65	87	56	27	18		
—	—	—	—	—	1	—	—	1	4	3	12	14	12	4	3	{	A
—	—	—	—	—	—	1	5	5	5	6	14	20	13	10	2		
—	—	2	—	—	3	3	7	13	12	7	19	24	15	3	3	{	B
—	2	1	—	2	5	13	16	24	27	48	48	66	41	15	14		
—	—	—	—	—	—	1	1	5	9	18	4	9	11	3	4	{	C
—	—	—	—	—	—	1	—	1	1	—	3	1	2	2	2		

ENGLAND AND WALES—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
49	Scurvy - - - { M F	5 9	— —	2 —	1 1	2 1	5 2	— 2	— 1	— —	— 1	5 6	— 1
50	Diabetes - - - { M F	511 448	— —	— —	— —	— —	— —	— —	1 2	— 2	— 1	1 5	1 9
51	Exophthalmic goitre. { M F	14 90	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —
52	Addison's disease - { M F	27 32	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
53	Leucocythæmia, Lymphadenoma. { M F	86 72	— —	— —	— —	— 1	— 1	1 —	— —	1 —	1 —	3 1	9 4
	A. Leucocythæ- mia (Leuchæ- mia). { M F	47 45	— —	— —	— —	— 1	— 1	1 —	— —	— —	1 —	2 1	3 2
	B. Lymphade- noma. { M F	39 27	— —	— —	— —	— —	— —	— —	— —	1 —	— —	1 —	6 2
54	Anæmia, Chlorosis { M F	258 341	2 —	2 —	1 —	1 —	6 —	1 3	— 2	2 —	1 2	10 7	8 3
55	Other general diseases. { M F	59 59	2 2	3 2	2 3	4 2	11 9	3 —	— 1	5 1	2 1	21 12	7 8
	A. Diabetes insipidus. { M F	5 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	1 —	1 —
	B. Purpura - { M F	36 46	1 1	3 1	2 3	4 2	10 7	3 —	— 1	4 1	1 1	18 10	4 5
	C. Hæmophilia - { M F	5 5	— 1	— 1	— —	— —	— 2	— —	— —	— —	1 —	1 2	1 1
	D. Other diseases included under 55. { M F	13 8	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	1 —	1 2
56	Alcoholism (acute or chronic). { M F	17 8	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
57	Chronic lead poisoning. { M F	4 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Occupational lead poison- ing. { M F	4 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Non-occupa- tional lead poisoning. { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
58	Other chronic occu- pational poison- ings. { M F	1 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
59	Other chronic poisonings. { M F	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
60- 76	II. Diseases of the Nervous System and of the Organs of Special Sense. { M F	7,536 7,040	295 198	223 167	195 123	262 192	975 680	247 198	87 88	54 51	48 30	1,411 1,047	150 162
60	Encephalitis - - { M F	27 30	— —	— —	— —	— —	— —	1 —	— —	— —	— —	1 —	5 1

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1918—*continued.*

AGES AT DEATH.																	International List Nos.
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ 49	
16 13	15 15	16 7	16 20	21 16	23 13	20 18	24 21	43 44	48 48	74 64	84 68	52 35	38 33	13 13	6 6	{ 50	
—	—	1	1	1	3	—	1	2	2	1	1	—	—	—	—	{ 51	
1	4	9	7	8	7	14	13	12	3	6	4	1	1	—	—	{ 52	
—	1	1	1	1	7	3	4	2	1	3	3	—	—	—	—	{ 53	
8 1	5 3	3 2	4 3	2 4	9 7	10 10	6 5	6 4	7 10	7 7	4 7	3 2	—	—	2	{ 54	
5 1	4 2	3 —	3 1	— 2	3 6	8 8	4 5	3 4	3 6	4 3	2 3	—	—	—	1	{ A	
3 —	1 1	— 2	1 2	2 2	6 1	2 2	2 —	3 —	4 4	3 4	2 4	3 2	—	—	1	{ B	
5 5	3 6	4 12	5 9	11 11	6 29	25 15	28 34	25 38	30 50	44 41	28 42	20 19	5 16	1 3	— 1	{ 55	
1 6	4 4	3 4	1 2	1 4	2 2	1 3	2 1	2 3	3 1	5 2	4 5	1 1	1 1	—	—	{ 56	
—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	{ A	
1 4	3 3	1 4	1 2	— 3	1 2	1 2	1 1	— 2	—	3 2	— 4	1 1	1 1	—	—	{ B	
—	—	1	—	—	—	—	—	—	2	—	—	—	—	—	—	{ C	
1 1	1 1	1 —	—	1 —	1 —	— 1	1 —	2 1	1 1	1 —	2 1	—	—	—	—	{ D	
—	—	—	—	1 —	4 1	2 —	2 2	2 —	— 1	4 —	1 1	— 2	—	1	—	{ 57	
—	—	—	—	—	1 —	—	1 —	1 —	1 —	—	—	—	—	—	—	{ 58	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ A	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ B	
—	—	3	—	—	—	—	—	—	1	—	—	—	—	—	—	{ 59	
—	—	—	—	—	—	—	1 1	—	—	—	—	—	—	—	—	{ 60-76	
117 102	190 108	125 82	143 103	184 131	260 157	303 216	388 310	491 435	568 489	616 617	713 794	771 794	615 783	335 457	156 253	{ 60	
3 3	— 1	2 3	1 2	1 1	1 5	4 3	3 3	2 1	— 2	— 3	1 1	1 1	—	1 —	—	{ 60	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.													
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—		
61	Meningitis - -	M	662	8	15	32	66	121	83	45	27	23	299	70	
		F	487	4	9	18	55	86	63	26	23	15	213	90	
	A. Cerebro-spinal fever.	M	200	—	—	7	9	16	7	5	2	5	35	11	
		F	89	—	—	3	10	13	5	2	3	3	26	24	
	B. Posterior basal meningitis.	M	24	—	2	4	3	9	6	2	1	2	20	3	
		F	15	—	—	2	4	6	4	1	1	—	12	1	
	C. Meningitis— other forms.	M	438	8	13	21	54	96	70	38	24	16	244	56	
		F	383	4	9	13	41	67	54	23	19	12	175	65	
	62	Locomotor ataxy -	M	160	—	—	—	—	—	—	—	—	—	—	—
			F	28	—	—	—	—	—	—	—	—	—	—	—
63	Other diseases of the spinal cord.	M	407	—	2	—	1	3	5	3	—	2	13	5	
		F	323	—	—	1	2	3	3	2	3	1	12	8	
	A. Diseases form- erly classed to "Other nerv- ous affectns."	M	160	—	—	—	—	—	—	—	—	1	1	—	
		F	115	—	—	—	—	—	—	—	—	—	—	—	
	B. Other diseases included un- der 63.	M	247	—	2	—	1	3	5	3	—	1	12	5	
		F	208	—	—	1	2	3	3	2	3	1	12	8	
64	Cerebral hæmorr- hage, Apoplexy.	M	2,936	—	1	—	2	3	—	1	1	—	5	7	
		F	3,513	—	—	—	—	—	—	1	—	—	1	3	
	A. Apoplexy -	M	530	—	—	—	—	—	—	—	—	—	—	1	
		F	680	—	—	—	—	—	—	—	—	—	—	1	
	B. Serous apoplexy and Œdema of brain.	M	17	—	—	—	—	—	—	—	—	—	—	—	
		F	20	—	—	—	—	—	—	—	—	—	—	—	
	C. Cerebral congestion.	M	12	—	1	—	1	2	—	—	—	—	2	1	
		F	4	—	—	—	—	—	—	—	—	—	—	1	
	D. Cerebral atheroma.	M	45	—	—	—	—	—	—	—	—	—	—	—	
		F	45	—	—	—	—	—	—	—	—	—	—	—	
	E. Cerebral hæmorrhage.	M	2,332	—	—	—	1	1	—	1	1	—	3	5	
		F	2,764	—	—	—	—	—	—	1	—	—	1	1	
65	Softening of brain	M	179	—	—	—	—	—	—	—	—	—	—	—	
		F	180	—	—	—	—	—	—	—	—	—	—	—	
66	Paralysis without specified cause.	M	299	—	—	—	1	1	1	—	—	1	3	—	
		F	427	—	2	—	—	2	1	1	—	—	4	—	
	A. Hemiplegia -	M	236	—	—	—	1	1	1	—	—	—	2	—	
		F	346	—	1	—	—	1	—	—	—	—	1	—	
	B. Paraplegia -	M	27	—	—	—	—	—	—	—	—	—	—	—	
		F	29	—	—	—	—	—	—	—	—	—	—	—	
C. Other forms of paralysis.	M	36	—	—	—	—	—	—	—	—	1	1	—		
	F	52	—	1	—	—	1	—	1	—	—	3	—		
67	General paralysis of the insane.	M	513	—	—	—	—	—	—	—	—	—	—	—	
		F	99	—	—	—	—	—	—	—	—	—	—	—	
68	Other forms of mental alienation.	M	192	—	—	—	—	—	—	—	—	—	—	—	
		F	201	—	—	—	—	—	—	—	—	—	—	—	

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1918—continued.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
49 43	87 34	32 18	22 19	28 11	10 14	10 8	16 5	11 9	10 7	5 4	4 6	4 2	2 2	2 —	1 2	}	61
18 5	61 9	23 5	14 7	16 3	7 3	5 3	6 2	2 1	1 —	— —	1 1	— —	— —	— —	— —		
1 —	— 1	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	}	B
30 38	26 24	9 13	8 12	12 8	3 11	5 5	10 2	9 8	9 7	5 4	3 5	4 2	2 2	2 —	1 2		
— —	1 —	— —	1 —	2 —	8 5	15 3	24 4	28 2	25 4	7 5	28 2	13 —	7 3	1 —	— —	}	62
6 3	7 9	8 4	10 8	10 9	18 16	30 30	34 24	34 29	47 20	49 32	38 31	55 38	27 30	14 12	2 8		
3 —	2 3	— 1	2 —	1 —	3 2	6 4	6 6	10 6	20 3	21 11	21 18	37 24	16 23	10 9	1 5	}	A
3 3	5 6	8 3	8 8	9 9	15 14	24 26	28 18	24 23	27 17	28 21	17 13	18 14	11 7	4 3	1 3		
5 3	6 3	3 3	8 6	9 15	29 22	50 56	95 137	195 240	288 318	372 423	477 569	547 584	448 583	267 349	125 198	}	64
— 1	1 1	1 1	— 1	1 2	3 3	8 8	13 25	27 53	56 55	70 81	81 112	106 103	81 120	62 73	19 40		
— —	— —	— —	— —	— —	— —	— 1	1 1	1 2	1 3	2 1	5 1	3 4	1 2	3 1	— 4	}	B
— —	— —	— —	— —	1 —	— —	1 —	1 —	1 1	1 2	— —	1 —	— —	3 —	— —	— —		
— —	— —	— —	— —	— —	— —	1 —	— —	2 1	4 1	— 3	7 2	12 18	12 11	4 3	3 6	}	D
5 2	5 2	2 2	8 5	7 13	26 19	40 47	80 111	164 183	226 257	300 338	383 454	426 459	351 450	198 272	103 148		
— —	— —	— 1	2 1	2 1	1 2	5 —	7 3	11 15	21 12	17 27	27 26	28 23	38 38	12 20	8 11	}	65
1 —	— 3	1 1	2 3	2 2	4 1	4 7	5 19	22 23	21 24	34 39	58 69	49 76	55 81	24 50	14 25		
1 —	— 1	— 1	2 2	1 2	2 —	4 5	3 16	18 18	18 20	27 35	49 59	42 61	40 60	15 44	12 21	}	A
— —	— —	1 —	— —	1 —	— 1	— 2	1 1	3 2	1 2	2 2	2 2	4 4	7 6	5 3	— 4		
— —	— 2	— —	— 1	— —	2 —	— —	1 2	1 3	2 2	5 2	7 8	3 11	8 15	4 3	2 —	}	C
1 —	3 1	4 1	12 4	42 6	91 15	93 17	111 21	69 13	41 11	25 4	11 1	7 2	3 3	— —	— —		
— 1	— 1	5 1	2 3	10 7	9 14	12 16	20 19	30 23	29 22	32 28	17 30	16 20	6 8	1 7	3 1	}	68

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
69	Epilepsy - - -	M 604	1	1	3	2	7	2	4	1	4	18	17
		F 492	—	—	1	1	2	1	2	3	—	8	11
70	Convulsions (non-puerperal; 5 years and over).	M 13	—	—	—	—	—	—	—	—	—	—	6
		F 9	—	—	—	—	—	—	—	—	—	—	7
	A. Epileptiform convulsions.	M 3	—	—	—	—	—	—	—	—	—	—	—
		F 1	—	—	—	—	—	—	—	—	—	—	—
	B. Others included under 70.	M 10	—	—	—	—	—	—	—	—	—	—	6
		F 8	—	—	—	—	—	—	—	—	—	—	7
71	Infantile convulsions (under 5 years).	M 993	285	201	150	177	813	133	27	13	7	993	—
		F 747	193	155	99	127	574	117	39	11	6	747	—
	A. Convulsions with teething.	M 155	—	—	17	76	93	55	7	—	—	155	—
		F 133	—	—	10	59	69	51	13	—	—	133	—
	B. Other infantile convulsions.	M 838	285	201	133	101	720	78	20	13	7	838	—
		F 614	193	155	89	68	505	66	26	11	6	614	—
	Chorea - - -	M 9	—	—	—	—	—	—	—	1	—	1	3
		F 18	—	—	—	—	—	—	—	—	—	—	3
73	Hysteria, Neuralgia, Neuritis.	M 32	—	—	—	—	—	—	—	—	—	—	—
		F 33	—	—	—	—	—	—	—	1	—	1	—
	A. Hysteria, Neuralgia, Sciatica.	M 8	—	—	—	—	—	—	—	—	—	—	—
		F 6	—	—	—	—	—	—	—	—	—	—	—
	B. Neuritis	M 24	—	—	—	—	—	—	—	—	—	—	—
		F 27	—	—	—	—	—	—	—	1	—	1	—
74	Other diseases of the nervous system.	M 351	1	2	4	4	11	9	2	6	7	35	17
		F 335	1	1	3	1	6	3	8	6	5	28	19
	A. Idiocy, Imbecility.	M 57	—	1	—	—	1	2	1	2	2	8	7
		F 42	—	—	1	—	1	1	5	2	2	11	4
	B. Cretinism	M 11	—	—	2	2	4	1	1	1	1	8	1
		F 15	—	—	—	1	1	—	1	2	—	4	3
	C. Cerebral tumour.	M 111	—	—	1	—	1	2	—	—	3	6	8
		F 130	—	—	—	—	—	—	—	2	1	3	7
	D. Other diseases included under 74.	M 172	1	1	1	2	5	4	—	3	1	13	1
		F 148	1	1	2	—	4	2	2	—	2	10	5
75	Diseases of the eyes and annexa.	M 7	—	—	—	—	—	1	—	—	—	1	—
		F 7	—	—	—	—	—	—	1	—	—	1	1
76	Diseases of the ears	M 152	—	1	6	9	16	12	5	5	4	42	20
		F 111	—	—	1	6	7	10	8	4	3	32	19
	A. Mastoid disease.	M 35	—	—	—	2	2	2	1	2	—	7	5
		F 17	—	—	1	2	3	1	—	1	—	5	1
	B. Other diseases of the ears.	M 117	—	1	6	7	14	10	4	3	4	35	15
		F 94	—	—	—	4	4	9	8	3	3	27	18
77-85	III. Diseases of the Circulatory System.	M 8,624	2	4	11	8	25	10	4	9	10	58	55
		F 8,714	4	3	2	9	18	13	6	5	9	51	49
77	Pericarditis - - -	M 68	—	—	—	—	—	1	—	1	1	3	4
		F 50	—	—	—	1	1	5	1	1	—	8	6

E-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1918—continued.

	AGES AT DEATH.															International List Nos.
	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
23 6	41 25	47 34	53 37	50 50	61 45	46 41	43 40	48 38	42 35	42 31	26 32	25 22	16 18	5 4	1 5	{ 69
4 2	—	—	—	—	—	—	1	—	1	—	—	1	—	—	—	{ 70
2 1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	{ A
2 1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	{ B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ 71
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ B
1 6	1 4	1 —	1 —	— 1	— —	— 1	1 2	— 1	— —	— —	— —	— —	— —	— —	— —	{ 72
—	—	2	—	1	2	2	2	2	2	5	6	5	4	1	—	{ 73
—	—	—	—	—	—	—	1	—	—	1	1	3	2	—	—	{ A
—	—	—	—	—	—	—	1	1	—	1	1	1	—	1	—	{ B
—	—	2	—	1	2	2	2	2	2	4	5	2	2	1	—	{ 74
12 12	21 17	14 10	18 17	14 23	16 15	29 28	24 28	36 30	35 23	27 16	19 23	19 19	8 12	6 12	1 3	{ 74
3 3	7 2	6 1	5 6	5 1	2 2	1 —	2 2	3 2	5 2	2 3	— 1	1 1	—	—	—	{ A
—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	{ B
1 5	3 10	— 7	— 4	2 3	— 7	2 13	— 9	— 11	— 14	— 5	— 2	— 6	— 1	— —	— —	{ C
6 4	6 4	7 1	9 8	11 6	10 7	17 15	16 13	16 21	7 16	4 20	8 17	2 12	— 7	1 6	— 1	{ D
2 2	6 6	2 2	2 2	9 3	3 3	9 9	10 10	12 12	14 14	9 9	14 14	16 16	12 12	11 11	2 2	{ 75
—	1	1	1	1	—	—	—	—	2	—	1	—	—	1	—	{ 76
12 13	22 10	7 4	10 3	12 5	10 3	3 6	2 2	3 5	6 5	1 1	— 1	1 2	1 —	—	—	{ 76
7 3	6 2	1 1	3 —	2 2	2 1	— —	2 —	— —	— 1	— 1	— —	— —	— —	— —	— —	{ A
5 10	16 8	6 3	7 3	10 3	8 2	3 6	— 2	3 5	6 4	1 —	— 1	1 2	1 —	— —	— —	{ B
78 95	115 109	116 132	119 141	160 175	234 243	275 299	431 360	569 498	792 694	1,047 927	1,344 1,197	1,299 1,316	1,061 1,173	579 758	292 497	{ 77-85
4 5	10 3	2 2	— 1	3 3	4 3	3 1	7 —	6 5	8 3	5 3	3 3	4 3	1 1	1 —	— —	{ 77

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	All Ages.	AGES AT DEATH.											
			Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	
78	Acute endocarditis	M	180	—	—	—	1	1	2	—	2	3	8	8
		F	214	—	—	1	1	2	2	1	1	2	8	11
	A. Acute myocarditis.	M	47	—	—	—	1	1	1	—	—	1	3	2
		F	45	—	—	1	—	1	—	1	—	—	2	1
	B. Infective endocarditis.	M	61	—	—	—	—	—	1	—	1	—	2	2
		F	69	—	—	—	—	—	—	—	1	1	2	1
	C. Other acute endocarditis.	M	72	—	—	—	—	—	—	—	1	2	3	4
F		100	—	—	—	1	1	2	—	—	1	4	9	
79	Organic disease of the heart.	M	6,222	—	—	—	2	2	2	3	5	5	17	37
		F	6,716	—	—	—	3	3	2	1	2	6	14	29
	A. Valvular disease.	M	2,960	—	—	—	1	1	1	2	3	1	8	26
		F	3,186	—	—	—	—	—	2	1	1	3	7	19
	B. Fatty degene- ration of the heart.	M	276	—	—	—	—	—	—	—	—	—	—	—
		F	338	—	—	—	1	1	—	—	—	—	1	—
	C. Other organic disease of the heart.	M	2,986	—	—	—	1	1	1	1	2	4	9	11
F		3,192	—	—	—	2	2	—	—	1	3	6	10	
80	Angina pectoris	M	140	—	—	—	—	—	—	—	—	—	—	—
		F	67	—	—	—	—	—	—	—	—	—	—	—
81	Dis. of the arteries, Atheroma, Aneu- rysm, &c.	M	1,557	—	—	—	—	—	—	—	—	—	—	—
		F	1,083	—	—	—	—	—	—	—	—	—	—	—
	A. Aneurysm	M	157	—	—	—	—	—	—	—	—	—	—	—
		F	46	—	—	—	—	—	—	—	—	—	—	—
	B. Arterial sclerosis.	M	1,378	—	—	—	—	—	—	—	—	—	—	—
		F	1,021	—	—	—	—	—	—	—	—	—	—	—
	C. Other diseases of arteries.	M	22	—	—	—	—	—	—	—	—	—	—	—
F		16	—	—	—	—	—	—	—	—	—	—	—	
82	Embolism and thrombosis.	M	358	—	—	—	—	—	—	—	—	—	—	2
		F	457	—	—	—	—	—	1	1	—	—	2	1
	A. Cerebral em- bolism and thrombosis.	M	320	—	—	—	—	—	—	—	—	—	—	1
		F	416	—	—	—	—	—	1	1	—	—	2	1
	B. Other embo- lism and thrombosis.	M	38	—	—	—	—	—	—	—	—	—	—	1
		F	41	—	—	—	—	—	—	—	—	—	—	—
	83	Dis. of the veins (Varices, Hæmor- rhoids, Phlebitis, &c.).	M	26	—	—	—	—	—	—	—	—	—	—
F			52	—	—	—	—	—	—	—	—	—	—	—
A. Phlebitis		M	16	—	—	—	—	—	—	—	—	—	—	—
		F	23	—	—	—	—	—	—	—	—	—	—	—
B. Varix		M	10	—	—	—	—	—	—	—	—	—	—	—
		F	29	—	—	—	—	—	—	—	—	—	—	—
C. Pylephlebitis		M	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	
D. Varicocele	M	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1918—continued.

AGES AT DEATH.																85 Years and upwards.	International List Nos.
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—			
11 13	17 14	14 19	10 18	16 13	16 19	10 10	14 22	21 25	22 27	4 5	4 4	4 3	1 1	— —	— 2	{	78
— —	— 1	1 —	1 1	1 1	4 2	4 1	5 7	9 12	13 12	2 1	— 2	1 1	1 1	— —	— —		
3 4	6 8	10 11	7 10	11 9	5 4	1 3	4 4	2 4	2 2	— 3	3 2	3 1	— —	— —	— 1	{	B
8 9	11 5	3 8	2 7	4 3	7 13	5 6	5 11	10 9	7 13	2 1	1 —	— 1	— —	— —	— 1		
59 69	84 89	94 101	104 116	126 144	189 201	211 261	324 296	432 402	584 569	791 749	976 972	920 1,003	746 867	368 524	160 310	{	79
41 42	62 61	66 71	72 75	82 100	127 122	118 169	198 188	247 232	277 263	389 366	438 425	363 416	279 357	120 172	47 101		
— —	— —	— —	1 4	3 2	7 5	12 16	11 9	22 20	37 43	31 44	53 68	46 52	33 44	15 18	5 12	{	B
18 27	22 28	28 30	31 37	41 42	55 74	81 76	115 99	163 150	270 263	371 339	485 479	511 535	434 466	233 334	108 197		
— —	— —	— 1	— 1	— 1	3 1	5 1	8 2	14 6	18 10	31 9	22 8	24 12	10 8	4 4	1 3	{	80
— —	1 1	1 1	2 1	8 2	14 9	31 9	60 16	79 29	114 53	173 96	273 141	285 196	247 217	161 176	108 136		
— —	— 1	— 1	2 —	7 1	8 3	15 6	24 4	31 3	20 6	24 3	17 2	5 9	3 5	— 2	1 —	{	A
— —	1 —	1 —	— 1	1 1	6 5	14 3	36 12	46 26	94 45	145 91	252 138	276 183	240 211	160 172	106 133		
— —	— —	— —	— —	— —	— 1	2 —	— —	2 —	— 2	4 2	4 1	4 4	4 1	1 2	1 3	{	C
1 2	3 —	2 6	3 2	4 9	6 5	11 10	14 19	12 25	36 24	36 53	57 49	56 85	49 69	43 53	23 43		
1 1	2 —	2 4	3 1	3 6	4 3	8 9	13 14	9 22	30 20	32 48	53 44	49 82	46 67	42 50	22 42	{	A
— 1	1 —	— 2	— 1	1 3	2 2	3 1	1 5	3 3	6 4	4 5	4 5	7 3	3 2	1 3	1 1		
— 2	— —	— —	— —	— 3	1 3	1 5	3 4	3 3	4 5	4 5	2 9	3 9	3 3	2 1	— —	{	83
— 1	— —	— —	— —	— 1	— 3	1 1	2 1	3 1	1 3	2 1	2 6	1 2	3 2	1 1	— —		
— 1	— —	— —	— —	— 2	1 —	— 4	1 3	— 2	3 2	2 4	— 3	2 7	— 1	— —	— —	{	B
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{	C
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{	D
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.													
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1--	2--	3--	4--	Total under 5 Years.	5--		
84	Dis. of the lymphatic system (Lymphangitis, &c.)	M	47	2	4	11	5	22	5	1	1	—	29	4	
		F	29	4	3	1	4	12	3	2	—	1	18	2	
	A. Status lymphaticus.	M	25	2	1	10	2	15	3	—	1	—	19	3	
		F	18	4	3	1	1	9	1	2	—	1	13	1	
	B. Other diseases of the lymphatic system.	M	22	—	3	1	3	7	2	1	—	—	10	1	
		F	11	—	—	—	3	3	2	—	—	—	5	1	
85	Hæmorrhage, other dis. of the circulatory system.	M	26	—	—	—	—	—	—	—	—	1	1	—	
		F	46	—	—	—	—	—	—	—	1	—	1	—	
	A. Functional disease of the heart.	M	16	—	—	—	—	—	—	—	—	—	—	—	
		F	34	—	—	—	—	—	—	—	—	—	—	—	
	B. Epistaxis	M	2	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	—	—	—	1	—	1	—	
	C. Other diseases included under 85.	M	8	—	—	—	—	—	—	—	—	1	1	—	
		F	11	—	—	—	—	—	—	—	—	—	—	—	
	86-98	IV.—Diseases of the Respiratory System.	M	16,172	253	738	772	1,545	3,308	1,588	577	313	164	5,950	304
			F	14,447	198	540	545	1,185	2,468	1,447	572	313	191	4,991	294
86	Diseases of the nasal fossæ.	M	7	—	2	—	—	2	2	1	—	—	5	1	
		F	7	1	1	—	—	2	—	—	—	—	2	2	
87	Diseases of the larynx.	M	156	—	2	2	12	16	26	20	26	14	102	32	
		F	123	1	1	2	12	16	16	18	15	15	80	24	
	A. Laryngismus stridulus.	M	20	—	—	1	3	4	6	4	5	—	19	1	
		F	22	1	—	1	5	7	5	1	4	3	20	2	
	B. Laryngitis	M	128	—	2	1	8	11	20	16	21	13	81	30	
		F	93	—	—	1	7	8	11	17	11	12	59	20	
88	Diseases of the thyroid body	M	8	—	—	—	1	1	—	—	—	1	2	1	
		F	8	—	1	—	—	1	—	—	—	—	1	2	
89 & 90	Bronchitis	M	15	—	—	—	—	—	—	—	—	—	—	—	
		F	67	—	—	—	—	—	—	—	—	—	—	—	
	A. Bronchiectasis, Bronchial catarrh, &c.	M	6,877	173	407	327	508	1,415	400	106	54	23	1,998	32	
		F	7,246	129	307	250	364	1,050	360	108	47	35	1,600	42	
	B. Other bronchitis.	M	121	1	7	3	2	13	6	2	2	—	23	—	
		F	97	4	3	3	7	17	5	1	1	2	26	2	
91	Broncho-pneumonia.	M	6,756	172	400	324	506	1,402	394	104	52	23	1,975	32	
		F	7,149	125	304	247	357	1,033	355	107	46	33	1,574	40	
92	Pneumonia, lobar and undefined	M	3,814	48	251	336	792	1,427	919	325	154	75	2,900	118	
		F	3,524	48	184	228	642	1,102	862	331	180	93	2,568	126	
92	A. Lobar pneumonia	M	4,376	18	64	100	221	403	232	114	75	48	872	109	
		F	2,792	13	42	55	156	266	202	109	65	45	687	96	
	B. Pneumonia (type not stated).	M	1,896	6	13	20	46	85	46	40	25	18	214	46	
		F	1,109	1	9	16	35	61	47	33	19	16	176	34	
	92	Pneumonia, lobar and undefined	M	2,480	12	51	80	175	318	186	74	50	30	658	63
			F	1,683	12	33	39	121	205	155	76	46	29	511	62

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1918—continued.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.		
3 4	—	2 1	—	—	—	1 —	—	— 1	2 —	2 —	2 1	1 —	1 2	—	—	{	84
3 3	—	— 1	—	—	—	—	—	—	—	—	—	—	—	—	—		A
— 1	—	2 —	—	—	—	1 —	—	— 1	2 —	2 —	2 1	1 —	1 2	—	—	{	B
— —	2 —	1 1	— 2	3 —	1 2	2 2	1 1	2 2	4 3	1 7	5 10	2 5	3 5	—	— 3		85
— —	—	1 1	— 2	2 —	1 2	1 1	1 1	1 2	1 1	— 6	4 7	2 4	2 5	—	— 2	{	A
— —	—	—	—	1 —	—	—	—	—	1 —	—	—	—	—	—	—		B
— —	2 —	—	—	—	—	1 1	—	1 —	2 2	1 1	1 3	— 1	1 —	—	— 1	{	C
99 99	211 96	172 105	217 155	276 175	377 238	496 295	626 344	774 481	900 550	1,118 830	1,307 1,117	1,261 1,342	1,127 1,512	594 1,005	363 818		{ 86-98
— —	—	—	—	—	—	—	—	—	1 —	—	—	—	—	—	—	{	86
1 3	2 —	—	— 2	— 2	—	3 —	3 —	2 2	2 3	3 1	1 1	1 3	1 —	2 2	1 —		87
— —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	A
1 3	2 —	—	— 2	—	—	2 —	1 —	2 1	2 3	1 —	1 1	1 2	1 —	2 2	1 —		B
— —	—	—	—	—	—	1 —	2 —	—	—	2 —	—	—	—	—	—	{	C
— 1	1 2	— 1	1 1	1 2	— 3	1 1	1 10	2 7	3 4	1 9	2 9	1 10	1 3	— 3	— 1		88
10 14	20 16	24 13	29 22	38 36	71 55	111 85	174 107	248 215	375 282	563 482	801 701	831 942	822 1,155	444 810	286 669	{ 89 & 90	
2 1	— 2	1 1	5 —	3 —	4 —	4 1	11 1	9 2	14 3	7 6	11 7	8 3	8 15	6 7	5 20	{	A
8 13	20 14	23 12	24 22	35 36	67 55	107 84	163 106	239 213	361 279	556 476	790 694	823 939	814 1,140	438 803	281 649		{ B
19 20	19 11	21 12	22 15	33 20	34 23	38 35	62 38	51 46	71 63	84 85	93 94	102 119	83 122	39 67	25 60	{	91
63 57	153 63	112 63	139 97	181 95	225 132	288 145	312 162	391 159	351 151	359 204	321 226	241 183	154 156	71 72	34 44		{ 92
25 22	79 32	66 33	85 50	96 47	121 60	147 67	167 79	196 81	170 71	159 98	134 99	104 75	53 49	22 28	12 8	{	A
38 35	74 31	46 30	54 47	85 48	104 72	141 78	145 83	195 78	181 80	200 106	187 127	137 108	101 107	49 44	22 36		{ B

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.												
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	
93	Pleurisy - -	M	244	—	—	1	1	2	4	6	3	1	16	5
		F	153	2	—	1	2	5	2	5	4	1	17	1
	A. Empyema - -	M	80	—	—	1	1	2	4	5	3	1	15	3
		F	28	—	—	1	1	2	1	3	4	—	10	—
	B. Other pleurisy	M	164	—	—	—	—	—	—	1	—	—	1	2
F		125	2	—	—	1	3	1	2	—	1	7	1	
94	Pulmonary conges- tion, Pulmonary apoplexy.	M	183	14	12	3	8	37	5	4	—	2	48	1
		F	235	4	5	8	6	23	5	1	2	1	32	2
	A. Pulmonary apoplexy and infarction.	M	2	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—	—	—
	B. Pulmonary œdema and congestion.	M	161	14	12	3	8	37	5	4	—	2	48	1
		F	205	4	5	7	5	21	4	1	2	1	29	2
	C. Hypostatic pneumonia.	M	20	—	—	—	—	—	—	—	—	—	—	—
		F	27	—	—	—	—	—	1	—	—	—	1	—
	D. Collapse of lung (three months and over).	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	1	1	2	—	—	—	—	2	—
95	Gangrene of the lung.	M	19	—	—	—	—	—	—	—	—	—	—	—
		F	14	—	—	—	—	—	—	—	—	—	—	—
96	Asthma - - -	M	341	—	—	—	1	1	—	1	1	1	4	4
		F	248	—	—	1	1	2	—	—	—	1	3	—
97	Pulmonary emphysema.	M	56	—	—	—	—	—	—	—	—	—	—	—
		F	11	—	—	—	—	—	—	—	—	—	—	—
98	Other diseases of the respiratory system.	M	84	—	—	3	2	5	—	—	—	—	5	2
		F	27	—	—	—	2	2	—	—	—	—	2	1
	A. Fibroid disease of lung.	M	46	—	—	—	—	—	—	—	—	—	—	—
		F	9	—	—	—	—	—	—	—	—	—	—	—
	B. Other diseases included under 98.	M	38	—	—	3	2	5	—	—	—	—	5	2
		F	18	—	—	—	2	2	—	—	—	—	2	1
99- 118	V. Diseases of the Digestive System.	M	3,679	112	240	256	193	801	129	54	48	35	1,067	120
		F	3,391	73	121	167	148	509	120	58	39	36	762	124
99	Diseases of the mouth and annexa.	M	53	4	3	1	2	10	3	1	3	1	18	3
		F	51	4	1	1	2	8	7	1	—	—	16	2
	A. Diseases of the teeth and gums.	M	37	2	—	—	—	2	1	—	1	1	5	2
		F	31	—	—	1	2	3	2	1	—	—	6	1
	B. Thrush, Aphthous stomatitis.	M	9	2	3	1	1	7	1	—	1	—	9	—
		F	8	4	1	—	—	5	3	—	—	—	8	—
	C. Parotitis -	M	3	—	—	—	—	—	—	1	1	—	2	—
		F	6	—	—	—	—	—	—	—	—	—	—	1
	D. Other diseases of mouth and annexa.	M	4	—	—	—	1	1	1	—	—	—	2	1
		F	6	—	—	—	—	—	2	—	—	—	2	—

E-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1918—continued.

AGES AT DEATH.																International List Nos.	
15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.			
3 1	15 3	10 8	12 4	11 3	12 10	18 4	20 10	24 15	23 7	25 8	19 20	12 17	10 14	9 5	— 6	{	93
2 —	4 3	8 2	6 3	5 2	6 —	9 1	5 1	2 2	5 1	4 1	4 1	2 —	— 1	— —	— —		{
1 1	11 —	2 6	6 1	6 1	6 10	9 3	15 9	22 13	18 6	21 7	15 19	10 17	10 13	9 5	— 6	{	
2 —	1 1	1 —	2 2	2 2	4 4	3 6	6 5	6 9	7 11	9 11	12 25	24 32	25 32	19 28	13 31		{
— —	— —	— —	— —	— —	1 —	— —	1 —	— 1	— —	— —	— —	— —	— —	— —	— —	{	
2 —	1 1	1 —	2 2	2 2	3 4	3 6	5 5	6 8	7 11	8 10	10 22	21 25	19 25	12 25	12 26		{
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 1	2 3	3 7	6 7	7 3	1 5	{	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		{
2 —	— —	2 2	1 —	1 3	2 2	1 1	3 —	3 1	2 1	— 1	1 1	1 —	— 1	— 1	— —	{	
1 1	— —	1 4	9 12	7 12	23 8	24 16	31 11	36 25	43 24	49 25	41 37	35 26	25 25	6 15	2 4		{
— —	— —	— —	— —	— —	1 —	2 —	7 —	— —	9 1	7 1	10 1	9 5	5 2	4 1	2 —	{	
— —	— —	1 2	2 —	2 —	5 1	7 2	7 1	11 2	13 3	18 3	6 2	4 3	1 2	— —	— 3		{
— —	— —	— 1	1 —	— —	4 —	3 1	7 —	6 1	7 3	11 —	3 —	3 2	1 —	— —	— 1	{	
— —	— —	1 1	1 —	2 —	1 1	4 1	— 1	5 1	6 —	7 3	3 2	1 1	— 2	— —	— 2		{
6 2	107 74	63 72	84 77	102 118	146 117	178 148	195 188	217 180	282 221	256 275	274 261	222 274	153 234	85 139	42 65	{	
1 1	3 1	1 1	— —	4 2	1 3	3 5	1 4	6 2	1 3	3 4	5 3	2 1	1 2	— 1	— —		{
1 1	3 1	1 —	— —	3 2	1 3	3 5	1 3	6 2	— 3	3 2	5 1	2 —	1 1	— —	— —	{	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		{
— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— 1	— 1	— 1	— 1	— 1	— —	{	
— —	— —	— 1	— —	— —	— —	— —	— 1	— —	— —	— 1	— 1	— —	— —	— —	— —		{

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
100	Diseases of the pharynx, Tonsil- litis.	M 94	—	—	2	4	6	4	6	7	2	25	19
		F 74	2	—	—	2	4	2	9	8	7	30	16
	A. Tonsillitis	M 60	—	—	1	2	3	2	4	7	2	18	14
		F 50	—	—	—	—	—	2	4	7	6	19	12
	B. Ludwig's angina.	M 5	—	—	—	—	—	—	—	—	—	—	—
		F 2	—	—	—	—	—	—	1	—	—	1	—
	C. Other diseases of the pha- rynx.	M 29	—	—	1	2	3	2	2	—	—	7	5
		F 22	2	—	—	2	4	—	4	1	1	10	4
	Diseases of the oesophagus.	M 18	—	—	—	—	—	—	—	—	—	—	—
		F 2	—	—	—	—	—	—	—	—	—	—	—
102	Perforating ulcer of stomach.	M 317	1	—	—	—	1	1	—	—	—	2	1
		F 282	—	—	—	—	—	—	—	—	—	—	—
103	Other diseases of the stomach.	M 416	31	62	39	33	165	24	5	7	3	204	12
		F 441	12	36	36	25	109	18	11	8	5	151	6
	A. Inflammation of stomach	M 344	26	58	36	30	150	23	5	5	3	186	10
		F 362	11	31	34	25	101	18	8	6	5	138	4
	B. Other diseases included under 103.	M 72	5	4	3	3	15	1	—	2	—	18	2
		F 79	1	5	2	—	8	—	3	2	—	13	2
	Diarrhoea and enteritis	M 1,226	68	162	184	126	540	70	31	15	18	674	22
		F 940	49	82	122	99	352	82	33	14	12	493	21
	A. Infective enteritis.	M 123	8	21	26	24	79	14	4	2	2	101	1
		F 103	7	13	20	19	59	8	2	2	3	74	3
104 & 105	B. Diarrhoea—not returned as infective.	M 205	10	33	37	18	98	13	10	4	4	129	6
		F 199	15	18	30	15	78	16	5	2	3	104	4
	C. Enteritis—not returned as infective.	M 338	14	30	56	32	132	16	7	3	5	163	6
		F 276	6	19	26	27	78	20	12	5	4	119	5
	D. Gastro-enteri- tis—not re- turned as in- fective.	M 319	28	62	54	46	190	26	10	5	7	238	8
		F 252	15	28	41	35	119	36	14	4	2	175	9
	E. Dyspepsia— under 2 years.	M 35	6	14	9	6	35	—	—	—	—	35	—
		F 17	5	4	5	3	17	—	—	—	—	17	—
	F. Colic	M 12	2	1	2	—	5	—	—	1	—	6	—
		F 3	1	—	—	—	1	—	—	—	—	1	—
106	Ankylostomiasis	M 1	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
107	Other intestinal parasites.	M 3	—	—	—	—	—	1	—	1	1	3	—
		F 3	—	—	—	—	—	—	1	—	—	1	1
108	Appendicitis	M 323	—	—	1	—	1	1	—	3	6	11	38
		F 275	—	—	—	—	—	—	1	5	6	12	52

E-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1918—continued.

AGES AT DEATH.																International List Nos.
15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.		
8 4	6 2	2 2	3 2	2 2	7 2	1 2	2 2	3 1	3 —	4 2	3 3	2 —	— 1	— —	}	100
6 3	2 1	2 2	1 1	2 1	2 1	1 1	— 1	2 —	3 —	2 2	1 2	1 —	— 1	— —		A
1 1	1 —	— —	— —	— —	2 —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	}	B
1 —	3 1	— —	2 1	— 1	3 1	— 1	2 1	1 1	— —	1 —	2 1	1 —	— —	— —		C
— —	— —	— —	1 —	— —	1 —	2 1	4 1	1 —	5 —	2 —	1 —	— —	— —	1 —	}	101
4 3	5 15	18 18	20 29	33 36	43 30	43 28	34 26	42 26	29 33	23 11	11 14	4 9	3 3	2 1		102
7 7	1 4	4 5	3 12	7 3	6 7	10 15	20 10	20 21	18 26	23 27	30 42	18 47	18 36	10 15	}	103
4 2	1 4	3 4	2 9	6 3	6 5	9 13	14 5	13 17	8 19	18 19	25 31	14 41	15 31	7 12		A
3 5	— —	1 1	1 3	1 —	— 2	1 2	6 5	7 4	10 7	5 8	5 11	4 6	3 5	3 3	}	B
15 10	8 8	21 9	31 18	35 26	41 22	35 34	35 19	54 39	60 52	62 45	51 40	46 51	16 28	9 18		104 & 105
3 —	— —	1 —	1 2	2 4	1 2	— 2	1 —	4 4	1 —	3 4	1 1	2 6	1 1	— —	}	A
— 1	— —	— —	1 1	— 2	2 —	1 1	1 1	4 6	8 14	11 10	12 13	16 16	8 16	4 8		B
2 —	2 1	6 2	5 6	12 7	13 10	10 14	17 12	19 15	18 25	22 13	20 14	12 17	6 8	4 5	}	C
3 3	2 —	3 3	3 2	3 3	2 4	3 5	— 2	6 7	14 5	15 13	6 4	8 10	1 2	— 4		}
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	
1 —	— —	1 —	— —	— —	— —	— —	2 —	— —	— —	— 1	2 —	— 1	— —	— —		}
3 3	2 4	2 3	3 6	4 7	1 3	2 6	3 1	4 3	1 5	— 2	3 4	1 1	— —	— —	}	
3 3	2 3	8 1	18 1	14 3	22 3	19 6	11 3	17 4	18 3	11 2	7 4	7 —	— 1	1 1		}
— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	}	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		}
47 32	20 19	17 18	15 12	25 15	24 16	22 15	9 19	20 12	5 11	13 5	5 3	5 7	1 —	— —	}	

ENGLAND AND WALES.--CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.												
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	
109	Hernia, Intestinal obstruction.	M	615	5	9	25	23	62	15	6	10	2	95	14
		F	784	4	1	8	17	30	6	1	4	4	45	13
	A. Hernia - -	M	261	1	7	4	6	18	3	—	1	—	22	3
		F	403	1	—	1	—	2	2	—	1	—	5	—
	B. Intestinal obstruction.	M	354	4	2	21	17	44	12	6	9	2	73	11
		F	381	3	1	7	17	28	4	1	3	4	40	13
110	Other diseases of the intestines.	M	70	—	4	2	2	8	3	2	—	—	13	1
		F	65	1	1	—	2	4	1	1	—	—	6	1
111	Acute yellow atrophy of the liver.	M	15	—	—	—	—	—	—	—	—	—	—	—
		F	10	—	—	—	—	—	—	—	—	—	—	—
112	Hydatid of liver -	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	—	—	—	—	—	—
113	Cirrhosis of the liver	M	306	—	—	—	—	—	1	—	—	—	1	4
		F	151	—	—	—	—	—	—	—	—	1	1	—
	A. Cirrhosis of the liver not ret'd alcoholic.	M	285	—	—	—	—	—	1	—	—	—	1	4
		F	139	—	—	—	—	—	—	—	—	—	—	—
	B. Cirrhosis of the liver ret'd as alcoholic.	M	13	—	—	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	—	—	—	—	—	—	—
	C. Dis. formerly classed to "Other dis. of liver and gall bladder."	M	8	—	—	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	—	—	—	—	1	1	—
114	Biliary calculi -	M	44	—	—	—	—	—	—	—	—	—	—	—
		F	109	—	—	—	—	—	—	—	—	—	—	—
115	Other diseases of the liver.	M	95	—	—	1	1	2	2	2	1	—	7	1
		F	105	—	—	—	—	—	2	—	—	1	3	3
116	Diseases of the spleen.	M	6	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	—	—	—	—	—	—	—
	A. Infraction of spleen.	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
	B. Other diseases of the spleen.	M	6	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	—	—	—	—	—	—	—
117	Peritonitis (cause unstated).	M	56	3	—	1	2	6	4	1	1	1	13	5
		F	77	1	—	—	1	2	2	—	—	—	4	8
118	Other diseases of the digestive system.	M	21	—	—	—	—	—	—	—	—	1	1	—
		F	13	—	—	—	—	—	—	—	—	—	—	1
	A. Abdominal abscess, Sub-phrenic absces.	M	2	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	—	—	—	—	—	—	1
	B. Other diseases included under 118.	M	19	—	—	—	—	—	—	—	—	1	1	—
		F	8	—	—	—	—	—	—	—	—	—	—	—
119-133	VI. Non - Venereal Diseases of the Genito-Urinary System and Annexa.	M	3,107	2	2	3	5	12	14	9	6	16	57	44
		F	1,999	3	7	2	4	16	15	17	8	8	64	35
119	Acute Nephritis -	M	331	2	1	2	5	10	11	9	5	13	48	33
		F	232	2	4	2	4	12	14	15	6	5	52	25

E-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1918—*continued.*

AGES AT DEATH.																International List Nos.
	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.	
1 7 4 — 7 7 2 — — — 1 1 1 1 — — — — 3 1 1 — 1 —																

ENGLAND AND WALES—CAUSES OF DEATH AT DIFFERENT

[illegible]

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1918—*continued.*

AGES AT DEATH.																International List Nos.
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.	
16 17	28 21	31 30	43 40	42 29	55 56	97 68	128 123	205 136	193 141	271 167	252 202	190 146	155 108	58 41	19 31	{ 120
9 8	15 15	22 22	31 30	31 20	41 33	81 54	111 101	175 114	158 127	226 152	221 175	161 126	135 90	56 36	15 27	{ A
7 9	13 6	9 8	12 10	11 9	14 23	16 14	17 22	30 22	35 14	45 15	31 27	29 20	20 18	2 5	4 4	{ B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ 121
1 —	1 2	2 2	2 2	2 6	3 2	5 6	5 6	5 7	5 5	6 4	5 3	7 4	7 2	6 4	2 —	{ 122
—	—	1 —	—	1 —	1 —	1 1	2 —	1 1	—	—	—	—	—	1 1	—	{ A
—	2 —	—	—	—	—	3 2	1 2	—	2 —	1 1	1 —	—	—	—	—	{ B
—	—	1 —	—	—	1 —	—	—	1 —	—	—	—	1 —	2 —	1 2	—	{ C
1 —	1 —	1 1	2 2	1 6	2 1	1 3	2 4	4 5	3 5	5 2	4 3	6 3	5 1	4 1	2 —	{ D
—	1 —	—	2 1	5 —	2 1	2 1	3 2	2 4	4 2	1 3	7 2	6 —	4 —	2 —	—	{ 123
—	—	—	1 —	2 —	—	8 3	6 1	6 4	18 6	21 3	38 13	46 10	68 11	40 10	20 8	{ 124
—	1 —	2 —	1 —	2 —	2 —	4 —	16 —	19 —	15 —	18 —	19 —	11 —	2 —	—	1 —	{ 125
—	—	—	—	—	—	—	—	1 —	—	3 —	1 —	1 —	—	—	—	{ A
—	1 —	2 —	1 —	2 —	2 —	4 —	16 —	18 —	15 —	15 —	18 —	10 —	2 —	—	1 —	{ B
—	—	—	—	1 —	—	—	1 —	6 —	14 —	43 —	69 —	114 —	126 —	69 —	34 —	{ 126
—	—	—	—	—	—	—	—	—	—	2 —	1 —	1 —	—	—	—	{ 127
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ 128
—	1 —	—	3 —	—	3 —	1 —	1 —	—	—	—	—	—	—	—	—	{ A
—	1 —	—	1 —	—	2 —	—	—	—	—	—	—	—	—	—	—	{ B
—	—	—	2 —	—	1 —	1 —	1 —	—	—	—	—	—	—	—	—	{ 129
—	—	1 —	—	3 —	3 —	9 —	17 —	13 —	8 —	5 —	9 —	1 —	3 —	3 —	—	{ 129

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1918—continued.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.		
— —	— 1	— —	— 1	— 3	— 7	— 4	— 3	— —	— 1	— 2	— 2	— 1	— 2	— —	— —	{	130
— —	— —	— —	— —	— —	— 1	— 3	— —	— —	— —	— —	— —	— —	— —	— —	— —		A
— —	— 1	— —	— 1	— 3	— 6	— 1	— 3	— —	— 1	— 2	— 2	— 1	— 2	— —	— —	{	B
— —	— —	— 5	— 2	— 1	— 7	— 11	— 5	— 5	— 7	— 11	— 4	— 6	— 4	— 3	— 1		131
— —	— —	— 11	— 16	— 9	— 6	— 7	— 3	— 1	— 2	— —	— 1	— —	— —	— —	— 1	{	132
— —	— —	— —	— 2	— 2	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —		A
— —	— —	— 11	— 14	— 7	— 6	— 7	— 3	— 1	— 2	— —	— —	— —	— —	— —	— 1	{	B
— —	— —	— —	— —	— 1	— —	— —	— 1	— 1	— —	— —	— —	— —	— —	— —	— —		133
— —	— 20	— 84	— 149	— 145	— 162	— 78	— 7	— —	— —	— —	— —	— —	— —	— —	— —	{	134— 141
— —	— 2	— 6	— 15	— 14	— 27	— 5	— 1	— —	— —	— —	— —	— —	— —	— —	— —		134
— —	— —	— 2	— 7	— 5	— 10	— 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	{	A
— —	— —	— 1	— 4	— 3	— 9	— 2	— 1	— —	— —	— —	— —	— —	— —	— —	— —		B
— —	— —	— —	— —	— —	— 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{	C
— —	— 1	— 3	— 1	— 5	— 5	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		D
— —	— 1	— —	— 3	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	{	E
— —	— 2	— 7	— 15	— 17	— 25	— 11	— 2	— —	— —	— —	— —	— —	— —	— —	— —		135
— —	— 1	— 2	— 13	— 11	— 21	— 9	— 2	— —	— —	— —	— —	— —	— —	— —	— —	{	136
— —	— 5	— 36	— 60	— 60	— 58	— 32	— —	— —	— —	— —	— —	— —	— —	— —	— —		137

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.												
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	
138	Puerperal albumin- uria and convul- sions.	M	—	—	—	—	—	—	—	—	—	—	—	
		F	122	—	—	—	—	—	—	—	—	—	—	
	A. Puerperal ne- phritis and uræmia.	M	—	—	—	—	—	—	—	—	—	—	—	
		F	25	—	—	—	—	—	—	—	—	—	—	
	B. Puerperal albuminuria and Bright's disease.	M	—	—	—	—	—	—	—	—	—	—	—	
		F	4	—	—	—	—	—	—	—	—	—	—	
	C. Puerperal convulsions.	M	—	—	—	—	—	—	—	—	—	—	—	
		F	92	—	—	—	—	—	—	—	—	—	—	
139	Puerperal phlegma- sia alba dolens, embolism and sudden death.	M	—	—	—	—	—	—	—	—	—	—	—	
		F	59	—	—	—	—	—	—	—	—	—	—	
	A. Puerperal phlegmasia alba dolens. and phlebitis.	M	—	—	—	—	—	—	—	—	—	—	—	
		F	10	—	—	—	—	—	—	—	—	—	—	
	B. Puerperal em- bolism and sudden death.	M	—	—	—	—	—	—	—	—	—	—	—	
		F	49	—	—	—	—	—	—	—	—	—	—	
140	Puerperal insanity	M	—	—	—	—	—	—	—	—	—	—	—	
		F	4	—	—	—	—	—	—	—	—	—	—	
141	Puerperal diseases of the breast.	M	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	—	—	—	—	—	—	
142—	VIII. Diseases of the Skin and of the Cellular Tissue.	M	536	16	10	10	12	48	10	7	3	1	69	7
145		F	436	27	11	3	7	48	8	11	1	2	70	6
142	Gangrene	M	228	1	1	—	1	3	—	2	2	—	7	3
		F	185	—	—	—	1	1	2	2	1	—	6	3
	A. Senile gangrene.	M	203	—	—	—	—	—	—	—	—	—	—	—
		F	157	—	—	—	—	—	—	—	—	—	—	—
	B. Noma, Gan- grene of mouth.	M	10	1	—	—	1	2	—	1	2	—	5	3
		F	11	—	—	—	—	—	1	2	1	—	4	3
	C. Noma pudendi	M	4	—	—	—	—	—	—	1	—	—	1	—
		F	2	—	—	—	1	1	1	—	—	—	2	—
	D. Other gan- grene.	M	11	—	1	—	—	1	—	—	—	—	1	—
		F	15	—	—	—	—	—	—	—	—	—	—	—
143	Carbuncle, Boil	M	75	1	—	—	1	2	—	—	—	—	2	—
		F	26	—	—	—	—	—	—	1	—	—	1	—
144	Phlegmon, Acute abscess.	M	105	1	3	1	1	6	2	2	—	—	10	2
		F	80	7	6	—	2	15	3	3	—	1	22	1
	A. Phlegmon	M	80	1	1	—	1	3	1	—	—	—	4	2
		F	49	2	4	—	—	6	1	2	—	1	10	1
	B. Acute Abscess	M	25	—	2	1	—	3	1	2	—	—	6	—
		F	31	5	2	—	2	9	2	1	—	—	12	—

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1918—continued.

AGES AT DEATH.																International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	138
—	9	28	33	23	20	9	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	2	5	3	8	6	1	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	—	—	2	—	1	1	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	C
—	7	23	28	15	13	7	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	139
—	1	5	12	19	10	10	2	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	1	—	4	4	1	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	1	4	12	15	6	9	2	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	140
—	—	—	—	1	1	2	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141
—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
—	7	9	7	8	11	15	20	19	25	31	60	69	77	67	35	142- 145
6	7	4	5	3	5	9	8	17	20	27	47	59	59	48	36	
—	—	1	—	—	—	2	1	2	6	11	30	45	49	45	26	142
1	1	2	—	1	1	—	—	3	6	10	28	34	35	32	22	
—	—	—	—	—	—	—	—	1	3	11	28	41	48	45	26	A
—	—	—	—	—	—	—	—	—	1	9	26	33	35	31	22	
—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	B
1	—	1	—	—	—	—	—	—	—	—	—	1	—	1	—	
—	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	1	—	—	—	1	1	1	3	—	1	1	1	—	—	D
—	1	1	—	1	1	—	—	3	5	1	2	—	—	—	—	
—	4	1	4	2	4	6	7	7	8	7	10	5	5	1	2	143
—	—	—	—	1	3	2	2	3	4	3	1	2	1	3	—	
—	3	6	2	4	6	5	9	6	8	9	9	10	7	7	2	144
2	2	2	3	—	1	4	4	6	4	8	6	4	5	3	3	
—	1	5	2	3	4	3	5	6	7	8	9	8	6	5	2	A
2	1	1	2	—	1	4	2	4	3	6	3	1	3	3	2	
—	2	1	—	1	2	2	4	—	1	1	—	2	1	2	—	B
—	1	1	1	—	—	—	2	2	1	2	3	3	2	—	1	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
145	Diseases of the integumentary system.	M 128 F 145	13 20	6 5	9 3	9 4	37 32	8 3	3 5	1 —	1 1	50 41	2 2
	A. Ulcer, Bedsore	M 51 F 71	— 1	— —	— —	— —	— 1	1 1	— —	— —	— —	1 2	1 —
	B. Eczema -	M 28 F 16	2 2	4 2	6 3	9 3	21 10	5 —	— 2	— —	— —	26 12	— —
	C. Pemphigus -	M 14 F 19	7 10	1 1	— —	— —	8 11	1 —	— 1	— —	— —	9 12	— —
	D. Other Dis. of the integumentary system.	M 35 F 39	4 7	1 2	3 —	— 1	8 10	1 2	3 2	1 —	1 1	14 15	1 2
146-149	IX. Diseases of the Bones and of the Organs of Locomotion.	M 111 F 66	1 —	1 1	1 1	3 2	6 4	1 3	1 1	— 2	— 2	8 12	22 10
146	Diseases of the bones	M 75 F 41	1 —	— 1	1 1	2 2	4 4	— 2	1 1	— 2	— 2	5 11	18 9
147	Diseases of the joints.	M 27 F 22	— —	1 —	— —	1 —	2 —	1 —	— —	— —	— —	3 —	4 —
148	Amputations -	M 1 F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
149	Other diseases of locomotor system.	M 8 F 3	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— 1	— 1
	X. Malformations.												
150	Congenital malformations.	M 426 F 349	225 184	75 55	29 30	21 28	350 297	22 16	8 5	3 2	2 —	385 320	17 8
	A. Congenital hydrocephalus.	M 52 F 41	7 9	3 6	5 5	8 6	23 26	9 7	6 1	— —	2 —	40 34	7 3
	B. Phimosis	M 4 F —	2 —	1 —	1 —	— —	4 —	— —	— —	— —	— —	4 —	— —
	C. Congenital malformation of heart.	M 174 F 138	103 75	23 21	7 4	9 13	142 113	7 5	1 1	2 2	— —	152 121	7 4
	D. Other congenital malformations.	M 196 F 170	113 100	48 28	16 21	4 9	181 158	6 4	1 3	1 —	— —	189 165	3 1
151-153	XI. Diseases of Early Infancy.	M 3,027 F 2,350	2,414 1,857	419 310	138 131	56 52	3,027 2,350	— —	— —	— —	— —	3,027 2,350	— —
151	Premature birth, Infantile debility, Icterus and Sclerema.	M 2,711 F 2,100	2,119 1,619	398 298	138 131	56 52	2,711 2,100	— —	— —	— —	— —	2,711 2,100	— —
	A. Premature birth.	M 1,719 F 1,344	1,553 1,203	141 116	19 20	6 5	1,719 1,344	— —	— —	— —	— —	1,719 1,344	— —
	B. Infantile atrophy, debility and marasmus.	M 900 F 708	493 382	243 173	116 107	48 46	900 708	— —	— —	— —	— —	900 708	— —
	C. Icterus neonatorum.	M 79 F 35	69 31	8 3	2 1	— —	79 35	— —	— —	— —	— —	79 35	— —
	D. Sclerema and œdema neonatorum.	M 3 F 2	2 2	1 —	— —	— —	3 2	— —	— —	— —	— —	3 2	— —
	E. Want of breast milk.	M 10 F 11	2 1	5 6	1 3	2 1	10 11	— —	— —	— —	— —	10 11	— —

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
152	Other diseases peculiar to early infancy.	M 273 F 212	253 200	20 12	— —	— —	273 212	— —	— —	— —	— —	273 212	— —
	A. Diseases of umbilicus, &c.	M 37 F 30	33 26	4 4	— —	— —	37 30	— —	— —	— —	— —	37 30	— —
	B. Atelectasis	M 150 F 111	137 104	13 7	— —	— —	150 111	— —	— —	— —	— —	150 111	— —
	C. Injuries at birth.	M 83 F 66	80 65	3 1	— —	— —	83 66	— —	— —	— —	— —	83 66	— —
	D. Cyanosis neonatorum.	M 3 F 5	3 5	— —	— —	— —	3 5	— —	— —	— —	— —	3 5	— —
153	Lack of care	M 43 F 38	42 38	1 —	— —	— —	43 38	— —	— —	— —	— —	43 38	— —
	XII.—Old Age.												
154	Old age	M 3,610 F 4,631	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Senile dementia.	M 191 F 214	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Senile decay	M 3,419 F 4,417	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
155–186	XIII.—Affections produced by External Causes.	M 3,952 F 1,746	56 56	48 44	24 38	20 26	148 164	74 62	92 62	77 56	47 74	438 418	165 152
155	Suicide by poison	M 18 F 20	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
156	Suicide by asphyxia	M 20 F 23	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
157	Suicide by hanging or strangulation.	M 107 F 36	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
158	Suicide by drowning	M 85 F 86	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
159	Suicide by firearms	M 43 F 4	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
160	Suicide by cutting or piercing instruments.	M 131 F 31	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
161	Suicide by jumping from high place.	M 19 F 11	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
162	Suicide by crushing	M 16 F 11	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
163	Other suicides	M 1 F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
155–163	Suicide	M 440 F 222	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
164	Poisoning by food	M 10 F 5	— —	— —	— —	— —	— —	1 —	— —	2 —	— —	3 —	1 —
165	Other acute poisonings.	M 17 F 13	— —	— —	— —	— —	— —	1 2	1 2	— —	2 —	4 4	— —
166	Conflagration	M 8 F 5	— —	— —	— —	— —	— —	1 —	— 1	1 2	— —	2 3	— —
167	Burns (conflagration excepted).	M 352 F 539	— 1	3 —	2 7	11 13	16 21	56 37	68 43	52 43	25 59	217 203	37 119

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
168	Absorption of dele- terious gases (conflagration ex- cepted).	M 151 F 140	47 39	39 37	17 27	5 7	108 110	— 4	— 2	— —	— —	108 116	4 1
169	Accidental drown- ing.	M 364 F 105	1 2	— —	— —	— —	1 2	5 7	8 4	9 —	1 1	24 14	23 —
170	Injury by firearms	M 20 F 3	— —	— —	— —	— —	— —	— —	— —	1 —	— 1	1 1	— —
171	Injury by cutting or piercing instruments.	M 7 F 3	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	2 —	— —
172	Injury by fall	M 477 F 351	1 1	1 —	1 1	— 1	3 3	4 2	6 —	2 2	3 3	18 10	11 1
173	Injury in mines and quarries.	M 301 F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
174	Injury by machines	M 95 F 10	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	3 —
175	Injury by other crushing (vehi- cles, railways, landslides, &c.)	M 944 F 197	— —	— —	— —	1 —	1 —	3 5	6 6	8 6	13 6	31 23	76 23
176	Injury by animals	M 25 F 1	— —	1 —	— —	— —	1 —	— —	— —	— —	— —	1 —	— —
177	Starvation	M 3 F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
178	Excessive cold	M 38 F 5	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —
179	Effects of heat	M 1 F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
180	Lightning	M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
181	Electricity (light- ning excepted).	M 9 F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
182	Homicide by fire- arms.	M 1 F 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
183	Homicide by cut- ting or piercing instruments.	M 4 F 6	— 1	— —	— —	— —	— 1	— —	— —	— —	— —	— 1	2 —
184	Homicide by other means.	M 15 F 23	3 7	— 2	1 —	— 1	4 10	— 1	— 1	1 1	— 1	5 14	— 1
185	Fractures (cause not specified).	M 27 F 8	— 2	— —	— —	— —	— 2	— —	— —	— —	— —	— 2	— —
186	Other violence	M 643 F 109	4 3	4 5	3 3	3 4	14 15	3 4	3 3	— 2	2 3	22 27	7 7
187- 189	XIV. Ill-defined Causes.	M 323 F 280	10 6	4 —	2 7	5 3	21 16	33 39	17 16	3 3	1 —	75 74	5 2
187	Dropsy	M 2 F 4	— —	— —	— 1	— —	— 1	— —	— —	— —	— —	— 1	1 —

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—
188	Syncope, Sudden death. {	M 32	—	—	—	—	—	—	—	—	—	—	—
		F 24	—	—	—	—	—	—	—	—	—	—	—
	A. Syncope (aged 1 year and under 70 years). {	M 31	—	—	—	—	—	—	—	—	—	—	—
		F 24	—	—	—	—	—	—	—	—	—	—	—
	B. Sudden death (not otherwise defined). {	M 1	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
189	Ill-defined causes - {	M 289	10	4	2	5	21	33	17	3	1	75	4
		F 252	6	—	6	3	15	39	16	3	—	73	2
	A. Heart failure (aged 1 year and under 70). {	M 167	—	—	—	—	—	3	1	—	—	4	2
		F 142	—	—	—	—	—	—	—	—	—	—	1
	B. Atrophy, debility, marasmus (aged 1 year and under 70). {	M 59	—	—	—	—	—	26	15	2	—	43	2
		F 60	—	—	—	—	—	36	14	3	—	53	—
	C. Teething - {	M 5	—	—	—	4	4	1	—	—	—	5	—
		F 9	—	—	3	2	5	3	1	—	—	9	—
	D. Pyrexia - - {	M 1	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
	E. Other ill-defined deaths. {	M 42	7	3	2	—	12	2	1	1	1	17	—
		F 30	3	—	2	1	6	—	1	—	—	7	1
	F. Cause not specified. {	M 15	3	1	—	1	5	1	—	—	—	6	—
		F 11	3	—	1	—	4	—	—	—	—	4	—

E-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1918—continued.

AGES AT DEATH.																International List Nos.	
15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 Years and upwards.			
1	1	1	—	—	3	3	1	2	4	9	7	—	—	1	—	{	188
1	1	—	1	1	2	2	1	4	3	5	3	—	—	—	—		
1	1	1	—	—	3	3	1	2	4	9	7	—	—	—	—	{	A
1	1	—	1	1	2	2	1	4	3	5	3	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	{	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
1	4	3	4	5	3	15	14	25	39	38	53	3	7	1	—	{	189
1	4	2	2	6	6	17	14	18	27	35	36	7	2	—	—		
1	—	2	4	3	1	12	12	17	32	31	47	—	—	—	—	{	A
1	3	2	1	4	4	11	11	15	25	33	31	—	—	—	—		
—	—	—	—	—	—	—	1	3	4	3	3	—	—	—	—	{	B
—	—	—	1	1	—	2	2	—	—	—	1	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	{	D
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	2	1	1	—	4	1	3	3	2	7	1	—	{	E
—	1	—	—	—	1	3	1	3	2	—	4	5	2	—	—		
—	—	—	—	—	1	2	1	1	2	1	—	1	—	—	—	{	F
—	—	—	—	1	1	1	—	—	—	2	—	2	—	—	—		

CHANGES in the BOUNDARIES of ADMINISTRATIVE AREAS and POOR LAW AREAS which took effect during the six months ending 31st December, 1918.

Authority and Date of Change.	Area decreased by Change.	Area increased or constituted by Change.	Civil Parish transferred.	Area in Statute Acres (Land and Inland Water).	Population, 1911.
Bristol Corporation Act, 1918. (1st October, 1918.)	Thornbury R.D.—	Bristol C.B. and C.P.	Henbury (part of).	928	50
	Henbury C.P. - - -				
	Long Ashton R.D.—		Easton-in-Gordano (part of).	48	16
	Easton-in-Gordano C.P.				
		Total of added area		976	66
L.G.B. Provisional Order Confirmation (No. 6) Act, 1918. (9th November, 1918.)	Swansea R.D.—	Swansea C.B. and			
	Clase Rural - - -	Swansea C.P.	Clase Rural (part of).	2,035	4,428
	Cockett - - -		Cockett (entire)	4,430	8,488
	Llansamlet - - -		Llansamlet (entire).	5,243	7,411
	Penderry - - -		Penderry (part of).	1,319	2,436
		Total added to Swansea C.P.		13,027	22,763
	Oystermouth U.D. (abolished).	Swansea C.B.-	Oystermouth C.P. extended to include Brynau C.P.	1,507	6,098
	Oystermouth C.P.				
	Gower R.D.				
	Brynau C.P. - - -			1,500	473
		Total added to Swansea C.B.		16,034	29,334
	Clase Rural (remainder of).	Amalgamated as Llangyfelach C.P.	Chase Rural (part of).	2,123	1,220
	Penderry (remainder of) -		Penderry (part of).	4,351	1,674
			Total of new C.P.	6,474	2,894

ENUMERATED POPULATIONS by SEX and AGE, 1911, of AREAS transferred between URBAN and RURAL DISTRICTS during the six months ending 31st December, 1918.

Ages.	Area transferred from Thornbury R.D. to Bristol C.B.		Area transferred from Long Ashton R.D. to Bristol C.B.		Total area added to Bristol C.B.	
	Males.	Females.	Males.	Females.	Males.	Females.
All Ages - -	25	25	9	7	34	32
Under 1 - -	1	—	1	—	2	—
1- - -	—	1	—	—	—	1
2- - -	—	—	—	—	—	—
3- - -	1	1	1	—	2	1
4- - -	—	—	1	—	1	—
Under 5 - -	2	2	3	—	5	2
5- - -	1	1	—	1	1	2
10- - -	1	1	2	—	3	1
15- - -	4	3	—	1	4	4
20- - -	5	1	1	—	6	1
25- - -	2	3	—	1	2	4
30- - -	2	1	—	1	2	2
35- - -	2	3	1	1	3	4
40- - -	—	1	1	1	1	2
45- - -	—	3	—	—	—	3
50- - -	2	1	—	—	2	1
55- - -	2	2	—	—	2	2
60- - -	—	1	1	1	1	2
65- - -	1	2	—	—	1	2
70- - -	1	—	—	—	1	—
75- - -	—	—	—	—	—	—
80- - -	—	—	—	—	—	—
85 and upwards -	—	—	—	—	—	—

ENUMERATED POPULATIONS by SEX and AGE, 1911, of AREAS transferred between URBAN and RURAL DISTRICTS during the six months ending 31st December, 1918—*continued*.

Ages.	Oystermouth U.D. to Swansea C.B.		Area transferred from Swansea R.D. to Swansea C.B.		Area transferred from Gower R.D. to Swansea C.B.		Total area added to Swansea C.B.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
All Ages	2,726	3,372	11,540	11,223	224	249	14,490	14,844
Under 1	55	59	282	263	3	3	340	325
1- -	69	64	275	284	5	6	349	354
2- -	63	49	265	295	4	4	332	348
3- -	72	73	284	279	2	5	358	357
4- -	57	57	281	270	2	3	340	330
Under 5	316	302	1,387	1,391	16	21	1,719	1,714
5- -	319	293	1,309	1,393	15	22	1,643	1,708
10- -	253	292	1,225	1,172	20	13	1,498	1,477
15- -	233	300	1,104	1,063	22	25	1,359	1,388
20- -	204	302	1,019	943	33	24	1,256	1,269
25- -	189	321	1,026	981	18	30	1,233	1,332
30- -	207	311	952	891	17	19	1,176	1,221
35- -	222	276	827	765	17	14	1,066	1,055
40- -	170	206	695	594	17	22	882	822
45- -	138	146	495	506	10	13	643	665
50- -	111	138	425	371	10	13	546	522
55- -	100	133	359	372	13	13	472	518
60- -	81	124	268	282	5	10	354	416
65- -	75	90	223	205	5	3	303	298
70- -	57	68	117	164	—	2	174	234
75- -	29	33	67	87	3	4	99	124
80- -	19	26	28	27	3	1	50	54
85 and upwards.	3	11	14	16	—	—	17	27

